



ATM Survey

FACILITY NAME: _____ **SCREENING DATE:** _____

STREET ADDRESS: _____

CITY, STATE, ZIP: _____ **PHONE:** _____

BUSINESS CONTACT: _____ **CONTACT EMAIL:** _____

SURVEYOR(S): _____

SURVEYOR PHONE: _____ **SURVEYOR EMAIL:** _____

 AUDIO		
1. Is there a working headphone connector jack or a telephone handset through which the speech output for all displayed information can be heard?	Y	N

 NUMERIC KEYPADS		
1. Is the number five key tactilely distinct from the other keys?	Y	N
2. Are there tactile symbols for function keys as follows: Enter or Proceed key (raised circle); Clear or Correct key (raised left arrow); Cancel key (raised letter X); Add Value key (raised plus sign); and Decrease Value key (raised minus sign)?	Y	N

 DISPLAY		
1. Is the display screen visible from a point located 40 inches above the ground?	Y	N
2. Are the characters displayed on the screen in a sans serif font?	Y	N
3. Are the characters in contrast with their backgrounds with either light characters on a dark background or dark characters on a light background?	Y	N

 FLOOR SPACE, HEIGHT AND REACH		
1. Is the clear floor or ground space in front of the ATM at least 30 inches by 48 inches?	Y	N
2. Are there any obstructions that prevent a person in a wheelchair from reaching the display from the side or facing forward?	Y	N
3. Is the highest functioning element no higher than 48" above the ground?	Y	N

COMMENTS: