

**CITY OF BLOOMINGTON
parks and recreation**

ADDENDUM NO. 2

TO THE DRAWINGS AND SPECIFICATIONS FOR THE

**Restroom Facility Rehabilitation
Allison-Jukebox Center-3rd Street Park
And
Building Trades Park**

ISSUED FROM: City of Bloomington/Dept. of Parks and Recreation
401 N. Morton, Suite 250
Bloomington, Indiana, 47404

ISSUE DATE: September 23, 2016

BID DATE: **EXTENDED – OCTOBER 4, 2016 @ 2PM LOCAL TIME**

This Addendum No. 2 to the drawings, specifications, and bidding documents shall supplement, amend, and become part of the bidding documents, plans and specifications. All bids and construction contracts shall be based on these modifications to the original documents.

ITEM NO. 1: The Bid opening date is extended to OCTOBER 4, 2016 @ 2PM local time. The anticipated award date by the Board of Park Commissioners has also been extended to OCTOBER 25, 2016.

ITEM NO. 2: Several minor revisions and details have been made or added to the drawings for both facility locations. The drawings are filed under a folder titled REVISED DRAWING SHEETS. Only plan sheets with revisions are provided and are noted with the letter "R".

ITEM NO. 3:

Revisions to the Bid Form. The Bid Form has been revised to require a lump sum bid amount for each facility, and an Add Alternate has been added for roofing the restroom at Building Trades Park. A Unit Cost for plywood roof decking has also been added.

ITEM NO. 4

Answers and clarifications regarding questions raised by Bidders:

Q: In the Building Trades Bathroom...note 1 says to refer to the photo. There is no photo to refer to and a plan note suggests the roof as an alternate and as replace....is the roof an alternate or do we replace?

A: Ignore the photo reference. See updated bid form (Item No. 3). Roof replacement at this facility is an Add Alternate.

Q: Building Trades Park: (Sheet) AE101 says to prepare walls smooth for paint....but the walls are block. Do we skim coat the block to make smooth?

A: No skim coat. Provide specified paint and primer and paint surfaces as is.

Q: Building Trades Park: The marlite product spec'ed is a plywood backed panel....is that correct?

A: Correct, this product is to be used for the ceiling. See AE601 finish legend.

Q: Building Trades Park/ Allison-Jukebox Center: We are assuming no floor finish in bathroom....is that correct?

A: The floor finish for Building Trades Park shall be cleaned, sealed concrete. Revisions have been made to the plans and specifications. The Allison-Jukebox Center floor finish requires new vinyl composition tile (VCT). See Sheet AE601.

Q: Allison-Jukebox Center: In the JukeBox restroom...sheet AD101 – note 4 says to remove cabinets....there are no cabinets on the drawings. Can you tell us the cabinets to remove?

A: The note has been removed from the revised drawings. There are no cabinets to be removed. Sheet AD101 has been revised.

Q: Allison-Jukebox Center: AE 101 door 1/102....do we replace that door? It doesn't match the door schedule.

A: The pipe chaise door is to be replaced in the Base Bid. The plan sheets covering demolition details and replacement door schedule have been revised.

Q: Allison-Jukebox Center: We are assuming no floor finish in bathroom....is that correct?

A: Provide VCT flooring as specified on Sheet AE601.

ITEM NO. 4
(continued)

Q: Allison-Jukebox Center: *AE 601...details call out aluminum door frames, but door schedule says hollow metal. Which is correct?*

A: The restroom doors and plumbing chase door are aluminum frame with FRP doors. The hallway doors are how metal frames with solid core wood doors. Plan sheet AE601 has been revised.

Q: Allison-Jukebox Center: *The plumbing demo says to remove waste line....where do we stop with that removal?*

A: Plumbing demo is to remove from the fixture to an extent to what falls within the plumbing chase room area. Plan sheet AD101, Note 9, has been revised.

Q: Allison-Jukebox Center: *Is this a crawl space or a slab building?*

A: The building is on a crawl space.



CERTIFIED BY:

**Dave Williams
Operations Director
City of Bloomington, IN
Parks and Recreation Department**

Acknowledge receipt of this Addendum by submitting a signed copy with your bid proposal.

RECEIVED BY: CONTRACTOR (Name and Address)

SIGNATURE:

DATE:

PRINTED NAME:

TITLE:

INVITATION TO BIDDERS

NOTICE OF BID DATE EXTENSION TO OCTOBER 4, 2016

NOTICE IS HEREBY GIVEN THAT THE BOARD OF PARK COMMISSIONERS OF THE CITY OF BLOOMINGTON, INDIANA WILL RECEIVE SEALED BIDS FOR THE BELOW-DESCRIBED WORK AT THE LOCATION INDICATED.

Restroom Facility Rehabilitation Allison-Jukebox Center-3rd Street Park Building Trades Park

The projects shall include, but are not limited to, selective demolition, glassblock installation, electrical, plumbing, installation of new restroom lighting, fixtures and finishes, doors and hardware, signage, ceiling tile replacement, floor covering replacement, roofing, and related improvements. Project locations are the Allison-Jukebox Center, located at 351 S. Washington St., and Building Trades Park, located at 619 W. Howe St., Bloomington, Indiana.

The proposal and other data submitted will form the basis of the negotiation of a Lump Sum agreement for the work. Bids are to be submitted in proper form, as described in the "Instructions to Bidders" which can be found on the City's website at https://bloomington.in.gov/sections/viewSection.php?section_id=537.

Sealed bids shall be received by the Department of Parks and Recreation at Showers City Hall, 401 North Morton Street, Suite 250, Bloomington, Indiana, 47404 at or before 2:00 P.M. local time, on October 4, 2016.

The sealed Bids will be publicly opened and read aloud immediately thereafter in the Parks and Recreation department conference room. Any bids received after the designated time will be returned unopened. Proposals will be reviewed and the award may be made at a scheduled meeting of the Board of Park Commissioners.

Each Bidder shall file with his or her sealed proposal: (1) a properly executed Non-collusion Affidavit as required by the laws of the State of Indiana; (2) a Questionnaire Form 96 of the State Board of Accounts, (3) a cashiers check or certified check drawn on an acceptable bank or a bid bond equal to five (5) percent of the total amount bid.

For projects utilizing Federal funding Wage rates shall be in compliance with Davis Bacon. For bids of \$100,000.00 or more, the successful bidder shall furnish performance and payment bonds for one hundred percent (100%) of the contract amount prior to the execution of the contract, and said bonds shall remain in effect for a period of one (1) year after final acceptance of the work.

Each Bidder must ensure that to the greatest extent feasible, opportunities for training and employment should be given to lower income residents of the project area and purchases and/or contract for work in connection with the project should be awarded to small business concerns which are located in, or owned in substantial part, by person residing in the area of the project.

The City of Bloomington is an equal opportunity employer, and Bidders shall meet all requirements for equal employment under Title VII of the 1964 Civil Rights Act as amended and under the Bloomington Human Rights Ordinance, as amended.

Each Bidder for proposals over \$10,000.00 shall submit and have approved by the City of Bloomington Contract Compliance Officer, Barbara McKinney, their written Affirmative Action Plan at least twenty-four

(24) hours prior to the deadline for submission of proposals. Bids received that do not have an approved Affirmative Action Plan will be returned unopened. Each Bidder must insure that all employees and applicants for employment are not discriminated against because of race, religion, color, sex, national origin, ancestry or handicap. All the protected classes must be included in your Affirmative Action Plan for it to be acceptable.

In addition to other requirements, your plan MUST include a workforce breakdown, an internal grievance procedure, a non-retaliation statement, designation of a person by name or position who is responsible for implementation of the Plan, applicability to both applicants and employees, recruitment of minorities, equal access to training programs, and an explanation of your method of communicating the operations of your affirmative action plan to employees and prospective applicants. Barbara McKinney, Contract Compliance Officer, may be contacted at (812) 349-3429, 9:00 a.m. to 1:00 p.m. local time Monday through Friday.

The Board of Park Commissioners reserves the right to waive any informalities and to accept or reject any or all bids submitted. Bids may be held by the Board of Park Commissioners for a period not-to-exceed sixty (60) days, from the date of the opening of Bids for the purpose of reviewing the Bids and investigating the qualifications of the Bidders prior to awarding the contract.

Leslie J. Coyne, President
Board of Park Commissioners
City of Bloomington, Indiana

BID FORM (REVISED 9/21/16)

This BID Summary Sheet shall be completed and submitted with all other BID Documents.

The undersigned Bidder hereby proposes to complete the **Restroom Facility Rehabilitation at the Allison-Jukebox Center-3rd Street Park** including all associated work per plans and specifications for the Lump Sum Base Bid of:

_____, \$ _____

The undersigned Bidder hereby proposes to complete the **Restroom Facility Rehabilitation at Building Trades Park** including all associated work per plans and specifications for the Lump Sum Base Bid of:

_____, \$ _____

ALTERNATE #1

The undersigned Bidder hereby proposes to remove all existing roof shingles at the **Building Trades Park Restroom Facility** and replace with new underlayment and seal tab shingles as by Malarkey Alaskan. Install Malarkey "Secure Start" underlayment plus starter shingles as required. Replace all rotted and damaged wood and wood sheathing as needed (see unit price item). Provide roof including all associated work per plans and specifications for the Lump Sum Base Bid of:

_____, \$ _____

UNIT PRICE ITEMS

If the work required is found to deviate from the amounts shown or implied in the Plans and Specifications, the following unit prices shall apply to the addition or deletion of work from the Lump Sum Contract Price:

The undersigned Bidder hereby proposes to supply for the **Restroom Facility Rehabilitation at Building Trades Park** 4x8x3/4" exterior grade plywood sheets for replacement roof sheathing, installed, for the Unit Price Per Sheet of:

_____, \$ _____ per 4/8 sheet

The undersigned Bidder hereby proposes to supply for the **Restroom Facility Rehabilitation at Building Trades Park** limestone masonry tuck-pointing labor and material cost per LF for the Unit Price Per Sheet of:

_____, \$ _____ per LF

Any and all Subcontractors performing work valued over \$10,000 shall be listed below: Any subcontractor not listed below at the time of bid, must be approved by the City of Bloomington prior to performing any work on this contract. Subcontractors not listed or approved will not be paid for work under this contract. In accordance with Indiana Code 5-16-13 *et seq.*, incorporated herein by reference, any subcontractor performing work on this contract is a Tier 2 contractor.

SUBCONTRACTORS	ADDRESS	TYPE OF WORK

In submitting this Bid, Bidder represents that:

A. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, performance, and furnishing of the Work.

B. Bidder has examined and carefully studied the Bidding Documents, the other related data identified in the Bidding Documents and the following Addenda, receipt of which is hereby acknowledged.

No. _____ Dated _____

No. _____ Dated _____

No. _____ Dated _____

SIGNATURE OF BIDDER

Name of Bidder: _____

Date: _____

By:

Name & Title Printed: _____

Bidder Address:

Telephone: _____

DEMOLITION PLAN KEYNOTES:

- ** VERIFY WITH OWNER WHICH EXISTING ITEMS ARE TO BE SALVAGED AND TURNED OVER TO THE OWNER FOR THEIR USE. EXTRA CARE SHOULD BE TAKEN WITH THESE ITEMS.**
- 1 REMOVE EXISTING PLUMBING FIXTURES (WATER CLOSETS, URINALS, LAVS).
 - 2 REMOVE & DISPOSE OF EXISTING VINYL FLOOR AND COVE BASE. PREPARE FOR NEW FLOOR FINISH AS SCHEDULED.
 - 3 REMOVE & DISPOSE OF EXISTING CEILING SYSTEM COMPLETE INCLUDING LIGHT FIXTURES.
 - 4 - NOT USED -
 - 5 REMOVE EXISTING DOOR, FRAME & HARDWARE.
 - 6 REMOVE ALL EXISTING TOILET PARTITIONS AND HARDWARE.
 - 7 REMOVE EXISTING WINDOW.
 - 8 REMOVE & DISPOSE OF EXISTING FRP WALL PANELING.
 - 9 REMOVE AND DISPOSE OF ALL EXISTING PLUMBING SUPPLY LINES AND WASTE LINES INCLUDING CAST IRON HUBS, SUPPORTS AND VALVES. REMOVAL LIMITS SHALL BE FROM FIXTURE TO A POINT THAT EXITS THE PLUMBING CHASE. THIS AREA IS ON A CRAWL SPACE.
 - 10 REMOVE PORTION OF EXISTING WALL FOR CONSTRUCTION OF NEW DOOR OPENING. REMOVE AND REPLACE ITEMS ON WALL AS NEEDED TO REPLACE FRP SURFACE.
 - 11 EXISTING CASEWORK TO REMAIN.
 - 12 EXISTING DRINKING FOUNTAIN TO REMAIN.
 - 13 REMOVE EXISTING LAY-IN CEILING GRID THIS AREA AND INSTALL NEW LAY-IN CEILING AND GRID AS SPECIFIED.
 - 14 TO REMOVE EXISTING DOOR AND FRAME. INSTALL NEW PAINTED HM FRAME WITH STAINED FLUSH SOLID CORE WOOD DOOR AND NEW HARDWARE.


DEMOLITION ABBREVIATIONS

- ** REMOVE & SALVAGE EXISTING ITEMS FOR THE OWNERS USE**
- TP - TOILET PAPER DISPENSERS
 - SD - SOAP DISPENSERS
 - MR - MIRRORS
 - HD - HAND DRYERS
 - GB - GRAB BARS
 - PT - PAPER TOWEL DISPENSERS
 - CS - BABY CHANGING STATIONS
 - SN - SANITARY NAPKIN DISPOSALS
 - AF - AIR FRESHENERS



△ REVISIONS
1 09-21-16

A NEW RENOVATION FOR:
BLOOMINGTON PARKS & RECREATION
JUKEBOX RESTROOM
351 SOUTH WASHINGTON ST.
BLOOMINGTON, INDIANA 47403






PROJECT NO. 1616
DATE 08.17.16
DRAWN BY C. SCHAEFFER
CHECKED BY D. BRUCE
SHEET NAME

DEMOLITION PLAN


SHEET NO.

AD101R


KEYPLAN




1 DEMOLITION PLAN
1/4" = 1'-0" N




2 UNI-SEX 103
1/2" = 1'-0"



4 UNI-SEX 103
1/2" = 1'-0"




3 UNI-SEX 103
1/2" = 1'-0"



5 UNI-SEX 103
1/2" = 1'-0"

*SEE IN601 FOR INTERIOR FINISH SCHEDULE



1 FLOOR PLAN
3/8" = 1'-0"

FLOOR PLAN KEYNOTES:


- 1 ALL CONC. BLOCK WALLS TO BE PAINTED W/ PRIMER AND PAINT AS SPECIFIED. NO SKIM COAT NEEDED.
- 2 ALL CEILINGS TO RECEIVE FRP OVER EXISTING PLYWOOD (SEE FINISH SCHEDULE).
- 3 NEW POURED 6" CONC. SLAB OVER MIN. 4" CRUSHED STONE. PROVIDE #5 DOWELS INTO EXISTING SLAB @ 4'-0" O.C.
- 4 EXISTING CONC. SLAB TO REMAIN.
- 5 CLEAN EXISTING EXPOSED CONCRETE FLOOR SLAB W/ POWER WASHING AND DETERGENT. SEAL W/ SOY SEAL.
- 6 PAINT ALL EXISTING WOOD SOFFIT. REATTACH WHERE LOOSE.
- 7 PROVIDE TREATED 4X4 WD. POST W/ STAND OFF BASE TO SUPPORT EXISTING ROOF JOIST. NOTCH AS REQUIRED + BOLT THRU 2X FRAMING W/ MIN. 1/2" GALV. BOLT.
- 8 EXISTING S.S. TRASH RECEPTACLE TO BE REINSTALLED.

REVISIONS

1	09-21-16
---	----------



A NEW RENOVATION FOR:
BLOOMINGTON PARKS & RECREATION
BUILDING TRADES PARK RESTROOM
 619 WEST HOWE STREET
 BLOOMINGTON, INDIANA 47403



PROJECT NO.	1516
DATE	08.17.16
DRAWN BY	C. SCHAEFFER
CHECKED BY	D. BRUCE
SHEET NAME	

FLOOR PLAN AND INTERIOR ELEVATIONS

AE101R

TOILET ACCESSORIES SCHEDULE

MARK	DESCRIPTION	MANUFACTURER	MODEL NUMBER	NOTES
T1	MIRROR	BOBRICK "CLASSIC SERIES"	B-1658	24" X 36" MOUNT BASE @ 40" AFF
T2	NOT USED			
T3	TOILET TISSUE DISPENSER	-	-	SUPPLIED & INSTALLED BY CONTRACTOR - MOUNT 24" AFF TO CENTERLINE
T4	SOAP DISPENSER	-	-	SUPPLIED & OWNER, INSTALLED BY CONTRACTOR.
T5	VERTICAL GRAB BAR	BOBRICK	B-6806.99 X 18"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T6	HORIZONTAL GRAB BAR	BOBRICK	B-6806.99 X 36"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T7	HORIZONTAL GRAB BAR	BOBRICK	B-6806.99 X 42"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T8	ELECTRIC HAND DRYER	EXCEL	XLERATOR XL-GR	SURFACE MOUNTED, 240 VOLT/6.5 AMP, SENSOR OPERATED, HIGH VELOCITY HAND DRYER.
T9	NOT USED			
T10	TOILET ROOM SIGNAGE	FIRST WATCH LOGO SIGNS	-	
T11	NOT USED			
T12	BABY CHANGING STATION	KOALA BEAR KARE	KB200-00	LOCATED IN BOTH TOILET ROOMS
T13	NOT USED			

GENERAL FLOOR PLAN NOTES:



- DO NOT SCALE DRAWINGS, DIMENSIONS SHALL PREVAIL. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS RELATED TO THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY. IF CONTRACTOR FAILS TO VERIFY DIMENSIONS AS INDICATED, ANY AND ALL CORRECTIVE ACTIONS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- ALL INTERIOR DIMENSIONS ARE SHOWN STUD TO STUD & DO NOT INCLUDE WALL FINISHES.
- ALL DOOR OPENINGS SHALL BE LOCATED 4" FROM ADJOINING WALL UNLESS NOTED OTHERWISE.
- FIELD VERIFY PLAN DIMENSIONS PRIOR TO ANY CASEWORK FABRICATION.
- ALL NEW WALLS SHALL BE FINISHED TO MATCH EXISTING SURFACES INCLUDING PRIMER & PAINT.
- CAULK ALL JOINTS BETWEEN DIFFERENT MATERIALS IE: GYPSUM BOARD & MASONRY.
- ALL WINDOWS WITHIN 24" OF ANY DOOR (REGARDLESS OF WALL PLANE), & WHOSE BOTTOM EDGE IS LESS THAN 18" ABOVE FLOOR OR WALKING SURFACE SHALL HAVE TEMPERED GLAZING.

FLOOR PLAN KEYNOTES:

- 1 PROVIDE NEW FLOORING THIS AREA AS SPECIFIED.
- 2 PROVIDE NEW DOOR, FRAME & HARDWARE. SEE SCHEDULE.
- 3 PROVIDE LITE KIT (TEMPERED), SEE SCHEDULE.
- 4 EXISTING WINDOW TO REMAIN.



REVISIONS
09-21-16




FLOOR PLAN
1/4" = 1'-0"

GENERAL FLOOR PLAN NOTES:

- DO NOT SCALE DRAWINGS, DIMENSIONS SHALL PREVAIL. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS RELATED TO THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY. IF CONTRACTOR FAILS TO VERIFY DIMENSIONS AS INDICATED, ANY AND ALL CORRECTIVE ACTIONS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- ALL INTERIOR DIMENSIONS ARE SHOWN STUD TO STUD & DO NOT INCLUDE WALL FINISHES.
- ALL DOOR OPENINGS SHALL BE LOCATED 4" FROM ADJOINING WALL UNLESS NOTED OTHERWISE.
- FIELD VERIFY PLAN DIMENSIONS PRIOR TO ANY CASEWORK FABRICATION.
- ALL NEW WALLS SHALL BE FINISHED TO MATCH EXISTING SURFACES INCLUDING PRIMER & PAINT.
- CAULK ALL JOINTS BETWEEN DIFFERENT MATERIALS IE: GYPSUM BOARD & MASONRY.
- ALL WINDOWS WITHIN 24" OF ANY DOOR (REGARDLESS OF WALL PLANE), & WHOSE BOTTOM EDGE IS LESS THAN 18" ABOVE FLOOR OR WALKING SURFACE SHALL HAVE TEMPERED GLAZING.
- ANY OPERABLE WDW'S. W/ SILL LESS THAN 36" ABV. FIN. FLR. SHALL BE EQUIPPED W/ A OPENING CONTROL DEVICE PER 1013.8.1.
- IF NO WINDOW SCHEDULE IS PRESENT, CONTRACTOR/OWNER SHALL PROVIDE A MIN. OF 1 CODE COMPLIANT EGRESS WINDOW IN EVERY SLEEPING ROOM.
- SIZE OF STAIR RISERS MAY VARY ACCORDING TO SIZE OF FLOOR SYSTEM.

KEYPLAN




A NEW RENOVATION FOR:
BLOOMINGTON PARKS & RECREATION
JUKEBOX RESTROOM
351 SOUTH WASHINGTON ST.
BLOOMINGTON, INDIANA 47403




PROJECT NO.	1616
DATE	08.17.16
DRAWN BY	C. SCHAEFFER
CHECKED BY	D. BRUCE
SHEET NAME	FLOOR PLAN

SHEET NO.
AE101R




3 MEN'S TOILET ROOM
1/2" = 1'-0"




2 MEN'S TOILET ROOM
1/2" = 1'-0"


*SEE IN601 FOR INTERIOR FINISH SCHEDULE



5 MEN'S TOILET ROOM
1/2" = 1'-0"




4 MEN'S TOILET ROOM
1/2" = 1'-0"




6 WOMEN'S TOILET ROOM
1/2" = 1'-0"

*SEE IN601 FOR INTERIOR FINISH SCHEDULE



ADA COMPLIANT, HIGH IMPACT PLASTIC SIGN W/ DARK BACKGROUND + LIGHT PICTOGRAM + GRADE 2 BRILLE. SIGN SHALL HAVE 1/32" RAISED CHARACTERS. SIGNS TO BE MOUNTED @ 48" A.F.F. TO BASELINE.

7 ADA SIGNAGE DETAIL
N.T.S.



1 ENLARGED FLOOR PLAN
1/2" = 1'-0"

TOILET ACCESSORIES SCHEDULE				
MARK	DESCRIPTION	MANUFACTURER	MODEL NUMBER	NOTES
T1	MIRROR	BOBRICK "CLASSIC SERIES"	B-1658	24" X 36" MOUNT BASE @ 40" AFF
T2	-	-	-	-
T3	TOILET TISSUE DISPENSER	-	-	SUPPLIED BY OWNER, INSTALLED BY CONTRACTOR - MOUNT 24" AFF TO CENTERLINE
T4	SOAP DISPENSER	-	-	SUPPLIED BY OWNER, INSTALLED BY CONTRACTOR.
T5	VERTICAL GRAB BAR	BOBRICK	B-6806.99 X 18"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T6	HORIZONTAL GRAB BAR	BOBRICK	B-6806.99 X 36"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T7	HORIZONTAL GRAB BAR	BOBRICK	B-6806.99 X 42"	SS #4 SATIN FINISH, BLOCKING AS REQ'D.
T8	ELECTRIC HAND DRYER	EXCEL	XLERATOR XL-GR	SURFACE MOUNTED, 240 VOLT/6.5 AMP, SENSOR OPERATED, HIGH VELOCITY HAND DRYER.
T9	COAT HOOK	BOBRICK	B-212	MOUNT ON BACK OF PARTITION DOORS @ 64" AFF
T10	TOILET ROOM SIGNAGE	-	-	SEE DETAIL
T11	WASTE RECEPTAL	-	-	BY OWNER
T12	BABY CHANGING STATION	KOALA BEAR KARE	KB200-00	LOCATED IN BOTH MEN'S & WOMEN'S TOILET ROOMS
T13	TOILET PARTIONS/URINAL SCREEN	BOBRICK	CL 1080 (PHONOLIC)	TOILET: FLOOR MOUNTED, OH BRACED W/ SATIN STAINLESS STEEL INSTITUTIONAL GRADE HARDWARE. URINAL: 42" HIGH. HARDWARE SHALL INCLUDE 16 GAUGE FULL HEIGHT BRACKETS AND HINGES, 11 GAUGE KEEPER, SLIDE LATCH, DOOR STOP, COAT HOOK AND AN ANTI-GRIP EXTRUDED ALUMINUM HEADRAIL.
T14	SANITARY NAPKIN DISPOSAL	BOBRICK	B-270	SS #4 SATIN FINISH


- FLOOR PLAN KEYNOTES:**
- 1 INFILL EXISTING WINDOW OPENING WITH 6" FROSTED GLASS BLOCK. REPAIR SURROUNDING SURFACES AS NEEDED.
 - 2 INFILL WALL OPENING TO MATCH EXISTING ADJACENT MATERIALS AND FINISH.
 - 3 INFILL FLOOR OPENING TO MATCH EXISTING ADJACENT MATERIALS AND FINISH.
 - 4 ALL WALL SURFACES TO RECEIVE NEW FRP PANELS (FRP-1). INSTALL PER MANUFACTURER'S INSTRUCTIONS.
 - 5 NEW 2x4 WOOD STUD WALL WITH 5/8" TYPE "X" GYP. BOARD AND FRP PANEL, BOTH SIDES.
 - 6 AREA OF WATER DAMAGED WALL/FLOORING. REPAIR ANY FRAMING OR FLOORING AS REQUIRED TO REPAIR DAMAGED AREAS.
 - 7 INSTALL 2X10 WD. JOISTS @ 16 O.C. IN JOIST HANGERS W/ 3/4" PLYWOOD SUBFLOORS.
 - 8 INSTALL NEW VCT FLOORING AS SPECIFIED ON SHEET AE601R.
 - 9 EXISTING WD. SUBFLOOR TO REMAIN.



REVISIONS

1	09-21-16
---	----------

A NEW RENOVATION FOR:
BLOOMINGTON PARKS & RECREATION
JUKEBOX RESTROOM
 351 SOUTH WASHINGTON ST.
 BLOOMINGTON, INDIANA 47403



PROJECT NO. 1616
 DATE 08.17.16
 DRAWN BY C. SCHAEFFER
 CHECKED BY D. BRUCE

ENLARGED FLOOR PLAN & INT. ELEVATIONS
 SHEET NO.

AE401R

FINISH LEGEND:

CEILING

ACOUSTIC CEILING TILE:

ACT-1 MANUFACTURER: ARMSTRONG
STYLE: CIRRUS
NUMBER: TEGULAR
COLOR: WHITE

EXPOSED STRUCTURE:

ES EXPOSED STRUCTURE UNFINISHED

CEILING PAINT:

CP-1 MANUFACTURER: VALSPAR
STYLE: X
NUMBER: X
COLOR: X

WALLS

FRP (FIBER-REINFORCED PLASTIC):

ERP-1 MANUFACTURER: NUDD * SMOOTH TEXTURE FRP PANEL LAMINATED
STYLE: NUFIBER TO 1/2" FIR EXTERIOR PLYWOOD. PROVIDE
NUMBER: S-F3P500 COORDINATING PVC MOLDINGS AND INSTALL
COLOR: PER MANUFACTURER'S INSTRUCTIONS.

PAINT:

ET-1 MANUFACTURER: VALSPAR
STYLE: X
NUMBER: X
COLOR: X

FLOORING

EXPOSED POURED CONCRETE:

EPC-1 MANUFACTURER: X
STYLE: X
NUMBER: X
COLOR: X

VINYL COMPOSITION TILE:

VCT-1 MANUFACTURER: ARMSTRONG
STYLE: EXCELON
NUMBER: X
COLOR: X

BASE

RUBBER BASE:

RB-1 MANUFACTURER: FLEXCO - PROVIDE AT ALL LOCATIONS OF
NEW FLOORING
STYLE: X
NUMBER: X
COLOR: X

DOOR AND FRAME SCHEDULE

FLOOR	DOOR									FRAME			FIRE RATING LABEL	CONT. HINGE - ALUM. FRAME	CLOSER w/ STOP & HOLD OPEN	TUBULAR DEADBOLT	OFFICE LOCKSET	STORAGE LOCKSET	RECESSED DOOR PULL	SWEEP	ALUM. THRESHOLD	NOTES
	MARK	SIZE			MATL	ELEV	GLAZING	MATL	ELEV	DETAIL												
		DOOR #	ROOM #	WD						HGT	THK	HEAD										
1	101		3'-0"	EXIST	1 3/4"	FRP	D1	-	ALUM	F1	C/AE601	D/AE601	-	-	1	1	1	-	-	-	-	VERIFY NEW FRAME SIZE WITH EXISTING WALL THICKNESS.
1	102		2'-4"	EXIST	1 3/4"	FRP	D1	-	ALUM	F1	A/AE601	B/AE601	-	-	1	1	1	-	-	-	-	VERIFY NEW FRAME SIZE. FRP DOOR.
1	103		3'-0"	EXIST	1 3/4"	FRP	D1	-	ALUM	F1	C/AE601	D/AE601	-	-	1	1	1	-	-	-	-	VERIFY NEW FRAME SIZE WITH EXISTING WALL THICKNESS.
1	106		EXIST	EXIST	1 3/4"	SCW	D2	-	HM	F1	E/AE601	F/AE601	-	-	-	1	1	-	-	-	-	STAINED BIRCH FLUSH DOOR w/ TEMPERED GLASS LITE.
1	107		EXIST	EXIST	1 3/4"	SCW	D1	-	HM	F1	E/AE601	F/AE601	-	-	-	1	1	-	-	-	-	STAINED BIRCH FLUSH DOOR.
1	108		EXIST	EXIST	1 3/4"	SCW	D1	-	HM	F1	E/AE601	F/AE601	-	-	-	1	1	-	-	-	-	STAINED BIRCH FLUSH DOOR.
1	113		EXIST	EXIST	1 3/4"	SCW	D1	-	HM	F1	E/AE601	F/AE601	-	-	-	1	1	-	-	-	-	STAINED BIRCH FLUSH DOOR.

FRP DOOR/FRAME SPECIFICATIONS

DOOR SCHEDULE ABBREVIATIONS:

ALUM ALUMINUM
ASF ALUMINUM STOREFRONT
FG FIBERGLASS
CLOS CLOSER
HM HOLLOW METAL
HCW HOLLOW CORE WOOD
MDF MEDIUM-DENSITY FIBERBOARD
SCW SOLID CORE WOOD
SLH SPRING LOADED HINGES
VIN VINYL
W WEATHERSTRIP
WD WOOD
FRP FIBERGLASS REINFORCED POLYESTER

FRAME SPECIFICATIONS:

- FINISH: CLASS 1 COLOR AS SELECTED BY OWNER
- PRODUCT: (DOOR 1/102) SPECIAL-LITE "10-30" SERIES INSERT FRAME WITH INTERNAL WEATHERSTRIPPED DOOR STOP AND SPECIAL-LITE "SL-70" .093", THICK 2-PIECE CAPPING SYSTEM.
- PRODUCT: (DOORS 1/101 & 1/103) SPECIAL-LITE SL-240 SERIES (VERIFY SIZE)

DOOR SPECIFICATIONS:

- CONSTRUCTION: 0.120 FIBERGLASS REINFORCED POLYESTER FACE SHEETS, WEATHER BAR STABILIZER, INTERNAL HARDWARE REINFORCEMENT, ALUMINUM PERIMETER STILES AND RAILS JOINED WITH MITERED ANGLE JOINTS AND 3/16" ANGLE BLOCKS SECURED BY A FULL WIDTH GALVANIZED TIE ROD IN A SPLINE, POURED-IN-PLACE R-11 POLYURETHANE CORE, TUBULAR ALUMINUM STILE WITH INTEGRAL STIFFENERS, AND INTERNAL REGLET. SEE HARDWARE SCHEDULE FOR RECESSED DOOR PULLS. FACTORY INSTALL HARDWARE TO GREATEST EXTENT POSSIBLE.
- PRODUCT: SPECIAL-LITE FRP FLUSH "SL-17", COLOR AS SELECTED BY OWNER.

HARDWARE SPECIFICATIONS:

CONTINUOUS HINGE - ALUMINUM FRAME

- DESCRIPTION: HEAVY DUTY, FULLY CONCEALED, EXTRUDED ALUMINUM GEARED HINGE - PRODUCT: SELECT HINGES SL11HD

DOOR CLOSER w/ STOP & HOLD OPEN



- DESCRIPTION: GRADE 1, PARALLEL ARM w/ COMPRESSION STOP & HOLD OPEN, SURFACE MOUNTED, HEAVY DUTY, CLOSER w/ A FULL CLOSER COVER, DARK BRONZE FINISH, AND MEETING ADA REQUIREMENTS FOR CLOSERS. INCLUDE BRACKETS, PLATES, SPACER SHOES, ETC. AS REQUIRED FOR EACH SPECIFIC INSTALLATION. ALL CLOSERS MUST BE INDEXED FOR PROPER BACKCHECK AND CLOSER OPERATION.
- PRODUCT: LCN 4041 SHCUSH, 30, 61.

TUBULAR DEADBOLT

- DESCRIPTION: US 613 FINISH, 7 PIN, TUBULAR DEADBOLT w/ XXXXX FUNCTION, 2-3/4" BACKSET, CONCEAL SCREWS, HIGH SECURITY STRIKE, ADA TURN LEVER, AND 1-1/8" x 2-1/4" SQUARE CORNER STAINLESS STEEL BOLT w/ 1" THROW.
- PRODUCT: BEST B3T 7 L 55 CS - BEST 1 SERIES

RECESS DOOR PULL

- DESCRIPTION: ANODIZED RECESSED DOOR PULL, 8-11/16" HIGH x 6-1/16" WIDE w/ 5" x 2" GRIP SURFACE AND A 1-1/2" BOTTOM OPENING.
- PRODUCT: SPECIAL-LITE SL-86



REVISIONS

1	09-21-16	
---	----------	--

A NEW RENOVATION FOR:
BLOOMINGTON PARKS & RECREATION
JUKEBOX RESTROOM
351 SOUTH WASHINGTON ST.
BLOOMINGTON, INDIANA 47403



PROJECT NO. 1616
DATE 08.17.16
DRAWN BY C. SCHAEFFER
CHECKED BY D. BRUCE
SHEET NAME
DOOR/WINDOW SCHEDULES & DETAILS
SHEET NO.

AE601R