Bloomington Historic Preservation Commission Showers City Hall McCloskey Room, Thursday June 27, 2019, 5:00 P.M. AGENDA

I. CALL TO ORDER

II. ROLL CALL

III. APPROVAL OF MINUTES

A. June 4, 2019 Minutes

IV. CERTIFICATES OF APPROPRIATENESS

Staff Review

A. COA 19-36

101 W. Kirkwood Avenue (Courthouse Square HD)

Petitioner: Everywhere Signs

Replace current text on sign with new text and font. See packet for details.

B. COA 19-37

1026 E. 1st Street (Elm Heights HD)

Petitioner: Rezah Kaffash

Installation of two flush-mounted solar tubes. One will be on the west elevation of the hipped roof. The other will either be on the west or south (rear) elevation.

C. COA 19-38

500 S. Ballantine Road (Elm Heights HD)

Petitioner: James Connaughton

Replace five UniFrame double hung vinyl windows on the east and north elevations of the home. New windows will be Pella 250 Series, double hung vinyl windows.

Commission Review

A. COA 19-35

221 E. Kirkwood Avenue (Victoria Towers HD)

Petitioner: Tim Cover

Modification of existing patio area along Kirkwood; addition of four awnings; removal of window on the Lincoln St façade to create a new tenant entrance.

V. DEMOLITION DELAY

Staff Review

A. Demo-Delay 19-11

411 E. 1st Street

Petitioner: Susan Williams

Partial demolition: Addition of porch to rear of structure

Commission Review

A. Demo-Delay 19-09

523 W. 7th Street

Petitioner: David Holdman Full demolition of home.

B. Demo-Delay 19-10

300 W. 6th Street (Hays Market)

Petitioner: Tim Cover

Partial demolition: removal or destruction of the exterior surface of forty percent or more of the area of ay exterior facade.

VI. NEW BUSINESS

A. Discuss local designation of Kohr Building (1947 Hospital Wing)

VII. OLD BUSINESS

VIII. COMMISSIONER COMMENTS

- IX. PUBLIC COMMENTS
- X. ANNOUNCEMENTS
- XI. ADJOURNMENT

Auxiliary aids for people with disabilities are available upon request with adequate notice. Please call 812-349-3429 or email, human.rights@bloomington.in.gov.

Next meeting date is July 11, 2019 at 5:00 P.M. in the McCloskey Room. **Posted:** 6/20/2019

SPECIAL SESSION

Bloomington Historic Preservation Commission Showers City Hall McCloskey Room, Tuesday June 4, 2019 MINUTES

I. CALL TO ORDER

Meeting was called to order by **Jeff Goldin**, @ 5:00

II. ROLL CALL

Commissioners

John Saunders

Lee Sandweiss

Jeff Goldin

Deb Hutton

Leslie Abshier

Sam DeSollar

Susan Dyer

Chris Sturbaum

Advisory

Duncan Campbell

Absent

Jenny Southern

Ernesto Casteneda

Derek Richey

Doug Bruce

Staff

Conor Herterich, HAND Eddie Wright, HAND Philippa Guthrie, Legal

Guests

Michael Korus

Tom Doak

Lucy Schaisch

Michael Kee

Julie Goddunar

Susan Hathaway

III. APPROVAL OF MINUTES

IV. CERTIFICATES OF APPROPRIATENESS

Commission Review

A. COA 19-33

715 N. Maple Street (Maple Heights Conservation District)

Petitioner: Mike Kee

New construction on a vacant lot. See Packet for details.

Conor Herterich gave presentation. See packet for details.

Discussion ensued

The **Commissioners** had no questions during the questions phase.

The Maple Heights Conservation District presented design recommendations to the Commissioners. Leslie Abshier asked if the Neighborhood had time to review the plans. Lucy Schaisch noted that neighborhood is still writing their design guidelines, but they put together a packet recommending design changes, and suggestions for materials to be used. Lucy gave a presentation on behalf of the neighborhood, see packet for details. The Neighborhood likes the overall design of the home but has recommendations for materials to be used to be more consistent with other homes in the Neighborhood. They also had suggestions for the porch design, as that is very important to the neighborhood to remain consistency with other houses in the area.

Jeff Goldin reminded the **Commissioners** before the comment phase that Maple Heights is a conservation district and not a historic district. Chris Sturbaum stated that since this is a conservation district they can only review the infill. Chris Sturbaum asked Lucy to repeat the comments about the porch from her presentation. Chris stated that to remain consistent with the rest of the neighborhood they must get the porch correct, **John Saunders** agreed. **Chris** also stated that 4" lap is consistent with the neighborhood, that 6" lap would distort the architecture of the house. Deb Hutton also agreed with Chris and stated the porch needed to be expanded to be in proportion to the house. Lee Sandweiss agreed with the previous comments on the porch and the siding. Duncan Campbell stated he is impressed with the details on the neighborhood presentation and they made a good recommendation. However, he feels like compatibility does not have to be imitation. In issues of compatibility they look at set back from the street and placement on the lot, but not at architectural form. Sam DeSollar stated that he agrees with Duncan's comments and stated that he looked at the siding on bungalows in the neighborhood and some of the older houses have 6" siding, more newer homes have 4" siding. Sam stated that they should set a cap on placement of the house on the lot. But he has no problem with the slope of the roof or the house. They would not need railing if they keep the porch low and it would be consistent with other homes in the neighborhood. Sam likes that they are matching the front set back but it is also important to match the side setback as well. But he has concerns that there is no site plan included in the packet. He stated that any deviation from what is stated in the packet should come back for staff approval and he would also like to see door and window specifications come back for staff approval. Window sizes, styles and grid types are very important to how a house reads for the street. **Jeff Goldin** agrees with Sam's and Duncan's statements as far as compatibility. Chris Sturbaum asked about the block to be used. Sam clarified that the plan called for stucco over block. Chris encouraged the use of split face block over stucco

block as the stucco will crumble and fall off. Lucy stated they are not looking to get a perfect bungalow, but are looking for balance and a livable home that is compatible. Tom Doak stated that the front of the house is what makes a neighborhood a neighborhood. Julie Goddunar stated that if the porch could be expanded it could mitigate the shape of the roof. They are not trying to recreate the previous house that was on the lot but they know what works in that neighborhood. A conservation district can only review new construction but the neighborhood to that very seriously. Michael Kee, representative for the petitioner, stated that he wouldn't have a problem with the recommended changes, but he is unsure how to change the porch within the design plans of the home. Chris Sturbaum stated that going forward these designs should go before the neighborhood for review before being presented to the commission. Chris then asked that they use full columns on porch round 10" but no less than 8"with 4" minimum lap, windows with applied marking on both the inside and outside of the glass epoxied to the glass. Split face block on the foundation and widen the porch at least a foot on each side. Sam added subject to staff review placement of the new home basically in the footprint of the previous home. Chris noted that plan details for the trim must be followed as shown. Conor Herterich stated that this is becoming very complicated and confusing, he also had concerns about the Commissioners redesigning a home with a plan that the Commission thought was acceptable at the last meeting and just asked for more detail on siting and materials, especially when that the home is in a conservation district.

Chris Sturbaum made a motion to approve COA 19-33 with the following amendments, siding material will be cement board with boral used for the trim; no railing on the porch; porch columns will have 8" diameter from the porch floor to the roof; split block is ok on the foundation; windows and door specs must be submitted to the BHPC Staff and approved by the Staff; windows must be wood with applied grids on the outside. Lee Sandweiss seconded.

Motion pagained 8.0.0 (Veg/pg/pg/phytoin)

Motion carried 8-0-0 (Yes/no/abstain)

B. COA 19-34

1125 S. Rogers (McDoel Historic District)

Petitioner: Michael Korus

Demolition of detached garage and removal of fence around structure.

Conor Herterich gave presentation. See packet for details.

Discussion ensued

Chris Sturbaum asked whether they were going to replace garage, Michael Korus stated he is not replacing the garage. Duncan Campbell would like to see pictures of the entire garage and asked if the whole structure looks like the picture. John Saunders stated that the picture is of the worst aspect of the garage but all of the walls are bowed and leaning.

Sam DeSollar made a motion to approve COA 19-34, Leslie Abshier seconded. Motion carried 8-0-0.

- V. DEMOLITION DELAY
- VI. NEW BUSINESS
- VII. OLD BUSINESS

VIII. COMMISSIONER COMMENTS

Chris Sturbaum noted that he has asked Conor Herterich to start developing guidelines for historical designation for the Kohr Building for the old hospital building. If they wait there could be issues for historical designation in the future. Philippa Guthrie stated that IU Health will demolish the existing hospital, but will allow the city to decide what they would like to do with the Kohr Building and the parking garage. There are issues with the Kohr Building, for example, when the hospital is demolished, the Kohr Building will have no utilities connections as they are through the hospital building.

- IX. PUBLIC COMMENTS
- X. ANNOUNCEMENTS
- XII. ADJOURNMENT

Meeting was adjourned by **Jeff Goldin** @ 6:06 pm.

END OF MINUTES

COA: 19-36 Address: 101 W. Kirkwood Avenue

Staff Decision Petitioner: Everywhere Signs

Parcel #: 53-05-33-310-237.000-005

Rating: Contributing Structure; Italianate, Commercial c. 1875



Background: This is an Italianate style commercial structure located on the south side of the Courthouse Square.

Request: Replace current text on the sign with new text representing the current business. Sign dimensions and location will not change.

Guidelines: Courthouse Square Historic District Design Guidelines, pg. 22

- 1. Wall Signs: Building mounted signage should be of scale and design so as not to compete with the building's historic character
- 2. Wall signs should be located above storefront windows and below second story windows
- 3. Signs in other locations will be reviewed on a case by case basis.

Staff Decision: Staff approves COA 19-36 due to the following reasons:

1. The signage is compatible with the guidelines. The only change to the current sign is the font and text which staff finds does not compete with the historic character of the building.

APPLICATION FORM CERTIFICATE OF APPROPRIATENESS

Case Number: 19-	36	
Date Filed: 5/31/19		
Scheduled for Hearing: _	6/13/19	

Address of Historic Prop		KINKWOOD ANE, STE 120
Petitioner's Name:	Everywhere 5	Digns
Petitioner's Address:	2630 N Waln	
Phone Number/e-mail:	812-323-1471	everywhere signs @gmail.
Owner's Name:	Ron Walker	
Owner's Address:	101 W. Kirkwoo	0 Ave
Phone Number/e-mail:_	Raixon@iden+	iti.net

Instructions to Petitioners

The petitioner must attend a preliminary meeting with staff of the Department of Housing and Neighborhood Development during which the petitioner will be advised as to the appropriateness of the request and the process of obtaining a Certificate of Appropriateness. The petitioner must file a "complete application" with Housing and Neighborhood Department Staff no later than seven days before a scheduled regular meeting. The Historic Preservation Commission meets the second Thursday of each month at 5:00 P.M. in the McCloskey Room. The petitioner or his designee must attend the scheduled meeting in order to answer any questions or supply supporting material. You will be notified of the Commission's decision and a Certificate of Appropriateness will be issued to you. Copies of the Certificate must accompany any building permit application subsequently filed for the work described. If you feel uncertain of the merits of your petition, you also have the right to attend a preliminary hearing, which will allow you to discuss the proposal with the Commission before the hearing during which action is taken. Action on a filing must occur within thirty days of the filing date, unless a preliminary hearing is requested.

Please respond to the following questions and attach additional pages for photographs, drawings, surveys as requested.

A "Complete Application" consists of the following:
1. A legal description of the lot. Original plate PT INCT 128
2. A description of the nature of the proposed modifications or new construction: New Channel letters "My Eye Doctor"
3. A description of the materials used.
4 August a description of the second of the
4. Attach a drawing or provide a picture of the proposed modifications. You may use manufacturer's brochures if appropriate.
5. Include a scaled drawing, survey or geographic information system map showing the footprint of the existing structure and adjacent thoroughfares, Geographic Information System maps may be provided by staff if requested. Show this document to Planning Department Staff in order to ascertain whether variances or zoning actions are required.
6. Affix at least three photographs showing the existing full facade at each street frontage and the area of modification. If this petition is a proposal for construction of an entirely new structure or

If this application is part of a further submittal to the Board of Zoning Appeals for a Conditional Use or development standard variance, please describe the use proposed and modification to the property which will result.

accessory building, include photographs of adjacent properties taken from the street exposure.






PROJECT # 181974

BLOOMINGTON, IN 47404

I D E N T I T I • R E S O U R C E S

S1-1





Revision Date: No Rev. **Rev. Details:** This page is from the original draft.

1201 Wiley Rd, Ste 150 101 W. Kirkwood Ave, Ste 120, Bloomington, IN 47404 Project No: 181974 Proj. Location: Schaumburg, IL 60173 O: 847.301.0510 Orig. Draft: 09/20/18 Proj. Manager: Jim Zook F: 847.301.0518 000 Sales Rep: Josh Sprecher ideas@identiti.net Page Rev:



PROJEC'

Designer: Lila Revision Art: N/A

This sign design is exclusive property of Identiti Resources, LTD., and is the result of the original and creative work of it's employees. This drawing is submitted to the customer for the sole purpose of purchase of the design or signage manufactured to this design, by Identiti Resources, LTD. Distribution to or use of this sign design by anyone outside of the customer's organization, without expressed, written authorization by Identiti Resources, LTD. is prohibited.

S2-1

FRONT STORE ELEVATION

S1-1

SIGN CODE •

Proposed Signage = 10.01 SqFt

Relevant Signage Code:

1.5 SF per linear foot tenant frontage Existing signage: 10.01SF

Sign Calculation:

(H) x (L) of overall boxed dimensions

SIGN TYPE •

3/4" sintra letter set

MOUNTING •

Flush Mounted

COLOR PALETTE •

White Sintra

PMS 297

NI/A

NI/A


N/A


NI/A


N/A

N/A

IDENTITI RESOURCES







Revision Date: No Rev. **Rev. Details:** This page is from the original draft.

1201 Wiley Rd, Ste 150 Schaumburg, IL 60173 O: 847.301.0510 F: 847.301.0518 ideas@identiti.net

Project No:181974Proj. Location:101 W. Kirkwood Ave, Ste 120, Bloomington, IN 47404Orig. Draft:09/20/18Proj. Manager:Jim ZookPage Rev:000Sales Rep:Josh Sprecher



Designer: Lila Revision Art: N/A

This sign design is exclusive property of Identiti Resources, LTD., and is the result of the original and creative work of it's employees. This drawing is submitted to the customer for the sole purpose of purchase of the design or signage manufactured to this design, by Identiti Resources, LTD. Distribution to or use of this sign design by anyone outside of the customer's organization, without expressed, written authorization by Identiti Resources, LTD. is prohibited.



S2-1

SIGN CODE •

Proposed Signage = 5.31 SqFt

Relevant Signage Code:

1.5 SF per linear foot tenant frontage Existing signage: 5.31SF

Sign Calculation:

(H) x (L) of overall boxed dimensions

SIGN TYPE •

3/4" sintra letter set

MOUNTING •

Flush Mounted

COLOR PALETTE •

White Sintra

PMS 297

N/A

N/A

N/A

N/A

N/A

N/A

IDENTITI RESOURCES







Revision Date: No Rev. **Rev. Details:** This page is from the original draft.

1201 Wiley Rd, Ste 150 Schaumburg, IL 60173 O: 847.301.0510 F: 847.301.0518 ideas@identiti.net Page R

Project No:	181974	Proj. Location:	101 W. Kirkwood Ave, Ste 120, Bloomington, IN 47404
Orig. Draft:	09/20/18	Proj. Manager:	Jim Zook
Page Rev:	000	Sales Rep:	Josh Sprecher



This sign design is exclusive property of Identiti Resources, LTD., and is the result of the original and creative work of it's employees. This drawing is submitted to the customer for the sole purpose of purchase of the design or signage manufactured to this design by Identiti Resources LTD. Intribution to ruse of

this sign design by anyone outside of the customer's organization, without

expressed, written authorization by Identiti Resources, LTD. is prohibited.

COA: 19-37

Staff Decision

Address: 1026 E. 1st Street

Petitioner: Rezah Kaffash

Parcel #: 53-08-04-100-051.000-009

Rating: Contributing Structure; Spanish Colonial c. 1929



Background: The petitioner received a COA in May 2018 for the installation of two flush -mounted roof-solar light tubes.

Request:

1. Installation of two flush-mounted solar tubes. One will be on the west elevation of the hipped roof. The other will either be on the west or south (rear) elevation.

Guidelines: Elm Heights Historic District Design Guidelines, pg. 24.

- 1. When attempting to introduce new roof features such as skylights, dormers, or vents, locate them so as to minimize damage to the historic roof design, character-defining roof materials, or the character of the historic district.
- 2. Install equipment such as solar collectors or antennae in locations that do not compromise roofs of significant durability (clay or slate) and on roof slopes less visible from the street.

Staff Decision: Staff approves COA 19-37 for the following reasons:

- 1. The solar tubes will be flush mounted to the roof and will be an inconspicuous and almost invisible from the sidewalk. As a result this project will not impact the historic character of the district.
- 2. The HPC had no issues with the addition of the two previous solar tubes which were located on the roof elevation facing 1st Street.

APPLICATION FORM CERTIFICATE OF APPROPRIATENESS

19-37

Date Filed: 6-11-19 Scheduled for Hearing: 6-27-19
Scheduled for Hearing: 6-27-19

Address of Historic Property: 1026 E. 1st. Street
Petitioner's Name: Reza Kaffash
Petitioner's Address: 1026 E 1st. Street
Phone Number/e-mail: (812) 391-3436 / reza 4990 yahoo.com
Owner's Name: Sudhir Nair & Maria Parker
Owner's Address: 1026 E. 1st. Street

Phone Number/e-mail: (248) 417-5129/ Sudhirsringir Egmail.com

Instructions to Petitioners

The petitioner must attend a preliminary meeting with staff of the Department of Housing and Neighborhood Development during which the petitioner will be advised as to the appropriateness of the request and the process of obtaining a Certificate of Appropriateness. The petitioner must file a "complete application" with Housing and Neighborhood Department Staff no later than seven days before a scheduled regular meeting. The Historic Preservation Commission meets the second Thursday of each month at 5:00 P.M. in the McCloskey Room. The petitioner or his designee must attend the scheduled meeting in order to answer any questions or supply supporting material. You will be notified of the Commission's decision and a Certificate of Appropriateness will be issued to you. Copies of the Certificate must accompany any building permit application subsequently filed for the work described. If you feel uncertain of the merits of your petition, you also have the right to attend a preliminary hearing, which will allow you to discuss the proposal with the Commission before the hearing during which action is taken. Action on a filing must occur within thirty days of the filing date, unless a preliminary hearing is requested.

Please respond to the following questions and attach additional pages for photographs, drawings, surveys as requested.

A	"Complete	Application"	consists	of the	following
---	-----------	--------------	----------	--------	-----------

ascertain whether variances or zoning actions are required.

1. A legal description of the lot. 53 - 08 - 04 - 150 - 051, 000 - 009 015 - 024 70 - 00
2. A description of the nature of the proposed modifications or new construction: We already have a "Certificate of appropriateness" for a Solar tube fixture in living room/front of the house. We are requesting permission to add two more solar tubes, one would be in office on right side of roof, the other in the Kitchen (which might be on right or back side of roof).
3. A description of the materials used.
Standard 10"-14" Solar light tube.
4. Attach a drawing or provide a picture of the proposed modifications. You may use
4. Attach a drawing or provide a picture of the proposed modifications. You may use manufacturer's brochures if appropriate.
5. Include a scaled drawing, survey or geographic information system map showing the footprint of

6. Affix at least three photographs showing the existing full facade at each street frontage and the area of modification. If this petition is a proposal for construction of an entirely new structure or accessory building, include photographs of adjacent properties taken from the street exposure.

the existing structure and adjacent thoroughfares, Geographic Information System maps may be provided by staff if requested. Show this document to Planning Department Staff in order to

If this application is part of a further submittal to the Board of Zoning Appeals for a Conditional Use or development standard variance, please describe the use proposed and modification to the property which will result.

CERTIFICATE OF APPROPRIATENESS

Issued by the Bloomington Historic Preservation Commission

ADDRESS 1026 East 1st Street Bloomington, IN

For the Following Work:

Replacement of non-original front door with knotty alder framed full glass door that will fit the existing door frame. Installation of two roof mounted solar light tubes that shed light into the living room.

A copy of the complete approved plans may be obtained from the City of Bloomington, 401 N. Morton, Department of Housing and Neighborhood Development under case number COA 18-25. This Certificate is effective for two years following the date of issue. Exterior work outside of the scope of this approval is not permitted and subject to fines outlined in Municipal Code, Title 8, Chapter 8.16.020.

Jeff Goldin, Chairman


Bloomington Historic Preservation Commission

Approved: May 10, 2018

Kitchen (maybe this Side



Picture taken across the street, on top of elevated stairs.



Picture taken at street level on side walk in front of the house.



Picture taken at street level, across the street.



Sample of straight sun light fixture (10'-14" vsible top on roof).



Sample of angle tunnel fixture. (10"-14" visible top)

COA: 19-38

Staff Decision

Address: 500 S. Ballantine Road

Petitioner: James Connaughton

Parcel #: 53-08-04-102-047.000-009

Rating: Contributing Structure; Colonial Revival c. 1940





Background: This is a Colonial Revival style home located in the Elm Heights Historic District. The windows to be replaced are not original and are vinyl.

Request:

- 1. Replace five UniFrame double hung vinyl windows on the east and north elevations of the home with Pella 250 Series, Double Hung vinyl windows.
- 2. The size, shape, and pane configuration of the windows will remain the same.

Guidelines: Elm Heights Historic District Design Guidelines, pg. 26

1. If original windows, doors, and hardware can be restored and reused, they should not be replaced.

Staff Decision: Staff approves COA 19-36 due to the following reasons:

1. After a site visit, staff determined that the windows to be replaced are vinyl and are not original to the house. The proposed work does not violate the SOI Standards or the Elm Heights design guidelines.

APPLICATION FORM CERTIFICATE OF APPROPRIATENESS

Case Number: 19-38

Date Filed: 6/14/19

Scheduled for Hearing: 6/27/19

Address of Historic Property: 500 S Ballantine Rd

Petitioner's Name: James & Teena Connaughton

Petitioner's Address: 500 S Ballantine Rd Bloomington, IN . 47404

Phone Number/e-mail; jconnaughton97@gmail.com

Owner's Name: James Connaughton

Owner's Address: same as above

Phone Number/e-mail: 812-929-0675

Instructions to Petitioners

The petitioner must attend a preliminary meeting with staff of the Department of Housing and Neighborhood Development during which the petitioner will be advised as to the appropriateness of the request and the process of obtaining a Certificate of Appropriateness. The petitioner must file a "complete application" with Housing and Neighborhood Department Staff no later than seven days before a scheduled regular meeting. The Historic Preservation Commission meets the second Thursday of each month at 5:00 P.M. in the McCloskey Room. The petitioner or his designee must attend the scheduled meeting in order to answer any questions or supply supporting material. You will be notified of the Commission's decision and a Certificate of Appropriateness will be issued to you. Copies of the Certificate must accompany any building permit application subsequently filed for the work described. If you feel uncertain of the merits of your petition, you also have the right to attend a preliminary hearing, which will allow you to discuss the proposal with the Commission before the hearing during which action is taken. Action on a filing must occur within thirty days of the filing date, unless a preliminary hearing is requested.

Please respond to the following questions and attach additional pages for photographs, drawings, surveys as requested.

A "Complete Application" consists of the following:
1. A legal description of the lot. 2 story home at corner of Hunter and Ballantine
2. A description of the nature of the proposed modifications or new construction: replace 5 current broken windows with new Pella Windows. Windows have already been replaced previously prior to our ownership of the property. Replacement will match and be a more durable upgrade.
3. A description of the materials used. refer to proposal
4. Attach a drawing or provide a picture of the proposed modifications. You may use manufacturer's brochures if appropriate.
5. Include a scaled drawing, survey or geographic information system map showing the footprint of the existing structure and adjacent thoroughfares, Geographic Information System maps may be provided by staff if requested. Show this document to Planning Department Staff in order to ascertain whether variances or zoning actions are required.
6. Affix at least three photographs showing the existing full façade at each street frontage and the

area of modification. If this petition is a proposal for construction of an entirely new structure or

accessory building, include photographs of adjacent properties taken from the street exposure.

If this application is part of a further submittal to the Board of Zoning Appeals for a Conditional Use or development standard variance, please describe the use proposed and modification to the property which will result.



Proposal - Detailed

Pella Window and Door Showroom of Bloomington 223 S Pete Ellis Dr Ste 3

Phone: (812) 333-6371 Bloomington, IN 47408

Fax: (812) 333-8930

Stancombe, Brian Sales Rep Name:

812-333-6371 Sales Rep Phone:

bastancombe@mccombpella.com 812-333-8930 Sales Rep E-Mail: Sales Rep Fax:

Customer Information	Project/Delivery Address	Order Information	lon	
James Connaughton 500 S Ballantine Rd	Connaughton, James 500 S Ballantine Rd	Quote Name: 25	250 Series	
		Order Number:	120	
Bioomington, IN 47401-5018 Primary Phone: (812) 929-0675	Lot* Bloomlatton IN 47401-5018	Ouote Number:	11392020 Non-Installed Sales	
Mobile Phone:	County: Monroe	Wall Depth:		
Fax Number:	Owner Name:	Payment Terms:		
E-Mail:	James Connaughton	Tax Code:	7%INDIANA	
Contact Name:	Owner Phone: (812) 929-0675	Cust Delivery Date:	None	
		Quoted Date:	5/21/2019	
Great Plains #: 1005230370		Contracted Date:		
Customer Number: 1009157288		Booked Date:		
Customer Account: 1005230370		Customer PO #:		
Line # Location:	Attributes	rtes		
10 Bedrooms Pe	Pella 250 Series. Double Hung. 33.75 X 53. White		Item Price Qty	Ext'd Price

General Information: Standard, Vinyl, Block, No Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included I: Non-Standard SizeNon-Standard Size Double Hung, Equal Pella 250 Series, Double Hung, 33.75 X 53, White Exterior Color / Finish: White Interior Color / Finish: White Frame Size: 33 3/4 X 53 2037 PK# 2 2

\$1,178.40

\$294.60

Rough Opening: 34 - 1/4" X 53 - 1/2" Viewed From Exterior

Screen: Half Screen, Conventional Fiberglass
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00057-00002, Performance Class R, PG 35, Calculated Positive DP
Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware

Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W3H / 3W3H), White, White Wrapping Information: Pella Recommended Clearance, Perimeter Length = 174".

VERIFY GRILLE Customer Notes:

CO

ō

Customer: James Connaughton	Project Name: Connaughton, James	a	note Numb	Quote Number: 11392020
Line # Location:	Attributes			
15 Bath	Pella 250 Series, Double Hung, 27.5 X 37.5, White	Item Price	Qty	Ext'd Price
		\$250.61	+	\$250.61
SH.	1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 27 1/2 X 37 1/2			
3	General Information: Standard, Vinyl, Block, No Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included Exterior Color / Finish: White	inder Included		
1 22	Interior Golor / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude			
Viewed From Exterior Rough Opening: 28" X 38"	Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware Screen; Haif Screen, Conventional Fiberglass			
	e Information: I	Slass R, PG 35, Ca ss, but may comply	culated Power	sitive DP code
	requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W2H / 3W2H), White, White Wrapping Information: Pella Recommended Clearance, Perimeter Length = 130".			

Customer Notes: VERIFY GRILLE	FY GRILLE				
Line # Location:		Attributes			
20 None Assigned		12" wide Aluminum Coil, Length: 600, Classic White	Item Price	Qfy	Ext'd Price
			\$100.88	۳-	\$100.88
	PK# 2037	1: Accessory Frame Size: -1 X -1 General Information: 12" wide Aluminum Coil Exterior Color / Finish: Painted, Standard Enduraciad, Classic White Wrapping Information: Perimeter Length = 0".			

Viewed From Exterior Rough Opening:

Customer: James Connaughton

Project Name: Connaughton, James

Quote Number: 11392020


Line#	Location:	Attributes			
52	None Assigned	01HP0000 - Great Stuff Pro Gun Foam (1)	Item Price	Qty	Ext'd Price
			\$20.99	64	\$41.98

Line #	Location:	Attributes			
30	None Assigned	01HM0000 - 3" Pella Installation Tabe. 150 ft (1)	Item Price	Qty	Ext'd Price
			\$43.17	-	\$43.17

Line #	Location:	Attributes			
99	None Assigned	Installation Sealant, Classic White	Item Price Qty	Oth	Ext'd Price
			\$7.25	4	\$29.00
	#X4	1: Accessory Frame Size: -1 X -1			
	7500				
	1004				
		Interior Color / Finish: Not Applicable interior			
Viewed	Viewed From Exterior	Package: Individual Tubes Wrapping Information: Perimeter Length = 0".			
Rough Opening:	ening:				

Thank You For Your Interest in Pella® Products

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com Printed on 5/21/2019



COA: 19-35 Address: 221 E. Kirkwood Avenue

Petitioner: Tim Cover

Parcel #: 53-05-33-310-337.000-005

Rating: Contributing Structure; Queen Anne c. 1890



Background: Originally built as a single family home in the late twentieth century, this structure has been adapted to serve various commercial purposes since the 1930s. It was locally designated as historic in 2000. In April of 2019 the Commission approved several modifications to the structure including the addition of a second story to the rear of the building to accommodate additional living space.

Request: Several modifications to include:

- 1. Modify the existing patio area along Kirkwood and Lincoln streets (See Packet for details)
- 2. Add four awnings to the four building entrances. Awnings will also serve as signage,
- 3. Add a new tenant entrance along Lincoln street where a window currently exists.

Guidelines: N/A

Recommendation: Staff recommends approval of COA 19-34 for the following reasons:

- 1. The fabric awnings are appropriate for a commercial structure and not only provide a covered entryway but will be used as signage. This will mitigate the need for signage on other areas of the building that may be inappropriate or damage historic materials.
- 2. The black aluminum railing that will be used to delineate the patio area along Kirkwood is appropriately scaled and is necessary for that area to be used as outdoor dining.
- 3. The door that is replacing the window is on an addition to the main structure that was added sometime in the 1970s.

APPLICATION FORM CERTIFICATE OF APPROPRIATENESS

Case Number:	- 3	<u>り</u>	
Date Filed: 5~	31-10	}	
Scheduled for Hearing: _		6-13-	-19

Address of Historic Property: 221 E. Kirkwood Ave, Bloomington Indiana Petitioner's Name: Tim Cover

Petitioner's Address: 8604 Allisonville Road, Suite 330, Indy. 46250

Phone Number/e-mail: 317-572-1236, tcover@studio3design.net

Owner's Name: Cederview Management, ERL-3

Owner's Address: 601 N. College, Ste 1A, Bloomington, In.

Phone Number/c-mail: 812-339-8777, erlewis@aol.com

Instructions to Petitioners

The petitioner must attend a preliminary meeting with staff of the Department of Housing and Neighborhood Development during which the petitioner will be advised as to the appropriateness of the request and the process of obtaining a Certificate of Appropriateness. The petitioner must file a "complete application" with Housing and Neighborhood Department Staff no later than seven days before a scheduled regular meeting. The Historic Preservation Commission meets the second Thursday of each month at 5:00 P.M. in the McCloskey Room. The petitioner or his designee must attend the scheduled meeting in order to answer any questions or supply supporting material. You will be notified of the Commission's decision and a Certificate of Appropriateness will be issued to you. Copies of the Certificate must accompany any building permit application subsequently filed for the work described. If you feel uncertain of the merits of your petition, you also have the right to attend a preliminary hearing, which will allow you to discuss the proposal with the Commission before the hearing during which action is taken. Action on a filing must occur within thirty days of the filing date, unless a preliminary hearing is requested.

Please respond to the following questions and attach additional pages for photographs, drawings, surveys as requested.

A	"Compl	ete A	pplication"	consists	of the	following:
---	--------	-------	-------------	----------	--------	------------

- 1. A legal description of the lot. See attached site boundary with modifed site plan
- 2. A description of the nature of the proposed modifications or new construction: The petition includes three primary items:
- A. The replacement and modification of the existing patio area along Kirkwood and Lincoln streets, changes includes removal of portion of patio, raising new patio area to match door on Lincoln for ADA access and addition of a railing.
- B. The addition of (4) awnings at the (4) entrances to the building to be used for signs for the the building.
 - (3) entrances serve the tenant space on level 1 and will have the tenant name on them
 - (1) entrance facing Kirkwood serves as the building entrance and will list the building name.
- C. The addition of a new tenant entrance at level 1 along Lincoln street- entrance will occur at location of an existing Window.
- 3. A description of the materials used.
- a, Patio will be concrete with turn-down slab edge along Kirkwood and Lincoln streets.
- b. Railing will be 36" high black aluminum railing around perimeter of the patio along with railings at step locations.
- c. Awnings will be fabric awnings on aluminum frame- steep, single slope awnings attached to building face above entrances. Each awning will have text lettering and or logo's applied to the sloped face of the awning.


 Graphics and verbiage will comply with City standards for total allowable area of signage on each building face


Three locations will be for the retail tenant and one will serve as building signage with the building name:


"Kirkwood Towers"


- 4. Attach a drawing or provide a picture of the proposed modifications. You may use manufacturer's brochures if appropriate.
- 5. Include a scaled drawing, survey or geographic information system map showing the footprint of the existing structure and adjacent thoroughfares, Geographic Information System maps may be provided by staff if requested. Show this document to Planning Department Staff in order to ascertain whether variances or zoning actions are required.
- 6. Affix at least three photographs showing the existing full facade at each street frontage and the area of modification. If this petition is a proposal for construction of an entirely new structure or accessory building, include photographs of adjacent properties taken from the street exposure.

If this application is part of a further submittal to the Board of Zoning Appeals for a Conditional Use or development standard variance, please describe the use proposed and modification to the property which will result.



















SHEET DESCRIPTION SHEET NUMBER PROJECT NO. 19009

5/31/2019

PERSPECTIVE VIEW SE

 \mathcal{M}





VICTORIA TOWERS

SHEET DESCRIPTION SHEET NUMBER PROJECT NO. 19009

5/31/2019

SW PERSPECTIVE VIEW

4





ERL - 3, LLC VICTORIA TOWERS

SHEET DESCRIPTION SHEET NUMBER PROJECT NO. 19009

5/31/2019

PERSPECTIVE VIEW **EAST**

0

PROJECT NO





EXISTING SOUTH ELEVATION PHOTOS



EXISTING EAST ELEVATION PHOTOS





Demo Delay: 19-11 Staff Decision

Address: 411 W. 1st Street

Petitioner: Susan Williams

Parcel Number: 53-08-04-219-002.000-009

Property Rating: Contributing

Circa. <u>1925</u>



Background: This Craftsman Bungalow style home is listed as "Contributing" on the

2001 Interior Deposit

2001 Interim Report.

Request: Addition of porch to the rear of the home. This is considered partial

demolition due to the obscuring from view of more than forty percent of

the exterior of the north façade.

Guidelines: According to the demolition delay ordinance, BHPC has 90 days to

review the demolition permit application from the time it is forwarded to the Commission for review. The BHPC may thus employ demolition delay for 90 day from the date the application was received and may request an additional 30 days if necessary for further investigation within

the first 30 days of the review period. During the demolition delay waiting period, the BHPC must decide whether to apply Local

Designation to the property.


Staff Decision: Staff releases Demo Delay 19-11. Since this is a partial demolition of a

Contributing structure that is zoned single family residential, staff has

authority to release.








411E. 135 ST.

RESIDENTIAL PERMIT APPLICATION "One & Two Family Residence"

MONROE COUNTY BUILDING DEPARTMENT 501 N. Morton St RM 220-B, Bloomington, Indiana 47404

Phone Number: (812) 349-2580 FAX: (812) 349-2967



APPLICATION MUST BE FILLED OUT COMPLETELY; PLEASE PRINT

Parcel No. 53-08-04-219-002,000-009 Subdivision KERR	Lot No. 9
Project Address Ill = 15 CT City Biodivision RECK	UNGTON Zip Code 47401
Project Address 4/1 F. 1 ST. City BLOOM Township 177 PERRY Section No. 4	2000 11101
F	
Property Owners Name SUSAN LAILLIAMS	Phone No. 812-272-2623
Property Owners Address 41(E. 15 (City BLOOMINGTON Zip Code 47401
	· ·
Applicants Name T.A. FULLER LIBRES, INC	Phone No. 812-824-3300
Applicants Address 8281 S: MACKENTIE CT. (City Browning Ton Zip Code 47401
General Contractor TIA, FULLER LOMES, INC	Phone No. 9,12, 325-575?
Please check applicable boxes and fill in blanks as required:	
Proposed Work: □New Construction □Addition □Remodel (are	- (1) (1) -
Rental: ☐ Yes ☑No Flood Plain: ☐ Yes ☑No Sink Holes	
Building use (i.e. personal residence, duplex, storage bldg., barn,	garage, etc., (explain) Screen and
OECK No. 1 Cl. 1 C	Estimated anostruction and (annual) (2)
Total number of bedrooms Number of residential units	Estimated construction cost (census) 36/666
Total Square Footage of proposed structure 1685.F.	C. (
"보다 게임 RECORD (1971) (1) - 프로그램 (1971) (1) - 프로	re footage DAttached Detached
사용하는 하다 아니라도 교육하다 하는데요. 그는데 되는데 하고 등 전 하는데요	ch(s) square footage 168
- (C. TSA) : [1] - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	potage (explain)
(2018 P. B.	f soil disruption)
Elevated deck (>30") square footage 160 E	
Driveway Permit No.	☐ Monroe County 'A City of Bloomington
Wastewater system to be connected to: 凤City of Bloomington Se	
Septic System: Permit noNumber of bedroom	
Sophie Bystein. I crimit no	is on pointing.
The applicant hereby certifies and agrees as follows: (1) I am authorized to ma	ke application. (2) I have read this application and
attest that the information furnished is correct, including that contained in plans	
application, or associated documents, Monroe County may revoke any permit of	
misinformation. (4) I agree to comply with all Monroe County Ordinances, per	
building construction, use, occupancy and site development. (5) I grant and wi property listed on this application for the purpose of inspecting the work permi	ill request Monroe County Officials to enter onto the
retain the Certificate of Occupancy in my records upon completion of the proje	
plans and specifications, whether furnished prior to or subsequent to the applications	ation date. All plans furnished subsequent to
application date constitute an amendment to the original application and must be	
appropriate endorsement and the signature of the approving official prior to pla	
not permitted until signed and issued by the agent of the Monroe County Build	ing Department.
Signature of Applicant: Jones A Des Pres	Date: 6/10/2019
Email address tomes tafuller homes. com	08/26/2016/Bldg/Reviews/Forms

C-101 Demo Delay

DULY ENTERED FOR TAXATION

DEC 13 2018

Continue Smith

Auditor Monroe County, Indiana

WARRANTY DEED

2018016613 WAR \$25.00 12/13/2018 02:49:08P 2 PGS Eric Schmitz Monroe County Recorder IN Recorded as Presented

File Number: 46585

LAUREN ROBEL, the unremarried widow of Stephen H. Thrasher, deceased ("Grantor"), of Monroe County, in the State of Indiana, CONVEYS AND WARRANTS to SUSAN WILLIAMS, of legal age ("Grantee"), of Monroe County, in the State of Indiana, for and in consideration of the sum of Ten Dollars (\$10.00) and other valuable consideration, the receipt of which is acknowledged, the following described real estate in Monroe County, Indiana:

Lot Number Nine (9) in KERR'S ADDITION to the City of Bloomington, Indiana, as shown by the plat thereof recorded in Plat Cabinet B, Envelope 32, in the office of the Recorder of Monroe County, Indiana.

Tax Parcel No.: 53-08-04-219-002.000-009

Auditor's Parcel No.: 015-27030-00

SUBJECT TO:


- Real estate taxes and assessments for the year 2018 due and payable 2019, and all subsequent taxes and assessments.
- 2. Any and all covenants, conditions, restrictions, agreements, limitations, encumbrances and easements, if any, which are either observable or of record.
- Minerals of whatsoever kind, subsurface and surface substances, including but not limited to coal, lignite, oil, gas, uranium, clay, rock, sand and gravel in, on, under and that may be produced from the Land, together with all rights, privileges, and immunities relating thereto, whether or not appearing in the Public Records.
- 4. All covenants, conditions, easements, encumbrances, and restrictions contained in the plat of Kerr's Addition as per plat thereof recorded in Plat Cabinet B, Envelope 28 and 32, in the office of the Recorder of Monroe County, Indiana. NOTE: This exception omits any covenant, condition, or restriction based on race, color, religion, sex, handicap, familial status or national origin as provided in 42 U.S.C. sec. 3604, unless and only to the extent that the covenant (a) is not in violation of state or federal law, (b) is exempt under 42 U.S.C. sec 3607, or (c) relates to a handicap, but does not discriminate against handicapped people.
- 5. Rights of tenants, if any, under unrecorded leases, as to possession only.

Grantor herein states she took title together with Stephen H. Thrasher, as husband and wife, in a certain deed recorded as Instrument Number 2001004018, in the office of the Recorder of Monroe County, Indiana, and that Stephen H. Thrasher is now deceased as of April 30, 2015, at which time Grantor became the sole owner of the real estate by operation of law.

In Witness Whereof, Grantor has executed this deed on this day of
2018
Law Rohel
LAUREN ROBEL
STATE OF Management SS: COUNTY OF MANAGEMENT SS: Before me, Slame file Share Public in and for said County and State, this day of VCCember , 20 (6), personally appeared LAUREN ROBEL, who executed the foregoing deed; and who, having been duly sworn, stated that any representations therein contained are true.
My Commission Expires: MOTA Super County A resident of Motary Public A resident of Motary Public County, I Mailing addresses:
Per IC 32-21-2-3(b): Mailing address to which statements should be mailed under IC 6-1.1-22-8.1: Pel 12 32-21-2-3(b): Street address or rural route address of Grantee if above mailing address is NOT a street address or rural route address:

This instrument was prepared by Morris H. Erickson, Attorney at Law, Bloomington, Indiana.

"I affirm, under the penalties of perjury, that I have taken reasonable care to redact each Social Security number in this document, unless required by law." - Morris H. Erickson



Demo Delay: 19-09

Commission Decision

Address: 523 W. 7th Street

Petitioner: David Holdman

Parcel Number: 53-05-32-413-080.000-005

Property Rating: Contributing

Circa. 1890



Background:

Known as the "Carrie Stancomb House" this a Central Passage home in the vernacular style. The home was listed as "Notable" in the 2001 Interim Report but was downgraded to "Contributing" in the 2015 SHAARD survey possibly due to addition of vinyl siding and overall deterioration of the home. The home has not been occupied in thirteen years (not counting the occasional vagrant) and is a textbook case of demolition by neglect.

Request:

Full demolition.

Guidelines:

According to the demolition delay ordinance, BHPC has 90 days to review the demolition permit application from the time it is forwarded to the Commission for review. The BHPC may thus employ demolition delay for 90 day from the date the application was received and may request an additional 30 days if necessary for further investigation within the first 30 days of the review period. During the demolition delay waiting period, the BHPC must decide whether to apply Local Designation to the property.

Recommendation: Staff recommends starting the process for historic designation if the petitioner continues to pursue full demolition. Staff finds that the structure meets the historic designation criteria 2(e) 2(g).

Historic District Criteria. An historic district shall include a building, groups of buildings, structure(s), site(s), monument(s), streetscape(s), or neighborhood(s) which meet at least one of the following criteria:

(1) Historic:

- (A) Has significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state, or nation; or is associated with a person who played a significant role in local, state, or national history.
- (B) Is the site of an historic event.
- (C) Exemplifies the cultural, political, economic, social, or historic heritage of the community.

(2) Architecturally worthy:

- (A) Embodies distinguishing characteristics of an architectural or engineering type
- (B) Is the work of a designer whose individual work has significantly influenced the development of the community.
- (C) Is the work of a designer of such prominence that such work gains its value from the designee's reputation.
- (D) Contains elements of design, detail, materials, or craftsmanship which represent a significant innovation.
- (E) Contains any architectural style, detail, or other element in danger of being lost.
- (F) Owing to its unique location or physical characteristics, represents an established and familiar visual feature of a neighborhood or the city.
- (G) Exemplifies the built environment in an era of history characterized by a distinctive architectural style.

Demolition Application

Monroe County Building Depar	etment
501 N. Morton St Rm 220, Bloomington, In	ndiana 47404 C/9 - 265
Monroe County Building Depar 501 N. Morton St Rm 220, Bloomington, In Phone Number:(812) 349-2580 FAX: (8 http://www.co.monroe.in.us/tsd/Government/Infi	rastructure/BuildingDenartment asnx
/ / map.//www.so.mos.mos.mas/loa/sos/milent/im	and a state of Ballating Boparation tadepa
)	Date: 4-15-19
Division THICE P	1. 471104
Project Address: 523 w. 7 TH , S7. B2 Street City,	State 7in
Succe, City,	State Zip
Township: BLOOM, NGTON	Section #:
Parcel Number 53-05-32-413-080-000-00	5
Subdivision:	Lot #:
Subdivision:	<u>mad</u> Phone #: <u>812-327-7</u> 533
Property Owner Name: <u>Julie BAKER</u>	
Address: 409 GETTYS (REEDE RO BLOOMINGTON)	Phone #: <u>812-360-33</u> 88
Address: 1409 6=7775 (REDIC RD BLOOMINGTON) Street City, State	7408
Contractor: (if applicable) DAVID HOLDMAN	
Phone #: 812. 327.7533	
Type of Utilities Connected to this Structure	
	/ Water Other
GasElectricitySeptic/Sewer	waterOther
WORK BEING PERFORMED:	
REMOVE ALL EXISTING STRUCTUR	ES ON THE LOT
POSSIBLY RUILD A NEW HOME 7	
The applicant hereby certifies and agrees as follows: (1) That applicant has	
information that has been furnished is correct. (2) If there is any misreprese may revoke any permit issued in reliance upon such misrepresentation (3) A	
ordinances and grant Monroe County officials the right to enter onto the pro-	operty for the purpose of inspecting the
work permitted & posting notices (4) is authorized to make this application.	1 2 4
Signature John Helel - John	11. Daker
Owner/Applicant	
m 1 1 2 1	10/15/03)J/Bldg/Reviews/Forms
M - 01	
V V	

C-14/15

. . .

Vi						19
		Marr	anty Dec	D BOOK	246	327
THIS INDE	NTURE WITNES	SETH; That CA	RRI E. EDITH	STANCOME	the state of the state of	
4202	unremarr	ied widow of M	lose A. Stanco	ombe,	4.1	4415414
7					August and a	441.0518
of Mo	onroe Cou	nty, in the State of	Indiana		Convey and	Warrant
· Jū	DIE ANN BA	KER,			4	i.
		nty, in the State of	Indiana	, for and in cor	sideration of	the sum of
One Doll	ar (\$1.00) an	d other valuab	le considerati	on		
the receipt w	hereof is hereby acl	knowledged, the follow	wing described Real	Estate in M	onroe	Gounty,
in the state	of Indiana, to-wit:	4	1	, ,	. 1913	
	In Lot Num	ber Two Hund	red and Eight	y (280) in th	e Town	, :: Ji .
	(now City)	of Bloomington	i, indiana.			Total Street Williams
	Subject to	all taxes, liens	s and encumbr	ances.	RECO	RDED
4.	* p *		7 11 1		. M	P. M.
	53-05-32-	413-080,000	-005		NOV 1	5 1976
	· e	,			· ·	
	,	d		V	Somly M	1. Wall
	Carrie Edi	th Stancombe	and Mose A. S	StancombeRE	MRS Band	onroe w.,
	wire, acqui	ired the above on the 11th day	-described re	at estate as	tenants b	y the
	died on Jun	ne 18, 1962, an	nd from and a	fter said dat	e Carrie	
	Edith Stand	combe, as surveyner of the rea	viving tenant b	y the entire	ty, becar	ne
1	upon the es	tate of Mose	A. Stancombe	and all of hi	oministra is debts a	nd '
		have long sind				
	*	. 101				
						1
			RI	EAL ESTATE 1	RANSFER	
-m + 6	1	and other many		NOV 151	97.6	n 100 a
	1		· · · · · · · · · · · · · · · · · · ·	John W. E	bure	
**	E. Carca	- 4 v	.4 .	Auditor Monro	e County, Ind.	ď
	4.	€				
In W	itness Whereof.	The said Carrie	Edith Stancor	mbe.		
has here	eunto set her	hand and seal	, this	day of Ma	ay,	1976
	* •	(S	and Criminal	Stan	1	/G11
	1	(b	Carrie E	dith Stancoi	nbe	_(Seal)
	h	(S	eal)			_(Seal)
			eal)			_(Seal)
מ מח מיין גיין	INTANA 1	Organita To-				_(Doar)
STATE OF I		MONROE ore me, the undersign	ed a Nothery Public		unto this	5. 5
	Deto	3	day of		1976, cam	е
CACALLA	e Edith Stanc	ombe, the unr		ow of Mose	A. Stance	ombe,
			, and acknowledged	the execution of	the foregoing	instrument
SEAL	Witn	ness my hand and off			1 -	
SEA1	with me expires Feb.			S. MEG	ea .	otary Public



Demo Delay: 19-10

Commission Decision

Address: 300 W. 6th Street

Petitioner: Time Cover

Parcel Number: 53-05-33-310-263.000-005

Property Rating: Contributing

Circa. 1903



Background:

Known as the "Currie and Son Building", or "Hays Market", this is a two-part commercial block building that is currently being used as office space. A large addition was added to the north of the original structure in 1975. The proposed project will only effect this addition. (See Packet)

Request:

Partial demolition. Work that will result in the obscuring of view of forty percent or more of the exterior of any façade on thee structure; or, removal or destruction of the exterior surface of forty percent or more of the area of ay exterior facade.

Guidelines:


According to the demolition delay ordinance, BHPC has 90 days to review the demolition permit application from the time it is forwarded to the Commission for review. The BHPC may thus employ demolition delay for 90 day from the date the application was received and may request an additional 30 days if necessary for further investigation within the first 30 days of the review period. During the demolition delay waiting period, the BHPC must decide whether to apply Local Designation to the property.

Recommendation: Staff recommends releasing **Demo Delay 19-10**. The major changes will occur on the north and east elevations of the 1975 addition. This project does not diminish the historic character of the original structure on the corner of Morton and 6th and therefore staff finds that designation is unwarranted.

LEGEND

O RR SPIKE	(AC) AIR CONDITIONER
STONE	GM) GAS METER
REBAR	GV GAS VALVE
O IRON PIPE	COMMUNICATION MANHOLE
	COMMUNICATION VAULT
UTILITY POLE	FIBER OPTIC MANHOLE
LIGHT POLE	FIBER OPTIC VAULT
\leftarrow GUY WIRE	F FENCE POST
E ELECTRIC METER	B CONCRETE BOLLARD
E ELECTRIC MANHOLE	SIGN T-POST
E ELECTRIC VAULT	UK UNKNOWN MANHOLE
E ELECTRIC HANDHOLE	(LID) UNKNOWN LID
TR ELECTRIC TRANSFORMER	MW MONITORING WELL
S SANITARY MANHOLE	ST STEAM MANHOLE
CLEAN OUT	ST STEAM METER
STORM MANHOLE	STEAM VAULT
CURB INLET	CONNIFEROUS TREE
INLET ROUND	A STATE OF THE STA
INLET ROUND INLET SQUARE	DECIDOUS TREE M MEASURED
~	DECIDOUS TREE M MEASURED P PLATTED R RECORD
INLET SQUARE	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE
INLET SQUARE YARD INLET	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE WATER MANHOLE	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL SMAG SET MAG NAIL
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE W WATER MANHOLE W WATER METER	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED OVERLAP
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE W WATER MANHOLE WATER METER FIRE HYDRANT	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED OVERLAP PDG POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DOWN SPOUT DRAIN WATER VALVE WATER MANHOLE WATER METER FIRE HYDRANT OVERHEAD WIRES	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED OVERLAP PDG POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE W WATER MANHOLE W WATER METER FIRE HYDRANT OVERHEAD WIRES SANITARY SEWER	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND RAILROAD SPIKE FMAG FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED OVERLAP PDG POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DOWN SPOUT DRAIN WATER VALVE WATER MANHOLE WATER METER FIRE HYDRANT OVERHEAD WIRES	DECIDOUS TREE M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED OVERLAP PDG POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE W WATER MANHOLE W WATER METER FIRE HYDRANT OVERHEAD WIRES SANITARY SEWER UNDERGROUND GAS LINE	M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND MAG NAIL SMAG SET MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE WATER MANHOLE WATER METER FIRE HYDRANT OVERHEAD WIRES SANITARY SEWER UNDERGROUND GAS LINE UNDERGROUND ELECTRIC LINE	M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND MAG NAIL SMAG SET MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE
INLET SQUARE YARD INLET DS DOWN SPOUT DRAIN WATER VALVE WATER MANHOLE WATER METER FIRE HYDRANT OVERHEAD WIRES SANITARY SEWER UNDERGROUND GAS LINE UNDERGROUND ELECTRIC LINE UNDERGROUND COMMUNICATION	M MEASURED P PLATTED R RECORD FRB FOUND REBAR SRB SET REBAR FIP FOUND IRON PIPE FRS FOUND MAG NAIL SMAG FOUND MAG NAIL SMAG SET MAG NAIL B/C BUILDING CORNER FND FOUND PDO POSSIBLE DEED GAP BG BELOW GRADE AG ABOVE GRADE

BASIS OF BEARINGS: INDIANA STATE PLANE, WEST ZONE VERTICAL DATUM: NAVD 88




GENERAL NOTES


1) AVAILABILITY AND CONDITION OF REFERENCE MONUMENTS

4) MEASUREMENTS (RELATIVE POSITIONAL ACCURACY)

THEORY OF LOCATION

SURVEYOR'S CERTIFICATE






JOB NUMBER 5849


J: \5849_Hays Martet Site\graphics\V.JPG

SHEET OF 2/20/19

> ALTA/NSPS SURVEY

Copyright Smith Brehob & Associates, Inc. 06/02/14 All Rights Reserved







STUDIO THREE DESIGN


NORTH 1/16" = 1'-0"

PROJECT NO. 19010

06/14/19

LEVEL 2 FLOOR SHEET DESCRIPTION PLAN

SHEET NUMBER



HAYS MARKET

THRE E DESIGN

NORTH 1/16" = 1'-0"

06/14/19

PROJECT NO. 19010

LEVEL 3 FLOOR SHEET DESCRIPTION PLAN

SHEET NUMBER M









HAYS MARKET

PROJECT NO.

REPAINT EXISTING WINDOW TRIM, TYP. CLEAN EXISTING STONE VENEER, TYP. PAINT EXISTING TRIM, TYP. EXISTING COMMERCIAL SPACE ENTRY

SOUTH ELEVATION - 6TH STREET

3/32" = 1'-0"



EXISTING PHOTO









HAYS MARKET




SHEET NUMBER

ELEVATIONS SHEET DESCRIPTION

19010

PROJECT NO



NORTH ELEVATION - COURTYARD

EXISTING PHOTOS

A7

3/32" = 1'-0"



HAYS MARKET

ELEVATIONS DESCRIPTION

19010

06/14/19



5'-0" H ALUMINUM FENCE & GATE

3/32" = 1'-0"

SOUTH ELEVATION - COURTYARD




CAST STONE WATER TABLE
SPLIT FACE CAST STONE VENEER

FABRIC AWNING

APARTMENT ENTRY

0' - 0"



AERIAL – NW VIEW



SHEET NUMBER

SHEET DESCRIPTION


PROJECT NO.

19010

3D VIEWS

06/14/19

STUDIO



AERIAL - SW VIEW

PROJECT NO.









HAYS MARKET

STUDIO THREE DESIGN

PROJECT NO. 19010

06/14/19

SHEET DESCRIPTION 3D VIEW

SHEET NUMBER

SHEET DESCRIPTION


3D VIEW

HAYS MARKET

THRE E DESIGN

COURTYARD VIEW FROM B LINE








IU HEALTH BLOOMINGTON HOSPITAL

HISTORIC RESOURCE ASSESSMENT





Google Aerial 2018 showing dates of construction

INTRODUCTION

Background

RATIO prepared a Historic Resource Assessment to understand if IU Health Bloomington Hospital, or portions of Bloomington Hospital, retain architectural or historical significance.

Methodology

RATIO conducted one site visit to the building to assess existing features, materials, and conditions. RATIO conducted research in the Monroe County History Center and using other outside sources to understand the chronological development of the building and its context. RATIO assessed the architectural and historical significance of the building and its character-defining features.

©2019 RATIO Architects, Inc.




1947 wing, looking northwest (Monroe County History Center)



1947 wing, looking northwest, 2018

EXECUTIVE SUMMARY

The current site for IU Health Bloomington Hospital, located at the northwest quadrant of the intersection of Rogers Street and 1st Street, has a long history of serving the community's health care needs. Though rich in history, the existing state of the hospital consists of mostly modern additions and alterations that have disrupted the integrity of the remaining historic structures. The only portion that retains integrity and architectural significance is the 1947 wing, now called the Kohr Building. Designed by the prominent Indianapolis architecture firm of McGuire & Shook, known for their hospital and school designs in the early and mid-twentieth century, the 1947 wing maintains a high degree of integrity on its exterior and a low to moderate degree of integrity on its interior. The building is not currently listed in the National Register of Historic Places or the Indiana Register of Historic Sites & Structures. It is not within a local historic district or local conservation district under the jurisdiction of the Bloomington Historic Preservation Commission.



Sketch created for 75th anniversary of Bloomington hospital in 1980, Hopewell House occupied by the hospital in 1905 (bottom center), 1919 wing (center right), 1947 wing (center left), 1965 wing (top center)

HISTORY

An understanding of Bloomington Hospital's history and context is necessary to evaluate its significance. The following section outlines the chronology of development of the surrounding area and the hospital complex.

Early History & Site Context

Like much of Indiana, the Miami tribe occupied what is present-day Monroe County, though other peoples including the Delaware, Piankeshaw, and Pecankeeshaw were known to have been in the areas as well. Most of the county's land was ceded to the United States through the Treaty of St. Mary's, Ohio in 1818. The Indiana General Assembly created Monroe County in 1818, and the county seat of Bloomington was laid out that same year. In 1820, the Indiana State Seminary was established by the state government. The seminary was renamed Indiana College in 1829 and became Indiana University in 1839.

On March 5, 1827, the town of Bloomington was officially incorporated. The farming community grew quickly, having increased to a population of over 700 by 1830. This year also marked the organization of Perry Township, which included land that would become the site of the Bloomington. The arrival of Bloomington's first railroad connection in the 1850s and the growth of Indiana University contributed to steady population growth after the Civil War. Bloomington's population exceeded 6,000 by 1900, 10,000 by 1920, 20,000 by 1940, and 31,000 by 1960. The city now has more than 80,000 residents.

Bloomington Hospital

Bloomington Hospital began as an initiative by of the Local Council of Women in 1904. This group, consisting of female leaders of clubs and organizations from across the community, had been discussing the creation of a local hospital for months, visiting peer communities like Crawfordsville to assess the feasibility of the project. The death of a young man who was hit by a train in October 1904 initiated the planning and fundraising for the Bloomington Hospital. A committee was formed consisting of one member from each club involved in the Council of Women, three "associate members," and six men from the community. The committee narrowed their site search to three properties: a plot of land owned by the Hopewell family, a site in the northern portion of the county, and an area to the east referred to as Dunn Meadows. Though \$2,000 more expensive than the other sites, the committee selected the Hopewell property on the corner of Rogers and First streets as the location of their new hospital. The Local Council of Women raised \$2,500 to be put towards the \$6,000 purchase of the site after which the name "Bloomington Hospital" was chosen and still used to this day.¹

HOPEWELL HOUSE 1905

The Hopewell property purchased by the committee was a small plot of land, just over four acres, containing a two-story brick Italianate house and barn. The ten-room c.1880 house was remodeled with \$3,000 raised by the Local Council of Women to become suitable for use as a hospital. This included the division of two second floor bedrooms into five private rooms and the addition of a ward to the back with three additional beds. A third upstairs bedroom was converted into an operating room. The first floor held a reception room, office, one private room, and a three-bed charity ward. Soon after opening on November 29, 1905, it became clear that access to the operating room on the second floor posed a

¹ Bea Snoddy, "Bloomington Hospital," 1964, accessed 13 August 2018, Monroe County History Center, Bloomington, Indiana, 1-4.



Hopewell House Bloomington Hospital, 1907 (IU Libraries)



1919 wing, looking southwest, c.1919 (IU Libraries)

challenge. The back stair was then remodeled so stretchers could more easily access the upper level, though it still required several people to maneuver patients up the narrow stairs. Though the original remodeling allowed all the staff to be housed within the hospital, an increasing number of patients led to the remodeling of the adjacent barn into the "Nurses' Home" which acted as a space on site for nurses and doctors to rest without risk of being forced out of their bed for a new patient. Renovations of the hospital and Nurses' Home were completed in 1910 for \$1,000 and included a new bathroom, closet, finishes, and general maintenance. Having paid off all their debts on the seventeen-bed hospital, the Local Council of Women began making plans for a new expansion to accommodate the growing community.²

1919 WING

After Bloomington Hospital had operated for eleven years with only minor alterations to the existing Hopewell House, the Local Council of Women decided to begin a campaign for a new hospital on the same site. Architect Alfred Grindle of Indianapolis was hired to design the new hospital addition in 1917. Grindle suffered from health problems and moved from Indianapolis to Brown County in 1918. The Local Council of Women used his design to raise funds for the new building, promoting the new hospital as a war measure. The three-story building was completed for a total of \$60,000. Though the Local Council of Women had planned on selling Liberty Bonds to cover the costs of building, the bond issue was initially denied by the State Tax Board. Upon this decision, the Governor called for a special session of the Legislature and passed an act that transferred bond issuing responsibilities from the State Board of Tax Commissioners to individual counites. The county then approved the bonds and the Local Council of Women were able to receive the funds to complete the hospital.³

The new limestone building would hold thirty-five beds compared to the Hopewell House's seventeen. Construction of the new building was completed in 1919 and the Hopewell House was converted into nurses' quarters.⁴ While this new building was able to fulfill the needs of Monroe and surroundings counties for a short time, a concern for the health of soldiers returning from World War II, advancements in medical technology, and a growing population in Bloomington led to plans for a third hospital building.

1945-1947 WING (KOHR BUILDING)

Organized by the Local Council of Women, the building campaign for a limestone addition on the east side of the 1919 building began as early as 1943. The existing twenty-four-year-old building was inadequate to meet patient demand and did not meet the expectations of the American Hospital Association, which stated that a hospital was to have five beds per 1,000 population. With World War II underway, representatives of the hospital were aware that returning soldiers would need medical care, both temporary and long term. A new hospital also presented the opportunity to provide more local services, from an on-site laboratory to additional x-ray facilities. Funding for the project was accomplished partially by a \$92,750 federal grant that had to be matched by the community. Altogether, \$125,000 was raised


² Snoddy, 4-8.

³ Snoddy, 8-11.


⁴ Snoddy, 11.

⁵ "Enduring Memorials," 1945, accessed 13 August 2018, Monroe County History Center, Bloomington, Indiana.

⁶ "Complete Floor Plans Of The New Improved Bloomington Hospital," accessed 15 August 2018, Monroe County History Center, Bloomington, Indiana.



Rendering by McGuire & Shook, c.1944 (Monroe County History Center)



1947 addition floor plans, c.1944 (Monroe County History Center)

for the building and construction began in July of 1944.⁷ This latest version of Bloomington Hospital was finished in 1947.

McGuire & Shook of Indianapolis were selected as architects of the building. Known at the time for local school and hospital projects, including Tipton County Memorial Hospital and an addition to Bartholomew County Hospital, the firm designed the new building to hold forty new beds and reconfigured the existing 1919 building to house state-of-the-art surgery rooms, radiology center, and other much-needed facilities. The new three-story limestone building connected to the existing building along its central axis by a corridor flanked with rooms, making the new form of the hospital an "H" shape. Additional rooms lined the new main corridor of the first and second floors while the ground level housed storage, offices, and other services. Stair towers flanked the building to the north and south while a new elevator in the center created another point of circulation. The exterior of the building was simple, reflecting a restrained late Art Deco expression with bold massing and strategically-placed stylized ornament. Small Art Deco motifs found under the windows, on the parapet, and at the top of the extruded entry are the only decorative features in the design. While the stair towers are monolithic in nature, a vertical strip of glass block allows light to enter the space.

1963-1965 WING

Continuous growth and evolving medical technology have continued to be the motivation behind Bloomington Hospital's building expansions. Despite having just completed an addition in 1947, plans for an additional 140 beds and 213,000 square feet of space began in the mid-1950s. A survey was completed in 1958 and over \$1.6 million was raised for the latest addition. Construction on the west expansion started in 1963 with demolition of the Hopewell House where the hospital originated. While the new wing was under construction, it was decided to include two additional floors with the hope of eliminating the need for future expansion. This added \$650,000 to the original cost. The 1919 and 1947 buildings (as a collective, they are often referred to as the East Building) were then remodeled to become a 60-bed convalescent hospital with additional spaces for employees' and doctors' lounges, and medical record storage. Soon after the addition's completion in March 1965, the hospital established one of the state's first cardiac care units. This and other advancements in the hospital led to a growth in staff by 50 percent from 1967 and 1968.

POST 1965 ADDITIONS AND ALTERATIONS

In 1970, the fourth and fifth floors of the 1965 addition, which had been left unfinished, were built out, bringing Bloomington Hospital's total bed capacity to 301. Additional service spaces were built on the ground, first, and second floors, including the expansion of laboratories, x-ray, emergency, surgery, dietary, central sterilization, and housekeeping. At this point, only physical therapy, medical education,

⁷ "Construction Of Bloomington's Improved Hospital To Start Next Month; Cost \$185,500," June 1944, accessed 15 August 2018, Monroe County History Center, Bloomington, Indiana.

⁸ "Complete Floor Plans Of The New Improved Bloomington Hospital."


⁹ "Looking back, thinking ahead at centennial," *Bloomington Hospital: 100 Years*, 2005, accessed 15 August 2018, Monroe County History Center, Bloomington, Indiana, 13.

¹⁰ "Looking back, thinking ahead at centennial," 12.

¹¹ "Recollections," *Images: Bloomington Hospital*, Vol III, Issue 4, Winter 1980-81, accessed 15 August 2018, Monroe County History Center, Bloomington, Indiana.

¹² Snoddy, 14.

¹³ "Looking back, thinking ahead at centennial," 12.



c.1965 (Monroe County History Center)



Aerial of Bloomington Hospital, July 1994 (Monroe County History Center)

volunteer services, and a portion of maintenance remained in the 1919 and 1947 buildings. The portions of these buildings that were not used by Bloomington Hospital were remodeled and leased to the Community Mental Health Center as an outpatient clinic. In 1978, the Mental Health Nursing Unit was moved to the third floor of the 1947 building which led to its extensive remodeling.¹⁴

In the 1980s, a \$24 million expansion and renovation to the hospital began. This includes new facilities for orthopedics, physical therapy, occupational therapy, surgery, critical care, and a new auditorium named to honor benefactor Effie Wegmiller. The 1990s brought an additional expansion to the emergency services department, new laboratory and obstetrics unit, and new facilities for cardiovascular surgery and catheterizations. As a part of these alterations, the 1919 limestone building was demolished. At this time, Bloomington Hospital had become the second largest employer in Monroe County, behind Indiana University. At the turn of the twenty-first century, Bloomington Hospital began another \$30 million expansion project to add a cancer unit and create better access to outpatient and expand the maternity department. Altogether, 100,000 square feet of service space was added, and the same amount renovated. ¹⁵

ROLAND E. KOHR

Roland E. Kohr, also known as "Bud", was born in 1931 in Middletown, Ohio. He went on to acquire a B.S. degree from the University of Cincinnati as well as a Masters in Hospital Administration with distinction from Northwestern University. After graduating, Kohr served in the U.S. Air Force in the 3585th USAF Medical Services Corp. He became CEO of William S. Major Hospital in Shelbyville, Indiana, in 1960. Kohr was named President of the Bloomington Hospital in 1966 and guided the hospital through years of growth. ¹⁶ He was an instrumental leader in the multiple building additions constructed during his tenure and created one of the state's first cardiac care units. By the time of his retirement in 1995, Kohr had received several awards and honors, including being named Fellow in the American College of Health Executives, Chairman of the Board of the Indiana Hospital Association, and recipient of the Distinguished Service Award in 1987. After retiring, Kohr became a visiting professor in Indiana University's School of Public and Environmental Affairs and founded the Bloomington Hospice House and New Hope Family Shelter. To honor his contributions to Bloomington Hospital and surrounding community, the 1947 building was renamed the Roland E. Kohr Administration Building.¹⁷

^{14 &}quot;Recollections."

¹⁵ "Looking back, thinking ahead at centennial," 12.

¹⁶ "Roland E. Kohr," *IndyStar*, 11 September 2015, accessed 2 October 2018,

https://www.legacy.com/obituaries/indystar/obituary.aspx?n=roland-e-kohr-bud&pid=175792614

¹⁷ Lauren Slavin, "Kohr instrumental in expansion of health services in Bloomington," *HoosierTimes*, 10 September 2015, accessed 2 October 2018, https://www.hoosiertimes.com/herald_times_online/news/local/kohr-instrumental-in-expansion-of-health-services-in-bloomington/article_3b38b352-4663-54ed-b55c-cfab515fd3bf.html.

EVALUATION OF SIGNIFICANCE

The Bloomington Hospital contains two wings that are more than 50 years old: the 1947 and 1965 wings. The 1947 wing retains a high degree of exterior integrity and architectural significance. The integrity of the 1965 wing has been compromised by multiple additions and alteration that have obscured or compromised its architectural significance. For these reasons, retention of the 1965 wing is not justified on architectural or historical grounds.

Period of Significance

The period of significance for the 1947 building is recommended as 1947 to 1965. The building saw no major changes from the time of its construction until the construction of the 1965 addition. For this reason, 1965 is the end of the building's period of significance.

Areas of Significance

ARCHITECTURE

The 1947 building of Bloomington Hospital is significant as a notable work by the firm of McGuire & Shook. The firm was established in 1916 by engineer and architect Wilbur Briant Shook (1889-1961), a graduate of Rose Polytechnic (now Rose-Hulman Institute of Technology) in Terre Haute, and William C. McGuire (1888-1960), an engineer from Indianapolis. Their firm designed several buildings across central Indiana including Indiana's State Teachers' Association Building, the Federal Building Annex, Arlington High School, Thomas Carr Howe High School, Tipton County Memorial Hospital, Men's Building No. 2 at Central State Hospital, and an addition to Bartholomew County Hospital. Shook also designed the Shook Fieldhouse at Rose-Hulman, which was demolished in 1997. The firm remains in business as Odle McGuire Shook Inc. Though they completed multiple hospital projects few seem to survive with integrity comparable to that seen at Bloomington Hospital.

Though the building has experienced alterations due to hospital additions and programmatic changes, the exterior's character defining architectural features have been retained. Exterior character-defining features include the overall building massing, fenestration, limestone cladding, Art Deco ornament, glass block windows in the stair towers, limestone retaining walls, front entry steps, historic exterior lampposts, and the mature trees along the Rogers street front of the site. On the interior, the original floor plans have been largely maintained, although historic materials are now concealed by later wall, floor, and ceiling finishes. Historic terrazzo flooring is exposed in the staircases and is believed to be concealed under later carpet finishes in corridors and former patient rooms.

HEALTH/MEDICINE

The 1947 wing is significant in the area of Health/Medicine for its association with the evolution of the Bloomington Hospital. The period of significance for the building also includes significant advancements of technology in the medical field and their integration into the Bloomington Hospital.

Character-Defining Features

The 1947 building of Bloomington Hospital retains character-defining features from the period of significance. These features are outlined by location:

- Exterior
 - Massing
 - Art Deco ornaments
 - Front steps
 - Exterior materials
 - Limestone cladding and retaining walls
 - Glass block
 - Fenestration
 - Windows & doors (replacements within the historic openings)
 - Historic lampposts
 - Mature trees along Rogers Street
- Interior
 - General interior layout of rooms and corridors
 - Curved walls
 - Terrazzo in stairwells (and any that may exist under carpet)

Integrity

Evaluation of the 1947 building's surviving historic fabric dating from the period of significance (1947-1965) considers the seven aspects of integrity identified in the National Register Criteria for Evaluation: location, design, setting, materials, workmanship, feeling, and association. The retention of essential physical features from the period of significance is necessary for the property to have sufficient integrity to convey its significance.

LOCATION

The building retains a high degree of integrity of location, remaining in its original location and having never been moved.

DESIGN

The building retains a high degree of integrity to its original design by McGuire & Shook. The replacement of the historic windows and doors has not significantly altered the building's exterior appearance. The interior has retained a moderate level of integrity, with the retention of the historic corridor and room organization. Most changes have been superficial besides the enclosing of spaces on the first floor south of the main entry. The connection to the later additions is only at the basement level and has minimally impacted the exterior and interior layout.

SETTING

The building retains moderate degree of integrity of setting. The immediate site, including the front lawn along the east façade, retains historic features including limestone retaining walls, lampposts, walkways, and mature trees. The site's wider context has gone through a major evolution since the period of

significance with the demolition and construction of several buildings and other features in the immediate area.

MATERIALS

The building retains a moderate to high degree of integrity of materials. Exterior materials remain intact and in good condition overall. The interior is believed to have had very simple finished: flat plaster walls and ceiling, terrazzo floors, and minimal trim. Most historic character-defining interior materials have been lost or concealed by alterations to fulfill the needs of the hospital. The terrazzo flooring has been maintained in the stairwells and may still exist under carpet within the rooms and corridors.

WORKMANSHIP

The building retains a moderate to high degree of integrity of workmanship. The exterior limestone masonry, including carved accents, showcases the region's distinctive stone and the workmanship of the craftspeople who built the building.

FEELING

The building retains a moderate degree of integrity of feeling in its present condition. Feeling is an intangible quality of a historic property that evokes the sense and experience of the period of significance. The building's exterior retains a moderate to high degree of integrity of feeling, while the interior retains a moderate degree of integrity of feeling.

ASSOCIATION

The building retains a high degree of integrity of association, remaining directly associated with Bloomington Hospital's operations.

Designations

The building is not currently listed in the National Register of Historic Places or the Indiana Register of Historic Sites & Structures. It has not been identified in the Indiana Historic Sites & Structures Inventory, either in the *City of Bloomington Interim Report* (1986) or in the 2015 resurvey. The property is not within a local historic district or local conservation district under the jurisdiction of the Bloomington Historic Preservation Commission.



101 S. Pennsylvania Street Indianapolis, IN 46204

www.RATIOdesign.com