Consolidated and Amended Economic Development Plan

creating the

Bloomington Consolidated Economic Development Area

Incorporating the following Economic Development Areas:

Adams Crossing Downtown Tapp Road Thomson Walnut-Winslow Whitehall

City of Bloomington Bloomington, Indiana January 2015

TABLE OF CONTENTS

INTRODUCTION	3
GEOGRAPHIC DESCRIPTION	5
ZONING AND LAND USE	44
STATEMENT OF DEVELOPMENT OBJECTIVES	45
PROVISIONS FOR AMENDING THE PLAN	47

INTRODUCTION

This economic development plan amends and consolidates several Economic Development Areas and provides guidance for land use planning, new development, redevelopment and the provision of infrastructure within those Economic Development Areas (EDA). The EDAs were originally established or amended as follows:

Adams Crossing	Established	1994	108 acres
Adams Crossing	Amended	2000	10 acres
Adams Crossing	Amended	2009	86 acres
Downtown	Established	1985	133 acres
Downtown	Amended	1990	21 acres
Downtown	Amended	2010	48 acres
Tapp Road	Established	1993	216 acres
Tapp Road	Amended	2003	25 acres
Thomson	Established	1991	276 acres
Thomson	Amended	1993	245 acres
Walnut-Winslow	Established	1993	117 acres
Thomson Walnut-Winslow	Consolidated/Amended	2002	63 acres
Whitehall	Established	1998	113 acres
Whitehall	Amended	2000	10.05 acres



The Redevelopment Commission has found that it is of public utility and benefit to consolidate the contiguous economic development areas within the City, to be known as the Consolidated Bloomington Economic Development Area. The consolidation will create a more effective utilization of tax increment financing to implement this plan. This plan was developed as provided for in Indiana Code § 36-7-14-15 and Indiana Code § 36-7-14-41, and may be amended in the future as provided in Indiana Code.

The Consolidated Bloomington Economic Development Area is in need of redevelopment due to the following:

- 1. Lack of development;
- 2. Cessation of growth;
- 3. Deteriorated or deteriorating improvements;
- 4. Environmental contamination;
- 5. Character of occupancy;
- 6. Age;
- 7. Obsolescence;
- 8. Substandard buildings; or
- 9. Other factors that impair values or prevent a normal use or development of property.

This Plan cannot be accomplished by normal regulatory processes or through the ordinary operation of private enterprise. Implementation of this plan will result in a more timely generation of funds that can be directly allocated to specific improvements to meet the goals outlined in this Plan. Public health and welfare will benefit by accomplishment of this Plan. The anticipated improvements can be paced to precede other developments, ensuring that negative impact on the public will be minimized or avoided. The accomplishment of this plan will be public utility and benefit as measured by the attraction and retention of permanent jobs, increases in the property tax base, and improved diversity of economic opportunities within the EDA.

This Plan is consistent with the City's Growth Policies Plan. The Bloomington/Monroe County Metropolitan Planning Organization (BMCMPO), and the City of Bloomington have several adopted documents that contain information on the future needs for transportation, redevelopment, economic development and public facilities for the area. These include the Long Range Transportation Plan, the Complete Streets Policy, the Bloomington Master Thoroughfare Plan, the Bicycle and Pedestrian Transportation and Greenways Systems Plan, the South Rogers Street Identity Study, the Bikeways Implementation Plan, the Certified Technology Park Master Plan & Redevelopment Strategy, the Switchyard Park Master Plan, *Breaking Away: Journey to Platinum, Redefining Prosperity: Energy Descent and Community Resilience*, and the Preservation Plan for Historic Bloomington. All of these plans identify improvements needed for transportation, redevelopment, economic development and public facilities within this EDA.

GEOGRAPHIC DESCRIPTION

Adams Crossing (1994):

A part of Section 5 and Section 6, Township 8 North, Range 1 West, Perry Township

108 ACRES

A part of the North one-half of Section 5, and a part of the Northeast quarter of Section 6, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more specifically described as follows:

Beginning at a PK nail found marking the southeast corner of Section 31, Township 9 North, Range 1 West, said corner being on the north line of said Northeast quarter of Section 6 and on West Third Street; Thence on said north line of the Northeast quarter of Section 6 and on and along West Third Street north 89 degrees 39 minutes 56 seconds West (assumed basis of bearings) 213.80 feet; The continuing on said north line and West 3rd Street South 89 degrees 27 minutes 03 seconds West 891.17 feet to the northeast corner of Cory Plaza recorded as Instrument No. 2005020944 in Plat Cabinet D, Envelope 17 in the office of the Recorder of Monroe County, Indiana; Thence leaving West 3rd Street and on the east line of Cory Plaza and on and along South Cory Lane South 02 degrees 06 minutes 23 seconds East 127.18 feet; Thence leaving the east line of Cory Plaza and South Cory Lane North 87 degrees 53 minutes 37 seconds East 170.68 feet; Thence South 02 degrees 06 minutes 23 seconds East 261.39 feet; Thence South 89 degrees 47 minutes 19 seconds East 335.00 feet; Thence South 02 degrees 21 minutes 49 seconds East 260.26 feet; Thence South 89 degrees 47 minutes 19 seconds East 390.00 feet to the west line of Landmark Business Center Phase I recorded as Instrument No. 608902 in Plat Cabinet C, Envelope 176, Monroe County Recorder; Thence on the west line of Landmark Business Center Phase I South 02 degrees 21 minutes 49 seconds East 425.00 feet to the southwest corner of Landmark Business Center I; Thence on the south line of Landmark Business Center Phase I South 89 degrees 42 minutes 56 seconds East 423.12 feet to the northwest corner of Landmark Business Center Phase III as recorded in Plat Cabinet C, Envelope 259, Monroe County Recorder; Thence on the west line of Landmark Business Center Phase III South 02 degrees 15 Minutes 13 seconds East 751.63 feet to the southwest corner of Landmark Business Center Phase III; Thence leaving Landmark Business Center Phase III and crossing West 2nd Street South 05 degrees 42 minutes 28 seconds East 70.34 feet; Thence South 02 degrees 39 minutes 11 seconds East 23.16 feet to the south right-of-way line of West 2nd Street; Thence on said south right-of-way line North 54 degrees 36 minutes 54 seconds East 164.84 feet: Thence North 59 degrees 53 minutes 03 seconds East 227.12 feet; Thence North 65 degrees 21 minutes 42 seconds East 115.70 feet; Thence North 69 degrees 31 minutes 08 seconds East 154.88 feet; Thence North 72 degrees 30 minutes 58 seconds East 35.45 feet; Thence North 75 degrees 38 minutes 20 seconds East 218.87 feet; Thence North 06 degrees 10 minutes 39 seconds West 18.40 feet to the beginning of a curve concave to the south and having a radius of 1818.40 feet; Thence on said curve Easterly 395.75 feet through a central angle of 12 degrees 28 minutes 11 seconds; Thence South 88 degrees

18 minutes 50 seconds East 119.88 feet to the beginning of a curve concave to the northwest and having a radius of 1026.63 feet; Thence on said curve Northeasterly 339.93 feet through a central angle of 18 degrees 58 minutes 18 seconds; Thence on a radial line South 17 degrees 17 minutes 08 seconds East 5.00 feet to the beginning of a non-tangent curve concave tot eh northwest and having a radius of 1031.63 feet; Thence on said curve Northeasterly 103.51 feet through a central angle of 05 degrees 44 minutes 56 seconds; Thence North 63 degrees 34 minutes 22 seconds East 211.40; Thence North 62 degrees 51 minutes 10 seconds East 301.07 feet; Thence North 27 degrees 08 minutes 50 seconds West 5.00 feet; Thence North 62 degrees 51 minutes 10 seconds East 20.00 feet to the beginning of a curve concave to the southeast and having a radius of 686.38 feet; Thence on said curve Easterly 314.77 feet through a central angle of 26 degrees 16 minutes 31 seconds; Thence South 89 degrees 55 minutes 08 seconds East 55.33 feet to the east right-of-way line of South Walker Street; Thence leaving said south right-ofway line of West 2nd Street and on the east right-of-way line of South Walker Street North 02 degrees 48 minutes 48 seconds West 1073.96 feet tot eh north line of the Northwest quarter of Section 5, Township 8 North, Range 1 West; Thence on said north line of the Northwest quarter and on and along West 3rd Street North 89 degrees 44 minutes 02 seconds West 1009.13 feet; Thence continuing on said north line and on and along West 3rd Street North 89 degrees 10 minutes 35 seconds West 1674.72 feet; Thence continuing on said north line and on and along West 3rd Street North 89 degrees 30 minutes 28 seconds West 160.73 feet to the Point of Beginning. Containing 108 ACRES, more or less.

Adams Crossing (2000):

A part of the Northeast quarter of Section 6, Township 8 North, Range 1 West, Perry Township

10 ACRES

A part of the northeast quarter of Section 6, Township 8 North, range 1 West, Perry Township, Monroe County, Indiana, more specifically described as follows:

Commencing at a PK nail found marking the southeast corner of Section 31, Township 9 North, Range 1 West, said corner being on the north line of said Northeast quarter of Section 6 and on West Third Street; Thence on said north line of the Northeast quarter of Section 6 and on and along West Third Street North 89 degrees 39 minutes 56 seconds West (assumed basis of bearings) 213.80 feet; Thence continuing on said north line and West 3rd Street South 89 degrees 27 minutes seconds West 891.77 feet to the northeast corner of Cory Plaza recorded as Instrument No. 2005020944 in Plat Cabinet D, Envelope 17 in the office of the Recorder of Monroe County, Indiana, said corner being the true Point of Beginning;

Thence on the north line of Cory Plaza North 89 degrees 47 minutes 19 seconds West 631.05 feet; Thence leaving West 3rd Street and on the west line of Cory Plaza South 02 degrees 17 minutes 07 seconds East 693.01 feet to the southwest corner of Cory Plaza; Thence on the south line of Cory Plaza South 89 degrees 47 minutes 19 seconds East 315.50 feet; Thence North 02 degrees 17 minutes 07 seconds West 51.05 feet; Thence South 89 degrees 47 minutes 19 seconds East 333.03 feet to the southeast corner of Cory Plaza; Thence on the east line of Cory Plaza and on and along South Cory Lane North 02 degrees 06 minutes 23 seconds West 641.87 feet to the Point of Beginning. Containing 10 ACRES, more of less.

Adams Crossing (2009):

A part of Section 5, Township 8 North, Range 1 West, Perry Township

86 ACRES

A part of Section 5, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more specifically described as follows:

Commencing at PK nail found marking the southeast corner of Section 31, Township 9 North, Range 1 West, said corner being on the north line of the Northeast quarter of Section 6, Township 8 North, Range 1 West and on West Third Street; Thence on said north line of the Northeast quarter of Section 6 and the north line of said Section 5, Township 8 North, Range 1 West and on and along West Third Street South 89 degrees 30 minutes 28 seconds East (assumed basis of bearings) 160.73 feet; Thence continuing on said north line and West 3rd Street South 89 degrees 10 minutes 35 seconds East 1674.72 feet; Thence continuing on said north line and West 3rd Street South 89 degrees 44 minutes 02 seconds East 1009.13 feet to the east right-of-way line of South Walker Street; Thence leaving said north line and West 3rd Street and on said east rightof-way line of South Walker Street South 02 degrees 48 minutes 48 seconds East 842.61 feet to the true Point of Beginning;

Thence continuing on said east right-of-way line South 02 degrees 48 minutes 48 seconds East 1290.02 feet to east right-of-way line of Patterson Drive; Thence leaving said east right-of-way line of South Walker Street and on the east right-of-way line of Patterson Drive South 39 degrees 50 minutes 39 seconds East 1132.11 feet to the west line of Lot A in Dixie Highway Addition as recorded in Plat Cabinet B, Envelope 39, Monroe County Recorder; Thence leaving said east right-of-way line of Patterson Drive and on the west line of Lots A, 34, 79, 80, 115, 116, and 141 in Dixie Highway Addition North 00 degrees 35 minutes 34 seconds East 1034,83 feet to the northwest corner of said lot 141; Thence on the north line of Lots 141, 140, 139, 138, 137, 136, 135, 134, and 133 in said addition South 89 degrees 28 minutes 46 seconds East 432.00 feet to the northeast corner of said lot 133; Thence on the east line of Lot 133 South 00 degrees 35 minutes 34 seconds West 44.47 feet; Thence leaving said east line and on the north line of Lots 132 and 131 South 89 degrees 28 minutes 46 seconds East 96.00 feet to the northeast corner of said lot 131; Thence leaving said north lot line North 00 degrees 35 minutes 34 seconds East 44.47 feet; Thence South 89 degrees 28 minutes 46 seconds East 96.00 feet to the west right-of-way line of South Fairview Street; Thence on the west right-of-way line of South Fairview Street South 00 degrees 35 minutes 34 seconds West 148.87 feet to the south right-of-way line of West Wylie Street; Thence on the south right-of-way line of West Wylie Street South 89 Degrees 28 minutes 46 seconds East 705.46 feet tot eh east right-of-way line of South Rogers Street; Thence on the east right-of-way line of South Rogers Street South 00 degrees 04 minutes 30 seconds West 70.32 feet; Thence

leaving said east right-of-way line South 89 degrees 28 minutes 46 seconds East 324.31 feet; Thence North 00 degrees 04 minutes 30 seconds East 104.98 feet; Thence North 89 degrees 28 minutes 46 seconds West 106.33 feet; Thence North 00 degrees 04 minutes 30 seconds East 111.63 feet; Thence South 89 degrees 28 minutes 46 seconds East 489.13 feet to the east right-of-way line of South Morton Street; Thence on the east right-of-way line of South Morton Street North 00 degrees 03 minutes 59 seconds East 950.40 feet; Thence crossing West 2^{nd} Street North 09 degrees 50 minutes 02 seconds East 69.77 feet; Thence North 00 degrees 06 minutes 31 seconds East 157.70 feet; Thence leaving said right-of-way line of South Morton Street North 85 degrees 06 minutes 55 seconds West 82.79 feet; Thence South 89 degrees 52 minutes 14 seconds West 278.00 feet; Thence South 72 degrees 42 minutes 56 seconds West 17.29 feet; Thence South 89 degrees 52 minutes 26 seconds West 345.11 feet; Thence North 86 degrees 30 minutes 05 seconds West 57.81 feet; Thence South 89 degrees 35 minutes 59 seconds West 363.16 feet; Thence North 00 degrees 19 minutes 46 seconds West 143.09 feet; Thence South 89 degrees 57 minutes 58 seconds West 423.25 feet; Thence South 00 degrees 19 minutes 46 seconds East 146.99 feet; Thence North 89 degrees 26 minutes 53 seconds West 175.48 feet; Thence South 00 degrees 19 minutes 46 seconds West 152.94 feet to the north right-of-way line of West 2nd Street; Thence on the north rightof-way line of West 2nd Street South 89 degrees 55 minutes 09 seconds West 205.58 feet; Thence South 89 degrees 23 minutes 10 seconds West 121.23 feet; Thence South 89 degrees 32 minutes 24 seconds West 184.44 feet; Thence South 82 degrees 49 minutes 37 seconds West 12.09 feet; Thence South 89 degrees 57 minutes 58 seconds West 248.00 feet; Thence leaving said north right-of-way line North 00 degrees 19 minutes 46 seconds West 170.00 feet; Thence South 89 degrees 57 minutes 58 seconds West 344.38 feet to the Point of Beginning. Containing 86 ACRES, more of less.

Downtown (1985):

A part of Section 33, Township 9 North, Range 1 West, Bloomington Township, Monroe County, Indiana, more specifically described as follows:

Beginning at the intersection of the north right-of-way of Third Street and the east right-of-way of Rogers Street; Thence on the east right-of-way of said Rogers Street North 00 degrees 14 minutes 49 seconds East 1000.10 feet; Thence North 00 degrees 16 minutes 56 seconds East 82.50 feet; Thence North 00 degrees 33 minutes 50 seconds East 636.69 feet; Thence North 15 degrees 49 minutes 48 seconds West 52.01 feet; Thence North 00 degrees 43 minutes 43 seconds East 556.72 feet; Thence leaving said east right-of-way line North 88 degrees 59 minutes 52 seconds East 651.60 feet to the west right-of-way line of Morton Street; Thence on said west right-of-way line North 00 degrees 58 minutes 24 seconds East 168.58 feet to a point where a prolongation from the east of the south right-of-way line of Tenth Street intersects said west right-of-way line; Thence leaving said west right-of-way and on said south right-of-way line of Tenth Street North 89 degrees 40 minutes 22 seconds East 350.68 feet; Thence North 88 degrees 21 minutes 23 seconds East 82.55 feet; Thence North 89 degrees 41 minutes 59 seconds East 276.50 feet; Thence South 84 degrees 26 minutes 36 seconds East 82.84 feet; Thence North 89 degrees 59 minutes 35 seconds East 287.00 feet to the west right-ofway line of Washington Street; Thence leaving said south right-of-way line and on said

west right-of-way line South 00 degrees 21 minutes 05 seconds West 744.94 feet; Thence South 11 degrees 13 minutes 30 seconds West 50.47 feet; Thence South 00 degrees 11 minutes 02 seconds East 720.58 feet to the south right-of-way line of Sixth Street; Thence leaving said west right-of-way line and on said south right-of-way line South 89 degrees 37 minutes 21 seconds East 1535.92 feet to the west right-of-way line of Indiana Avenue; Thence leaving said south right-of-way line and on said west rightof-way line South 00 degrees 52 minutes 04 seconds East 1101.62 feet to the north rightof-way line of Third Street; Thence leaving said west right-of-way line and on said north right-of-way line North 86 degrees 15 minutes 06 seconds West 281.22 feet; Thence North 65 degrees 06 minutes 13 seconds West 38.69 feet to the east right-of-way line of Dunn Street; Thence leaving said north right-of-way line and on said east right-of-way line North 00 degrees 41 minutes 19 seconds West 73.00 feet to a point where a prolongation from the west of the north right-of-way line of Third Street intersects said east right-of-way line; Thence leaving said east right-of-way line and on said north rightof-way line North 89 degrees 42 minutes 21 seconds West 2961.31 feet to the Point of Beginning. Containing 133 ACRES, more or less.

Downtown (1990):

A part of Sections 4 and 5, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more specifically described as follows:

Beginning at the intersection of the south right-of-way of Third Street and the west right-of-way of Walnut Street; Thence on the west right-of-way of said Walnut Street South 00 degrees 10 minutes 47 seconds West 1099.57 feet to the north right-ofway line of Second Street; Thence leaving said west right-of-way line and on said north right-of-way line North 89 degrees 49 minutes 49 seconds West 636.96 to the east rightof-way line of Morton Street: Thence leaving said north right-of-way line and on said east right-of-way line North 00 degrees 15 minutes 02 seconds East 514.27 feet to a point where a prolongation from the west of the north right-of-way line of Smith Street intersects said east right-of-way line; Thence leaving said east right-of-way and on said north right-of-way line of Smith Street North 89 degrees 19 minutes 48 seconds West 254.40 feet; Thence South 78 degrees 51 minutes 24 seconds West 20.42 feet; Thence North 89 degrees 50 minutes 39 seconds West 86.83 feet to the east right-of-way line of Madison Street; Thence leaving said north right-of-way line and on said east right-ofway line North 00 degrees 25 minutes 50 seconds East 589.27 feet to the south right-ofway line of Third Street; Thence leaving said east right-of-way line and on said south right-of-way line South 89 degrees 42 minutes 21 seconds East 994.99 feet to the Point of Beginning. Containing **21** ACRES, more or less.

Downtown (2010):

A part of Section 32 and Section 33, Township 9 North, Range 1 West, Bloomington Township, Monroe County, Indiana, more specifically described as follows: Beginning at the intersection of the north right-of-way of Seventh Street and the east right-of-way of Rogers Street; Thence on the east right-of-way of said Rogers Street North 00 degrees 33 minutes 50 seconds East 274.09 feet;

Thence North 15 degrees 49 minutes 48 seconds West 52.01 feet; Thence North 00 degrees 43 minutes 43 seconds East 556.72 feet; Thence leaving said east right-of-way North 88 degrees 59 minutes 52 seconds East 651.60 feet to the west right-of-way of Morton Street; Thence on said west right-of-way North 00 degrees 58 minutes 24 seconds East 168.58 feet to a point where a prolongation from the east of the south right-of-way line of Tenth Street intersects said west right-of-way line; Thence leaving said west right-of-way and on said south rightof-way line of Tenth Street North 89 degrees 40 minutes 22 seconds East 74.67 feet to a point where a prolongation from the north of the east right-of-way of Morton Street intersects said south right-of-way line; Thence leaving said south right-of-way line and on said east right-of-way line North 02 degrees 40 minutes 55 seconds East 40.06 feet; Thence North 00 degrees 21 minutes 08 seconds East 588.27 feet to the north right-of-way line of Eleventh Street; Thence leaving said east right-of-way line and on said north right-of-way line North 89 degrees 42 minutes 20 seconds East 89.49 feet; Thence leaving said north right-of-way line North 00 degrees 34 minutes 35 seconds East 236.68 feet; Thence South 89 degrees 55 minutes 06 seconds West 12.01 feet; Thence North 00 degrees 59 minutes 38 seconds East 132.66 feet; Thence South 89 degrees 18 minutes 40 seconds East 64.07 feet; Thence North 00 degrees 59 minutes 32 seconds East 176.30 feet; Thence South 89 degrees 24 minutes 20 seconds East 132.18 feet to the west right-of-way line of College Avenue; Thence on said west right-of-way line North 00 degrees 41 minutes 20 seconds East 59.00 feet to the south right-ofway line of Thirteenth Street; Thence leaving said west right-of-way line and on said south right-of-way line South 89 degrees 59 minutes 56 seconds West 593.97 feet to the south right-of-way line of The Indiana Rail Road; Thence leaving said south right-of-way line of Thirteenth Street and on said south right-of-way line of said railroad South 75 degrees 41 minutes 33 seconds West 182.68 feet to the beginning of a non-tangent curve concave to the southeast having a radius of 1375.00 feet to which a radial line bears North 17 degrees 56 minutes 16 seconds West; Thence on said curve Southwesterly 527.85 feet through a central angle of 21 degrees 59 minutes 43 seconds; Thence South 50 degrees 04 minutes 01 second West 954.54 feet; Thence leaving said south right-of-way line South 00 degrees 49 minutes 52 seconds West 181.88 feet; Thence South 89 degrees 10 minutes 08 seconds East 60.00 feet to the west right-of-way line of Amy Robinson Drive; Thence on said west right-of-way line South 00 degrees 49 minutes 52 seconds West 10.00 feet; Thence leaving said west right-of-way line South 89 degrees 10 minutes 08 seconds East 174.50 feet to the east right-of-way line of Fairview Street; Thence on said east right-of-way line South 00 degrees 49 minutes 52 seconds West 529.24 feet to the north right-of-way line of Ninth Street; Thence leaving said east right-of-way line and on said north right-of-way line South 89 degrees 56 minutes 18 seconds East 374.57 feet to the east right-ofway line of Jackson Street: Thence leaving said north right-of-way line and on said east right-of-way line South 00 degrees 43 minutes 43 seconds West 162.82 feet; Thence leaving said east right-of-way line South 89 degrees 41 minutes 32 seconds East 294.40 feet to the west right-of-way line of Rogers Street; Thence on said west right-of-way line South 00 degrees 43 minutes 43 seconds West

167.16 feet; Thence South 20 degrees 38 minutes 14 seconds West 53.37 feet; Thence South 00 degrees 33 minutes 50 seconds West 273.59 feet to the north right-of-way line of Seventh Street; Thence leaving said west right-of-way line and on said north right-of-way line South 89 degrees 29 minutes 34 seconds East 82.50 feet to the Point of Beginning. Containing **48 ACRES**, more or less.

Tapp Road (1991):

A part of Sections 7 and 18 in Perry Township, Monroe County, Indiana, more particularly described as follows:

Beginning at a point in Perry Township Section 7, which point is the intersection of the east right-of-way line of Weimer Road extended (20 foot half right-of-way) and the south right-of-way of Tapp Road (50 foot half right-of-way);

Thence west along the south right-of-way line of Tapp Road to the east property line of Progress Park;

Thence south along said east property line to the southeast corner of the subdivision;

Thence west along the south property line of the subdivision to the east right-of-way line of State Highway 37 By-pass;

Thence generally north along the east right-of-way line of State Highway 37 By-Pass to the intersection of said right-of-way line and the south right-of-way line of Tapp Road, said point also being the northwest corner of the Progress Park subdivision;

Thence north across Tapp Road to the north right-of-way line of Tapp Road, said point also being the intersection of the Public Investment Corporation property with the north right-of-way line of Tapp Road and the east right-of-way line of State Highway 37 By-Pass;

Thence continuing generally north along the east right-of-way line of State Highway 37 By-Pass to the intersection of the northwest corner of the Public Investment Corporation property and the southwest corner of the City's Wapehani Mountain Bike Park, said point also being a point on the north line of the south half of Section 7;

Thence generally east along said north property line a distance of approximately 1065.37 feet;

Thence north a distance of approximately 53.43 feet to the north right-of-way line of Wapehani Road;

Thence generally east along the north right-of-way line of Wapehani Road to the intersection of the extension of said north right-of-way line with the east right-of-way of Weimer Road;

Thence following said east right-of-way line of Weimer Road generally south and east to the intersection of the east right-of-way line of Weimer Road extended (20 foot half right-of-way) and the south right-of-way line of Tapp Road (50 foot half right-of-way), said point also being the Point of Beginning of this description, containing **216** ACRES more or less.

Tapp Road (2003):

A part of the Southeast Quarter of Section 7, Township 8 North, Range 1 West, Monroe County, Indiana, and being more particularly described as follows:

COMMENCING at 5/8" rebar stamped Smith Quillman & Associates found at the southwest corner of the Southeast Quarter of said section; thence SOUTH 88 degrees 44 minutes 52 seconds East 508.33 feet along the south line of said section and to the POINT OF BEGINNING; thence NORTH 00 degrees 44 minutes 13 seconds West along the east line of Annexation Ordinance 91-65 for 1666.55 feet; thence SOUTH 88 degrees 02 minutes 02 seconds East along said line of Annexation Ordinance 91-65 for 845.61 feet; thence SOUTH 00 degrees 47 minutes 03 seconds West 808.13 feet to a point on the north line of (Woolery Planned Community Phase I, Parcel I, Plat Cabinet "C", Envelope 129); thence the following three (3) courses along the north and west line of said Woolery Planned Community: 1) SOUTH 75 degrees 15 minutes 08 seconds West 200.00 feet; thence 2) 432.75 feet along a 334.99 foot radius tangent curve to the left whose chord bears SOUTH 38 degrees 15 minutes 36 seconds West 403.28 feet; thence 3) SOUTH 01 degree 15 minutes 08 seconds West 515.05 feet t the south right-of-way line of Tapp Road; thence NORTH 88 degrees 44 minutes 54 seconds West along said south line 366.12 feet; thence NORTH 00 degrees 27 minutes 08 seconds West along the east line of Annexation Ordinance 91-65 for 50.28 feet to the POINT OF BEGINNING, containing 24.32 ACRES, more or less.

Thomson (1991):

Beginning at a point which is the intersection of the east right-of-way line of South Walnut Street and the south right-of-way line of East Hillside Drive;

Thence southeast along the east right-of-way line of South Walnut Street to a point opposite the northeast corner of the Herald-Times Office property, this point also being approximately 410 feet north of the intersection of the east right-of-way line of South Walnut Street, and the north right-of-way line of East North Street;

Thence west from east right-of-way line of South Walnut Street to the west right-of-way line of the Indiana Railroad;

Thence northwest along the west right-of-way line of the Indiana Railroad a distance of approximately 350 feet to a point on the west right-of-way line of the Indiana Railroad, which point is also an intersection in the existing corporate limit;

Thence west along the corporate boundary line from the west right-of-way line of the Indiana Railroad a distance of approximately 630 feet to a point on the west right-of-way line of South Rogers Street;

Thence north along the west right-of-way line of South Rogers Street a distance of approximately 885 feet to the northeast corner of the Public Service Indiana substation property;

Thence west along the north property line of the Public Service Indiana substation property to the northwest corner of the property, which corner is also a corner of the Robinson Block and Concrete Company property;

Thence south along the east property line of the Robinson Block and Concrete Company property to the southeast corner of the property;

Thence west along the south property line of the Robinson Block and Concrete Company property to the southwest corner of the property;

Thence north along the west property line of the Robinson Block and Concrete Company property to the northwest corner of the property;

Thence east along the north property line of the Robinson Block and Concrete Company property to the west right-of-way line of South Roger Street;

Thence north along the west right-of-way line of South Rogers Street to the intersection of said right-of-way line and the southern boundary line of Perry Township Section 5;

Thence west along the southern boundary line of Perry Township Section 5 a distance of approximately 3120 feet to a point which is the intersection of said southern boundary line and the southwest corner of Seminary Lot #171, said piont also being a point on the south property line of the Thomson/RCA property in Perry Township Section 5;

Thence north along the west boundary lines of Seminary Lots #171, 170 and 167 a distance of approximately 963.26 feet to the northwest corner of the Thomson/RCA property;

Thence east along the north property line of the Thomson/RCA property a distance of approximately 876.5 feet to the southwest corner of the Hilltop Apartment and Mobile Home Park property;

Thence northwest along the west property line of the Hilltop Apartment and Mobile Home Park property to a point on the south right-of-way line of West Allen Street; Thence east along the south right-of-way line of West Allen Street to the intersection of the south right-of-way line and the north-south quarter-section line of Perry Township Section 5;

Thence north along said quarter-section line to the west right-of-way line of the Indiana Railroad;

Thence southeast along the west right-of-way line of the Indiana Railroad to a point which is directly west of the south right-of-way line of West Davis Street extended;

Thence east along the south right-of-way line of West Davis Street to the east right-ofway line of South Rogers Street;

Thence south along the east right-of-way line of South Rogers Street a distance of approximately 50 feet to the northwest corner of the Raintree Muffler Shop property, which point is also the northwest corner of Lot #69 in Campbell's Addition;

Thence east along the north property line of Lot #69 and extending to the west right-ofway line of the 12 foot wide north-south alley that is located between and runs parallel to South Madison Street and South Morton Street;

Thence north along the west right-of-way line of the alley to the south right-of-way line of West Dodds Street;

Thence east along the south right-of-way line of West Dodds Street to the east right-ofway line of the 12-foot wide north-south alley that is located between and runs parallel to South Walnut Street and South Washington Street;

Thence south along the east right-of-way line of the alley to the south right-of-way line of East Hillside Drive;

Thence west along the south right-of-way line of East Hillside Drive to the east right-ofway line of South Walnut Street, said point also being the Point of Beginning of this description.

Thomson (1993):

1. Northwest Addition

Beginning at a point in Perry Township Section 5, which point is the intersection of east right-of-way line of South Adams Street and the south right-of-way line of State Highway 45;

Thence generally north and east along the south right-of-way line of State Highway 45 to the intersection of said right-of-way line with the north-south half-section line of Section

5, Perry Township, said half-section line being approximately in the center of South Walker Street;

Thence south along said north-south half-section line to the southeast corner of the northwest corner of said Section 5, said point also being the southeast corner of Seminary Lot 160;

Thence west along the south boundary line of Seminary Lots 160 and 159 to the east right-of-way line of South Adams Street;

Thence north along the east right-of-way line of South Adams Street to the intersection of said east right-of-way line with the south right-of-way line of State Highway 45, said point also being the Point of Beginning of this description, containing **28** ACRES, more or less.

2. West Addition

Beginning at a point on the south boundary line of Section 5, Perry Township, which point is 1132.49 feet east of the southwest corner of said Section 5;

Thence north 02°25'50" west 880.00 feet;

Thence north 87°34'10" east perpendicular to the last course 103.04 feet;

Thence north 01°00'49" east approximately 890 feet to the intersection of a point in the center of the south end of Adams Street and the north right-of-way line of West Allen Street (17 foot half right-of-way);

Thence east along the north right-of-way line of West Allen Street to a point that is due north of a point on the north line of Seminary Lot 165 at a distance of 174 feet east of the northwest corner of said Seminary Lot 165;

Thence south to said point on the north line of Seminary Lot 165;

Thence southeasterly to a point that is 234 feet east and 94.38 feet north of the southwest corner of Seminary Lot 168;

Thence west to a point that is directly north of the northwest corner of Seminary Lot 170;

Thence south to the northwest corner of Seminary Lot 170;

Thence south along the west boundary lines of Seminary Lots 170 and 171 to the southwest corner of Seminary Lot 171, said point also being a point on the south boundary line of Section 5, Perry Township;

Thence west along said south boundary line of Section 5 to a point that is 1132.49 feet east of the southwest corner of Section 5, Perry Township, said point also being the Point of Beginning of this description, containing 13 acres, more of less.

3. Southwest Addition

Beginning at the intersection of the north boundary line of Section 8, Perry Township, and the west right-of-way line of South Rogers Street;

Thence south along the west right-of-way line of South Rogers Street a distance of approximately 350 feet to the north property line of the Robinson Block and Concrete Company property;

Thence west along said north property line to the northwest corner of the Robinson Block and Concrete Company property;

Thence south along the west property line of said property to the southwest corner of the Robinson Block and Concrete Company property;

Thence east along the south property line of said property to the southeast corner of the Robinson Block and Concrete Company property;

Thence north along the east property line to the northwest corner of the PSI, Inc., substation property;

Thence generally east along the north property line of the PSI, Inc., substation property to the intersection of said property line with the west right-of-way line of South Rogers Street;

Thence south along said west right-of-way line of South Rogers Street to the north line of the Carr's Bungalow Park subdivision;

Thence generally west along said north line and the north line of Pleasant View Addition to the northwest corner of Pleasant View Addition;

Thence South 00°28'51" East along the west boundary line of said addition a distance of approximately 362.94 feet to a corner of the corporate boundary;

Thence North 88°44'00" West 705.22 feet;

Thence South 01°21'05" East 1068.94 feet to the southeast corner of the northwest quarter of Section 8, Perry Township, said point also being the southeast corner of Thomson Community Park;

Thence North 88°04'29" West along the south line of the northwest quarter a distance of approximately 2640 feet to the southwest corner of the northwest quarter of Section 8,

Perry Township, said point also being the southwest corner of Thomson Community Park;

Thence north along the west boundary line of said northwest quarter to the northwest corner of the northwest quarter of Section 8, Perry Township;

Thence west along the north boundary line of Section 8, Perry Township a distance of approximately 4500 feet to the intersection of said north boundary line with the west right-of-way line of South Rogers Street, said point also being the Point of Beginning of this description, containing **204 ACRES**, more or less.

Walnut-Winslow (1993):

Beginning at a point in Perry Township Section 9, which point is the intersection of the east line of the right-of-way of the CSX Railroad and the south boundary line of Section 9, Perry Township, said point also being a point on the corporate boundary of the City of Bloomington;

Thence north along the east right-of-way line of the CSX Railroad a distance of approximately 1670 feet to the northwest corner of the tract of land described as Tract #4 in a deed recorded in Book 218, Page 39, Monroe County, which tract is held by L & N Investment Corporation;

Thence southeast along the boundary of Tract #4 to the north boundary line of Tract #5, said tract also recorded in Book 218, Page 40, Monroe County, and also held by L & N Investment Corporation;

Thence east along the north boundary line of Tract #5 to the west boundary line of the Redick Wylie Subdivision; Thence generally north along the west boundary line of said subdivision to the northwest corner of the subdivision;

Thence continuing generally north from the northwest corner of the Redick Wylie subdivision along the west boundary lines of the five western-most parcels which lie north of and contiguous with the north boundary line of Redick Wylie Subdivision, to the south boundary of the southernmost parcel of Herald-Times Newspaper property, said boundary line also being the dividing line between ML/UF and BA/RF zoned land (see attached map);

Thence east along the south boundary line of said Herald-Times property to the intersection of said south boundary line extended and the east right-of-way line of South Walnut Street;

Thence generally south and east along the east right-of-way line of South Walnut Street to the intersection of said east right-of-way line with the south right-of-way of East Graham Drive (unimproved);

Thence east along the south right-of-way line of East Graham Drive a distance of approximately 550 feet to the intersection of said right-of-way line with the RH Zoning line (see attached map);

Thence generally south and east following and along said RH zoning line to the intersection of said line and the north right-of-way line of Winslow Road, said point also being the southeast corner of the Winslow Plaza Planned Commercial Development;

Thence west along the north right-of-way line of Winslow Road a distance of approximately 1075 feet to the intersection of said north right-of-way line with the west right-of-way line of Walnut Street Pike;

Thence southeast along the west right-of-way line of Walnut Street Pike a distance of approximately 150 feet to a corner of the corporate boundary line in Section 16, Perry Township, said point also being a point on the line dividing BA and BL zoned land (see attached map);

Thence generally south and west along said corporate boundary line to the west right-ofway line of South Walnut Street;

Thence generally south along the west right-of-way line of South Walnut Street a distance of approximately 570 feet to the intersection of said right-of-way and a corner of the Walnut Station Planned Commercial Development, said point also being a corner of the corporate boundary line, and also the intersection of ML/PCD, ML, and RS zoned land (see attached map);

Thence west along said corporate boundary line a distance of approximately 407 feet to a corner of the development;

Thence generally south along the corporate boundary line a distance of approximately 812 feet to the southeastern-most corner of the Walnut Station development, said point also being a point on the dividing line between RS and RL zoned property (see attached map), and also a corner in the corporate boundary line;

Thence west along the RS/RL zoning line a distance of approximately 507 feet to the southwestern-most corner of the Walnut Station development, said point also being a corner in the corporate boundary line;

Thence generally north and east along the west boundary line of the Walnut Station development, said line also being the corporate boundary line, to the intersection of said line and the south boundary line of Section 9, Perry Township;

Thence west along the south boundary line of Section 9, Perry Township, to a point on the east right-of-way line of the CSX Railroad, said point also being the Point of Beginning of the description, containing **117 ACRES** more or less.

Thomson Walnut-Winslow (2002):

Part of the west half of Perry Township Section 9, Monroe County, Indiana, more particularly described as follows:

(SOUTH BOUNDARY) Beginning at a point where the western boundary of the original Walnut-Winslow TIF intersects the centerline of W. Country Club Drive, approximately 1012 feet West of its intersection with S. Old State Road 37, thence approximately 189 feet West along the centerline to the point where it intersects the western right-of-way of the Indiana Rail Road right-of-way; thence

(WEST BOUNDARY) North along the Indiana Rail Road's western right-of-way for approximately 1326 feet; thence East along right-of-way edge for approximately 11 feet; thence North along railroad right-of-way for approximately 1340 feet; thence West for approximately 98 feet; thence North for approximately 559 feet; thence angling West along the railroad right-of-way for 194 feet to the southern edge of the existing Thomson TIF; thence

(NORTH BOUNDARY) East along the southern boundary of the existing Thomson TIF for approximately 644 feet; thence

(EAST BOUNDARY) South along the eastern edge of the railroad right-of-way for approximately 89 feet to the Northwest corner of parcel 015-55560-00; thence along the western edge of that parcel for approximately 392 feet to its southern edge and to the Northwest corner of the original Walnut-Winslow TIF; thence South along the western edge of the Walnut-Winslow TIF in the following manner: South for approximately 100 feet to the Northwest corner of parcel 015-18275-00; thence South along the western edge of that parcel for approximately 199 feet to the Northwest corner of parcel 015-47825-00; thence South along the western edge of that parcel for approximately 101 feet to the Northwest corner of parcel 015-47815-00; thence along the western edge of that parcel for approximately 100 feet to the Northwest corner of parcel 015-47835-00; thence along the western edge of that parcel for approximately 102 feet to the northern edge of parcel 015-70040-08; thence leaves the western edge of the original Walnut-Winslow TIF and following the western boundary of parcel 015-70040-08, West for approximately 19 feet; thence South along the western edge of the parcel for approximately 896 feet; thence East along the southern edge of the parcel for approximately 68 feet to the Northeast corner of parcel 015-31175-01; thence South along the common boundary of parcels 015-70040-08 and 015-31175-01 for approximately 21 feet to the boundary of the original Walnut-Winslow TIF, which is also the northern edge of parcel 015-31175-00; thence along the boundary of parcel 015-31175-00 in the following manner: East approximately 192 feet to the Northwest corner of the parcel, thence South along the western edge of the parcel and the eastern railroad right-of-way for approximately 1339 feet to the point of beginning.

Whitehall (1998):

A part of the east half of Section 36, Township 9 North, Range 2 West and the west half of Section 31, Township 9 North, Range 1 West, both in Monroe County, Indiana, and being more particularly described as follows:

BEGINNING at the southeast corner of said Section 36; thence North 90 degrees West 1413.05 feet on the south line of said section; thence leaving said south line North 01 degree 14 minutes West 1100.38 feet over and on the east line of Annexation Ordinance #96-51; thence North 89 degrees 18 minutes East 396.0 feet; thence South 00 degrees East 44.0 feet; thence NORTH 90 degrees East 356.17 feet; thence NORTH 90 degrees East 165.0 feet; thence SOUTH 00 degrees East 49.50 feet; thence NORTH 90 degrees East 400.13 feet; thence SOUTH 89 degrees 22 minutes East 118.38 feet to the east line of said Section 36; thence NORTH 00 degrees 33 minutes 07 seconds West 2200.02 feet on said east line to a point on the south right-of-way of CSX Railroad; thence leaving said east line an on said south line the following four (4) courses: 1) SOUTH 82 degrees 16 minutes 20 seconds East 145.41 feet; thence 2). SOUTH 82 degrees 55 minutes 17 seconds East 130.06 feet; thence 3). SOUTH 83 degrees 10 minutes 50 seconds East 768.21 feet; thence 4). South 83 degrees 10 minutes 50 seconds East 432.34 feet to a point on the west right-of-way line of State Road 37; thence leaving said south line and on said west line the following three (3) courses: 1). SOUTH 46 degrees 39 minutes 48 seconds West 344.01 feet; thence 2). SOUTH 33 degrees 31 minutes 46 seconds West 308.06 feet; thence 3). SOUTH 46 degrees 37 minutes 11 seconds West 5.11 feet; thence leaving said west line SOUTH 00 degrees East 282.76 feet; thence SOUTH 00 degrees East 1689.0 feet over and along the west line of Annexation Ordinance #95-51; thence SOUTH 00 degrees East 565.89 feet to a point on the south line of Section 31; thence NORTH 90 degrees West 1046.40 feet on said south line to the POINT OF BEGINNING, containing **113** ACRES, more or less, in all.

Whitehall (2000):

COMMENCING at the northwest corner of said quarter quarter section; thence SOUTH 00 degrees 02 minutes 42 seconds East 100.00 feet to the southerly right-of-way of State Road 48; thence SOUTH 89 degrees 22 minutes 00 seconds East 571.69 Feet along said southerly right-of-way to a 5/8" rebar set at the Point of Beginning; thence SOUTH 00 degrees 11 minutes 07 seconds West 54.88 feet along said southerly right-of-way to a set 5/8" rebar; thence SOUTH 89 degrees 43 minutes 35 seconds East 76.32 feet along said southerly right-of-way to a set 5/8" rebar on the west line of Bounds & McPike Carpets; thence SOUTH 00 degrees 22 minutes 47 seconds EAST 209.26 feet along said west line to a 5/8" rebar set at the southwest corner thereof; thence NORTH 89 degrees 39 minutes 45 seconds East 123.00 feet along the south line of said Land of Bounds & McPike Carpets to a 5/8" rebar found at the southeast corner thereof and on the west line of Fair Meadows Addition (Plat Cabinet "B", Envelope 92); thence SOUTH 00 degrees 23 minutes 20 seconds East 633.35 feet along said west line to a 3/4" pipe found on the north right-of-way of the Illinois Central Railroad; thence SOUTH 65 degrees 09 minutes 32 seconds West 523.72 feet along said north right-of-way to a 5/8" rebar set on the east

right-of-way of State Road 37; thence along said east right-of-way the following four (4) courses: 1). NORTH 10 degrees 06 minutes 06 seconds West 192.42 feet to a 5/8" rebar; thence 2). NORTH 04 degrees 22 minutes 10 seconds East 170.18 feet to a set rebar; thence 3). NORTH 03 degrees 15 minutes 59 seconds East 350.57 feet to a set 5/8" rebar; thence 4). NORTH 18 degrees 55 minutes 39 seconds East 395.23 feet to a set 5/8" rebar; thence NORTH 00 degrees 11 minutes 07 seconds East 140.46 feet to the south line of the Whitehall TIF Area; thence on and along said south line NORTH 90 degrees 00 minutes 00 seconds East 142.04 feet; thence SOUTH 00 degrees 11 minutes 07 seconds East 106.32 feet to the POINT OF BEGINNING, containing **10.05 ACRES**, more or less.

It is the intent of this Plan to expand the above noted areas as follows:

Bloomfield Road (2015):

A part of the Southeast quarter of Section 1, Township 8 North, Range 2 West, a part of the Northeast quarter of Section 12, Township 8 North, Range 2 West, and a part of the Northwest quarter of Section 7, Township 8 North, Range 1 West, described as follows:

Beginning at the Southeast corner of Lot 1, Bloomington Tech Park, Plat Cabinet "C", envelope 251 in the Office of the Recorder, Monroe County, Indiana, the same being the Northeast corner of Lot 3, Park 37, Phase II, Plat Cabinet "B", envelope 340; thence SOUTH 89 degrees 28 minutes 07 seconds WEST along the South line of said Bloomington Tech Park 1304.23 feet to the Southeast corner of Lot 4, Park 37 Phase 3 as recorded in Plat Cabinet "B", envelope 348; thence continuing along the South line of said Lot 4 along a curve to the right having a radius of 805.98 feet and a length of 163.34 feet; thence continuing along said South line of Lot 4 NORTH 78 degrees 55 minutes 12 seconds WEST, 128.10 feet to a curve concave to the South having a radius of 865.98 feet and a length of 175.50 feet; thence continuing along said South line SOUTH 89 degrees 28 minutes 07 seconds WEST approximately 18.00 feet to the extension of the West line of Lot 5, Park 37 Phase 4 as recorded in Plat Cabinet "B" envelope 354; thence South along the West line of said Lot 5 and the West line of Lot 2, Park 37 Phase 1 recorded in Plat Cabinet "B", envelope 333 a distance of 1037.11 feet to the Southwest corner of said Lot 2; thence along the South line of Lot 2 NORTH 89 degrees 28 minutes 58 seconds EAST, 745.08 feet to the West Right-of-Way of South Liberty Drive; thence Southerly along a curve to the left having a radius of 1785.00 feet and a length of 211.04 feet; thence SOUTH 00 degrees 10 minutes 19 seconds EAST, 244.44 feet to the Southeast corner of Lot 1 in said Park 37 Phase 1; thence SOUTH 89 degrees 28 minutes 58 seconds WEST along the South line of said Lot 1 a distance of 738.44 feet to the Southwest corner thereof, said point also being the Northwest corner of Lot 8, Park 37 Phase VI recorded in Plat Cabinet "C", envelope 85; thence SOUTH 00 degrees 33 minutes 40 seconds WEST, 803.87 feet along the West line of Lots 8 and 9; thence SOUTH 34 degrees 27 minutes 43 seconds WEST along the West line of Lots 9 and 11 and the extension thereof approximately 430 feet to the South Right-of-Way of West State Road 45; thence Northeasterly along said Right-of-Way approximately 568.00 feet to the Northwest corner of Sam's Real Estate Business Trust, Instrument No. 2012000628 and being the Northwest corner of Lot 1 Final Plat of Wal-Mart & Sam's Club Subdivision as recorded in Plat Cabinet "D", envelope 49; thence along the West line of said subdivision the following Nine (9) courses:

- 1. SOUTH 37 degrees 54 minutes 06 seconds EAST, 115.04 feet
- 2. SOUTH 00 degrees 01 minute 04 seconds WEST, 123.89 feet
- 3. SOUTH 80 degrees 15 minutes 56 seconds WEST, 25.49 feet
- 4. SOUTH 03 degrees 06 minutes 18 seconds EAST, 89.74 feet
- 5. NORTH 87 degrees 05 minutes 48 seconds EAST, 24.02 feet
- 6. SOUTH 34 degrees 55 minutes 15 seconds EAST, 237.67 feet
- 7. SOUTH 02 degrees 58 minutes 15 seconds EAST, 380.47 feet
- 8. NORTH 87 degrees 50 minutes 56 seconds EAST, 126.35 feet
- 9. SOUTH 02 degrees 56 minutes 27 seconds EAST, 260.00 feet to the Southwest corner of Lot 2 in said subdivision;

thence along the South line of said Lot 2 NORTH 87 degrees 44 minutes 08 seconds EAST, 548.91 feet; thence continuing along said South line NORTH 87 degrees 14 minutes 08 seconds EAST, 162.57 feet to the West Right-of-Way of State Road 37; thence along said West line the following Three (3) courses:

- 1. NORTH 09 degrees 17 minutes 17 seconds WEST, 114.42 feet
- 2. NORTH 00 degrees 39 minutes 49 seconds EAST, 350.57 feet
- 3. NORTH 01 degrees 12 minutes 07 seconds EAST approximately 376.33 feet to the South line of the West half of the Northwest quarter of Section 7, Township 8 North, Range 1 West;

thence along said quarter line SOUTH 89 degrees 44 minutes 50 seconds EAST, 301.79 feet to the Southwest corner of Oakdale Square Apartments Partnership, Deed Book 247, page 490; thence continuing along the South line of said Oakdale Square deed SOUTH 89 degrees 49 minutes 04 seconds EAST, 498.69 feet to the Southwest corner of Alcurt Bloomington LLC; thence continuing along the South line of said Alcurt Bloomington LLC, SOUTH 89 degrees 49 minutes 04 seconds EAST, 545.52 feet to the Southeast corner of said parcel; thence NORTH 00 degrees 04 minutes 35 seconds EAST, 33.00 feet; thence SOUTH 87 degrees 47 minutes 07 seconds EAST, 679.11 feet to the Southeast corner of said Alcurt Bloomington LLC; thence North along the East line of said Alcurt Bloomington, LLC, NORTH 01 degree 49 minutes 00 seconds WEST, 640.00 feet to the Southeast corner of Crider and Crider Excavating and Paving Company, Deed Book 309, page 343; thence along the East line of said Crider and Crider deed, North 706.93 feet; thence continuing along said Crider and Crider deed West 313.5 feet; thence continuing along said Crider and Crider deed North 1245.9 feet to the centerline of State Highway 45; thence along said centerline Southwesterly approximately 2100 feet to the centerline of State Road 37; thence Northerly along said centerline approximately 1380 feet to a point due East of the Point of Beginning; thence West approximately 191 feet to the Point of Beginning. Containing approximately 187 acres.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Fullerton Pike (2015):

A part of the West half of Section 18, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows: **BEGINNING** at the northeast corner of the Northwest quarter of Section 18, Township 8 North, Range 1 West, being marked by a rebar; thence SOUTH 01 degree 22 minutes 23 seconds EAST along the east line of said quarter a distance of 1213.07 feet to the Northwesterly boundary of 2300 Tapp Road Subdivision, as per the plat thereof recorded August 21, 1986 in Book 8, page 47 in the office of the Recorder of Monroe County, Indiana; thence along the boundary of said subdivision the next two (2) courses:

- 1. SOUTH 34 degrees 15 minutes 02 seconds WEST 7.48 feet; thence
- 2. SOUTH 00 degrees 51 minutes 17 seconds EAST 205.08 feet to the north line of the

Duncan C. Campbell and Catherine A. Spiaggia property as described in Book 474, page 404 recorded July 23, 1998 in said Recorder's office; thence along the boundary of said Campbell/Spiaggia property the next four (4) courses:

- 1. SOUTH 89 degrees 35 minutes 48 seconds WEST 259.78 feet; thence
- 2. SOUTH 00 degrees 24 minutes 12 seconds EAST 401.65 feet; thence
- 3. SOUTH 89 degrees 16 minutes 39 seconds WEST 761.78 feet; thence
- 4. SOUTH 00 degrees 32 minutes 35 seconds WEST 783.05 feet to the south line of said quarter; thence

SOUTH 88 degrees 48 minutes 07 seconds EAST along said south line approximately 221.83 feet to the northeast corner of the Bill C. Brown, Trustee of the Bill C. Brown Revocable Trust, dated February 28, 1989 property as described in Instrument Number 2008006074 in said Recorder's office; thence SOUTH 00 degrees 41 minutes 07 seconds WEST along the east line of said Brown a distance of 2628.76 feet to the south line of the Southwest quarter of said Section 18; thence SOUTH 89 degrees 46 minutes 02 seconds WEST along said south line a distance of 505.39 feet to the right-of-way of State Road 37; thence along said right-of-way the next eleven (11) courses: 1. NORTH 01 degree 00 minutes 38 seconds WEST 57.64 feet; thence

- 1. NORTH OF degree of minutes 50 seconds webs 1 57.04 reet, menee
- 2. SOUTH 89 degrees 58 minutes 00 seconds WEST 488.72 feet; thence
- 3. NORTH 69 degrees 09 minutes 02 seconds WEST 215.25 feet to the beginning of a curve concave to the east having a radius of 5584.58 feet and a chord which bears NORTH 17 degrees 14 minutes 23 seconds WEST 1263.66 feet; thence
- 4. NORTHERLY along said curve an arc length of 1266.37 feet; thence

- 5. NORTH 05 degrees 17 minutes 56 seconds WEST 293.42 feet to the beginning of a curve concave to the east having a radius of 5564.58 feet and a chord which bears NORTH 04 degrees 06 minutes 12 seconds WEST 703.41 feet; thence
- 6. NORTHERLY along said curve an arc length of 703.88 feet; thence
- 7. NORTH 00 degree 30 minutes 12 seconds WEST 310.82 feet to the north line of said quarter; thence continuing along said right-of-way
- 8. NORTH 00 degrees 30 minutes 12 seconds WEST 415.15 feet; thence
- 9. NORTH 04 degrees 15 minutes 37 seconds EAST 301.04 feet; thence
- 10. NORTH 06 degrees 12 minutes 50 seconds WEST 251.25 feet; thence
- 11. NORTH 00 degrees 30 minutes 12 seconds WEST 578.25 feet to the southwest corner of

the Southern Indiana Medical Park, Phase Three, as per the plat thereof recorded September 24, 1993 in Plat Cabinet C, Envelope 82 in said Recorder's office; thence along the boundaries of said Southern Indiana Medical Park, Phase One recorded April 29, 1992 in Plat Cabinet C, Envelope 37, Phase Two recorded August 31, 1993 in Plat Cabinet C, Envelope 80 and Phase Three the next two (2) courses: 1. SOUTH 88 degrees 58 minutes 33 seconds EAST 1477.86 feet; thence

 NORTH 02 degrees 10 minutes 18 seconds WEST 1108.41 feet to the north line of the Northwest quarter of said Section 18; thence SOUTH 88 degrees 57 minutes 48 seconds EAST along said north line a distance of 1036.88 feet to the POINT OF BEGINNING, containing 184 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Seminary (2015)

A part of the Northwest quarter of Section 4, Township 8 North, Range 1 West, Perry Township, and a part of the Southwest quarter of Section 33, Township 9 North, Range 1 West, Bloomington Township, Monroe County, Indiana, more particularly described as follows:

BEGINNING at the intersection of the centerline of East Second Street with the centerline of South Walnut Street; thence NORTHERLY along the centerline of South Walnut Street approximately 1177 feet to the centerline of East Third Street; thence EASTERLY along said centerline approximately 1461 feet to the northerly extension of the centerline of South Dunn Street; thence SOUTHERLY along said centerline approximately 402 feet to the easterly extension of the south line of Lot 10 in Louden's Subdivision per the plat thereof recorded on November 18, 1890 in Plat Cabinet B, Envelope 10 in said office of the

Recorder of Monroe County, Indiana; thence WESTERLY along said south line and the westerly extension thereof approximately 216.75 feet to the east line of Lot 22 in Orchards Addition per the plat thereof recorded November 22, 1859 in Plat Cabinet C, Envelope 214; thence SOUTHERLY along said east line approximately 25 feet to the southeast corner of said Lot 22; thence WESTERLY along the south line and the westerly extension thereof of Lots 22, 19 and 16 in said Orchards Addition approximately 555 feet to the centerline of South Lincoln Street; thence SOUTHERLY along said centerline 215 feet to the centerline of Smith Street; thence WESTERLY along said centerline approximately 345 feet to the centerline of South Washington Street; thence SOUTHERLY along said centerline approximately 535 feet to the centerline of East Second Street; thence WESTERLY along said centerline approximately 188 feet to the northerly extension of the east line of the Javad Noorihoseini property as described in Deed Book 480, page 92 recorded on December 9, 1998 in said Recorder's office; thence SOUTHERLY along the east line of said Noorihoseini approximately 160 feet to the southeast corner of said Noorihoseini; thence SOUTHERLY approximately 12 feet to the North line of the Stahl Properties, LLC property as described in Instrument Number 2009003743 in said Recorder's office; thence EASTERLY along said north line approximately 82 feet to the Northwest corner of Lot 17 in James A. Bowles Addition per the plat thereof recorded April 18, 1907 in Plat Cabinet B, Envelope 29 in said Recorder's office; thence SOUTHERLY along the west line of Lot 17 approximately 100 feet to the southwest corner of said Lot 17; thence WESTERLY along the north line of Lot 16 in said Bowles Addition approximately 74 feet to the Northeast corner of Lot 19 in said Bowles Addition; thence SOUTHERLY along the east line of Lots 19 through 26 of said Bowles Addition and the east line of Lots 21 through 25 and Lots 1 through 5 in Axtells Addition per the plat thereof recorded on August 16, 1904 in Plat Cabinet B, Envelope 27 in said Recorder's office approximately 1163 feet to the centerline of Dodds Street; thence WESTERLY along said centerline approximately 924 feet to the centerline of Morton Street; thence NORTHERLY along said centerline approximately 1432 feet to the centerline of Second Street; thence EASTERLY along said centerline approximately 750 feet to the POINT OF BEGINNING, containing 53 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

South Walnut (2015):

A part of the West half of Section 16 and a part of the Southeast quarter of Section 17, both in Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows:

BEGINNING at the Southeast corner of said Section 17; thence WESTERLY along the south line of said Southeast quarter approximately 540 feet to the east right-ofway of the Chicago, Indianapolis and Louisville Railway; thence NORTHEASTERLY along said right-of-way approximately 2740 feet to the

southwest corner of the 3150 S Walnut Street LLC property as described in

Instrument Number 2012011726 recorded on July 18, 2012 in the office of the Recorder of Monroe County, Indiana; thence NORTHERLY along the west line of said 3150 S Walnut Street LLC approximately 389.90 feet to the northwest corner of said 3150 S Walnut Street LLC; thence EASTERLY approximately 407.97 feet to the northeast corner of said 3150 S Walnut Street LLC; thence NORTHERLY along the west line of the Trustees of College City Aerie Number 1085, Fraternal Order of Eagles property as described in Deed Book 194, page 246 recorded on January 23, 1970 and Instrument Number 2005020222 recorded on October 04, 2005 in said Recorder's office and the west line of the Cherry Glen, LLC property as described in Instrument Number 2010006682 recorded on May 18, 2010 in said Recorder's office approximately 435 feet to the northwest corner of said Cherry Glen, LLC; thence EASTERLY along the north line of said Cherry Glen, LLC approximately 768.00 feet to the centerline of Old Indiana State Road 37; thence NORTHERLY along said centerline approximately 243 feet to the intersection of said centerline with the easterly extension of the south line of Green Hill Addition as per the plat thereof recorded January 16, 1956 in Plat Cabinet B, Envelope 75 in said Recorder's office; thence WESTERLY along said south line approximately 546.5 feet to the southwest corner of said Green Hill Addition; thence along the west side of said Green Hill Addition the next three (3) courses:

- 1. NORTHWESTERLY 134.72 feet; thence
- 2. NORTHEASTERLY 348 feet; thence
- 3. NORTHEASTERLY 140.65 feet to the northwest corner of said Green Hill Addition and

the south line of the Robert Kent Courter and Jeanne C. Courter property as described in Instrument Number 2013015359 recorded on August 28, 2013 in said Recorder's office; thence WESTERLY along said south line a distance of 30.54 feet to the Southeast corner of Lot 4 in the Replat CVS Pharmacy at Walnut Station Lot 1 as per the plat thereof recorded December 10, 2007 in Plat Cabinet D, Envelope 74 in said Recorder's office; thence NORTHEASTERLY along the east line of said Lot 4 approximately 157.66 feet to the south line of Lot 3 in said Replat CVS Pharmacy at Walnut Station Lot 1; thence EASTERLY along said south line of Lot 3 and the south line of Lot 2 in CVS Pharmacy at Walnut Station Lot 2 as per the plat thereof recorded November 22, 2006 in Plat Cabinet D, Envelope 54 in said Recorder's office approximately 407.30 feet to the west right-of-way of said Old State Road 37; thence NORTHERLY along said west right-of-way approximately 441 feet to the northeast corner of said Lot 2; thence NORTHERLY along said west right-of-way approximately 118 feet to the westerly extension of the north line of the Autovest, LLC property as described in Instrument Number 2002011332 recorded on May 21, 2002 in said Recorder's office; thence EASTERLY along said north line approximately 318 feet to the northeast corner of said Autovest, LLC; thence SOUTHERLY along the east line of said Autovest, LLC approximately 329.06 feet to the southeast corner of said Autovest, LLC and the north line of Sunny Slopes Number Two as per the plat thereof recorded May 31, 1957 in Plat Cabinet B, Envelope 84 in said Recorder's office; thence WESTERLY along said north line

approximately 111 feet to the centerline of South Brookside Drive; thence SOUTHERLY along said centerline approximately 812 feet to the intersection of said centerline with the centerline of Ridgeview Drive; thence SOUTHEASTERLY approximately 33 feet to the northeast corner of Lot 2 in Sunny Slopes Number One as per the plat thereof recorded August 16, 1956 in Plat Cabinet B, envelope 81 in said Recorder's office; thence SOUTHERLY along the east line of said Lot 2 approximately 176 feet to the southeast corner of said Lot 2; thence EASTERLY along the south line of said Sunny Slopes Number One approximately 438 feet to the northeast corner of Tract 1 in Southplex Subdivision as per the plat thereof recorded July 18, 1989 in Plat Book B, Envelope 283 in said Recorder's office; thence SOUTHERLY along the east line of said Tract 1 and Tract 2 in said Southplex Subdivision approximately 978.75 feet to the southeast corner of said Tract 2; thence WESTERLY along the south line of said Tract 2 approximately 192.64 feet to the northeast corner of the Royal Realty Co. property as described in Deed Book 207, page 282 in said Recorder's office; thence SOUTHERLY along the east line of said Royal Realty Co. and the east line of the Royal Realty Company property as described in Deed Book 302, page 384 in said Recorder's office approximately 714 feet to the southeast corner of said Royal Realty Company; thence continuing SOUTHERLY 50 feet to the northeast corner of Lot 1 in Smith Commercial Subdivision per the plat thereof recorded April 6, 1983 and recorded in Plat Book B, Envelope 267; thence SOUTHERLY along the east line of said Lot 1 and Lot 2 in said Smith Commercial Subdivision approximately 286 feet to the southeast corner of said Lot 2; thence SOUTHERLY along the east line of the Lisa Allen-Scherschel property as described in Instrument Number 2001004820 recorded on March 19, 2001 in said Recorder's office and the east line of the CRTM Realty property as described in Deed Book 360, page 337 recorded on June 6, 1989 in said Recorder's office approximately 711.71 feet to the northeast corner of the 3409 South Walnut LLC property as described in Instrument Number 2013018061 recorded on October 17, 2013 in said Recorder's office; thence along the east and north lines of said 3409 South Walnut LLC property the next three (3) courses:

- 1. SOUTHERLY 88 feet; thence
- 2. EASTERLY 12 feet; thence
- 3. SOUTHERLY 200 feet to the north line of Lot 3 in Smith Tracts per the plat thereof

recorded February 17, 1985 in Plat Cabinet B, Envelope 335; thence EASTERLY along said north line approximately 198.73 feet to the northeast corner of said Lot 3; thence SOUTHERLY along the east line of said Lot 3 and Lot 2 in said Smith Tracts approximately 264 feet to the southeast corner of said Lot 2; thence WESTERLY along the south line of said Lot 2 approximately 107.80 feet to the northeast corner of Lot 3 in Chastain Addition per the plat thereof recorded on April 3, 2003 in Plat Cabinet C, Envelope 328; thence SOUTHERLY along said east line approximately 330 feet to the south line of said Section 16; thence WESTERLY along said south line approximately 527.93 feet to the southwest corner of the East half of the Southwest quarter of said Section 16; thence WESTERLY along said south line

approximately 388.23 feet to the southerly extension of the west line of the Asset Management Control Group, LLC property as described in Instrument Number 2001000653 recorded on January 10, 2001 in said Recorder's office; thence NORTHERLY along said west line approximately 265.83 feet to the south line of the Stephen C. Rumple and Kimberly M. Rumple property as described in Deed Book 381, page 252 recorded on November 15, 1990 in said Recorder's office; thence WESTERLY along said south line approximately 216.77 feet to the east line of the Utilities Service Board of the City of Bloomington, Indiana property as described in Instrument Number 2002017277 recorded on July 31, 2002 in said Recorder's office; thence SOUTHERLY along said east line approximately 266.23 feet to the south line of said quarter; thence WESTERLY along said south line approximately 266.23 feet to the south line of said quarter; thence WESTERLY along said south line approximately 266.23 feet to the south line of said quarter; thence WESTERLY along said south line approximately 622 feet to the POINT OF BEGINNING, containing 161 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Tapp Expansion #2 (2015):

A part of the East half of Section 7, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows: **BEGINNING** at a 5/8 inch rebar at the Southwest corner of the Northeast quarter of said Section 7; thence NORTH 01 degree 37 minutes 11 seconds WEST along the west line of said Northeast quarter a distance of 1363.08 feet to the Southwest corner of the North half of said Northeast quarter; thence continuing along said west line NORTH 01 degree 37 minutes 11 seconds WEST 194.56 feet to a mag nail; thence NORTH 88 degrees 34 minutes 57 seconds EAST along the westerly extension of and the south line of Lot 3 in Sudbury Farm, Phase 1, of record in Plat Cabinet C, envelope 272 in the office of the Recorder of Monroe County, Indiana, a distance of 258.71 feet to the southeast corner of said Lot 3; thence NORTH 28 degrees 40 minutes 00 seconds EAST along the east line of said Lot 3 a distance of 245.45 feet to the northeast corner of said Lot 3; thence NORTH 43 degrees 31 minutes 28 seconds EAST 86.63 feet to the southwest corner of Lot 5 in said Sudbury Farm, Phase 1; thence SOUTH 67 degrees 54 minutes 51 seconds EAST along the south line of said Lot 5 a distance of 259.46 feet to the southwest corner of Lot 6 in said Sudbury Farm, Phase 1; thence along the west and south lines of said Lot 6 the next three (3) courses:

- 1. NORTH 32 degrees 22 minutes 40 seconds EAST 678.26 feet; thence
- 2. NORTH 57 degrees 54 minutes 34 seconds WEST 271.71 feet; thence
- 3. NORTH 26 degrees 53 minutes 06 seconds EAST 245.50 feet to the north line of said

Northeast quarter; thence SOUTH 87 degrees 18 minutes 14 seconds EAST along said north line a distance of 1674.44 feet to a 4"x4" cut limestone at the Northeast corner of said quarter; thence SOUTH 02 degrees 31 minutes 28 seconds EAST along

the east line of the northeast quarter of the northeast quarter of said Section 7 a distance of 1331.03 feet to an 8"x8" stone at the Southeast corner of said quarter quarter; thence SOUTH 01 degree 41 minutes 33 seconds EAST along the east line of the Northeast quarter of said Section 7 a distance of 710.38 feet to a 5/8 inch rebar at the northwest corner of Lot 4 in Thompson Community Park, of record in Plat Cabinet C, envelope 69 in said Recorder's office; thence SOUTH 01 degree 43 minutes 04 seconds EAST along the east line of said quarter and the west line of said Thompson Community Park a distance of 609.81 feet to a drill hole in the top of an 8"x8" stone at the Southeast corner of said quarter; SOUTH 88 degrees 24 minutes 56 seconds EAST along the north line of the Woolery Planned Community Phase VIII Final Plat recorded August 27, 2004 in Plat Cabinet C, Envelope 379 in said Recorder's office a distance of 5.00 feet; thence along the west line of Lot 15 in said Woolery Planned Community Phase VIII the next three (3) courses:

- SOUTH 01 degree 35 minutes 04 seconds WEST 80.28 feet to the beginning of a curve concave to the west having a radius of 790.00 feet and a chord which bears SOUTH 13 degrees 56 minutes 49 seconds WEST 338.58 feet; thence
- 2. SOUTHERLY along said curve an arc length of 341.23 feet; thence
- 3. SOUTH 26 degrees 19 minutes 35 seconds WEST 662.75 feet to the south line of said

Woolery Planned Community Phase VIII; thence SOUTH 88 degrees 57 minutes 27 seconds WEST along said south line, the south line of the Philip O. Tapp and Barbara E. Tapp property as described in Instrument Number 2011001304 recorded January 25, 2011 in said Recorder's office and the north line of Woolery Planned Community Phase IX recorded May 24, 2012 in Plat Cabinet D, Envelope 115 a distance of 1757.01 feet to the east line of the Public Investment Corporation property as described in Deed Book 327, page 440 recorded August 8, 1986 in said Recorder's office; thence NORTH 01 degree 42 minutes 10 seconds WEST along said east line a distance of 613.07 feet to the east right-of-way of Weimer Road and the beginning of a non-tangent curve concave to the southwest having a radius of 259.69 feet and a chord which bears NORTH 36 degrees 54 minutes 35 seconds WEST 163.80 feet; thence along said east right-of-way the next three (3) courses:

- 1. NORTHWESTERLY along said curve an arc length of 166.65 feet; thence
- NORTH 53 degrees 02 minutes 27 seconds WEST 258.46 feet to the beginning of a non-tangent curve concave to the northeast having a radius of 909.41 feet and a chord which bears NORTH 50 degrees 17 minutes 22 seconds WEST 186.04 feet; thence
- 3. NORTHWESTERLY along said curve an arc length of 186.37 feet to the south line of

the northeast quarter of said Section 7; thence NORTH 88 degrees 57 minutes 44 seconds WEST along said south line a distance of 51.23 feet to the POINT OF BEGINNING, containing 190 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Tapp Expansion #3 (2015):

A part of the Southeast quarter of Section 7, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows: Commencing at the Southeast corner of the Southeast quarter of said Section 7; thence NORTH 88 degrees 44 minutes 52 seconds WEST along the south line of said quarter a distance of 542.50 feet to the **POINT OF BEGINNING** and southeast corner of the Woolery Planned Community Phase VI recorded April 30, 1999 in Plat Cabinet C, Envelope 264 in the office of the Recorder of Monroe County, Indiana; thence NORTH 88 degrees 44 minutes 54 seconds WEST along the south boundary of said Woolery Planned Community Phase VI, the Replat of Woolery Planned Community Lot 1, Phase VI recorded December 18, 2002 in Plat Cabinet C, Envelope 323 and the Woolery Planned Community Phase IX recorded May 24, 2012 in Plat Cabinet D, Envelope 115 a distance of 1207.49 feet to the southwest corner of the Woolery Planned Community Phase I recorded March 09, 1995 in Plat Cabinet C, Envelope 129 (now being a part of said Woolery Planned Community Phase IX); thence along the west and north lines of said Woolery Planned Community Phase I the next three (3) courses:

- 1. NORTH 01 degree 15 minutes 08 seconds EAST 470.00 feet to the beginning of a curve concave to the southeast having a radius of 334.99 feet and a chord which bears NORTH 38 degrees 15 minutes 33 seconds EAST 403.27 feet; thence
- 2. NORTHEASTERLY along said curve an arc length of 432.74 feet; thence
- 3. NORTH 75 degrees 15 minutes 08 seconds EAST 400.00 feet to the Northeast corner of

said Woolery Planned Community Phase I; thence SOUTH 20 degrees 56 minutes 54 seconds EAST along the east line of said Woolery Planned Community Phase I a distance of 60.35 feet to the Northwest corner of Lot 1A of said Replat of Woolery Planned Community Lot 1 Phase VI; thence along the north, east and south lines of said Lot 1A the next eight (8) courses:

- NORTH 75 degrees 15 minutes 08 seconds EAST 341.75 feet to the west rightof-way of Adams street and the beginning of a curve concave to the north having a radius of 1230.00 feet and a chord which bears NORTH 70 degrees 14 minutes 07 seconds EAST 214.85 feet; thence
- 2. EASTERLY along said curve an arc length of 215.12 feet; thence

- 3. NORTH 65 degrees 13 minutes 29 seconds EAST 81.69 feet to the beginning of a non-tangent curve concave to the east having a radius of 675.00 feet and a chord which bears SOUTH 29 degrees 45 minutes 44 seconds EAST 57.47 feet; thence
- 4. SOUTHERLY along said curve and right-of-way an arc length of 57.49 feet; thence
- 5. SOUTH 32 degrees 12 minutes 06 seconds EAST along said right-of-way a distance of 156.89 feet to the Southeast corner of said Lot 1A; thence
- 6. SOUTH 57 degrees 47 minutes 54 seconds WEST 379.20 feet; thence
- 7. SOUTH 32 degrees 12 minutes 06 seconds EAST 260.12 feet; thence
- 8. SOUTH 00 degrees 15 minutes 51 seconds EAST along the east line of said Lot 1A and

the east line of Lot 2 in said Woolery Planned Community Phase VI a distance of 447.48 feet to the POINT OF BEGINNING, containing 24 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Thomson Walnut-Winslow Expansion #1 (2015):

A part of the South half of the Northwest quarter of Section 9, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows:

BEGINNING at a point that is 588.28 feet east and 717.78 feet south of the northwest corner of the said south half of the northwest quarter, and at the intersection of the south property line of the J. Mason Hoadley Stone Company real estate and the east right of way line of the C. I. & L. (Monon) Railroad; thence running South 01 degree 21 minutes West and over and along the said east right of way line of said Monon Railroad for a distance of 389.2 feet; thence running South 88 degrees 30 minutes East for a distance of 709 feet and to the center line of State Highway number 37; thence running North 13 degrees 19 minutes West and over and along the centerline of said State Highway number 37 for a distance of 594 feet and to the place of beginning. Containing in all 5.83 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Thomson Walnut-Winslow Expansion #2 (2015):

A part of the Northwest quarter of the Southwest quarter of Section 9, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows:

Commencing at the southwest corner of the Southwest quarter of said section, said corner being marked by a P.K. nail found in Country Club Road; Thence on and along the west line of said quarter section North 01 degree 23 minutes 45 seconds West 1326.13 feet to a 5/8 inch diameter rebar with a cap marked "Bynum Fanyo 890006" (called "monument" for the remainder of this description) set at the southwest corner of the Northwest quarter of said Southwest quarter said point being the true **POINT OF BEGINNING**;

Thence continuing on and along said west line North 01 degree 23 minutes 45 seconds East 1326.13 feet to a monument set at the northwest corner of the Southwest quarter of said Section 9; Thence leaving said west line and on and along the north line of the Southwest quarter of said Section 9 North 89 degrees 23 minutes 41 seconds East 98.20 feet to a monument set at the west right-of-way line of the Bloomington Southern Railroad Company (Deed Record 58, Page 420); Thence leaving said north line on and along said west right-of-way line South 12 degrees 10 minutes 38 seconds East 446.13 feet to a monument set at the beginning of a curve concave southwesterly having a radius of 5712.59 feet; Thence on said curve Southeasterly 898.19 feet through a central angle of 09 degrees 00 minutes 31 seconds to a monument set on the south line of the Northwest quarter of the Southwest quarter of said Section 9; Thence on a non-tangent line and on and along said south line South 89 degrees 22 minutes 42 seconds West 292.01 feet and to the point of beginning containing within said bounds 6.48 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

Thomson Walnut-Winslow Expansion #3 (2015):

A part of the Northwest quarter of the Southwest quarter of Section 9, Township 8 North, Range 1 West, Perry Township, Monroe County, Indiana, more particularly described as follows:

Commencing at the southwest corner of the Southwest quarter of said section, said corner being marked by a P.K. nail found in Country Club Road; Thence on and along the west line of said quarter section North 01 degree 23 minutes 45 seconds West 1326.13 feet to a 5/8 inch diameter rebar with a cap marked "Bynum Fanyo 890006" (called "monument" for the remainder of this description) set at the southwest corner of the Northwest quarter of said Southwest quarter; thence leaving said west line and on and along the south line of said Northwest quarter of said

Southwest quarter North 89 degrees 22 minutes 42 seconds East 665.10 feet to a monument set at the true **POINT OF BEGINNING**;

Thence continuing on and along said south line North 89 degrees 22 minutes 42 seconds East 109.31 feet to a monument set on the west line of Wylie Subdivision as recorded in Plat Book 8, Page 21 in the Office of the Recorder of Monroe County, Indiana; Thence leaving said south line and on and along said west line of Wylie Subdivision North 53 degrees 54 minutes 15 seconds West 157.76 feet to a monument set; Thence North 04 degrees 44 minutes 07 seconds East 131.75 feet to a monument set; Thence North 06 degrees 01 minute 56 seconds East 104.37 feet; Thence North 01 degree 29 minutes 29 seconds West 65.32 feet; Thence North 14 degrees 16 minutes 20 seconds East 73.53 feet; Thence North 44 degrees 32 minutes 17 seconds East 111.08 feet; Thence North 61 degrees 52 minutes 04 seconds East 68.36 feet; Thence North 18 degrees 10 minutes 50 seconds East 126.93 feet to a monument set; Thence North 45 degrees 08 minutes 30 seconds West 130.63 feet; Thence North 56 degrees 48 minutes 22 seconds West 96.43 feet; Thence North 59 degrees 39 minutes 12 seconds West 65.44 feet; thence North 07 degrees 43 minutes 59 seconds East 85.56 feet; Thence North 43 degrees 26 minutes 36 seconds West 22.10 feet to a monument set on the south line of Wilbur (Deed Record 453, Page 196); Thence leaving said west line and on and along said south line South 89 degrees 02 minutes 08 seconds West 216.30 feet to a monument set on the east line of Chicago, Indianapolis & Louisville Railway Company (Deed Record 72, Page 44 & Deed Record 72, Page 45); Thence leaving said south line and on and along said east line South 02 degrees 19 minutes 15 seconds West 280.16 feet to a monument set on the south line of said Railway Company; Thence leaving said east line and on and along said south line South 77 degrees 27 minutes 47 seconds West 51.80 feet to a monument set on the east right of way line of Chicago, Indianapolis & Louisville Railway; Thence leaving said south line and on and along said east right of way line South 12 degrees 17 minutes 26 seconds East 83.05 feet to a monument set at the beginning of a curve concave southwesterly and having a radius of 3213.50 feet; Thence on said curve Southeasterly 261.02 feet through a central angle of 04 degrees 39 minutes 14 seconds to a monument set; Thence leaving said east right of way line and on the east line of L & N Investment Corporation (Deed Record 218, Page 38) South 28 degrees 44 minutes 33 seconds East 175.75 feet to a monument set; Thence North 89 degrees 23 minutes 49 seconds East 68.00 feet to a creosote fence post found; Thence South 24 degrees 58 minutes 27 seconds East 211.79 feet and to the Point of Beginning containing within said bounds 5.89 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

West Third Street (2015):

A part of the Northeast quarter of Section 1, Township 8 North, Range 2 West, a part of the North half of Section 6, Township 8 North, Range 1 West, a part of the South half of Section 31 Township 9 North, Range 1 West and a part of the Southwest

quarter of Section 32, Township 9 North, Range 1 West, Monroe County, Indiana, more particularly described as follows:

BEGINNING at the Northeast corner of said Section 1, Township 8 North, Range 2 West; thence WESTERLY along the north line of said Section 1 approximately 2640 feet to the Northwest corner of the Northeast quarter of said Section 1; thence SOUTHERLY along the west line of said quarter approximately 310 feet to the south line of the Forest Green Apartments property as described in Deed Book 363, page 201 recorded August 9, 1989 in the office of the Recorder of Monroe County, Indiana; thence EASTERLY along the south line of said Forest Green Apartments approximately 412 feet to the Northwest corner of the Whitehall Associates property as described in Deed Book 309, page 538 recorded September 19, 1984; thence SOUTHERLY along the west line of said Whitehall Associates approximately 619.28 feet to the Southwest corner of said Whitehall Associates; thence EASTERLY along the south line of said Whitehall Associates approximately 574 feet to the west rightof-way of Liberty Drive; thence SOUTHERLY along said west right-of-way approximately 65 feet to the westerly extension of the south line of the Bloomington Square Associates property as described in Deed Book 284, page 71 recorded on July 16, 1981 in said Recorder's office; thence EASTERLY along said south line approximately 968 feet to the southwest corner of the Bryan Rental, Inc. and Crane, LLC property as described in Instrument Number 2000012882 recorded on August 1, 2000 in said Recorder's office; thence EASTERLY along the south line of said Bryan Rental and Crane approximately 612.18 feet to the west right-of-way of State Route Number 37; thence SOUTHERLY along said right-of-way approximately 465 feet to the southerly right-of-way of the Illinois Central Railroad; thence NORTHEASTERLY along said southerly right-of-way approximately 2647 feet to the west right-of-way of Basswood Drive in the Village at Muller Park Subdivision per the plat thereof recorded January 22, 2009 in Plat Cabinet D, Envelope 89 in said Recorder's office; thence SOUTHEASTERLY along said west right-of-way a distance of 199.83 feet to the southwest corner of said platted right-of-way; thence NORTHEASTERLY along the south line of said platted right-of-way and the south line of Lot 4 in said Village at Muller Park a distance of 101.84 feet to the east line of the Northwest quarter of Section 6, Township 8 North, Range 1 West; thence NORTHERLY along said east line a distance of 221.11 feet to the southerly right-ofway of said Illinois Central Railroad; thence NORTHEASTERLY along said southerly right-of-way approximately 509 feet to the south line of Section 31, Township 9 North, Range 1 West; thence EASTERLY along the south line of said Section 31 and the south line of Section 32, Township 9 North, Range 1 West approximately 3,080 feet to the intersection of said south line with the centerline of South Patterson Drive; thence NORTHEASTERLY along the centerline of South Adams Street and a curve concave to the northwest having a radius of approximately 650 feet and an arc length of approximately 440 feet to the southerly extension of the east line of Lot 1 in Mobley Subdivision per the plat thereof recorded May 1, 1992 in Plat Cabinet C, Envelope 38 in said Recorder's office; thence NORTHWESTERLY along said east line approximately 158 feet to an easterly corner of said Lot 1; thence NORTHEASTERLY along an east line of said Lot 1 a distance of 179.30 feet to the

northeast corner of said Lot 1; thence WESTERLY along the north line of said Lot 1 a distance of 718.88 feet to the northwest corner of said Lot 1; thence continuing WESTERLY along the westerly extension of the north line of said Lot 1 approximately 128 feet to the southerly right-of-way of the Illinois Central Railroad; thence NORTHWESTERLY along said right-of-way through a curve concave to the southwest having a radius of 561.52 feet and an arc length of 155.10 feet; thence continuing WESTERLY along said right-of-way through a curve concave to the south having a radius of 1028.20 feet and an arc length of 816.86 feet to the east line of Section 31, Township 9 North, Range 1 West; thence SOUTH 74 degrees WEST along said right-of-way approximately 334 feet; thence SOUTH 64 degrees WEST along said right-of-way approximately 985 feet to the easterly extension of the south line of Lot 100 in Maple Grove Baby Farms per the plat thereof recorded September 12, 1927 in Plat Cabinet B, Envelope 35; thence WESTERLY along said south line approximately 1230 feet to the east right-of-way of Johnson Avenue; thence SOUTHERLY along said east right-of-way approximately 55 feet to the easterly extension of the north line of the Roger L. Isaacs and Carol L. Isaacs property as described in Deed Book 257, page 240 recorded on January 6, 1978 in said Recorder's office; thence WESTERLY along the north line of said Isaacs and the westerly extension thereof approximately 396 feet to the east line of Lot 4 in said Maple Grove Baby Farms; thence NORTHERLY along said east line approximately 533 feet to the northeast corner of the JK Development Group, LLC property as described in Instrument Number 2014000593 recorded on January 17, 2014 in said Recorder's office; thence WESTERLY along the north line of said JK Development Group, LLC and the westerly extension thereof approximately 396 feet to the east right-of-way of Kimble Drive; thence SOUTHERLY along said east right-of-way approximately 500 feet to the easterly extension of the north line of the Donald L. Cowden Revocable Trust property as described in Instrument Number 2011001945 recorded on February 2, 2011 in said Recorder's office; thence WESTERLY along said north line approximately 184 feet to the east line of Lot 8 in said Maple Grove Baby Farms; thence NORTHERLY along said east line approximately 635 feet to the northeast corner of said Lot 8; thence WESTERLY along the north line of said Lot 8 and Lot 9 in said Maple Grove Baby Farms approximately 210 feet to the southeast corner of the Dorothy A Dowdy Trust property as described in Deed Book 452, page 197 recorded on November 21, 1996 in said Recorder's office; thence NORTHERLY along the east line of said Dowdy approximately 235 feet to the north line of Lot 12 in said Maple Grove Baby Farms; thence WESTERLY along said north line approximately 184 feet to the west line of said Maple Grove Baby Farms; thence SOUTHERLY along said west line approximately 1057 feet to the south line of said Section 31; thence WESTERLY along said section line approximately 1007 feet to the POINT OF BEGINNING, containing 166 acres, more or less. EXCEPTING THEREFROM that property included in the Expanded Whitehall TIF district circa 2000, being more particularly described as follows: COMMENCING at the northwest corner of said quarter quarter section; thence SOUTH 00 degrees 02 minutes 42 seconds East 100.00 feet to the southerly right-ofway of State Road 48; thence SOUTH 89 degrees 22 minutes 00 seconds East 571.69 Feet along said southerly right-of-way to a 5/8" rebar set at the **POINT OF**

BEGINNING; thence SOUTH 00 degrees 11 minutes 07 seconds West 54.88 feet along said southerly right-of-way to a set 5/8" rebar; thence SOUTH 89 degrees 43 minutes 35 seconds East 76.32 feet along said southerly right-of-way to a set 5/8" rebar on the west line of Bounds & McPike Carpets; thence SOUTH 00 degrees 22 minutes 47 seconds EAST 209.26 feet along said west line to a 5/8" rebar set at the southwest corner thereof; thence NORTH 89 degrees 39 minutes 45 seconds East 123.00 feet along the south line of said Land of Bounds & McPike Carpets to a 5/8" rebar found at the southeast corner thereof and on the west line of Fair Meadows Addition (Plat Cabinet "B", Envelope 92); thence SOUTH 00 degrees 23 minutes 20 seconds East 633.35 feet along said west line to a ³/₄" pipe found on the north right-ofway of the Illinois Central Railroad; thence SOUTH 65 degrees 09 minutes 32 seconds West 523.72 feet along said north right-of-way to a 5/8" rebar set on the east right-of-way of State Road 37; thence along said east right-of-way the following four (4) courses: 1). NORTH 10 degrees 06 minutes 06 seconds West 192.42 feet to a 5/8" rebar; thence 2). NORTH 04 degrees 22 minutes 10 seconds East 170.18 feet to a set rebar; thence 3). NORTH 03 degrees 15 minutes 59 seconds East 350.57 feet to a set 5/8" rebar; thence 4). NORTH 18 degrees 55 minutes 39 seconds East 395.23 feet to a set 5/8" rebar; thence NORTH 00 degrees 11 minutes 07 seconds East 140.46 feet to the south line of the Whitehall TIF Area; thence on and along said south line NORTH 90 degrees 00 minutes 00 seconds East 142.04 feet; thence SOUTH 00 degrees 11 minutes 07 seconds East 106.32 feet to the POINT OF BEGINNING, containing 10.05 acres, more or less. Containing after said exception 156 acres, more or less.

This description was prepared from record information and county tax maps without the benefit of a survey. All bearings and distances are approximate and no guaranty is made as to their accuracy.

West 17th Street (2015)

A part of Sections 28, 29, 33, 32, 31, in Township 9 North, Range 1 West, Monroe County, Indiana described as follows:

Beginning at a point in said Section 29 at the centerline of State Road 45/46 Bypass intersection with centerline of North Kinser Pike; thence Easterly along the centerline of said State Road 45/46 Bypass a distance of 1633 feet to the East line of Atlantis Properties IV, LLC, Instrument No. 2009001689, extended; thence South along the said East line a distance of 271.85 feet to the Southeast corner of said parcel; thence West 306.31 feet along the South line of said parcel and the South line of Christ Drossos, Jr. and Nicholas J. Drossos, Instrument No. 2011008066 and Shree Bhune, LLC, Instrument No. 20060022358; thence South along the East line of said Parcel a distance of 336.66 feet to the North line of a parcel in the name of Li Family Partnership, Instrument No. 2006007646; thence East 88.82 feet to the Northeast corner of said parcel a distance of

216.10 feet to the Northeast corner of a parcel in the name of M Power Heritage LLC, Instrument No. 2010004279; thence continuing South along the Easterly line of said parcel a distance of 177.74 feet; thence along the Northerly line of said parcel East 358.99 feet to the Northeast corner of said parcel; thence South along the East line of said parcel a distance of 142.77 feet to the Southeast corner of said parcel; thence West along the South line of said parcel 172.52 feet to the Northeast corner of Ankur First Corporation, Instrument No. 2011006228, said corner being the Northeast corner of Lot 1, Hamptons Subdivision, Plat Cabinet "D", envelope 1; thence Southwesterly along the Easterly lines of said Lot 1 the next Six (6) courses:

- 1. SOUTH 00 degrees 16 minutes 31 seconds WEST, 141.78 feet; thence
- 2. SOUTH 77 degrees 24 minutes 14 seconds WEST, 93.49 feet; thence
- 3. SOUTH 39 degrees 30 minutes 12 seconds WEST, 21.82 feet; thence
- 4. SOUTH 85 degrees 37 minutes 26 seconds WEST, 59.24 feet; thence
- 5. SOUTH 04 degrees 12 minutes 31 seconds EAST, 68.86 feet; thence
- 6. SOUTH 85 degrees 28 minutes 57 seconds WEST, 92.83 feet to the East line of a parcel in the name of Socrates Montano Leon, Instrument No. 2011005614;

thence SOUTH 01 degree 55 minutes 00 seconds EAST along the East line of said parcel a distance of 120.32 feet to the North line of Miller Courts Addition, Plat Cabinet "B", envelope 51; thence East along the said North line a distance of 187 feet to the centerline of a 50 foot public street as shown on said Miller Courts Addition Plat; thence Southerly along said centerline 303 feet to the intersection of an 80 foot wide street as shown on said plat; thence Westerly along said centerline a distance of 170 feet to the East line of Lots 8 and 9, extended, in said Miller Courts Addition; thence Southerly along the said East line a distance of 160 feet to the North line of Lot 7 in said Miller Courts Addition; thence East 20 feet to the Northeast corner of said Lot 7; thence Southeasterly along the East line of Lots 7, 6, 5, 4, 3, 2, and 1 of said Miller Courts Addition a distance of 420 feet to the North line of a parcel in the name of Walnut Street Lodge, LLC, Instrument No. 2011016063; thence East 74 feet to the Northeast corner of said parcel; thence SOUTH 02 degrees 09 minutes 10 seconds EAST along the East line extended of said parcel a distance of 310 feet to the centerline of 17th Street; thence West along said centerline a distance of 124 feet to the East line of Lot 14, extended, of Fulwilder's Addition, Plat Book 32, page 106; thence South along the Easterly line of Lot 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4 and 3 a distance of 941 feet to the Northeast corner of Lot 2 in said addition; thence East 68 feet to the Northeast corner of Lot 32 in said addition; thence South 182 feet along the East line of said Lot 32, extended to the Northeast corner of a parcel in the name of Telko, Inc. Instrument No. 2005001555; thence South along the East line of said parcel, extended 340 feet to the north line of a parcel in the name of Aeolian Capital, LLC., Instrument No. 2014011391; thence SOUTH 89 degrees 55 minutes 46 seconds EAST 24.71 feet to a rebar with BRG cap and the beginning of a curve concave to the south having a radius of 1155.23 feet and a chord which bears SOUTH 85 degrees 14 minutes 29 seconds EAST 188.83 feet; thence EASTERLY along said curve an arc length of 189.04 feet to a rebar with BRG cap; thence SOUTH 80 degrees 33 minutes 13 seconds EAST 52.49 feet to a rebar with BRG cap at the beginning of a curve concave to the north having a radius of 571.78 feet and a chord

which bears SOUTH 84 degrees 26 minutes 01 seconds EAST 77.38 feet; thence EASTERLY along said curve an arc length of 77.44 feet to a rebar with BRG cap; thence SOUTH 00 degrees 13 minutes 25 seconds EAST 45.74 feet to a rebar with BRG cap at the northeast corner of Lade's Additon to the City of Bloomington, Plat Cabinet "B", envelope 41; thence SOUTH 84 degrees 48 minutes 35 seconds WEST along the north line of said Lade's Addition a distance of 339.33 to the Northeast corner of Lot 27 in said Lade's Addition; thence South along the East line of said lot, extended a distance of 99 feet to the centerline of 12th Street; thence West along said centerline 45.5 feet to the East line of Lot 24 in said Lade's Addition, extended; thence South along the said line extended and Lots 23, 22, 21 and 20 a distance of 301 feet to the Southeast corner of said Lot 20; thence SOUTH 00 degrees 37 minutes 03 seconds EAST, 60.50 feet; thence NORTH 89 degrees 12 minutes 30 seconds EAST, 12.00 feet; thence SOUTH 00 degrees 37 minutes 03 seconds EAST, 0.5 feet; thence NORTH 89 degrees 12 minutes 30 seconds EAST, 61.00 feet; thence SOUTH 00 degrees 37 minutes 03 seconds EAST, 121.00 feet; thence SOUTH 89 degrees 12 minutes 30 seconds WEST, 67.00 feet; thence SOUTH 00 degrees 37 minutes 03 seconds EAST, 61.05 feet; thence SOUTH 89 degrees 10 minutes 02 seconds WEST, 6.00 feet to the Northeast corner of Lot 2 of said addition; thence on the East line of said Lot 2 and Lot 1 SOUTH 00 degrees 37 minutes 03 seconds WEST, 120.00 feet to the Southeast corner of said Lot 1; thence Southeasterly 30 feet to the Northeast corner of Lot 4, Clark's Addition, Plat Cabinet "B", envelope 17; thence South along the East line of Lots 4, 3, 2 and 1, extended a distance of 323 feet to the South Rightof-Way of 10th Street; thence Westerly along the said South Right-of-Way a distance of 850 feet to the East Right-of-Way of Morton Street; thence North along said East Right-of-Way a distance of 626 feet to the North Right-of-Way of 11th Street; thence East along said North Right-of-Way a distance of 91 feet to the Southwest corner of a parcel in the name of Station 11, LLC, Instrument No. 2010018185; thence northerly along the West line of said parcel and the West line of a parcel in the name of Lyle and Kerry Feigenbaum, Deed Book 464, page 163, a distance of 236 feet to the South line of a parcel in the name of Lyle and Kerry Feigenbaum, Deed Book 453, page 308; thence West 12 feet to the Southwest corner of said parcel; thence North 133 feet to the Northwest corner of said parcel; thence East along the North line of said parcel, 62.6 feet to the Southwest corner of a parcel in the name of Scholars Properties, LLC, Instrument No. 2011010012; thence northerly along the westerly lines of the said parcel a distance of 59 feet to the Northwest corner thereof; thence East 6 feet to the Southwest corner of a parcel in the name of GMS Enterprises, LLC, Instrument No. 2007021408; thence northerly along the West line of said parcel, a distance of 118 feet to the Northwest corner of said parcel; thence East 132 feet to the Northeast corner of said parcel in the West right-of-way of College Avenue (41.25 feet from centerline); thence North along said right-of-way a distance of 59 feet to the South right-of-way of 13th Street, as shown on Kenwood Addition, Plat Cabinet "B", envelope 23; thence West along said right-of-way 132 feet to the Northwest corner of Lot 30 in said addition; thence northerly through Indiana Railroad property, on a line extended 83.23 feet to the south line of Lot 2 in 14th and College Subdivision, Final Plat, Instrument No. 2010016078; thence South 84 degrees 18 minutes 15 seconds West along the south line of Lot 2 a distance of 49.23 feet to the beginning of a curve

concave to the south having a radius of 970.0 feet; thence WESTERLY along said curve and the south line of said Lot 2 an arc length of 19.90 feet to the Southwest corner of said Lot 2; thence North 00 degrees 53 minutes 23 seconds West along the west line of said Lot 2 a distance of 105.05 feet to the Northwest corner of said Lot 2; thence continuing North 00 degrees 53 minutes 23 seconds West along said west line extended a distance of 12.01 feet to the south line of Lot 1 in said 14th and College Subdivision; thence South 89 degrees 38 minutes 53 seconds West along said south line a distance of 6.94 to the Southwest corner of said Lot 1; thence North 00 degrees 53 minutes 23 seconds West along the west line of said Lot 1 a distance of 132.27 feet to the Northwest corner of said Lot 1; thence North 89 degrees 41 minutes 04 seconds East along the north line of said Lot 1 approximately 69 feet to the southerly extension of the west line of the parcel in the name of 1013 North College, LLC, Deed Book 485, page 455; thence North along the West line of said parcel extended 194 feet to the South line of a parcel in the name of Crown Management Bloomington, Inc., Deed Book 477, page 183; thence westerly along said south line approximately 46 feet to the Southwest corner of said Crown Management parcel; thence northerly 72 feet to the Northwest corner of said Crown Management parcel; thence easterly 52 feet to the southwest corner of a parcel in the name of Crown Management Bloomington, Inc., Instrument No. 2003017190; thence North 60 feet to the Northwest corner of said parcel and in the South right-of-way of 15th Street; thence northwesterly 50 feet to the Southwest corner of a parcel in the name of Webb, Deed Book 390, page 297, and the North right-of-way of said 15th Street; thence Northerly along the West line of said parcel, a distance of 66 feet to the Southwest corner of a parcel in the name of Sovinski, Deed Book 412, page 448; thence northerly along the West line of said parcel, a distance of 78 feet to the Southwest corner of a parcel in the name of Vencel Properties, Instrument No. 2003004312; thence North along the West line of said parcel a distance of 66 feet to the Southwest corner of a parcel in the name of B Venturas, LLC, Tax Parcel No. 53-05-33-204-149.000-005; thence northerly along the West line of said parcel a distance of 66 feet; thence East 6 feet; thence North 17 feet to the Southwest corner of a parcel in the name of Bloomington Muffler Real Estate, LLC, Instrument No. 2013000594; thence North along the West line of said parcel a distance of 171.50 to the Southwest corner of a parcel in the name of James H. Johnson Rental, LLC, Instrument No. 2013012265; thence North along the West line of said parcel, a distance of 158 feet to the Southwest corner of a parcel in the name of Robert and Billy Fleetwood, Deed Book 345, page 278; thence North along the West line of said parcel, a distance of 62 feet to the extended South line of Lot 32, Kenwood Park Addition; thence westerly 12 feet to the Southeast corner of said Lot 32; thence South 50 feet to the Southeast corner of Lot 31 in said addition; thence westerly along the extended South line of Lots 31 and 18 in said addition, a distance of 342 feet to the Northeast corner of Lot 15 in said addition; thence South 100 feet to the Southeast corner of said Lot 15 and the North right-of-way of Kenwood Drive; thence westerly along the said North rightof-way, a distance of 306 feet to the Southwest corner of Lot 5 and the East right-ofway of Madison Street in said addition; thence North along the East right-of-way of said street a distance of 60 feet; thence southwesterly 50 feet to the West right-of-way of said street and the Southeast corner of a parcel in the name of Heri Four, Inc.,

Instrument No. 2014010649; thence West 200 feet to the Southwest corner of said parcel and the East line of a parcel in the name of Bryan Rental, Inc., Instrument No. 2014010650; thence SOUTH 00 degrees 08 minutes 03 seconds EAST, 151.26 feet to the Southeast corner of said parcel; thence NORTH 89 degrees 19 minutes 48 seconds WEST, 183.76 feet to the Southwest corner of said parcel; thence southwesterly 12 feet to the Southeast corner of Lot 29, Dolans Addition, Plat Cabinet "B", envelope 19; thence West along the South line of said Lot 19, extended a distance of 214 feet to the Southwest corner of Lot 30 and the West right-of-way of Jackson Street in said addition; thence South along said West right-of-way, a distance of 145 feet to the centerline of 16th Street, extended as shown on said addition; thence westerly along the centerline of said 16th Street, a distance of 486 feet to the Southwest corner of a parcel in the name of Bloomington Vendors, Inc., Deed Book 339, page 305; thence North along the West line of said parcel, a distance of 15 feet to the Southeast corner of a parcel in the name of Crown Management Bloomington, Inc., Deed Book 471, page 527; thence West along the South line of said parcel a distance of 144 feet to the Southwest corner of said parcel, and the West line of Outlot 118 North of Maple Heights Addition; thence northerly along the said West line, a distance of 284 feet; thence West 50 feet; thence southerly 80 feet to the Southeast corner of a parcel in the name of Susan Watts, Instrument No. 1999017462; thence westerly 82.5 feet to the Southwest corner of said parcel; thence continuing West along the South line of a parcel in the name of Watts Revocable Trust, Instrument No. 1999017885, a distance of 100 feet to the Southwest corner of said parcel; thence North 25 feet to the Southeast corner of a parcel in the name of Krininger Services, Inc., Instrument No. 2011016909; thence westerly 85 feet to the east line of Pine Bluff, Horizontal Plat Cabinet B, Envelope 74; thence South along said east line a distance of 73 feet to the southeast corner of said Pine Bluff; thence West along the south line of said Pine Bluff a distance of 100 feet to the southwest corner of said Pine Bluff; thence North along the west line of said Pine Bluff a distance of 300 feet to the north line of the Northeast quarter of said Section 32, Township 9 North, Range 1 West; thence West along said north line a distance of 1033 feet to the Northwest corner of said Northeast quarter; thence South along the west line of said quarter 562.88 feet to the southeast corner of the parcel in the name of Lee, LLC, Instrument No. 2002008970; thence West along the south line of said parcel a distance of 503.25 feet to the Southeast corner of Lot 1 in Forest Homes, Plat Cabinet B, Envelope 48; thence West along the south line of Lots 1 through 12 in said Forest Homes a distance of 900 feet to the southwest corner of said Lot 12; thence North along the west line of said Lot 12 a distance of 400 feet to the southeast corner of Leonard D. Smith, Deed Book 413, page 137; thence West along the south line of said Smith a distance of 125.5 feet to the west line of Lot 14 in said Forest Homes; thence North along the west line of said Lot 14 a distance of 10 feet; thence West 40 feet to the east line of Lot 15 in said Forest Homes and the Southeast corner of Dawn E. Hewitt, Deed Book 402, page 138; thence West along the south line of said Hewitt a distance of 210 feet to the west line of Lot 17 in said Forest Homes; thence South along said west line a distance of 410 feet to the southwest corner of said Lot 17; thence West along the south line of Lots 18, 19 and 20 in said Forest Homes a distance of 225 feet to the Southwest corner of said Lot 20; thence North along the

west line of said Lot 20 a distance of 473.44 feet to a point on the East, line of Crescent Pointe Subdivision, Plat Cabinet "D", envelope 87; said point being SOUTH 89 degrees 46 minutes 41 seconds EAST, 50.56 feet from the Southeast corner of Lot 30; thence NORTH 89 degrees 46 minutes 41 seconds WEST along the South lines of Lot 30 and 31 and through common areas, 374.42 feet to the East line of Lot 45; thence SOUTH 01 degree 06 minutes 51 seconds EAST along the East line of Lot 45 a distance of 45.59 feet to the Southeast corner of said Lot 45; thence NORTH 89 degrees 18 minutes 19 seconds WEST along the South lines of Lot 45, 44, 1 and 2 and the extension thereof 311.98 feet to the West line of said Crescent Pointe Subdivision, also the East line of State Road 37; thence along said West line and the extension thereof NORTH 01 degree 06 minutes 51 seconds WEST, 129.29 feet to the Southwest corner of the Southwest guarter of Section 29, Township 9 North, Range 1 East; thence NORTH 00 degrees 22 minutes 30 seconds WEST along the West line of Morris Subdivision, Plat Cabinet "HB", envelope 152 and the extension thereof 683.71 feet; thence continuing along said West line along a curve to the left having a radius of 3044.79 feet and a chord bearing NORTH 19 degrees 26 minutes 28 seconds EAST, 417.66 feet; thence Northerly along said curve 417.66 feet; thence Northerly along said West line NORTH 12 degrees 11 minutes 49 seconds EAST, 259.69 feet; thence continuing along said West line NORTH 15 degrees 30 minutes 30 seconds EAST, 400.00 feet; thence continuing along said West line NORTH 22 degrees 38 minutes 00 seconds EAST, 201.56 feet; thence continuing along said West line NORTH 18 degrees 35 minutes 01 second EAST, 530.09 feet to the Northwest corner of said Morris Subdivision; thence along the North line of said subdivision NORTH 74 degrees 44 minutes 27 seconds EAST, 163.21 feet to the Northeast corner of said subdivision; thence along the East line of said subdivision SOUTH 00 degrees 21 minutes 33 seconds EAST approximately 112 feet to the Northwest corner of Rogers Group, Inc; thence East along said Rogers Group Inc. approximately 660 feet to the Northeast corner of Rogers Group Inc.; thence South along the East line of Rogers Group Inc. and Arlington Park Phase 1, Plat Cabinet "C", envelope 196, approximately 894 feet to the Northwest corner of Winkel Subdivision, Plat Cabinet "C", envelope 123; thence NORTH 89 degrees 52 minutes 09 seconds EAST along the North line of Winkel Subdivision and Kevin J. Treacy and Rosemary J. Treacy, Instrument No. 2001024712 a distance of 300 feet; thence South along the East line of Treacy 370 feet to the Northwest corner of John C. Temple and Victoria Starkey Temple, Instrument No. 803981; thence East along the North line of said Temple deed, the North line of Gerald R. Rhoade, Instrument No. 2011008192, the North line of Mark L. Ayers, Instrument No. 99833, the North line of Jo Lynn Bowman and Jon B. Bowman, Instrument No. 2011005543, the North line of Jean E. Bauer, Instrument No. 2003020322, the North line of Sandra Groschwitz, Instrument No. 2005010101, and the North line of Adams Crossing, LLC, Instrument No. 2012018700 a distance of 662 feet to the centerline of West Arlington Road; thence following said centerline Southeasterly approximately 467 feet to the extension of the West line of Arlington Crossing Subdivision, Plat Cabinet "C", envelope 161; thence NORTH 00 degrees 33 minutes 03 seconds WEST along the West line of said subdivision approximately 591 feet to the Northwest corner thereof; thence NORTH 90 degrees 00 minutes 00 seconds EAST 190.00 feet crossing City of Bloomington, Instrument No., 36142 and

to a point on the West line of 17th Street LLC, Instrument No. 2013007758; thence North along the West line of said parcel approximately 376 feet to the Northwest corner thereof; thence along the North line of said parcel and the North line of Indiana Bell Telephone Company Incorporated, Deed Book 369, page 412 approximately 687 feet to the West line of North Willis Drive; thence South along the North line of North Willis Drive approximately 388 feet to a point due West of James and Nancy Owens LLC, Instrument No. 2014004591; thence East crossing North Willis Drive and along the North line of said Owens tract 184 feet to the Northeast corner thereof; thence South along the East line of said Owens tract approximately 306 feet to the Northwest corner of Hanna Properties LLC, Instrument No. 2003022432 and 2003022434; thence East along the North line of said Hanna tracts and approximately 450 feet to the Northeast corner thereof; thence South along the East line of the Northwest corner of Thomas Haggerty and Cathy Haggerty, Deed Book 410, page 329; thence East 80 feet to the Northeast corner thereof, said point being on the West line of Cedar Grove, Plat Cabinet "C", envelope 59; thence North along the West line thereof approximately 96 feet to the Northwest corner thereof; thence East 132 feet to the Northeast corner thereof; thence South along the East line of Cedar Grove approximately 200 feet to the Northwest corner of John E. Matthias and Linda J. Matthias, Instrument No. 202289; thence East along the North line of Matthias and the North line of CFC Inc., Instrument No. 2011007430, Owen A. Lauer, Instrument No. 199678, 606 Building Company LLC, Instrument No. 2004002954, and crossing Jackson Heights Property LLC, Instrument No. 2014003635 approximately 490 feet to a point on the West line of James R. Jacobs, Mary A. Jacobs; Max L. Jacobs and Gloria E. Jacobs, Instrument No. 2014014806; thence North along said Jacobs tract approximately 58 feet to the Northwest corner of said Jacobs tract; thence East along the North line of Jacobs, also the North line of James R. Jacobs and Mary Ann Jacobs, Instrument No. 53362, Eva M. Godsey Revocable Living Trust, Instrument No. 2014012997 approximately 478 feet to the West line of North Kinser Pike; thence South along said West line approximately 80 feet to a point (Replat of Lot 18B of Northcrest, Plat Cabinet "C", envelope 251) due West of the Northwest corner of John W. Hart, Instrument No. 2004027614; thence East crossing North Kinser Pike approximately 55 feet to the Northwest corner of said Hart tract; thence continuing East along the North line of Hart 81.13 feet; thence South along the East line of said Lot 18B, 15.12 feet to the Northwest corner of Lot 17B in said Northeast Addition (John W. Hart, Instrument No. 2004027487); thence along the North line of Lot 17B, 87.4 feet to the West line of Lori A. Treleaven, Instrument No. 2012000483; thence North along said West line approximately 92 feet to the Northwest corner thereof; thence East along the North line of said parcel 93 feet to the Northcrest, Plat Cabinet "B", envelope 33; thence South along the East line of Lot 16 a distance of 60 feet to the Northwest corner of Arbutus Properties LLC, Instrument No. 2014015102; thence East along the North line of said tract and John W. Railing and Mary K. Railing, Instrument No. 2001006140 and the extension thereof a distance of 213 feet to the centerline of Woodlawn Drive; thence north along said centerline approximately 143 feet to a point due West of the Northwest corner of Pepsi-Cola General Bottlers of Indiana, Instrument No. 2003008110; thence East along the North line of said tract approximately 176 feet to the Southeast corner

of CFC, Inc., Instrument No. 701336; thence North along the East line of said tract approximately 360 feet to the Northeast corner thereof; said point being on the South line of P&D Riggins LLC, Instrument No. 2001021997; thence West along the South line of said tract and the South line of A. Patrick Riggins, Jr. and Dorothy B. Riggins, Instrument No. 2001020736 approximately 175 feet to the centerline of North Woodlawn Avenue; thence North along said centerline approximately 103 feet to a point on the South line of Trustee of the Bonnie Anderson Revocable Trust, Instrument No. 2001011721; thence West along said South line approximately 260 feet to the Southwest corner of said parcel; thence North along the West line of said parcel approximately 516 feet to a point on the North line of said parcel; thence East along said North line approximately 394 feet to the Southwest corner of Steak N Shake Operations, Inc., Instrument No. 2006017529; thence North along the West line of said parcel 150.34 feet to the Northwest corner thereof; thence East along the North line of said parcel and the extension thereof approximately 227 feet to the centerline of College Avenue; thence North along said centerline approximately 148 feet to the centerline of Old State Road 37; thence Westerly, Northwesterly and Northerly along the centerline of Old State Road 37 approximately 750.00 feet to the centerline of West Gourley Pike; thence Westerly along said centerline approximately 815 feet to the centerline of North Kinser Pike; thence along said centerline North approximately 535 feet to the Point of Beginning, containing 259 acres, more or less.

This amended Economic Development Plan expands the EDA by 972.2 acres (See Map marked as Exhibit A). The purpose of this expansion is to provide for the enhancement of economic opportunities. Currently, the expanded EDA has excellent new development and redevelopment opportunities.

ZONING AND LAND USE

The City of Bloomington's planning, zoning and land use approach is to favor compact urban form, nurture environmental integrity, mitigate traffic, conserve community character, sustain economic and cultural vibrancy, advance communication and coordination, and to leverage public capital to improve the community. The EDA includes areas zoned as follows:

- 1. Commercial Arterial: Designed to facilitate high intensity mixed use development and redevelopment opportunities along major street corridors.
- 2. Business Park: Provide for large-scale employment opportunities for the community and surrounding region.
- 3. Commercial Downtown: The Downtown Business/Commercial component of the EDA is comprised mainly of mixed uses that focus on retail sales, professional offices, restaurants, financial services, and entertainment/art/cultural centers that serve the Bloomington community and visitors alike. Downtown Business/Commercial uses are supported throughout the EDA.
- 4. Commercial General: Provide areas for medium scaled mixed use development and redevelopment.
- 5. Commercial Limited: Provide small scale retail and employment services necessary for the convenience of surrounding business and residential uses.
- 6. Industrial General: Accommodate the needs for industrial and office uses that provide basic employment needs for Bloomington and the surrounding region.
- 7. Institutional: The Institutional zoning component of the EDA is comprised of government facilities and park and recreation services.
- 8. Medical: The Medical zoning component includes IU Health Bloomington Hospital and nearby medical offices which serve regional healthcare needs and attract regional skilled workers. The sector is faced with significant and ongoing healthcare industry changes which may impact the intensity of medical land uses in the EDA.
- 9. Planned Unit Development (PUD): There are multiple Planned Unit Developments located within the EDA. Many of these PUDs provide opportunities for significant economic development within the EDA, and many also have specific requirements pertaining to conservation of environmentally sensitive areas and greenspace, mixed use development, housing and infrastructure.
- 10. Residential (multiple zoning categories): Residential infill development is encouraged throughout the EDA and generally is expected to occur as part of mixed use redevelopment activities. It is generally comprised of multifamily units which

should promote a diversity of housing types for all income groups and ages with a focus towards workforce, live-work, and retiree housing.

STATEMENT OF DEVELOPMENT OBJECTIVES

It is the intention of the Redevelopment Commission to use allocated tax increment collected within the Area as it is received to finance all eligible costs related to the Development Objectives, or any portion thereof, and to reimburse the City for all eligible expenses under Indiana law.

It is also the intention of the Redevelopment Commission to issue bonds payable from incremental ad valorem property taxes allocated under IC 36-7-14-39 in order to raise money for any property acquisition and for completion of the Development Objectives. The amount of issued bonds may not exceed the total, as estimated by the Redevelopment Commission, of all expenses reasonably incurred in connection with the Development Objectives, including:

- 1. The total cost of all land, rights of way, and other property to be acquired; and
- 2. All reasonable and necessary architectural/engineering, construction, legal, financing, accounting, advertising, bond discount and supervisory expenses related to the acquisition and development of the Projects or the issuance of bonds therefore; and
- 3. Interest and a debt service reserve for the bonds to the extent the Redevelopment Commission determines that a reserve is reasonably required.

In the issuance of bonds the Redevelopment Commission will comply with Indiana Code § 36-7-14-25.1 and other provisions of applicable Indiana Law. In the alternative, the Redevelopment Commission may enter into a lease of any property that could be financed with the proceeds of bonds under Indiana Code 36-7-14. The lease is subject to the provisions of Indiana Code § 36-7-14-25.2 and Indiana Code § 36-7-14-25.3.

The Development Objectives within this Plan will be accomplished through a mix of public and private investment in the EDA.

- 1. Attract businesses to the EDA, provide opportunities for gainful employment and training for employees, and promote the retention and expansion of existing businesses.
- 2. Provide funding for infrastructure improvements including the installation of new and upgraded water, sewer, stormwater, communications and transportation services.

- 3. Invest in designing and implementing improved streetscapes and other public amenities to ensure a high quality of place attractive to a quality workforce. Construct public spaces, including plazas and greenspaces for individual use as well as for special events and programs.
- 4. Improve streets so they can be operated to enable safe and efficient access for all users of all ages and abilities, including pedestrians, bicyclists, motorists and transit riders.
- 5. Strengthen and intensify existing land uses within the area so that density is supported in the urban core, with particular focus on ensuring greater employment opportunities, diverse mixes of retail and upper story residential, greater usage of vacant and underutilized buildings, and new infill development.
- 6. Enhance community sustainability through the provision of green infrastructure, conservation of environmentally sensitive areas, and energy efficient building practices.
- 7. Construct new and renovated housing units within the area that support a diverse mix of housing types, and are within easy walking distance of the employment, retail, entertainment, financial, cultural, educational and governmental centers of the city.
- 8. Renovate historic structures in the EDA, especially within the downtown area.
- 9. Strengthen the ties between the city and the community's higher education institutions and improve the physical linkages between downtown and the Indiana University campus.
- 10. Provide structured parking facilities in conjunction with area employment uses, particularly within the City's Certified Technology Park/Showers Technology Overlay district and other areas of employment growth potential.
- 11. Support the retention, expansion and attraction of cultural, tourism and creative sector enterprises to enhance sector employment opportunities, and to enhance the EDA as a destination for visitors. Construct additional hotel and meeting space within the EDA and support an expanded Convention Center complex.
- 12. Continue the environmental restoration and transformation of the former CSX rail switchyard into premier public park and recreation space. Support adjacent catalyst economic and community development projects such as infill commercial, mixed-use, and residential redevelopment of underutilized properties, and strengthening of surrounding neighborhoods.

- 13. Develop the City's Certified Technology Park area as a research and industrial park with additional high tech office and research space, while also allowing for a mix of complementary uses, including retail, service and workforce and other housing.
- 14. Provide adequate growth space for office, research, life science, medical and technology business, in order to maximize opportunities to attract, grow and retain knowledge- and creative-sector employers in the area.
- 15. Provide primary and essential healthcare facilities in areas accessible to residential populations and employment centers.
- 16. Improve gateway corridors to increase physical and socioeconomic linkages between the EDA and other areas of the city, region and state.

PROVISIONS FOR AMENDING THE PLAN

This Plan may be amended as outlined under Indiana Code § 36-7-14-17 and Indiana Code § 36-7-14-17.5. Modifications could arise from property acquisition for right-of-way improvements or other pubic purposes, or the enlargement of the EDA.

Adjustments resulting from experience during project execution are authorized in the administration of this project, provided that the intent of this approved Economic Development Plan is not changed. Any modification which substantially changes the approved Economic Development Plan will be subject to the requirement of applicable State codes for plan amendment.