

# **RESIDENTIAL STORMWATER GRANTS 2021**

# **GUIDELINES**

Prepared by:

City of Bloomington Utilities 600 East Miller Drive Bloomington, IN 47401

stormwater@bloomington.in.gov

### RESIDENTIAL STORMWATER GRANTS PROGRAM

The City of Bloomington Residential Stormwater Grants (RSG) program is administered by the City of Bloomington Utilities Department (CBU) and provides small grants to homeowners for sustainable stormwater infrastructure projects on private property. These projects are expected to improve the management of stormwater before it enters local waterways or the City's stormwater conveyance infrastructure known as the Municipal Separate Storm Sewer System (MS4). The water that flows into storm drains and through the MS4 doesn't get treated, so it transports pollutants from the urban landscape directly into our local waterways.

- The City of Bloomington Utilities Department has allocated \$70,000 for the 2021 Residential Stormwater Grants Program.
- Applicants are expected to demonstrate their need to fix erosion and flooding issues, and provide a detailed plan and cost estimate for their proposal.
- Possible projects may include rain gardens, vegetated buffers, driveway culvert replacements, or stormwater pond maintenance.
- An optional public information sessions will be offered in January (the session will be recorded and be available online at www.bloomington.in.gov/utilities/stormwater/grants

## TESTIMONIAL - 1700 S. Clifton Ave. Project

Through its Residential Stormwater Grant program, the City of Bloomington works with homeowners to improve drainage and erosion issues on their property in green and sustainable ways. In this example, the homeowner had an issue with stormwater flooding and stagnating in their backyard. Thanks to a grant and planning assistance from the city, a contractor was able to design and build a system to channel the stormwater through a bed of water-loving native plants to absorb and clean the water before discharging it to the city stormwater system.

The homeowner first read about the Residential Stormwater Grant program in the local newspaper. After submitting an application and proposal, CBU Environmental staff replied with several ideas on ways to incorporate green design and native species. The contractor revised the design to build "up" with a berm



instead of digging down to form a dry creek bed, and several trees were saved by preserving their root structure.

From first proposal to planting of native plants in the spring, the entire process took about one year, including the revision process.

"The CBU staff were really helpful," said the homeowner in a follow-up interview. "I'm just really pleased with how it turned out."

A Dry Creek Bed in Progress

Credit: Residential Stormwater Grants 2020, CBU Staff

# **TABLE OF CONTENTS**

<u>Section</u>		<u>Page</u>
l.	WHO MAY APPLY	4
II.	TIMELINE/IMPORTANT DATES	5
III.	APPLICATION INSTRUCTIONS	6
	APPLICATION LETTER OF INTENT (OPTIONAL)	
IV.	PROJECT EXAMPLES REQUIREMENTS, AND MAINTENANCE	7
	A. RAIN GARDENS  B. BIOSWALES  C. DRY CREEK BEDS  D. STORMWATER PONDS  E. DITCH STABILIZATION  F. DRIVEWAY CULVERTS  G. FRENCH DRAINS AND UNDERDRAINS	9 10 11 12 13 14 15
V.	PROJECT REVIEW AND SELECTION	16
VI.	GUIDELINES FOR AWARDED PROJECTS	17
	NOTIFICATION FUNDING GRANT AGREEMENT/SITE VISIT(S) – INITIAL INSPECTION/PROJECT COMMENCEMEN SITE VISIT – FINAL INSPECTION PAYMENT	ΙΤ

## I. WHO MAY APPLY

The following describes eligibility for RSG 2021 projects.

All applicants must reside within the City of Bloomington city limits and meet the following requirements:

- 1. Individual landowners or multiple landowners (contiguous properties)
- 2. Neighborhood Associations
- 3. Homeowner Associations

All applicants must reside within the City of Bloomington city limits and meet the following requirements:


- The applicant(s) must be the owner(s) of single-family residential real estate. The real estate upon which the drainage/erosion problem exists must be owned by the applicant(s).
- For applicants applying to fix an issue spanning multiple eligible properties, the parcels of real estate must be contiguous. Please only submit one application per project. All names and addresses must be on the Application.

If applying under a Neighborhood Association or a Homeowner Association, the following additional requirements must be met:

- Each parcel of real estate upon which the drainage/erosion problem exists must be owned by members of the applying Neighborhood Association or Homeowner Association.
- Applications must be signed by the President and/or Chair of the Board of the applying Neighborhood Association or Homeowner Association.

### A Rain Garden in a Residential Setting

Photo Credit: The Herald-Times and Carrol Krause



# **II. TIMELINE/IMPORTANT DATES**

The following is a timeline for application, along with important dates to note where applicable.

## Applying for a RSG 2021

Attend Public Informational Meeting via Live Zoom Tues., Jan. 19, 2021, 6 - 7 p.m.

View recorded Public Information Meeting of To be posted online after event

January 19, 2021 (posted on webpage)

Submit Letter of Intent due (Optional) Mon., February 1, 2021, 5 p.m.

Conduct Site Visit(s) – Preliminary December 2020 – February 2021

Submit Applications due Mon., March 1, 2021, 5 p.m.

Technical Staff Review Committee meets March – April 2021

Review Committee meets March – April 2021

Grant recipients announced and approved through

Utilities Service Board May 2021

Awarded RSG 2021 Projects

Grant recipients notified May 2021

Grant Agreement signing email sent May

Conduct Site Visit(s) – Initial inspection (homeowner(s)

and contractor) May – June 2021

Grant Agreements sent in for signatures and return Summer 2021

Grant recipients notified and projects commence Summer 2021

Projects commence Summer 2021

Conduct Site Visit(s) – Final inspection (homeowners(s)

and contractor) Summer 2021-2022

Payment processing Summer 2021-2022

# **III. APPLICATION INSTRUCTIONS**

#### **APPLICATION**

The Residential Stormwater Grant 2021 Application can be found online at www.bloomington.in.gov/utilities/stormwater/grants

The grant Application form is an online form that asks for the applicant and property information, as well as a detailed description of the project. The Application form must be completed online at the above address. The following supplemental materials need to be submitted with the Application form:

- 1. Map of project location
- 2. Sketch of project layout, including key features (direction of stormwater flow, inlets/ outlets, etc.)
- 3. **Photographs** of current drainage or erosion issues (up to 5 photos, please keep to 10M total for all)
- **4. Cost Estimate** of the total project cost, such as a quote from a contractor (including a description of the project). Note: This estimate must be itemized!
- **5. Other helpful documents** Any other helpful documents (such as existing engineered designs, a copy of the neighborhood covenants, Operations and Maintenance manuals, etc.)

Completed Applications must be submitted by 5:00 p.m. on Monday, March 1, 2021, for consideration.

## LETTER OF INTENT (OPTIONAL)

The Residential Stormwater Grant 2021 Letter of Intent can be found online at www.bloomington.in.gov/utilities/stormwater/grants

A Letter of Intent (LOI) is not mandatory for application consideration, however all applicants are highly encouraged to submit one. The LOI can increase an applicant's chances of submitting a successful application because it promotes early coordination with CBU staff. After the LOIs are submitted, CBU staff will review each project for eligibility and notify applicants if their project is determined to be ineligible. Completed Letters of Intent must be submitted by 5:00 p.m. on Monday, February 1, 2021, for consideration.

Letters of Intent and Applications must be submitted online at www.bloomington.in.gov/utilities/stormwater/grants

For assistance with your Letter of Intent (optional) and/or Application, please contact Kriste Lindberg by calling (812) 349-3617, or emailing <a href="mailto:stormwater@bloomington.in.gov">stormwater@bloomington.in.gov</a>

# IV. PROJECT EXAMPLES, REQUIREMENTS, AND MAINTENANCE

### PROJECT EXAMPLES

Projects can be small or large – on one property or across multiple neighboring properties. In previous years, project costs ranged from around \$500 to \$5,000. Examples of projects that can be funded in 2021 include those, below.

Note: Green infrastructure projects (those which consists mostly of natural practices) are preferred over gray infrastructure projects (those that are mainly man-made such as french drains).

A note on native plants. You may have heard of native plants and be wondering just exactly what they are! Generally speaking, native plants are those that are indigenous to particular areas and, as such, provide a number of benefits. Regarding those native to Indiana:

- They tend to have deep roots, sometimes up to five feet long (as compared to turf grass which tends to have roots only a few inches long); therefore, they hold soil in place better, helping to alleviate erosion.
- Support the wildlife native to the area.
- Tend to be quite attractive!

Additional information and photos can be found at: bloomington.in.gov/utilities/stormwter/grants

- A. RAIN GARDENS
- **B. BIOSWALES**
- C. DRY CREEK BEDS
- D. STORMWATER PONDS
- E. DITCH STABILIZATION
- F. DRIVEWAY CULVERTS
- G. FRENCH DRAINS AND UNDERDRAINS

#### **MAINTENANCE**

- All projects are required to be maintained for five years as part of the Grant Agreement.
- The five-year maintenance period will start when CBU has inspected the completed project and approved it for payment/reimbursement (Note: If you plan to move during this time, please inform the RSG 2021 coordinator).
- The following guidelines should help homeowners inspect and maintain their stormwater projects.

Routine Inspections Inspect the feature, especially before and after major rain events, for any accumulated materials that could reduce water flow or drainage. Inspect for signs of deterioration, damage, invasive plants, soil erosion, or standing water. See more information, below.

Watering Plants Water new plants at least weekly when they are first installed if it does not rain during

that time. Watch for wilting plants and dry, dusty soil. Additional watering may be

required during dry periods in the summer.

Weeding Take a picture of the plants when they are first installed in order to track which plants

to keep and which to pull (you may even wish to label them!). Remove invasive and

nuisance plants by digging them up from the roots.

Excess Vegetation If a section that should have bare rock (bottom of a dry creek bed, surface of an

installed French drain, etc.) has excess vegetation, you can simply pull the "weeds".

Clear Debris Remove debris such as leaves, "weeds", branches, accumulated silt, sand, stone,

trash, or other materials so that impede water flow or drainage. Make sure flow is

not reduced by more than 20% at any time.

Dispose of Waste Properly dispose of waste materials in accordance with City of Bloomington

Sanitation Program guidelines. Waste materials cannot be placed in ditches or

waterways.

Pest Control Watch for insect or wildlife damage. Remove and replace diseased or dead plants as

necessary.

Bare areas Add mulch to bare areas or replant sections where vegetation is sparse.

Erosion Replace soil and stones if erosion occurs. Soil migration within the feature may indicate

that it is undersized. If there is an outlet and erosion is occurring near it, restabilize the area as necessary using topsoil, seed and mulch, or use geotextile fabric and stone, if

vegetation doesn't establish.

Standing Water If there is standing water in the feature for more than 48 hours (other than in a

stormwater pond), this may be a sign of a larger problem such as clogging.

Underdrain If there is an underdrain pipe present, refer to the maintenance guidelines for the

component.

Pipe Ensure the outlet is not blocked and the drain pipe is not clogged. Look for holes or

low spots forming in the ground above the pipe. This may be a sign of pipe failure.


Holes Look for holes or cracks forming in the vicinity of the feature. This may be a sign of

damage.

### **A. RAIN GARDENS**

- A rain garden is a depressed area in the landscape that collects rain water from a roof, driveway or street and allows it to soak into the ground.
- Rain gardens can help with stormwater quality and quantity:
  - Water quality: By filtering out pollutants in runoff.
  - Water quantity: By reducing flood risk by retaining and slowly releasing water over a two-day period (not enough time for mosquitos to reproduce!).
- Planted with grasses, sedges and flowering perennials, rain gardens can be a cost-effective and beautiful way to reduce runoff from your property.
- In this manner, they can provide food and shelter for butterflies, song birds and other wildlife.
- Rain gardens are typically constructed by excavating the area and creating a berm on the downhill side
  of the garden, then filling the excavated area with soil amended with sand and compost. Some rain
  gardens may have an underdrain to help promote infiltration in poorly drained soils.
- As a general rule, professional rain gardens can cost around \$2,000-\$5,000 depending on the size and complexity of the project. Buying the materials to build your own rain garden can cost around \$500 or more.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Underdrain (possibly), Holes





Rain Garden Diagram and Photo Credit: Royal Oak, MI Rain Garden Program

## B. **BIOSWALES**

- Bioswales are linear, sloped drainage areas that contain native plants (you can think of them as linear rain gardens, see page 9).
- Bioswales can help with stormwater quality and quantity:
  - Water quality: By filtering out pollutants in runoff.
  - Water quantity: Increasing water quality and reducing flood risk by retaining and slowly releasing water over a two-day period (not enough time for mosquitos to reproduce!).
- Planted with grasses, sedges and flowering perennials, bioswales can be a cost-effective and beautiful
  way to reduce runoff from your property.
- In this manner, they can provide food and shelter for butterflies, song birds and other wildlife.
- Bioswales are typically constructed by excavating the area and creating a berm on the downhill side of the garden, then filling the excavated area with soil amended with sand and compost. Some may have an underdrain to help promote infiltration in poorly drained soils.
- Due to their linear design, bioswales are ideal for use along roadways, driveways, and parking lots.
- As a general rule, professional bioswales can cost around \$2,000-\$5,000 depending on the size and complexity of the project. Buying the materials to build your own bioswale can cost around \$500 or more.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Underdrain (possibly), Pipe (possibly), Holes



### **An Attractive Bioswale**

Credit: Lake County, IL

# C. DRY CREEK BEDS

- Dry creek beds are another drainage tool similar to bioswales, where surface water is conveyed in a stable channel or trench (you can think of them as a bioswale without the plants in the middle!).
- Dry creek beds are typically designed to carry stormwater away efficiently to/from an area.
- Dry creek beds aren't meant for ponding water or removing pollutants, they tend to allow stormwater to disperse over a distance.
- Dry creek beds tend to mimic natural riparian areas.
- Dry creek beds are typically lined with stones and rocks and have native plants along the edges.
- Dry creek beds are a more natural solution than a French drain.
- Dry creek beds can be combined with other features, such as rain gardens.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Underdrain (possibly), Pipe (possibly), Holes



### A Dry Creek Bed in Progress

Credit: Residential Stormwater Grants 2020, CBU Staff

## D. STORMWATER PONDS

- Stormwater ponds are meant to capture large quantities of runoff to prevent downstream flooding.
- Stormwater ponds usually come in two types:
  - o Detention: Hold water for a short period of time, releasing it slowly (may dry over time).
  - o Retention ponds: Hold water indefinitely (may contain constant amounts of water).
- Stormwater ponds may also improve water quality by allowing pollutants to settle and be filtered out by native plants.
- Stormwater ponds typically have native plants planted outside, along the water line, and just inside of the water line. Note: The native plants actually help to deter geese.
- Residential Stormwater Grant funds can be used for detention or retention pond maintenance, for example:
  - Retrofits to improve pollutant removal
  - Shoreline restoration (erosion and plant)
  - Vegetated buffers

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Underdrain (possibly), Pipe (possibly), Holes



**Stormwater Retention Pond** 

Credit: Envirotech

# **E. DITCH STABILIZATION**

- Ditches may need to be stabilized due to erosion.
- Erosion can occur when water moves too quickly along a ditch.
- Native plants can help hold ditch banks in place.
- Residential Stormwater Grants funds can be used for the repair of lined ditches or the conversion to vegetated swales or bioswales.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Holes



An example of ditch stabilization in progress

Credit: Internet

# F. DRIVEWAY CULVERTS

- Driveway culverts provide access to private property where roadside ditches are present.
- These crossings can cause flooding and erosion issues if they are undersized or not properly maintained.
- Due to the high costs generally involved, Residential Stormwater Grant funds will only pay for the cost of the removal of the existing pipe, the replacement pipe, backfill, stabilization, engineering for inverts and slope determination, and labor for installation.
- Additional costs for headwalls, wingwalls and driveway improvements will be the responsibility of the homeowner.
- A typical driveway culvert replacement project may receive around \$2,000 to \$5,000 in grant funding, depending on the size of the pipe and complexity of the project.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Plpe, Holes




An Example of an Installed Driveway Culvert

Credit: City of Greater Sudbury

# **G. FRENCH DRAINS AND UNDERDRAINS**

- French and underdrains convey water through manmade means.
  - French drains: Generally consist of a perforated pipe buried in an excavated channel and filled with rock.
  - O Under drains: A more generalized, subsurface drain to help with drainage. For example, such as one installed under a rain garden to convey stormwater as it drains the feature.
- For purposes of the Residential Stormwater Grants program, open channels such as bioswales and dry creek beds are generally preferred over these closed systems.
- However, if they are combined with more naturalized features, such as bioswales, dry creek beds, rain gardens, etc., they may be looked upon more favorable.

MAINTENANCE – See pages 7 – 8, Water Plants, Weeding, Excess Vegetation, Clear Debris, Dispose of Waste, Pest Control, Bare areas, Erosion, Standing Water, Underdrain, Holes



#### An Example of an Underdrain

Credit: Hydrology Studio

# V. PROJECT REVIEW AND SELECTION

- There will be two phases to the project review process:
  - o Technical Staff review
  - o Project selection by an appointed Review Committee
- The staff review will analyze projects based on location, drainage area, proximity to waterways or stormwater infrastructure, potential to reduce flooding and improve water quality, and median neighborhood income levels.
- The Review Committee will include City staff from various departments as well as members of the public.
- The committee will rank projects based on the technical staff review, the project's potential benefits, and the Application materials provided. Projects located in neighborhoods with lower median income levels will rank higher than those in high-income neighborhoods.
- The committee will then determine which projects to fund, and how much funding will be awarded to each project.



A Drain After Installation

Residential Stormwater Grants 2020, CBU Staff

## **VI. GUIDELINES FOR AWARDED PROJECTS**

The following are details regarding awarded projects.

#### **NOTIFICATION**

 Once the projects have been awarded, the recipients will be notified via the email address provided.

#### **FUNDING**

- If a project is not fully funded by the grant, recipients will be responsible for paying the remainder of the project cost.
- Recipients have the option to accept the award once it is granted and obtain updated quotes from their contractor if necessary.
- For 2021 projects, there is no minimum or maximum cost-share amount and there will be no cap in funding.
- As many projects will be funded as possible.
- Funding will only be provided for an authorized contractor to complete the engineering design (if applicable), materials, and labor.
- Funds cannot be used for permit fees, sales tax, the purchase of equipment, the purchase of land or easements, legal fees, or water/soil sampling or analysis.

## GRANT AGREEMENT/SITE VISIT(S) - INITIAL INSPECTION/PROJECT COMMENCEMENT

- Once project plans have been finalized, recipients will then be asked to sign a Grant Agreement.
- A copy of the Grant Agreement will be sent via email to the address provided.
- The recipient will be asked to print and sign the document. At this point, the recipient is asked to notify the RSG 2021 coordinator for a Site Visit (initial inspection), where the project will be reviewed and the Grant Agreement collected.
- Note: The recipient is encourage to ask if the contractor can be present at this Site Visit.
- Once signed by the recipient, the Grant Agreement will then be routed for signature by the approving parties.
- The recipient will be notified by email at the address provided that the approving parties have signed the Grant Agreement and that they are ready to get started on their project and notify their contractor.
- Any work done before the Grant Agreement is signed by the approving parties will not be reimbursed. Successful applicants will have 12 months to complete their project.
- All projects will require erosion and sediment controls during construction. Design plans must demonstrate adequate drainage and stabilization.

• If a project requires permits for work in the floodplain or Waters of the State, please contact CBU as soon as possible. These projects will require additional planning time.

Note: All driveway culvert projects will require a pre-construction meeting with the CBU Engineering Department prior to construction. The applicant and their contractor will be required to attend this meeting at the project location.

#### SITE VISIT – FINAL INSPECTION

• Once a project is completed, the recipient is requested to contact the RSG 2021 coordinator for a Site Visit (final Inspection). Note: Again, it would be helpful if the contractor is present.

#### **PAYMENT**

- Payments will be made in one lump sum in arrears after the completed project has been inspected and approved by CBU.
- The recipient will be asked to have the contractor send an *itemized* invoice, complete with "Residential Stormwater Grant 2021 followed by the name/address of the recipient, and made out as well as addressed to:

City of Bloomington Utilities 600 E. Miller Dr. Bloomington, IN 47401

The invoice must be submitted via email to stormwater@bloomington.in.gov for processing.

A note about tax: Either way, as the City of Bloomington is tax exempt, tax is not to appear on the bill (a tax exempt form is available upon request).

A note about *deposits*: If the recipient is paying a deposit up front (20-25% is average), they cannot be reimbursed until after the project is completed and approved and the invoice (complete with date and amount paid as well as homeowner name) has been received by the coordinator. The amount of deposit and the date it was paid must appear on the invoice submitted to CBU.