

Bloomington, IN

Sidewalk/path

Management Report

2026



Contents

1.0	PROJECT OVERVIEW	2
1.1	Project Summary	2
1.2	Sidewalk and Sidepath Survey Results Summary	2
2.0	SURVEY METHODS	4
2.1	Survey Process	4
2.2	Sidewalk Surface Tester (SST)	4
2.3	Distress and Condition Rating in Connect	7
3.0	SIDEWALK / SIDEPATH CONDITIONS	8
3.1	Sidewalk Conditions Overview	8
3.2	Sidewalk Condition Images	13
3.3	Sidepath Condition Images	18
3.4	Observed Obstructions	23
3.5	Rehab Cost Estimates	26
4.0	PROJECT RECOMMENDATIONS AND COMMENTS	27
4.1	Project Summary and Recommendations	27
4.2	Closing	27

1.0 PROJECT OVERVIEW

1.1 Project Summary

In 2025 IMS Infrastructure Management Services (IMS) was contracted by the City of Bloomington to conduct a condition assessment and analysis update on approximately 266 miles of City maintained sidewalks and sidepaths. IMS also categorized an inventory of 1214 sidewalk hinderances.

IMS mobilized our Sidewalk Surface Tester (SST) to conduct an objective condition assessment of the sidewalks and sidepaths using industry standard pavement distress protocols, which were modeled similar to those found in ASTM D6433. The data was then loaded into IMS' proprietary spreadsheet software, known as Easy Sidewalk Analysis (ESWA), for analysis and given a Sidewalk Condition Index (SWCI). A full inventory of sidewalk assets are included in Appendices A. An inventory of hinderances is available in appendix B.

1.2 Sidewalk and Sidepath Survey Results Summary

The sidewalk network makes up the majority of the paved walking area in Bloomington at approximately 243.5 miles. It has an average SWCI of 75, with most of the network landing in the marginal to fair SWCI range as seen in **Figure 1**.




Figure 1 – Sidewalk Network Condition

The additional paved surfaces are referred to as sidepaths and are managed separately from the sidewalk network. These paths make up approximately 22.4 miles of paved surface and record a SWCI of 78. Their condition is summarized in **Figure 2**.




Figure 2 – Sidepath Network Condition

2.0 SURVEY METHODS

2.1 Survey Process

The IMS approach to sidewalk assessments is comprehensive in nature. Every mile of every road must first be driven with a vehicle that has high-definition cameras to allow for the extraction of sidewalks from the imagery. Then, each extracted sidewalk must be inspected. These locations are provided to IMS' field crew.

2.2 Sidewalk Surface Tester (SST)

The SST employs IMS' in-house Drive data collection software that integrates the survey inventory (sidewalk GIS shapefiles), field maps, GPS, and field data collection into a single platform. Drive may be customized for virtually any type of survey ranging from trails, parking lots, sidewalks, and ramps to full sign surveys. Multiple SST units may be deployed depending on the complexity and size of the project.

The sidewalk condition survey that was performed for Bloomington was completed using the IMS SST. Images of the SST units can be seen in **Figure 3**.

The SST is a purpose-built field data collection unit designed primarily for surveying municipal sidewalks, curb ramps, trails, right-of-way, and parking lots. The SST is equipped with the following:

- Front and rear 12MP Basler HD cameras
- Drive collection system (fanless computer and ADAS in environmentally sealed enclosure)
- Hemisphere DGPS
- 3x Gocator point lasers
- 5g Accelerometers
- 250 Hz MEMS IMU
- 5,000 CPR wheel encoder
- Target sensor
- High contrast monitor
- Event keyboard
- Tow Vehicle and Trailer



Figure 3 - Sidewalk Surface Tester (SST)

Using the Drive platform, the SST operator inputs GPS-tagged events for distresses that are observed on sidewalks. These distresses and their different categories can be found in **Table 1**.

Table 1 – Distress Ratings

Code	Distress	Moderate	Severe
1	Vertical Displacements (including faulting, sag/heave, etc)	1/4" - 1/2"	> 1/2"
2	Separation (including cracking, joint spalling, etc)	>1/2" - 1"	>1"
3	Excessive Cross Slope	>2% - 8%	>8%
4	Excessive Grade	>5 - 8%	>8%

Figure 4 shows what these events look like within the Drive software.




Figure 4 - Distress Rating in Connect (Example)

2.3 Distress and Condition Rating in Connect

Once the imagery and distress events were collected with the SST and imported to Connect, it was then matched to the GIS shapefiles. This allowed for the City's shapefile attributes, such as sidewalk names, identifiers, etc. to be carried throughout IMS' process. Then, after matching was completed, IMS' trained raters verify and conduct QC on the distress events added by field operators while extracting the remaining asset attributes (obstructions, protrusions, widths, etc.) from the calibrated imagery. To illustrate this process, **Figure 5** shows points that were marked on the front-facing imagery in the Connect software.




Figure 5 - Distress Rating in Connect

3.0 SIDEWALK / SIDEPATH CONDITIONS

3.1 Sidewalk Conditions Overview

The Sidewalk Condition Index (SWCI) considers the sum of a variety of distresses. The SWCI calculation has been developed by IMS and is modeled after the Pavement Condition Index (PCI) calculation used in ASTM D6433 to assess the condition of paved roads. It is important to note that sidewalk obstructions do not factor into the SWCI score, however, the cost for the specific rehabilitation method based on obstruction type is factored into the cost to repair a sidewalk segment. **Figure 6** illustrates the general process for calculating SWCI. SWCI is a 0-100 scale, with 100 representing a sidewalk in excellent condition. A deduct curve is defined for each distress, and the percentage area of distresses will determine the number of deduct points. Deducts are subtracted from 100 to determine SWCI. If a sidewalk segment has more than 4 distresses, the 4 largest deducts will be used to calculate SWCI.




Figure 6 - Distress Rating in Connect

The following **Figure 7** shows the breakdown of the SWCI for the sidewalk network. The City sidewalk network has a SWCI of 75, putting the sidewalk network in the Marginal to Fair category.




Figure 7 - Sidewalk Condition

- **Nineteen percent (19%)** of the network can be considered in “Good” condition and should be closely monitored to ensure timely application of early localized preventive measures.
- **Thirty-six percent (36%)** of the network falls into the SWCI range considered “Fair”.
- **Thirty-six percent (36%)** of the network falls into the SWCI range considered “Marginal”
- **Seven percent (7%)** of the sidewalks are rated as “Poor”.
- **Two percent (2%)** of the network is rated as “Very Poor”.

The following **Figure 8** shows the breakdown of the SWCI for the sidepath network. The City sidepath network has a SWCI of 78, putting the sidewalk network in the Marginal category.




Figure 8 – Sidepath Condition

- **Eighteen percent (18%)** of the network can be considered in “Good” condition and should be closely monitored to ensure timely application of early localized preventive measures.
- **Thirty-nine percent (39%)** of the network falls into the SWCI range considered “Fair”.
- **Forty-one percent (41%)** of the network falls into the SWCI range considered “Marginal”
- **One percent (2%)** of the sidepaths are rated as “Poor”.
- **Less than one percent (<1%)** of the network is rated as “Very Poor”.

The following **Figure 9** presents a breakdown of the recommended rehabilitation activity needs for the overall sidewalk network.

The largest rehab need will fall into the Grind category. This represents 55% of the overall sidewalk area.




Figure 9 – Rehab Distribution by Area (Sidewalk)

Despite similar conditions between Sidewalks and Sidepaths, the recommended rehabilitation activities are very different. This is do to the type of distresses being addressed and the construction of each of these pavements. The Sidewalks are almost entirely concrete, but the Sidepaths are a mixture of both asphalt and concrete pavement construction. The rehabilitation needs of the Sidepath network is presented in **Figure 10**. For the Sidepaths, the largest rehab need will be a Mill and Replace.




Figure 10 - Rehab Distribution by Area (Sidepath)

3.2 Sidewalk Condition Images

The SWCI categorizes sidewalks based on the sum and severity of distresses present. Below is an example of Bloomington sidewalk sections that fall within these categories.

Very Poor (0-30)



North College Avenue (SWCI = 24, SWID = 09167) – Several severe and moderate vertical and horizontal separations are present. This portion of sidewalk is flagged as an immediate priority should receive a complete remove and replacement. Areas where vegetation is growing within the cracks indicate that water is seeping into distressed areas and contributing to increased deterioration. Only 2% of the Bloomington network presents similar conditions.

Poor (30-50)



East 3rd Street (SWCI = 37, SWID = 00658) – This segment displays significant cracking. This image shows only the most distressed portion of the sidewalk. The distresses are not present along the entire length of the segment, so only a partial remove and replace with partial base replacement is suggested. Portions of this sidewalk have deteriorated to the point where it is now deterring ADA travel, notably the vertical displacement present in the above photo. The analysis has prioritized this particular segment as a “High Priority Rehab”. Segments displaying similar characteristics represent approximately 7% of the Bloomington sidewalk network.

Marginal (50-75)



South Burks Court (SWCI= 59, SWID-05498) - This segment of sidewalk is in mostly serviceable condition with a few exceptions. There is a small amount of cracking between several panels but it is mostly low in severity. The cracking shown in the image above is the most distressed portion of this segment. Approximately 36% of Bloomington sidewalks fall into the Marginal category.

Fair (75-90)



West Kirkwood Avenue (SWCI = 77, SWID-8096) – This sidewalk in the Fair range is in mostly serviceable condition requiring routine maintenance, the exception to this is the slab shown in the above image presenting a corner break. This distress does not extend beyond a single slab, indicating that the remaining portion of the sidewalk does not require any significant repairs. About 36% of the sidewalk network falls within this category.

Good (90-100)



South Clarizz Boulevard (SWID-04485 SWCI = 98) - This segment of sidewalk is rated as “good” and displays no significant distresses. The analysis has determined this segment to be a low priority rehab. Around 19% of the Bloomington sidewalk network is in this category.

3.3 Sidepath Condition Images

Below is an example of Bloomington sidepath sections that fall within these categories.

Very Poor (0-30)



South Smith Road (SWCI = 28, SWID = 4659) – This path presents severe alligator cracking that covers large portions of the paved surface. Foliage growing between the cracks indicates significant drainage concerns that contribute to water seeping into the pavement base. Large portions of this path are flagged for remove and replace. Less than 1% of the sidepath network falls into this condition category.

Poor (30-50)



South Adams Street (SWCI = 39, SWID = 03890) – This segment displays significant cracking. Most of the segment presents edge cracking, but there are also large severe cracks isolated across the segment. None of the alligator cracking persists across the full width of the pavement indicating that an overlay may bring the majority of this segment into serviceable condition. Only 2% of the sidepath network falls into this condition range.

Marginal (50-75)



West Ezekiel Drive (SWCI= 52, SWID-05038) - This segment of sidewalk is in mostly serviceable condition with a few exceptions. The image above shows the most severely distressed portion of the sidewalk. This segment presents such severe cracking and shoving that it has impacted the overall condition of this, otherwise serviceable, path. A large percentage of the sidepath network (41%) presents conditions in this category, meaning that the majority of the paved surface is in serviceable condition, however some small areas require major repairs.

Fair (75-90)



East 5th Street (SWCI = 77, SWID-06031) – This sidewalk in the Fair range is in mostly serviceable condition requiring routine maintenance, the exception to some low severity horizontal cracking which should be sealed to prevent water intrusion. Fair sidepaths account for 39% of the paved area. Paths in this condition are great candidates for preventive maintenance, such as crack sealing.

Good (90-100)



Soth Sare Road (SWID-04189 SWCI = 98) - This segment of sidewalk is rated as “good” and displays no significant distresses. 18% of the sidepath network is in Good condition with no noticeable distresses present.

3.4 Observed Obstructions

Obstructions are calculated and considered separately from the SWCI and should rank high on the priority for the City to fix. There are two reasons for this. First is the consideration of ADA liability, where even a single obstruction on an overall Good SWCI-rated sidewalk will count the entire segment as a failure to comply with ADA regulations. Next is the cost consideration; a majority of obstructions are inexpensive and easily fixed problems. Foliage can be trimmed back, garbage and recycle receptacles can be repositioned so that they do not block the sidewalk and tripping hazards can often be smoothed over without spending a lot of capital. **Figure 11** shows a breakdown of Sidewalk Obstruction Type by Cost.




Figure 11 – Sidewalk Obstruction Type by Cost

The greatest costs associated with obstruction removal falls into the “Mail box” category and involves the removal, relocation or otherwise addressing of numerous mailbox units that are positioned to impair sidewalk travel. It is common for utility companies that manage these assets to assist the City in the costs associated with the movement of their utility assets. This may significantly reduce the overall costs associated with obstruction removal or the construction of sidewalk fillets.

Example Obstructions:

In these examples, the power poles and street furniture restrict the width of the sidewalks. These obstructions should be removed or additional infrastructure should be built to allow the public to traverse the sidewalks with ease.





3.5 Rehab Cost Estimates

In order to adequately plan for the cost of maintaining and improving the overall sidewalk and sidepath network, three unique funding models were run based off the current condition, detected distresses and cost estimates to address observed distress. These models are shown in **Figure 12**.




Figure 12 – SWCI Target Funding Models

These models demonstrate the investment needed to achieve 3 different SWCI goals over one year of M&R.

SWCI Goal 79 - \$2,260,000

SWCI Goal 80 - \$2,860,000

SWCI Goal 81 - \$3,450,000

**Keep in mind that these models are only estimates of the rehab cost based on observed distresses network wide. They are not a substitute for segment-level engineering design.*

4.0 PROJECT RECOMMENDATIONS AND COMMENTS

4.1 Project Summary and Recommendations

In 2025, a condition survey was performed on the full City sidewalk network. The results of the condition survey were aggregated into the Easy Sidewalk Analysis (ESWA) sidewalk management system. This system was used to organize a georeferenced sidewalk inventory, determine accurate conditions for the assets, and provide cost estimates for rehabilitation of the assets.

The following broad recommendations are presented to the City as an output from the sidewalk analysis and must be read in conjunction with the previous sections.

- The City should make efforts to keep the ESWA spreadsheet up to date.
 - By maintaining and updating the rehabilitation unit rates, work history of the segments, and accuracy of the inventory, the City will be able to reliably forecast funding needs for future years. This allows the City to be proactive in maintaining the condition of the sidewalk network at an acceptable level.
- The City should periodically resurvey the sidewalk network.
 - Sidewalk performance over time involves many variables, such as traffic volumes, environmental factors, maintenance timing, and design standards. As these variables change, the rate at which they deteriorate will change with them. The periodic resurvey of conditions allows the City to track these changes and update the spreadsheet accordingly to ensure that appropriate rehabilitation measures are being planned.
- The City should investigate new and additional rehabilitation activities.
 - As technology progresses, improvements in sidewalk rehabilitation are constantly being made. When possible, the City should refresh the rehabilitation activities planned in ESWA to ensure these advances are used to the City's advantage.
- The City should strive to maintain or better its current condition if possible.
 - Generally, it is more cost effective to maintain a condition than it is to regain ground lost to deterioration. The City currently maintains an overall sidewalk network SWCI of 75.
 - The sidepath network presents a SWCI of 78.

4.2 Closing

The IMS Team greatly appreciates the opportunity to work with the City on this sidewalk management implementation. Over the course of this project, it has become clear that the City staff demonstrates a strong commitment to providing the highest level of service that they can to their community. IMS stands ready to assist the City with training and technical support as necessary, and we welcome the opportunity to work with the City on future pavement and asset management projects.

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04425	Access Road to Switchyard Pavilion	5.0	14	70	Mono Curb And Walk	Concrete	1.83	Curb	7.61	5.05	38.39	100	Good	No Priority
SW07284	ALLEY 1	5.6	12	69	Mono Curb And Walk	Concrete	2.44	Curb	5.07	5.61	28.41	100	Good	No Priority
SW00184	ALLEY 11	6.0	21	126	Boulevard Walk	Concrete	3.47	Curb	6.03	6.02	36.26	100	Good	No Priority
SW00537	ALLEY 12	5.1	254	1,302	Mono Curb And Walk	Concrete	63.47	Curb	4.00	5.13	20.52	97	Good	Deferrable Priority
SW00167	ALLEY 3	4.3	13	58	Mono Curb And Walk	Concrete	2.79	Curb	4.79	4.31	20.63	84	Fair	Deferrable Priority
SW00029	ALLEY 42	4.8	218	1,038	Boulevard Walk	Concrete	46.05	Curb	4.74	4.76	22.53	28	Very Poor	Immediate Priority
SW00506	ALLEY 42	5.8	12	68	Boulevard Walk	Concrete	2.28	Curb	5.15	5.83	30.01	100	Good	No Priority
SW00731	ALLEY 46	3.9	15	60	Mono Curb And Walk	Concrete	4.92	Curb	3.13	3.89	12.18	100	Good	No Priority
SW08808	ALLEY 6	5.9	24	143	Boulevard Walk	Concrete	4.97	Curb	4.90	5.88	28.81	100	Good	No Priority
SW00194	ALLEY 8	6.6	18	119	Mono Curb And Walk	Concrete	3.39	Curb	5.31	6.62	35.17	51	Marginal	Low Priority
SW00236	ALLEY 8	5.7	29	165	Boulevard Walk	Concrete	6.50	Curb	4.44	5.73	25.47	85	Fair	Deferrable Priority
SW00290	ALLEY 9	5.7	14	81	Mono Curb And Walk	Pavers / Brick	3.53	Curb	4.00	5.75	22.98	86	Fair	Deferrable Priority
SW07153	E 10th ST	6.4	109	694	Mono Curb And Walk	Concrete	18.74	Curb	5.80	6.38	37.00	24	Very Poor	Immediate Priority
SW07154	E 10th ST	5.0	50	248	Mono Curb And Walk	Concrete	9.85	Curb	5.04	4.99	25.16	11	Very Poor	Low Priority
SW07147	E 10th ST	4.6	136	624	Mono Curb And Walk	Concrete	30.22	Curb	4.51	4.58	20.66	36	Poor	Immediate Priority
SW07624	E 10th ST	4.5	166	754	Mono Curb And Walk	Concrete	30.13	Curb	5.50	4.55	25.02	43	Poor	Low Priority
SW07310	E 10th ST	5.6	100	561	Mono Curb And Walk	Concrete	19.74	Curb	5.07	5.61	28.41	70	Marginal	Low Priority
SW01270	E 10th ST	5.4	134	728	Boulevard Walk	Concrete	27.18	Curb	4.94	5.43	26.78	67	Marginal	Low Priority
SW07046	E 10th ST	4.3	153	663	Mono Curb And Walk	Concrete	32.02	Curb	4.77	4.35	20.72	68	Marginal	Low Priority
SW07626	E 10th ST	5.4	44	238	Mono Curb And Walk	Concrete	9.47	Curb	4.67	5.38	25.13	78	Fair	Low Priority
SW07182	E 10th ST	5.3	46	244	Mono Curb And Walk	Concrete	10.41	Curb	4.40	5.32	23.41	45	Poor	Low Priority
SW01250	E 10th ST	7.6	219	1,671	Mono Curb And Walk	Concrete	34.11	Curb	6.41	7.65	48.99	57	Marginal	Low Priority
SW07183	E 10th ST	5.4	135	734	Mono Curb And Walk	Concrete	28.67	Curb	4.71	5.43	25.59	58	Marginal	Low Priority
SW07211	E 10th ST	5.1	134	681	Mono Curb And Walk	Concrete	26.14	Curb	5.12	5.09	26.04	55	Marginal	Low Priority
SW07097	E 10th ST	4.6	346	1,590	Mono Curb And Walk	Concrete	78.40	Curb	4.41	4.59	20.28	72	Marginal	Low Priority
SW01260	E 10th ST	5.6	117	648	Mono Curb And Walk	Concrete	23.67	Curb	4.93	5.55	27.37	53	Marginal	Low Priority
SW01245	E 10th ST	6.0	76	454	Mono Curb And Walk	Concrete	21.68	Curb	3.52	5.96	20.96	80	Fair	Low Priority
SW07077	E 10th ST	5.2	156	816	Mono Curb And Walk	Concrete	30.15	Curb	5.18	5.23	27.06	63	Marginal	Low Priority
SW07203	E 10th ST	4.9	136	662	Mono Curb And Walk	Concrete	31.76	Curb	4.29	4.86	20.85	60	Marginal	Low Priority
SW07843	E 10th ST	5.7	890	5,103	Mono Curb And Walk	Concrete	176.67	Curb	5.04	5.74	28.89	77	Fair	Immediate Priority
SW07102	E 10th ST	6.0	154	922	Mono Curb And Walk	Concrete	29.06	Curb	5.30	5.98	31.71	47	Poor	Low Priority
SW01239	E 10th ST	6.0	616	3,687	Mono Curb And Walk	Concrete	133.87	Curb	4.60	5.99	27.54	76	Fair	Low Priority
SW07170	E 10th ST	5.0	135	674	Mono Curb And Walk	Concrete	21.66	Curb	6.22	5.00	31.12	58	Marginal	Low Priority
SW01267	E 10th ST	5.2	132	685	Mono Curb And Walk	Concrete	28.22	Curb	4.66	5.21	24.27	84	Fair	Low Priority
SW07186	E 10th ST	6.1	180	1,100	Mono Curb And Walk	Concrete	33.71	Curb	5.33	6.13	32.63	58	Marginal	Low Priority
SW07204	E 10th ST	6.2	149	920	Boulevard Walk	Concrete	30.62	Curb	4.86	6.19	30.05	67	Marginal	Low Priority
SW07312	E 10th ST	5.5	139	768	Mono Curb And Walk	Concrete	24.75	Curb	5.61	5.53	31.04	74	Marginal	Low Priority
SW01258	E 10th ST	7.6	121	927	Mono Curb And Walk	Concrete	24.57	Curb	4.94	7.65	37.74	65	Marginal	Very Low Priority
SW07257	E 10th ST	7.7	28	220	Mono Curb And Walk	Concrete	4.06	Curb	7.01	7.73	54.23	87	Fair	Deferrable Priority
SW07115	E 10th ST	8.0	96	764	Mono Curb And Walk	Concrete	20.87	Curb	4.60	7.96	36.59	87	Fair	Deferrable Priority
SW01238	E 10th ST	5.8	157	909	Mono Curb And Walk	Concrete	31.64	Curb	4.97	5.78	28.74	88	Fair	Deferrable Priority
SW07258	E 10th ST	7.8	71	550	Mono Curb And Walk	Concrete	9.64	Curb	7.35	7.76	56.99	88	Fair	Deferrable Priority
SW01268	E 10th ST	5.1	353	1,783	Boulevard Walk	Concrete	77.24	Curb	4.57	5.06	23.09	86	Fair	Immediate Priority
SW07627	E 10th ST	5.3	57	303	Mono Curb And Walk	Concrete	14.72	Curb	3.87	5.33	20.60	88	Fair	Deferrable Priority
SW07100	E 10th ST	4.5	155	700	Mono Curb And Walk	Concrete	25.40	Curb	6.08	4.53	27.56	89	Fair	Low Priority
SW01237	E 10th ST	5.8	120	696	Boulevard Walk	Concrete	20.54	No Curb	5.86	5.79	33.91	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01242	E 10th ST	4.6	51	233	Mono Curb And Walk	Concrete	10.89	Curb	4.69	4.56	21.39	89	Fair	Deferrable Priority
SW07256	E 10th ST	7.5	255	1,913	Boulevard Walk	Concrete	35.83	Curb	7.13	7.49	53.40	73	Marginal	Very Low Priority
SW01240	E 10th ST	6.8	337	2,300	Mono Curb And Walk	Concrete	71.95	Curb	4.68	6.84	31.97	85	Fair	Immediate Priority
SW07116	E 10th ST	12.1	183	2,215	Mono Curb And Walk	Concrete	29.66	Curb	6.15	12.14	74.67	90	Fair	Deferrable Priority
SW07301	E 10th ST	5.2	155	804	Mono Curb And Walk	Concrete	35.47	Curb	4.38	5.18	22.67	90	Fair	Deferrable Priority
SW07119	E 10th ST	8.2	425	3,463	Boulevard Walk	Concrete	80.01	Curb	5.31	8.15	43.29	90	Good	Deferrable Priority
SW01257	E 10th ST	6.6	452	2,975	Mono Curb And Walk	Concrete	114.39	Curb	3.95	6.59	26.01	90	Good	Low Priority
SW01243	E 10th ST	6.1	46	281	Mono Curb And Walk	Concrete	6.54	Curb	7.05	6.10	43.03	91	Good	Deferrable Priority
SW07121	E 10th ST	9.6	563	5,425	Mono Curb And Walk	Concrete	106.68	Curb	5.28	9.64	50.85	91	Good	Low Priority
SW07285	E 10th ST	5.5	151	832	Mono Curb And Walk	Concrete	32.78	Curb	4.61	5.50	25.37	81	Fair	Low Priority
SW07236	E 10th ST	4.7	133	624	Mono Curb And Walk	Concrete	27.96	Curb	4.76	4.69	22.32	73	Marginal	Low Priority
SW07185	E 10th ST	4.0	320	1,285	Mono Curb And Walk	Concrete	106.83	Curb	2.99	4.02	12.03	76	Fair	Low Priority
SW07235	E 10th ST	4.8	290	1,398	Boulevard Walk	Concrete	64.62	Curb	4.49	4.82	21.63	92	Good	Deferrable Priority
SW07148	E 10th ST	5.6	135	749	Boulevard Walk	Concrete	27.37	Curb	4.92	5.57	27.38	93	Good	Deferrable Priority
SW01265	E 10th ST	11.1	168	1,867	Mono Curb And Walk	Concrete	31.43	Curb	5.34	11.12	59.39	82	Fair	Very Low Priority
SW07155	E 10th ST	5.0	153	765	Mono Curb And Walk	Concrete	27.71	Curb	5.51	5.01	27.61	81	Fair	Very Low Priority
SW07239	E 10th ST	5.0	306	1,527	Mono Curb And Walk	Concrete	59.78	Curb	5.12	4.99	25.54	93	Good	Deferrable Priority
SW07073	E 10th ST	5.5	154	839	Mono Curb And Walk	Concrete	27.65	Curb	5.56	5.46	30.36	82	Fair	Very Low Priority
SW07118	E 10th ST	6.7	136	914	Mono Curb And Walk	Concrete	25.45	Curb	5.34	6.72	35.92	95	Good	Deferrable Priority
SW01247	E 10th ST	6.8	819	5,540	Boulevard Walk	Concrete	115.88	Curb	7.06	6.77	47.81	96	Good	Low Priority
SW01246	E 10th ST	7.8	386	2,991	Boulevard Walk	Concrete	52.50	Curb	7.35	7.76	56.97	92	Good	Low Priority
SW07240	E 10th ST	5.0	397	1,984	Mono Curb And Walk	Concrete	80.12	Curb	4.96	5.00	24.76	97	Good	Deferrable Priority
SW07212	E 10th ST	6.8	292	1,986	Mono Curb And Walk	Concrete	42.66	Curb	6.86	6.79	46.55	89	Fair	Very Low Priority
SW07117	E 10th ST	11.0	219	2,415	Mono Curb And Walk	Concrete	35.48	Curb	6.18	11.01	68.07	97	Good	Deferrable Priority
SW07184	E 10th ST	5.4	86	465	Mono Curb And Walk	Concrete	19.02	Curb	4.53	5.40	24.45	74	Marginal	Very Low Priority
SW07238	E 10th ST	7.3	281	2,042	Mono Curb And Walk	Concrete	35.46	Curb	7.92	7.27	57.58	85	Fair	Very Low Priority
SW01266	E 10th ST	7.5	276	2,079	Boulevard Walk	Concrete	57.46	Curb	4.81	7.53	36.17	97	Good	Deferrable Priority
SW07120	E 10th ST	8.3	360	2,999	Boulevard Walk	Concrete	70.45	Curb	5.11	8.34	42.56	97	Good	Deferrable Priority
SW01241	E 10th ST	7.1	211	1,488	Mono Curb And Walk	Concrete	39.77	Curb	5.30	7.06	37.42	87	Fair	Very Low Priority
SW07206	E 10th ST	5.2	145	753	Boulevard Walk	Concrete	36.75	Curb	3.95	5.19	20.50	98	Good	Deferrable Priority
SW01244	E 10th ST	6.2	29	178	Mono Curb And Walk	Concrete	5.14	Curb	5.57	6.24	34.75	100	Good	No Priority
SW01261	E 10th ST	6.6	41	270	Boulevard Walk	Concrete	8.76	No Curb	4.63	6.64	30.77	100	Good	No Priority
SW01269	E 10th ST	5.6	97	541	Mono Curb And Walk	Concrete	16.92	Curb	5.75	5.55	31.95	100	Good	No Priority
SW01271	E 10th ST	5.6	38	213	Mono Curb And Walk	Concrete	10.58	Curb	3.62	5.57	20.17	100	Good	No Priority
SW07621	E 10th ST	5.7	131	744	Boulevard Walk	Concrete	29.86	Curb	4.40	5.66	24.90	100	Good	No Priority
SW07221	E 11th ST	4.8	258	1,234	Boulevard Walk	Concrete	43.24	Curb	5.96	4.79	28.53	19	Very Poor	Immediate Priority
SW07059	E 11th ST	4.7	157	742	Mono Curb And Walk	Concrete	32.85	Curb	4.78	4.72	22.57	14	Very Poor	Immediate Priority
SW07218	E 11th ST	5.2	145	755	Boulevard Walk	Concrete	27.72	Curb	5.24	5.20	27.25	30	Poor	Immediate Priority
SW07197	E 11th ST	4.2	143	608	Boulevard Walk	Concrete	38.57	Curb	3.72	4.24	15.77	49	Poor	Immediate Priority
SW07067	E 11th ST	5.6	156	872	Mono Curb And Walk	Concrete	23.56	Curb	6.61	5.60	37.01	27	Very Poor	Low Priority
SW07196	E 11th ST	4.5	146	666	Boulevard Walk	Concrete	34.50	Curb	4.25	4.55	19.30	45	Poor	Low Priority
SW07597	E 11th ST	5.2	145	745	Boulevard Walk	Concrete	28.33	Curb	5.10	5.15	26.29	62	Marginal	Immediate Priority
SW07062	E 11th ST	4.8	155	745	Mono Curb And Walk	Concrete	29.96	Curb	5.19	4.79	24.87	62	Marginal	Low Priority
SW07193	E 11th ST	4.9	144	703	Boulevard Walk	Concrete	31.50	Curb	4.58	4.87	22.31	35	Poor	Low Priority
SW07140	E 11th ST	4.5	133	592	Boulevard Walk	Concrete	29.34	Curb	4.53	4.46	20.19	27	Very Poor	Low Priority
SW07215	E 11th ST	5.0	149	739	Boulevard Walk	Concrete	26.85	Curb	5.55	4.96	27.54	68	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07143	E 11th ST	4.7	141	658	Boulevard Walk	Concrete	31.38	Curb	4.48	4.68	20.97	54	Marginal	Low Priority
SW07179	E 11th ST	4.3	140	603	Boulevard Walk	Concrete	34.33	Curb	4.09	4.30	17.57	44	Poor	Low Priority
SW07194	E 11th ST	4.3	145	630	Boulevard Walk	Concrete	27.72	Curb	5.24	4.34	22.71	64	Marginal	Low Priority
SW07199	E 11th ST	4.9	362	1,783	Boulevard Walk	Concrete	75.53	Curb	4.80	4.92	23.60	81	Fair	Low Priority
SW07200	E 11th ST	4.4	140	619	Boulevard Walk	Concrete	34.12	Curb	4.11	4.41	18.15	78	Fair	Low Priority
SW07158	E 11th ST	5.1	95	483	Boulevard Walk	Concrete	17.75	Curb	5.36	5.08	27.23	71	Marginal	Low Priority
SW07178	E 11th ST	5.2	105	549	Boulevard Walk	Concrete	18.62	Curb	5.63	5.23	29.46	76	Fair	Low Priority
SW07606	E 11th ST	4.6	150	695	Boulevard Walk	Concrete	30.30	Curb	4.95	4.63	22.93	73	Marginal	Low Priority
SW07066	E 11th ST	4.4	155	673	Mono Curb And Walk	Concrete	33.55	Curb	4.61	4.35	20.07	76	Fair	Low Priority
SW07192	E 11th ST	5.2	142	741	Boulevard Walk	Concrete	22.87	Curb	6.22	5.21	32.39	79	Fair	Low Priority
SW07223	E 11th ST	5.6	367	2,046	Boulevard Walk	Concrete	44.29	Curb	8.29	5.57	46.20	89	Fair	Low Priority
SW07166	E 11th ST	4.6	189	864	Boulevard Walk	Concrete	41.77	Curb	4.52	4.58	20.68	87	Fair	Low Priority
SW07594	E 11th ST	4.3	55	237	Boulevard Walk	Concrete	11.38	Curb	4.79	4.35	20.84	69	Marginal	Very Low Priority
SW07592	E 11th ST	4.9	94	463	Mono Curb And Walk	Concrete	19.32	Curb	4.86	4.93	23.94	93	Good	Deferrable Priority
SW07222	E 11th ST	5.6	263	1,465	Boulevard Walk	Concrete	49.23	Curb	5.35	5.56	29.75	94	Good	Deferrable Priority
SW07602	E 11th ST	4.7	98	461	Boulevard Walk	Concrete	18.27	Curb	5.35	4.72	25.25	62	Marginal	Very Low Priority
SW07157	E 11th ST	4.7	157	736	Boulevard Walk	Concrete	28.18	Curb	5.57	4.69	26.13	81	Fair	Very Low Priority
SW07604	E 11th ST	4.9	146	717	Boulevard Walk	Concrete	30.30	Curb	4.81	4.92	23.66	98	Good	Deferrable Priority
SW07176	E 11th ST	4.9	156	770	Mono Curb And Walk	Concrete	30.95	Curb	5.05	4.93	24.87	82	Fair	Very Low Priority
SW07175	E 11th ST	4.9	101	496	Mono Curb And Walk	Concrete	21.64	Curb	4.65	4.94	22.93	100	Good	No Priority
SW07526	E 12th ST	4.9	92	454	Boulevard Walk	Concrete	15.67	Curb	5.87	4.94	28.96	52	Marginal	Immediate Priority
SW07596	E 12th ST	4.2	143	597	Boulevard Walk	Concrete	27.99	Curb	5.12	4.17	21.34	30	Very Poor	Immediate Priority
SW07585	E 12th ST	5.3	140	746	Boulevard Walk	Concrete	24.56	Curb	5.72	5.32	30.39	50	Poor	Immediate Priority
SW07061	E 12th ST	4.7	160	755	Boulevard Walk	Concrete	29.02	Curb	5.51	4.72	26.02	58	Marginal	Immediate Priority
SW07247	E 12th ST	6.4	41	257	Boulevard Walk	Concrete	8.03	Curb	5.05	6.35	32.05	72	Marginal	Low Priority
SW07034	E 12th ST	5.3	354	1,867	Boulevard Walk	Concrete	70.55	Curb	5.01	5.28	26.46	67	Marginal	Immediate Priority
SW07504	E 12th ST	4.9	56	274	Boulevard Walk	Concrete	8.93	Curb	6.31	4.87	30.73	65	Marginal	Low Priority
SW07083	E 12th ST	6.1	336	2,042	Boulevard Walk	Concrete	54.77	Curb	6.14	6.07	37.28	57	Marginal	Immediate Priority
SW07045	E 12th ST	5.3	161	853	Boulevard Walk	Concrete	26.96	Curb	5.99	5.29	31.66	68	Marginal	Low Priority
SW07033	E 12th ST	4.8	342	1,628	Boulevard Walk	Concrete	67.61	Curb	5.06	4.76	24.08	66	Marginal	Immediate Priority
SW07246	E 12th ST	6.3	82	514	Boulevard Walk	Concrete	16.71	Curb	4.91	6.26	30.75	82	Fair	Low Priority
SW07191	E 12th ST	4.0	133	540	Boulevard Walk	Concrete	30.75	Curb	4.34	4.04	17.55	50	Marginal	Low Priority
SW07542	E 12th ST	4.7	138	653	Boulevard Walk	Concrete	23.41	Curb	5.90	4.73	27.91	65	Marginal	Low Priority
SW07593	E 12th ST	4.8	140	675	Boulevard Walk	Concrete	28.73	Curb	4.88	4.82	23.51	75	Fair	Low Priority
SW07524	E 12th ST	5.0	135	677	Boulevard Walk	Concrete	25.73	Curb	5.25	5.01	26.31	78	Fair	Low Priority
SW07587	E 12th ST	4.7	155	728	Boulevard Walk	Concrete	31.15	Curb	4.97	4.70	23.38	76	Fair	Low Priority
SW07590	E 12th ST	4.8	157	755	Boulevard Walk	Concrete	32.31	Curb	4.86	4.81	23.36	81	Fair	Low Priority
SW07245	E 12th ST	7.9	29	227	Boulevard Walk	Concrete	4.75	Curb	6.03	7.91	47.68	88	Fair	Deferrable Priority
SW07525	E 12th ST	4.6	137	625	Boulevard Walk	Concrete	25.96	Curb	5.28	4.56	24.08	77	Fair	Low Priority
SW07505	E 12th ST	4.9	254	1,232	Boulevard Walk	Concrete	46.96	Curb	5.41	4.85	26.24	89	Fair	Deferrable Priority
SW07506	E 12th ST	5.0	378	1,902	Boulevard Walk	Concrete	73.69	Curb	5.13	5.03	25.82	79	Fair	Low Priority
SW07248	E 12th ST	5.5	301	1,652	Boulevard Walk	Concrete	58.99	Curb	5.10	5.50	28.01	91	Good	Low Priority
SW07190	E 12th ST	5.2	304	1,584	Boulevard Walk	Concrete	54.80	Curb	5.55	5.21	28.91	93	Good	Low Priority
SW07591	E 12th ST	4.8	102	489	Boulevard Walk	Concrete	20.44	Curb	4.97	4.81	23.90	75	Fair	Very Low Priority
SW07527	E 12th ST	4.5	189	859	Boulevard Walk	Concrete	45.16	Curb	4.18	4.55	19.02	95	Good	Deferrable Priority
SW07084	E 12th ST	5.2	147	758	Boulevard Walk	Concrete	23.36	Curb	6.27	5.18	32.47	97	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07541	E 12th ST	5.0	136	686	Boulevard Walk	Concrete	27.63	Curb	4.94	5.03	24.81	97	Good	Deferrable Priority
SW07054	E 12th ST	5.8	180	1,053	Boulevard Walk	Concrete	29.56	Curb	6.10	5.84	35.60	98	Good	Deferrable Priority
SW07547	E 13th ST	5.1	135	696	Boulevard Walk	Stamped Concrete	24.43	No Curb	5.54	5.15	28.50	6	Very Poor	Immediate Priority
SW07517	E 13th ST	5.3	140	742	Boulevard Walk	Concrete	25.35	No Curb	5.54	5.29	29.27	11	Very Poor	Immediate Priority
SW07540	E 13th ST	5.5	362	2,003	Mono Curb And Walk	Stamped Concrete	78.32	No Curb	4.62	5.53	25.58	27	Very Poor	Immediate Priority
SW07559	E 13th ST	5.9	215	1,278	Mono Curb And Walk	Concrete	35.86	Curb	6.00	5.94	35.63	40	Poor	Low Priority
SW07560	E 13th ST	8.0	97	782	Mono Curb And Walk	Concrete	11.81	Curb	8.25	8.03	66.23	56	Marginal	Low Priority
SW07556	E 13th ST	6.4	520	3,305	Mono Curb And Walk	Concrete	77.79	Curb	6.68	6.36	42.48	71	Marginal	Immediate Priority
SW07552	E 13th ST	8.0	127	1,021	Boulevard Walk	Concrete	17.29	Curb	7.37	8.02	59.08	78	Fair	Low Priority
SW07529	E 13th ST	3.9	264	1,022	Mono Curb And Walk	Concrete	60.89	Curb	4.33	3.88	16.79	63	Marginal	Low Priority
SW07521	E 13th ST	5.3	330	1,739	Mono Curb And Walk	Concrete	73.33	Curb	4.50	5.27	23.72	71	Marginal	Low Priority
SW07551	E 13th ST	4.0	271	1,086	Boulevard Walk	Concrete	40.21	Curb	6.74	4.01	26.99	89	Fair	Low Priority
SW07550	E 13th ST	5.0	309	1,540	Mono Curb And Walk	Concrete	72.11	Curb	4.29	4.98	21.35	90	Good	Low Priority
SW07553	E 13th ST	5.1	172	875	Mono Curb And Walk	Stamped Concrete	42.78	Curb	4.01	5.09	20.45	91	Good	Deferrable Priority
SW07548	E 13th ST	4.9	300	1,485	Mono Curb And Walk	Concrete	60.42	Curb	4.97	4.95	24.58	91	Good	Low Priority
SW07543	E 13th ST	5.9	85	499	Mono Curb And Walk	Concrete	15.66	Curb	5.40	5.91	31.88	71	Marginal	Very Low Priority
SW07546	E 13th ST	5.8	182	1,063	Mono Curb And Walk	Concrete	34.56	Curb	5.26	5.85	30.76	82	Fair	Very Low Priority
SW07549	E 13th ST	4.0	302	1,205	Mono Curb And Walk	Concrete	51.54	Curb	5.86	3.99	23.38	93	Good	Deferrable Priority
SW07333	E 14th ST	5.1	69	353	Boulevard Walk	Concrete	11.57	Curb	5.94	5.13	30.48	19	Very Poor	Immediate Priority
SW07334	E 14th ST	5.1	245	1,261	Boulevard Walk	Concrete	42.17	Curb	5.82	5.14	29.90	17	Very Poor	Immediate Priority
SW07561	E 14th ST	4.7	205	959	Mono Curb And Walk	Stamped Concrete	42.77	No Curb	4.79	4.68	22.41	31	Poor	Low Priority
SW09233	E 14th ST	5.1	105	536	Boulevard Walk	Concrete	19.05	Curb	5.54	5.08	28.14	45	Poor	Immediate Priority
SW07532	E 14th ST	4.7	132	616	Mono Curb And Walk	Stamped Concrete	27.51	No Curb	4.79	4.68	22.40	46	Poor	Low Priority
SW07357	E 14th ST	4.5	183	822	Boulevard Walk	Concrete	26.87	Curb	6.82	4.48	30.59	31	Poor	Immediate Priority
SW09231	E 14th ST	5.5	99	545	Boulevard Walk	Concrete	17.73	Curb	5.59	5.49	30.73	51	Marginal	Immediate Priority
SW07533	E 14th ST	4.7	295	1,381	Mono Curb And Walk	Stamped Concrete	61.66	No Curb	4.79	4.68	22.40	64	Marginal	Low Priority
SW07538	E 14th ST	5.8	59	341	Mono Curb And Walk	Concrete	12.05	Curb	4.87	5.81	28.30	74	Marginal	Low Priority
SW07516	E 14th ST	4.7	135	631	Mono Curb And Walk	Stamped Concrete	28.15	Curb	4.79	4.68	22.40	54	Marginal	Low Priority
SW07331	E 14th ST	6.5	193	1,259	Boulevard Walk	Concrete	32.03	Curb	6.02	6.53	39.30	73	Marginal	Low Priority
SW07356	E 14th ST	5.1	157	796	Boulevard Walk	Concrete	28.27	Curb	5.56	5.06	28.14	59	Marginal	Low Priority
SW09232	E 14th ST	5.2	78	400	Boulevard Walk	Concrete	14.21	Curb	5.46	5.16	28.16	35	Poor	Low Priority
SW07580	E 14th ST	5.3	174	915	Boulevard Walk	Concrete	31.07	Curb	5.61	5.25	29.45	77	Fair	Low Priority
SW07579	E 14th ST	5.2	139	718	Boulevard Walk	Concrete	24.71	Curb	5.61	5.18	29.05	72	Marginal	Low Priority
SW07335	E 14th ST	6.7	345	2,301	Boulevard Walk	Concrete	52.38	Curb	6.59	6.66	43.93	82	Fair	Low Priority
SW07332	E 14th ST	6.8	340	2,314	Boulevard Walk	Concrete	52.50	Curb	6.48	6.80	44.09	88	Fair	Deferrable Priority
SW07358	E 14th ST	5.3	122	651	Boulevard Walk	Concrete	23.12	Curb	5.29	5.33	28.16	92	Good	Deferrable Priority
SW07336	E 14th ST	6.8	193	1,308	Boulevard Walk	Concrete	28.54	Curb	6.75	6.78	45.82	93	Good	Deferrable Priority
SW07512	E 14th ST	3.7	116	433	Mono Curb And Walk	Concrete	22.33	Curb	5.19	3.73	19.37	97	Good	Deferrable Priority
SW07355	E 14th ST	6.7	159	1,065	Boulevard Walk	Concrete	25.92	Curb	6.14	6.69	41.08	97	Good	Deferrable Priority
SW07362	E 14th ST	6.8	72	494	Boulevard Walk	Concrete	9.40	Curb	7.71	6.82	52.55	100	Good	No Priority
SW07350	E 15th ST	4.7	354	1,679	Boulevard Walk	Concrete	58.27	Curb	6.08	4.74	28.82	8	Very Poor	Immediate Priority
SW09179	E 15th ST	5.1	170	869	Boulevard Walk	Concrete	29.24	Curb	5.81	5.11	29.73	25	Very Poor	Immediate Priority
SW07342	E 15th ST	4.8	348	1,662	Boulevard Walk	Concrete	56.95	Curb	6.11	4.78	29.19	24	Very Poor	Low Priority
SW09196	E 15th ST	4.8	124	596	Boulevard Walk	Concrete	23.10	Curb	5.36	4.81	25.82	43	Poor	Immediate Priority
SW09178	E 15th ST	4.2	175	738	Boulevard Walk	Concrete	46.30	Curb	3.77	4.23	15.95	41	Poor	Immediate Priority
SW09203	E 15th ST	4.5	135	602	Boulevard Walk	Concrete	32.57	Curb	4.14	4.47	18.49	58	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09177	E 15th ST	5.1	175	893	Boulevard Walk	Concrete	27.34	Curb	6.38	5.11	32.64	36	Poor	Low Priority
SW07340	E 15th ST	4.7	159	741	Boulevard Walk	Concrete	32.29	Curb	4.93	4.66	22.96	68	Marginal	Low Priority
SW10810	E 15th ST	4.6	134	617	Boulevard Walk	Concrete	26.54	Curb	5.05	4.61	23.26	61	Marginal	Low Priority
SW07338	E 15th ST	4.9	153	749	Boulevard Walk	Concrete	27.99	Curb	5.46	4.90	26.74	71	Marginal	Low Priority
SW07341	E 15th ST	4.3	160	687	Boulevard Walk	Concrete	32.08	Curb	4.99	4.29	21.43	63	Marginal	Low Priority
SW10816	E 15th ST	4.9	141	692	Boulevard Walk	Concrete	24.60	Curb	5.72	4.92	28.15	50	Marginal	Low Priority
SW09176	E 15th ST	4.6	174	797	Boulevard Walk	Concrete	39.79	Curb	4.38	4.58	20.02	79	Fair	Low Priority
SW07480	E 15th ST	3.6	200	725	Boulevard Walk	Concrete	40.73	Curb	4.92	3.62	17.80	75	Fair	Low Priority
SW07562	E 15th ST	3.6	16	57	Boulevard Walk	Concrete	3.20	Curb	4.92	3.62	17.80	85	Fair	Deferrable Priority
SW07479	E 15th ST	4.6	178	817	Boulevard Walk	Concrete	38.79	Curb	4.60	4.58	21.06	71	Marginal	Low Priority
SW09180	E 16th ST	5.2	175	910	Boulevard Walk	Concrete	30.59	Partial Curb	5.71	5.21	29.76	8	Very Poor	Immediate Priority
SW09208	E 16th ST	5.4	176	950	Boulevard Walk	Concrete	28.66	Curb	6.15	5.39	33.15	8	Very Poor	Immediate Priority
SW09201	E 16th ST	5.1	131	668	Boulevard Walk	Concrete	28.57	Curb	4.60	5.08	23.37	25	Very Poor	Immediate Priority
SW07343	E 16th ST	4.9	162	788	Boulevard Walk	Concrete	32.59	Curb	4.96	4.88	24.20	45	Poor	Immediate Priority
SW07339	E 16th ST	4.7	161	759	Boulevard Walk	Concrete	31.75	Curb	5.06	4.72	23.89	25	Very Poor	Immediate Priority
SW07569	E 16th ST	4.6	334	1,521	Boulevard Walk	Concrete	60.28	Curb	5.54	4.56	25.24	13	Very Poor	Low Priority
SW09181	E 16th ST	5.2	133	693	Boulevard Walk	Concrete	24.31	Curb	5.47	5.21	28.49	36	Poor	Low Priority
SW07337	E 16th ST	4.7	184	872	Boulevard Walk	Concrete	36.18	Curb	5.09	4.74	24.09	45	Poor	Immediate Priority
SW07346	E 16th ST	4.6	161	737	Boulevard Walk	Concrete	31.35	Curb	5.13	4.58	23.50	60	Marginal	Immediate Priority
SW07348	E 16th ST	4.7	159	742	Boulevard Walk	Concrete	33.11	Curb	4.79	4.68	22.42	55	Marginal	Low Priority
SW10809	E 16th ST	5.2	143	739	Boulevard Walk	Concrete	25.69	Curb	5.56	5.17	28.75	62	Marginal	Low Priority
SW09184	E 16th ST	4.8	172	829	Boulevard Walk	Concrete	34.08	Curb	5.04	4.82	24.32	68	Marginal	Low Priority
SW09207	E 16th ST	5.1	174	884	Boulevard Walk	Concrete	34.04	Curb	5.12	5.07	25.97	61	Marginal	Low Priority
SW10808	E 16th ST	5.8	134	776	Boulevard Walk	Concrete	23.61	Curb	5.70	5.77	32.88	80	Fair	Low Priority
SW07347	E 16th ST	5.0	182	905	Boulevard Walk	Concrete	35.33	Curb	5.15	4.97	25.60	81	Fair	Low Priority
SW07352	E 16th ST	4.8	10	48	Boulevard Walk	Concrete	2.10	Curb	4.74	4.79	22.72	81	Fair	Deferrable Priority
SW07354	E 16th ST	4.8	10	50	Boulevard Walk	Concrete	2.19	Curb	4.74	4.79	22.72	82	Fair	Deferrable Priority
SW07353	E 16th ST	4.8	10	50	Boulevard Walk	Concrete	2.20	Curb	4.74	4.79	22.72	100	Good	No Priority
SW09214	E 16th ST	5.1	9	49	Stand Alone	Concrete	1.73	No Curb	5.48	5.14	28.17	100	Good	No Priority
SW09154	E 17th ST	4.4	130	573	Mono Curb And Walk	Concrete	25.54	Curb	5.08	4.41	22.43	61	Marginal	Low Priority
SW09152	E 17th ST	5.5	35	192	Mono Curb And Walk	Concrete	6.40	Curb	5.48	5.49	30.06	72	Marginal	Low Priority
SW07499	E 17th ST	3.8	147	557	Mono Curb And Walk	Concrete	37.83	Curb	3.89	3.78	14.73	71	Marginal	Low Priority
SW09212	E 17th ST	4.3	53	228	Mono Curb And Walk	Concrete	10.64	Curb	4.95	4.32	21.40	67	Marginal	Low Priority
SW07484	E 17th ST	4.8	157	755	Mono Curb And Walk	Concrete	28.50	Curb	5.50	4.82	26.49	78	Fair	Low Priority
SW09151	E 17th ST	5.5	51	279	Mono Curb And Walk	Concrete	9.27	Curb	5.48	5.49	30.06	78	Fair	Low Priority
SW09211	E 17th ST	4.3	90	391	Mono Curb And Walk	Concrete	18.25	Curb	4.95	4.32	21.40	79	Fair	Low Priority
SW07495	E 17th ST	4.5	174	789	Boulevard Walk	Concrete	33.07	Curb	5.26	4.54	23.86	59	Marginal	Low Priority
SW07718	E 17th ST	7.9	260	2,062	Mono Curb And Walk	Asphalt	65.12	Curb	4.00	7.92	31.66	64	Marginal	Low Priority
SW09209	E 17th ST	3.9	168	660	Mono Curb And Walk	Concrete	53.87	Curb	3.13	3.92	12.25	82	Fair	Low Priority
SW07485	E 17th ST	5.3	103	551	Mono Curb And Walk	Concrete	19.39	Curb	5.33	5.33	28.41	83	Fair	Low Priority
SW07014	E 17th ST	5.6	261	1,453	Mono Curb And Walk	Concrete	47.23	Curb	5.52	5.57	30.76	84	Fair	Low Priority
SW07710	E 17th ST	6.2	18	114	Boulevard Walk	Concrete	3.15	Curb	5.80	6.23	36.12	85	Fair	Deferrable Priority
SW07700	E 17th ST	5.8	1687	9,768	Boulevard Walk	Concrete	281.92	Curb	5.98	5.79	34.65	75	Fair	Low Priority
SW07694	E 17th ST	4.8	85	407	Boulevard Walk	Concrete	18.70	Curb	4.53	4.80	21.74	85	Fair	Low Priority
SW07482	E 17th ST	4.2	157	662	Mono Curb And Walk	Concrete	32.11	Curb	4.88	4.23	20.62	71	Marginal	Low Priority
SW07488	E 17th ST	4.7	25	119	Boulevard Walk	Concrete	4.28	Curb	5.88	4.73	27.81	87	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07501	E 17th ST	6.3	277	1,747	Mono Curb And Walk	Concrete	41.44	Curb	6.69	6.30	42.15	87	Fair	Low Priority
SW09504	E 17th ST	7.1	145	1,032	Mono Curb And Walk	Asphalt	36.37	Curb	4.00	7.09	28.37	69	Marginal	Low Priority
SW07018	E 17th ST	5.8	355	2,049	Mono Curb And Walk	Concrete	74.65	Curb	4.75	5.78	27.45	88	Fair	Low Priority
SW07712	E 17th ST	6.2	34	209	Boulevard Walk	Concrete	7.25	Curb	4.63	6.24	28.90	91	Good	Deferrable Priority
SW07719	E 17th ST	7.4	673	4,995	Mono Curb And Walk	Asphalt	168.16	Curb	4.00	7.43	29.70	91	Good	Low Priority
SW07715	E 17th ST	8.0	362	2,876	Mono Curb And Walk	Asphalt	90.42	Curb	4.00	7.95	31.80	88	Fair	Very Low Priority
SW07699	E 17th ST	7.5	349	2,618	Mono Curb And Walk	Asphalt	87.36	Curb	4.00	7.49	29.97	86	Fair	Low Priority
SW07017	E 17th ST	6.0	653	3,909	Mono Curb And Walk	Concrete	107.79	Curb	6.06	5.99	36.26	91	Good	Low Priority
SW07489	E 17th ST	4.9	65	322	Boulevard Walk	Concrete	10.61	Curb	6.16	4.94	30.37	94	Good	Deferrable Priority
SW07711	E 17th ST	8.2	129	1,054	Boulevard Walk	Asphalt	32.20	Curb	4.00	8.19	32.75	77	Fair	Very Low Priority
SW09505	E 17th ST	7.5	77	573	Mono Curb And Walk	Asphalt	19.20	Curb	4.00	7.46	29.83	95	Good	Deferrable Priority
SW09506	E 17th ST	7.6	315	2,398	Boulevard Walk	Asphalt	78.67	Curb	4.00	7.62	30.48	80	Fair	Very Low Priority
SW07015	E 17th ST	5.9	535	3,172	Mono Curb And Walk	Concrete	90.34	Curb	5.93	5.92	35.12	90	Fair	Very Low Priority
SW07568	E 17th ST	4.8	33	158	Mono Curb And Walk	Concrete	5.96	Curb	5.50	4.82	26.49	100	Good	No Priority
SW07705	E 17th ST	8.6	11	92	Boulevard Walk	Concrete	1.73	Curb	6.17	8.58	52.96	100	Good	No Priority
SW07713	E 17th ST	7.9	9	69	Mono Curb And Walk	Concrete	1.50	Curb	5.80	7.89	45.79	100	Good	No Priority
SW07714	E 17th ST	7.4	17	128	Mono Curb And Walk	Pavers / Brick	4.32	Curb	4.00	7.43	29.70	100	Good	No Priority
SW07716	E 17th ST	7.9	14	107	Mono Curb And Walk	Concrete	2.22	Curb	6.08	7.89	48.02	100	Good	No Priority
SW07717	E 17th ST	8.0	16	127	Mono Curb And Walk	Pavers / Brick	3.99	Curb	4.00	7.95	31.81	100	Good	No Priority
SW07729	E 17th ST	8.6	9	77	Boulevard Walk	Concrete	1.45	Curb	6.17	8.58	52.96	100	Good	No Priority
SW09199	E 17th ST	5.6	18	102	Mono Curb And Walk	Concrete	3.01	Curb	6.06	5.61	34.02	100	Good	No Priority
SW08702	E 18th ST	6.4	19	124	Stand Alone	Concrete	3.05	No Curb	6.33	6.43	40.67	84	Fair	Deferrable Priority
SW08630	E 18th ST	5.9	139	818	Boulevard Walk	Concrete	21.23	Curb	6.54	5.90	38.55	85	Fair	Low Priority
SW08673	E 18th ST	9.6	253	2,432	Boulevard Walk	Concrete	26.34	Curb	9.59	9.63	92.34	85	Fair	Low Priority
SW08672	E 18th ST	4.4	338	1,478	Boulevard Walk	Concrete	91.54	Curb	3.69	4.38	16.15	86	Fair	Low Priority
SW08625	E 18th ST	4.5	113	511	Boulevard Walk	Concrete	21.86	No Curb	5.16	4.53	23.38	87	Fair	Deferrable Priority
SW08632	E 18th ST	10.5	346	3,645	Boulevard Walk	Concrete	41.07	Curb	8.42	10.53	88.73	76	Fair	Low Priority
SW08703	E 18th ST	8.6	20	169	Stand Alone	Concrete	2.83	No Curb	6.95	8.61	59.85	100	Good	No Priority
SW08606	E 19th ST	6.3	173	1,090	Boulevard Walk	Concrete	24.63	Curb	7.02	6.31	44.26	78	Fair	Low Priority
SW08611	E 19th ST	5.3	161	854	Boulevard Walk	Concrete	33.21	Curb	4.86	5.29	25.71	80	Fair	Low Priority
SW08704	E 19th ST	5.4	92	498	Boulevard Walk	Concrete	16.95	Curb	5.45	5.39	29.37	81	Fair	Low Priority
SW08605	E 19th ST	5.9	170	1,013	Boulevard Walk	Concrete	31.54	Curb	5.40	5.95	32.14	82	Fair	Low Priority
SW08587	E 19th ST	5.2	283	1,483	Boulevard Walk	Concrete	57.51	Curb	4.91	5.25	25.78	61	Marginal	Low Priority
SW08701	E 19th ST	4.8	89	429	Boulevard Walk	Concrete	18.97	Curb	4.71	4.81	22.61	93	Good	Deferrable Priority
SW08575	E 19th ST	5.1	171	871	Mono Curb And Walk	Concrete	43.04	Curb	3.98	5.08	20.24	100	Good	No Priority
SW08634	E 19th ST	5.0	175	885	Mono Curb And Walk	Concrete	35.42	Curb	4.95	5.04	24.97	100	Good	No Priority
SW08708	E 19th ST	5.7	169	963	Boulevard Walk	Concrete	28.92	Curb	5.83	5.71	33.30	100	Good	No Priority
SW02742	E 1st ST	5.1	272	1,380	Boulevard Walk	Concrete	45.42	Curb	6.00	5.07	30.39	50	Poor	Immediate Priority
SW02631	E 1st ST	4.9	186	903	Boulevard Walk	Concrete	33.63	Curb	5.54	4.85	26.85	63	Marginal	Low Priority
SW02632	E 1st ST	5.6	121	685	Boulevard Walk	Concrete	22.44	Curb	5.41	5.64	30.51	64	Marginal	Low Priority
SW02628	E 1st ST	5.0	243	1,219	Boulevard Walk	Concrete	46.65	Curb	5.22	5.01	26.14	68	Marginal	Low Priority
SW06922	E 1st ST	4.5	117	525	Mono Curb And Walk	Concrete	23.59	Curb	4.98	4.47	22.25	59	Marginal	Low Priority
SW02656	E 1st ST	5.1	133	676	Boulevard Walk	Concrete	26.05	Curb	5.12	5.07	25.95	73	Marginal	Low Priority
SW03156	E 1st ST	5.2	149	767	Mono Curb And Walk	Concrete	38.22	Curb	3.89	5.16	20.07	72	Marginal	Low Priority
SW02682	E 1st ST	5.2	134	699	Boulevard Walk	Concrete	26.31	Curb	5.11	5.20	26.57	69	Marginal	Low Priority
SW02662	E 1st ST	4.5	62	276	Boulevard Walk	Concrete	13.95	Curb	4.43	4.47	19.77	72	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02748	E 1st ST	5.4	654	3,547	Boulevard Walk	Concrete	110.49	Curb	5.92	5.42	32.10	79	Fair	Low Priority
SW03109	E 1st ST	4.5	142	644	Mono Curb And Walk	Concrete	32.55	Curb	4.36	4.54	19.77	82	Fair	Deferrable Priority
SW02626	E 1st ST	4.8	95	455	Boulevard Walk	Concrete	18.72	Curb	5.09	4.77	24.29	75	Fair	Low Priority
SW01735	E 1st ST	4.5	320	1,425	Mono Curb And Walk	Concrete	59.93	Curb	5.34	4.45	23.77	75	Marginal	Low Priority
SW02736	E 1st ST	4.4	373	1,657	Boulevard Walk	Concrete	67.31	Curb	5.54	4.45	24.62	82	Fair	Immediate Priority
SW01715	E 1st ST	4.9	342	1,684	Boulevard Walk	Concrete	56.73	Curb	6.03	4.92	29.69	78	Fair	Low Priority
SW02680	E 1st ST	5.1	127	649	Boulevard Walk	Concrete	24.66	Curb	5.14	5.12	26.34	85	Fair	Low Priority
SW06967	E 1st ST	4.7	44	206	Boulevard Walk	Concrete	9.66	Curb	4.56	4.67	21.30	86	Fair	Deferrable Priority
SW02595	E 1st ST	4.2	172	713	Boulevard Walk	Asphalt	42.91	Curb	4.00	4.16	16.62	61	Marginal	Very Low Priority
SW02627	E 1st ST	4.7	80	372	Boulevard Walk	Concrete	20.94	Curb	3.81	4.67	17.78	79	Fair	Low Priority
SW02666	E 1st ST	4.1	158	650	Boulevard Walk	Concrete	46.60	Curb	3.39	4.11	13.95	88	Fair	Low Priority
SW02700	E 1st ST	5.1	83	423	Boulevard Walk	Concrete	15.25	Curb	5.42	5.11	27.71	88	Fair	Deferrable Priority
SW03108	E 1st ST	4.2	142	590	Mono Curb And Walk	Concrete	45.30	Curb	3.12	4.17	13.01	88	Fair	Low Priority
SW02678	E 1st ST	4.9	80	390	Boulevard Walk	Concrete	14.74	Curb	5.44	4.86	26.42	88	Fair	Deferrable Priority
SW02721	E 1st ST	5.1	658	3,333	Boulevard Walk	Concrete	124.59	Curb	5.28	5.07	26.75	88	Fair	Low Priority
SW03153	E 1st ST	4.4	284	1,250	Mono Curb And Walk	Concrete	89.07	Curb	3.19	4.40	14.03	85	Fair	Low Priority
SW02629	E 1st ST	5.0	143	721	Boulevard Walk	Concrete	25.06	Curb	5.70	5.04	28.75	89	Fair	Deferrable Priority
SW02665	E 1st ST	3.7	159	585	Boulevard Walk	Concrete	27.74	Curb	5.74	3.68	21.10	75	Marginal	Very Low Priority
SW02701	E 1st ST	5.1	59	305	Boulevard Walk	Concrete	11.11	Curb	5.35	5.13	27.43	89	Fair	Deferrable Priority
SW02614	E 1st ST	3.6	117	420	Boulevard Walk	Concrete	27.85	Curb	4.21	3.58	15.07	90	Good	Deferrable Priority
SW03147	E 1st ST	5.2	232	1,209	Mono Curb And Walk	Concrete	47.50	Curb	4.89	5.21	25.46	91	Good	Deferrable Priority
SW03145	E 1st ST	4.9	753	3,680	Mono Curb And Walk	Concrete	133.60	Curb	5.64	4.89	27.55	77	Fair	Low Priority
SW01707	E 1st ST	4.8	348	1,673	Boulevard Walk	Concrete	82.32	Curb	4.23	4.80	20.33	91	Good	Very Low Priority
SW06954	E 1st ST	4.5	229	1,024	Mono Curb And Walk	Concrete	45.46	Curb	5.05	4.47	22.53	92	Good	Low Priority
SW03148	E 1st ST	4.5	258	1,150	Mono Curb And Walk	Concrete	52.48	Curb	4.92	4.45	21.91	92	Good	Low Priority
SW02685	E 1st ST	4.9	79	392	Boulevard Walk	Concrete	15.93	Curb	4.97	4.95	24.60	92	Good	Very Low Priority
SW02676	E 1st ST	4.3	134	584	Boulevard Walk	Concrete	31.08	Curb	4.33	4.34	18.78	92	Good	Deferrable Priority
SW06921	E 1st ST	4.9	120	591	Mono Curb And Walk	Concrete	24.81	Curb	4.82	4.94	23.83	92	Good	Deferrable Priority
SW02702	E 1st ST	5.0	136	684	Boulevard Walk	Concrete	25.18	Curb	5.42	5.01	27.16	92	Good	Deferrable Priority
SW02655	E 1st ST	5.0	88	442	Boulevard Walk	Concrete	17.75	Curb	4.97	5.01	24.92	93	Good	Deferrable Priority
SW02725	E 1st ST	5.1	283	1,447	Boulevard Walk	Concrete	55.54	Curb	5.10	5.11	26.06	93	Good	Low Priority
SW03146	E 1st ST	5.2	370	1,912	Mono Curb And Walk	Concrete	77.18	Curb	4.79	5.17	24.77	85	Fair	Very Low Priority
SW03111	E 1st ST	4.3	132	560	Mono Curb And Walk	Concrete	25.00	Curb	5.27	4.63	24.42	70	Marginal	Very Low Priority
SW03155	E 1st ST	5.5	135	737	Mono Curb And Walk	Concrete	27.58	Curb	4.89	5.47	26.72	93	Good	Deferrable Priority
SW02699	E 1st ST	4.5	63	282	Boulevard Walk	Concrete	14.10	Curb	4.46	4.49	20.03	93	Good	Deferrable Priority
SW02675	E 1st ST	4.7	136	644	Boulevard Walk	Concrete	29.47	Curb	4.63	4.72	21.84	93	Good	Deferrable Priority
SW03158	E 1st ST	4.6	147	678	Mono Curb And Walk	Concrete	24.84	Curb	5.91	4.62	27.28	94	Good	Deferrable Priority
SW02657	E 1st ST	4.9	57	282	Boulevard Walk	Concrete	11.66	Curb	4.91	4.92	24.14	94	Good	Deferrable Priority
SW02625	E 1st ST	4.6	185	858	Boulevard Walk	Concrete	35.83	Curb	5.16	4.64	23.94	94	Good	Deferrable Priority
SW02679	E 1st ST	5.2	133	697	Boulevard Walk	Concrete	26.99	Curb	4.94	5.23	25.81	94	Good	Deferrable Priority
SW02730	E 1st ST	5.1	387	1,977	Boulevard Walk	Concrete	78.73	Curb	4.92	5.10	25.12	91	Good	Very Low Priority
SW02673	E 1st ST	5.0	79	398	Boulevard Walk	Concrete	15.45	Curb	5.14	5.01	25.75	96	Good	Deferrable Priority
SW02620	E 1st ST	5.2	312	1,612	Boulevard Walk	Concrete	61.34	Curb	5.08	5.17	26.27	96	Good	Deferrable Priority
SW02611	E 1st ST	3.6	265	947	Mono Curb And Walk	Concrete	62.87	Curb	4.21	3.58	15.07	96	Good	Deferrable Priority
SW06957	E 1st ST	4.3	107	457	Mono Curb And Walk	Concrete	21.37	Curb	5.02	4.26	21.38	97	Good	Deferrable Priority
SW02660	E 1st ST	4.7	133	633	Boulevard Walk	Concrete	28.13	Curb	4.74	4.75	22.50	97	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02661	E 1st ST	4.9	60	293	Boulevard Walk	Concrete	11.78	Curb	5.07	4.90	24.83	100	Good	No Priority
SW02674	E 1st ST	5.0	77	384	Boulevard Walk	Concrete	14.39	Curb	5.34	5.00	26.67	100	Good	No Priority
SW08656	E 20th ST	4.6	38	171	Mono Curb And Walk	Concrete	7.36	Curb	5.10	4.55	23.20	42	Poor	Immediate Priority
SW08653	E 20th ST	4.0	78	313	Boulevard Walk	Concrete	15.60	No Curb	4.99	4.02	20.09	48	Poor	Low Priority
SW08654	E 20th ST	4.0	66	264	Boulevard Walk	Concrete	13.82	No Curb	4.76	4.01	19.08	50	Poor	Low Priority
SW08677	E 20th ST	5.5	208	1,151	Boulevard Walk	Concrete	34.74	Curb	5.99	5.54	33.15	74	Marginal	Low Priority
SW08655	E 20th ST	4.5	104	468	Stand Alone	Concrete	20.78	No Curb	5.02	4.49	22.53	69	Marginal	Low Priority
SW08664	E 20th ST	4.6	134	618	Boulevard Walk	Concrete	27.63	No Curb	4.84	4.63	22.37	84	Fair	Low Priority
SW08660	E 20th ST	4.6	49	226	Boulevard Walk	Concrete	8.63	No Curb	5.65	4.63	26.14	84	Fair	Deferrable Priority
SW08662	E 20th ST	4.4	113	498	Mono Curb And Walk	Concrete	23.88	Curb	4.73	4.41	20.87	90	Fair	Very Low Priority
SW08705	E 20th ST	4.8	261	1,249	Mono Curb And Walk	Concrete	36.27	No Curb	7.20	4.79	34.43	90	Good	Low Priority
SW08657	E 20th ST	4.4	139	610	Boulevard Walk	Concrete	30.98	No Curb	4.50	4.37	19.69	85	Fair	Low Priority
SW08675	E 20th ST	3.9	42	165	Mono Curb And Walk	Concrete	5.20	Curb	8.06	3.94	31.73	100	Good	No Priority
SW01726	E 2nd ST	4.0	78	315	Mono Curb And Walk	Concrete	15.31	Curb	5.08	4.05	20.55	37	Poor	Immediate Priority
SW00752	E 2nd ST	5.2	173	904	Boulevard Walk	Concrete	30.24	Curb	5.72	5.23	29.90	27	Very Poor	Immediate Priority
SW02752	E 2nd ST	4.7	82	383	Boulevard Walk	Concrete	17.97	Curb	4.58	4.65	21.31	39	Poor	Immediate Priority
SW06968	E 2nd ST	4.9	141	685	Boulevard Walk	Concrete	28.05	Curb	5.02	4.86	24.43	16	Very Poor	Immediate Priority
SW00751	E 2nd ST	8.2	75	612	Mono Curb And Walk	Pavers / Brick	18.73	Curb	4.00	8.17	32.67	23	Very Poor	Immediate Priority
SW02755	E 2nd ST	4.5	57	252	Boulevard Walk	Concrete	10.11	Curb	5.59	4.45	24.90	53	Marginal	Low Priority
SW02753	E 2nd ST	4.8	160	773	Boulevard Walk	Concrete	31.36	Curb	5.12	4.82	24.66	36	Poor	Low Priority
SW06927	E 2nd ST	4.2	100	417	Boulevard Walk	Concrete	27.36	Curb	3.66	4.17	15.26	53	Marginal	Immediate Priority
SW01730	E 2nd ST	4.5	173	771	Mono Curb And Walk	Concrete	33.32	Curb	5.20	4.45	23.14	59	Marginal	Immediate Priority
SW00753	E 2nd ST	5.2	85	441	Boulevard Walk	Concrete	14.82	Curb	5.72	5.21	29.79	63	Marginal	Low Priority
SW02409	E 2nd ST	4.3	123	528	Boulevard Walk	Concrete	32.11	Curb	3.84	4.28	16.46	47	Poor	Immediate Priority
SW02768	E 2nd ST	4.7	273	1,271	Boulevard Walk	Concrete	55.87	Curb	4.89	4.65	22.75	60	Marginal	Immediate Priority
SW02758	E 2nd ST	4.1	135	558	Boulevard Walk	Concrete	27.71	Curb	4.88	4.13	20.16	63	Marginal	Low Priority
SW06926	E 2nd ST	4.4	107	475	Boulevard Walk	Concrete	25.12	Curb	4.26	4.44	18.91	51	Marginal	Low Priority
SW02776	E 2nd ST	4.4	136	601	Mono Curb And Walk	Concrete	36.33	Curb	3.74	4.42	16.55	69	Marginal	Immediate Priority
SW01009	E 2nd ST	3.2	150	474	Mono Curb And Walk	Concrete	34.24	Curb	4.38	3.15	13.83	61	Marginal	Low Priority
SW01725	E 2nd ST	4.3	51	222	Mono Curb And Walk	Concrete	9.80	Curb	5.24	4.32	22.65	74	Marginal	Low Priority
SW02667	E 2nd ST	5.2	351	1,833	Boulevard Walk	Concrete	64.04	Curb	5.48	5.22	28.62	74	Marginal	Low Priority
SW02784	E 2nd ST	4.5	148	661	Mono Curb And Walk	Concrete	28.89	Curb	5.11	4.48	22.87	64	Marginal	Low Priority
SW01732	E 2nd ST	4.2	290	1,224	Mono Curb And Walk	Concrete	75.30	Curb	3.85	4.22	16.25	62	Marginal	Low Priority
SW07001	E 2nd ST	2.8	144	402	Mono Curb And Walk	Concrete	53.88	Curb	2.67	2.79	7.45	75	Marginal	Low Priority
SW06124	E 2nd ST	5.5	112	616	Mono Curb And Walk	Concrete	20.27	Curb	5.51	5.51	30.39	75	Marginal	Low Priority
SW02735	E 2nd ST	4.7	61	286	Boulevard Walk	Concrete	12.88	Curb	4.72	4.70	22.18	48	Poor	Low Priority
SW02754	E 2nd ST	4.9	124	606	Boulevard Walk	Concrete	22.36	Curb	5.53	4.90	27.10	55	Marginal	Low Priority
SW06129	E 2nd ST	3.6	107	386	Boulevard Walk	Concrete	25.39	No Curb	4.23	3.59	15.19	63	Marginal	Low Priority
SW02761	E 2nd ST	4.9	140	691	Boulevard Walk	Concrete	27.40	Curb	5.11	4.94	25.23	47	Poor	Low Priority
SW02689	E 2nd ST	4.9	127	628	Boulevard Walk	Concrete	22.78	Curb	5.59	4.93	27.57	59	Marginal	Low Priority
SW00754	E 2nd ST	4.9	134	650	Boulevard Walk	Concrete	26.53	Curb	5.04	4.86	24.50	53	Marginal	Low Priority
SW02395	E 2nd ST	6.6	229	1,518	Boulevard Walk	Concrete	31.47	Curb	7.29	6.62	48.25	57	Marginal	Low Priority
SW06931	E 2nd ST	5.1	135	687	Boulevard Walk	Concrete	26.26	Curb	5.13	5.10	26.18	61	Marginal	Low Priority
SW02772	E 2nd ST	4.9	129	640	Boulevard Walk	Concrete	25.09	Curb	5.16	4.95	25.52	66	Marginal	Low Priority
SW06094	E 2nd ST	3.6	427	1,521	Boulevard Walk	Concrete	85.78	Partial Curb	4.98	3.56	17.74	74	Marginal	Immediate Priority
SW02695	E 2nd ST	4.6	62	285	Boulevard Walk	Concrete	13.41	Curb	4.61	4.61	21.25	69	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06125	E 2nd ST	6.1	142	872	Mono Curb And Walk	Concrete	21.76	Curb	6.52	6.14	40.05	68	Marginal	Low Priority
SW01006	E 2nd ST	2.8	150	426	Mono Curb And Walk	Concrete	53.88	Curb	2.78	2.84	7.91	74	Marginal	Low Priority
SW06104	E 2nd ST	4.4	148	649	Mono Curb And Walk	Concrete	29.26	Curb	5.07	4.38	22.18	44	Poor	Low Priority
SW02780	E 2nd ST	4.7	199	927	Mono Curb And Walk	Concrete	33.95	Curb	5.87	4.65	27.31	66	Marginal	Low Priority
SW06103	E 2nd ST	3.7	101	371	Boulevard Walk	Concrete	18.25	Curb	5.56	3.65	20.30	80	Fair	Low Priority
SW01717	E 2nd ST	4.3	48	205	Mono Curb And Walk	Concrete	9.23	Curb	5.20	4.28	22.27	80	Fair	Very Low Priority
SW02384	E 2nd ST	5.7	141	811	Boulevard Walk	Concrete	23.39	Curb	6.05	5.74	34.67	46	Poor	Low Priority
SW02390	E 2nd ST	4.3	154	663	Boulevard Walk	Concrete	40.25	Curb	3.84	4.29	16.46	73	Marginal	Low Priority
SW06100	E 2nd ST	4.3	84	361	Boulevard Walk	Concrete	15.61	No Curb	5.37	4.31	23.14	54	Marginal	Low Priority
SW02691	E 2nd ST	4.6	213	973	Boulevard Walk	Concrete	34.43	Curb	6.18	4.58	28.28	73	Marginal	Low Priority
SW06970	E 2nd ST	4.7	144	673	Boulevard Walk	Concrete	32.86	Curb	4.39	4.66	20.47	72	Marginal	Low Priority
SW00729	E 2nd ST	4.4	13	55	Boulevard Walk	Concrete	2.42	Curb	5.22	4.36	22.75	82	Fair	Deferrable Priority
SW06119	E 2nd ST	3.8	97	366	Boulevard Walk	Concrete	18.54	No Curb	5.21	3.79	19.75	37	Poor	Low Priority
SW02408	E 2nd ST	4.3	300	1,295	Boulevard Walk	Concrete	69.87	Curb	4.29	4.32	18.53	72	Marginal	Low Priority
SW06114	E 2nd ST	5.7	18	103	Mono Curb And Walk	Concrete	2.79	Curb	6.43	5.73	36.84	84	Fair	Deferrable Priority
SW01718	E 2nd ST	4.2	109	454	Mono Curb And Walk	Concrete	20.78	Curb	5.23	4.17	21.83	75	Fair	Low Priority
SW02832	E 2nd ST	9.0	53	476	Mono Curb And Walk	Concrete	6.03	Curb	8.73	9.03	78.85	84	Fair	Deferrable Priority
SW06930	E 2nd ST	5.4	131	710	Boulevard Walk	Concrete	20.31	Curb	6.46	5.41	34.94	84	Fair	Low Priority
SW02778	E 2nd ST	4.3	111	481	Mono Curb And Walk	Concrete	21.59	Curb	5.14	4.34	22.30	76	Fair	Low Priority
SW06971	E 2nd ST	5.0	134	666	Boulevard Walk	Concrete	25.17	Curb	5.32	4.98	26.45	67	Marginal	Low Priority
SW06969	E 2nd ST	4.8	140	673	Boulevard Walk	Concrete	30.99	Curb	4.52	4.80	21.72	79	Fair	Low Priority
SW00762	E 2nd ST	5.1	157	801	Boulevard Walk	Concrete	30.60	Curb	5.13	5.10	26.18	74	Marginal	Low Priority
SW02875	E 2nd ST	5.0	209	1,049	Boulevard Walk	Concrete	38.14	Curb	5.49	5.01	27.51	81	Fair	Low Priority
SW02633	E 2nd ST	3.9	87	341	Boulevard Walk	Concrete	20.31	No Curb	4.29	3.91	16.77	86	Fair	Low Priority
SW06112	E 2nd ST	4.2	170	705	Mono Curb And Walk	Concrete	45.43	Curb	3.74	4.15	15.52	86	Fair	Low Priority
SW02397	E 2nd ST	5.2	144	752	Boulevard Walk	Concrete	28.32	Curb	5.10	5.21	26.56	86	Fair	Low Priority
SW02880	E 2nd ST	4.7	207	979	Boulevard Walk	Concrete	44.85	Curb	4.62	4.73	21.84	73	Marginal	Low Priority
SW00760	E 2nd ST	4.6	150	693	Boulevard Walk	Concrete	28.90	Curb	5.19	4.62	23.99	75	Marginal	Low Priority
SW02594	E 2nd ST	4.5	236	1,069	Mono Curb And Walk	Concrete	52.17	Curb	4.52	4.53	20.49	77	Fair	Low Priority
SW06115	E 2nd ST	5.7	42	242	Mono Curb And Walk	Concrete	6.70	Curb	6.28	5.74	36.09	61	Marginal	Very Low Priority
SW00719	E 2nd ST	5.2	206	1,080	Boulevard Walk	Concrete	37.46	Curb	5.51	5.24	28.83	70	Marginal	Low Priority
SW01719	E 2nd ST	4.1	48	197	Mono Curb And Walk	Concrete	9.18	Curb	5.20	4.12	21.44	88	Fair	Deferrable Priority
SW02775	E 2nd ST	5.0	129	648	Boulevard Walk	Concrete	25.52	Curb	5.07	5.01	25.40	88	Fair	Very Low Priority
SW01733	E 2nd ST	4.7	271	1,270	Mono Curb And Walk	Concrete	62.67	Curb	4.33	4.69	20.27	75	Fair	Low Priority
SW02677	E 2nd ST	4.6	131	604	Boulevard Walk	Concrete	25.91	Curb	5.05	4.62	23.30	88	Fair	Very Low Priority
SW01720	E 2nd ST	4.3	81	346	Mono Curb And Walk	Concrete	16.54	Curb	4.89	4.28	20.90	88	Fair	Deferrable Priority
SW02603	E 2nd ST	4.4	56	244	Mono Curb And Walk	Concrete	12.17	No Curb	4.59	4.37	20.07	88	Fair	Deferrable Priority
SW02609	E 2nd ST	3.6	101	368	Mono Curb And Walk	Concrete	22.66	No Curb	4.45	3.64	16.22	72	Marginal	Very Low Priority
SW06096	E 2nd ST	4.7	310	1,461	Boulevard Walk	Concrete	66.16	Partial Curb	4.69	4.71	22.09	89	Fair	Deferrable Priority
SW02823	E 2nd ST	4.5	58	262	Boulevard Walk	Concrete	11.24	Curb	5.17	4.51	23.32	90	Fair	Deferrable Priority
SW02824	E 2nd ST	4.7	141	657	Boulevard Walk	Concrete	30.68	Curb	4.61	4.65	21.42	90	Fair	Low Priority
SW02608	E 2nd ST	4.5	107	481	Mono Curb And Walk	Concrete	20.64	Curb	5.18	4.50	23.32	72	Marginal	Very Low Priority
SW00764	E 2nd ST	5.2	182	941	Boulevard Walk	Concrete	25.48	Curb	7.15	5.16	36.92	90	Good	Deferrable Priority
SW02607	E 2nd ST	4.5	68	305	Mono Curb And Walk	Concrete	13.06	Curb	5.18	4.50	23.32	91	Good	Deferrable Priority
SW06097	E 2nd ST	5.0	250	1,243	Boulevard Walk	Concrete	43.74	Curb	5.71	4.98	28.41	91	Good	Deferrable Priority
SW02765	E 2nd ST	4.8	135	650	Boulevard Walk	Concrete	23.92	Curb	5.66	4.80	27.18	77	Fair	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02606	E 2nd ST	4.5	115	521	Mono Curb And Walk	Concrete	22.81	Curb	5.04	4.53	22.83	92	Good	Deferrable Priority
SW06101	E 2nd ST	5.2	219	1,133	Boulevard Walk	Concrete	38.26	No Curb	5.73	5.17	29.62	87	Fair	Low Priority
SW06122	E 2nd ST	3.7	417	1,525	Boulevard Walk	Concrete	118.76	Partial Curb	3.51	3.65	12.84	84	Fair	Low Priority
SW06099	E 2nd ST	4.6	378	1,726	Boulevard Walk	Concrete	97.27	Curb	3.88	4.57	17.75	88	Fair	Low Priority
SW06123	E 2nd ST	5.2	953	4,930	Boulevard Walk	Concrete	175.14	Partial Curb	5.44	5.17	28.15	84	Fair	Low Priority
SW02888	E 2nd ST	11.8	86	1,022	Mono Curb And Walk	Concrete	8.33	Curb	10.35	11.85	122.60	92	Good	Deferrable Priority
SW02777	E 2nd ST	4.2	78	329	Mono Curb And Walk	Concrete	19.54	Curb	4.01	4.21	16.86	93	Good	Deferrable Priority
SW06121	E 2nd ST	3.8	141	532	Boulevard Walk	Concrete	29.83	No Curb	4.74	3.77	17.84	71	Marginal	Very Low Priority
SW06111	E 2nd ST	5.0	257	1,285	Mono Curb And Walk	Concrete	51.36	Curb	5.00	5.00	25.01	68	Marginal	Low Priority
SW02604	E 2nd ST	4.7	117	545	Mono Curb And Walk	Concrete	27.86	Curb	4.19	4.67	19.56	93	Good	Deferrable Priority
SW06109	E 2nd ST	4.7	247	1,162	Mono Curb And Walk	Concrete	57.95	Curb	4.25	4.71	20.04	93	Good	Low Priority
SW00716	E 2nd ST	4.3	142	607	Boulevard Walk	Concrete	37.40	Curb	3.80	4.27	16.22	94	Good	Deferrable Priority
SW06120	E 2nd ST	3.5	308	1,089	Boulevard Walk	Concrete	57.80	Partial Curb	5.33	3.54	18.85	80	Fair	Low Priority
SW02540	E 2nd ST	7.0	151	1,061	Mono Curb And Walk	Concrete	29.14	No Curb	5.18	7.03	36.43	95	Good	Deferrable Priority
SW02829	E 2nd ST	5.2	170	884	Boulevard Walk	Concrete	28.54	Curb	5.96	5.20	30.98	95	Good	Deferrable Priority
SW06110	E 2nd ST	4.8	262	1,252	Mono Curb And Walk	Concrete	50.41	Curb	5.20	4.78	24.85	96	Good	Very Low Priority
SW02865	E 2nd ST	4.8	89	424	Boulevard Walk	Concrete	16.80	Curb	5.29	4.77	25.21	96	Good	Deferrable Priority
SW02605	E 2nd ST	4.7	149	700	Mono Curb And Walk	Concrete	35.90	Curb	4.16	4.68	19.49	86	Fair	Very Low Priority
SW00728	E 2nd ST	4.6	33	152	Boulevard Walk	Concrete	6.34	Curb	5.24	4.58	23.99	100	Good	No Priority
SW00730	E 2nd ST	4.8	55	263	Boulevard Walk	Concrete	10.62	Curb	5.17	4.79	24.76	100	Good	No Priority
SW00769	E 2nd ST	8.0	29	230	Boulevard Walk	Concrete	5.26	Curb	5.48	7.99	43.76	100	Good	No Priority
SW00772	E 2nd ST	4.6	18	84	Boulevard Walk	Concrete	3.52	Curb	5.18	4.58	23.71	100	Good	No Priority
SW02407	E 2nd ST	4.3	24	103	Boulevard Walk	Concrete	5.58	Curb	4.29	4.32	18.53	100	Good	No Priority
SW02831	E 2nd ST	4.9	23	112	Boulevard Walk	Concrete	4.99	Curb	4.60	4.87	22.39	100	Good	No Priority
SW06095	E 2nd ST	5.0	23	116	Boulevard Walk	Concrete	4.06	Curb	5.73	4.99	28.56	100	Good	No Priority
SW06098	E 2nd ST	4.5	17	75	Boulevard Walk	Concrete	3.55	Curb	4.73	4.46	21.07	100	Good	No Priority
SW06102	E 2nd ST	3.9	26	99	Boulevard Walk	Concrete	5.30	Curb	4.81	3.89	18.72	100	Good	No Priority
SW06113	E 2nd ST	6.4	29	183	Mono Curb And Walk	Concrete	4.00	Curb	7.14	6.40	45.70	100	Good	No Priority
SW06118	E 2nd ST	3.8	16	60	Boulevard Walk	Concrete	3.75	No Curb	4.23	3.81	16.10	100	Good	No Priority
SW00658	E 3rd ST	5.0	154	776	Mono Curb And Walk	Concrete	30.60	Curb	5.05	5.03	25.37	10	Very Poor	Immediate Priority
SW00575	E 3rd ST	5.4	40	220	Boulevard Walk	Concrete	7.40	Curb	5.46	5.44	29.70	49	Poor	Immediate Priority
SW06091	E 3rd ST	3.9	132	522	Mono Curb And Walk	Concrete	28.17	Curb	4.69	3.95	18.53	43	Poor	Immediate Priority
SW00519	E 3rd ST	9.7	139	1,356	Mono Curb And Walk	Concrete	26.23	Curb	5.31	9.74	51.70	39	Poor	Immediate Priority
SW00948	E 3rd ST	5.0	68	338	Mono Curb And Walk	Concrete	10.92	Curb	6.21	4.98	30.92	57	Marginal	Low Priority
SW00140	E 3rd ST	6.8	76	522	Mono Curb And Walk	Pavers / Brick	19.11	Curb	4.00	6.82	27.29	45	Poor	Immediate Priority
SW00126	E 3rd ST	5.5	54	293	Mono Curb And Walk	Concrete	6.59	Curb	8.13	5.47	44.45	29	Very Poor	Low Priority
SW00976	E 3rd ST	4.0	240	960	Mono Curb And Walk	Concrete	54.27	Curb	4.42	4.01	17.70	53	Marginal	Immediate Priority
SW01620	E 3rd ST	5.4	62	336	Mono Curb And Walk	Concrete	11.02	Curb	5.66	5.38	30.46	71	Marginal	Low Priority
SW00955	E 3rd ST	4.4	68	304	Mono Curb And Walk	Concrete	14.86	Curb	4.60	4.45	20.47	41	Poor	Low Priority
SW01617	E 3rd ST	4.1	266	1,102	Boulevard Walk	Concrete	53.21	Curb	5.01	4.14	20.70	63	Marginal	Immediate Priority
SW00139	E 3rd ST	6.8	45	304	Boulevard Walk	Concrete	9.19	Curb	4.89	6.76	33.03	33	Poor	Low Priority
SW06072	E 3rd ST	5.1	209	1,066	Mono Curb And Walk	Concrete	58.30	Curb	3.58	5.10	18.28	55	Marginal	Immediate Priority
SW06087	E 3rd ST	4.7	155	723	Boulevard Walk	Concrete	32.85	Curb	4.72	4.66	22.00	50	Marginal	Immediate Priority
SW00980	E 3rd ST	4.7	165	773	Mono Curb And Walk	Concrete	30.32	Curb	5.44	4.69	25.50	73	Marginal	Low Priority
SW00086	E 3rd ST	4.9	147	720	Mono Curb And Walk	Concrete	25.69	Curb	5.73	4.90	28.04	61	Marginal	Low Priority
SW00689	E 3rd ST	6.3	202	1,263	Boulevard Walk	Concrete	34.37	Curb	5.88	6.25	36.73	75	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00569	E 3rd ST	5.1	66	337	Mono Curb And Walk	Concrete	13.72	Curb	4.80	5.11	24.55	75	Marginal	Low Priority
SW00568	E 3rd ST	5.0	90	454	Boulevard Walk	Concrete	18.64	Curb	4.83	5.04	24.34	76	Fair	Low Priority
SW00627	E 3rd ST	6.9	133	913	Boulevard Walk	Concrete	28.20	Curb	4.72	6.86	32.37	66	Marginal	Immediate Priority
SW00625	E 3rd ST	6.5	65	421	Boulevard Walk	Concrete	11.88	Curb	5.48	6.46	35.39	55	Marginal	Very Low Priority
SW00135	E 3rd ST	5.6	361	2,015	Mono Curb And Walk	Concrete	69.09	Curb	5.23	5.58	29.16	52	Marginal	Low Priority
SW00686	E 3rd ST	6.9	915	6,322	Boulevard Walk	Concrete	186.73	Curb	4.90	6.91	33.85	52	Marginal	Immediate Priority
SW00962	E 3rd ST	4.1	153	633	Mono Curb And Walk	Concrete	30.93	Curb	4.93	4.15	20.45	70	Marginal	Low Priority
SW06090	E 3rd ST	4.1	101	414	Boulevard Walk	Concrete	25.38	Curb	3.97	4.11	16.31	80	Fair	Low Priority
SW06063	E 3rd ST	5.5	271	1,490	Boulevard Walk	Concrete	53.26	Curb	5.09	5.50	27.98	77	Fair	Low Priority
SW06076	E 3rd ST	5.1	65	334	Mono Curb And Walk	Concrete	18.26	Curb	3.58	5.11	18.26	56	Marginal	Low Priority
SW06086	E 3rd ST	4.5	201	915	Boulevard Walk	Concrete	46.69	Curb	4.31	4.54	19.59	56	Marginal	Low Priority
SW00612	E 3rd ST	5.0	241	1,210	Boulevard Walk	Concrete	51.61	Curb	4.68	5.01	23.45	83	Fair	Immediate Priority
SW00984	E 3rd ST	4.5	264	1,176	Mono Curb And Walk	Concrete	50.80	Curb	5.20	4.46	23.15	66	Marginal	Low Priority
SW00687	E 3rd ST	6.6	55	357	Mono Curb And Walk	Concrete	9.56	Curb	5.71	6.55	37.40	58	Marginal	Very Low Priority
SW00982	E 3rd ST	4.2	195	814	Boulevard Walk	Concrete	39.04	Curb	5.01	4.17	20.86	85	Fair	Low Priority
SW00688	E 3rd ST	7.3	157	1,145	Boulevard Walk	Concrete	31.72	Curb	4.96	7.29	36.11	59	Marginal	Very Low Priority
SW00142	E 3rd ST	6.0	52	311	Mono Curb And Walk	Concrete	7.36	Curb	7.11	5.96	42.34	86	Fair	Deferrable Priority
SW00031	E 3rd ST	4.9	147	719	Boulevard Walk	Concrete	28.75	Curb	5.12	4.88	25.01	70	Marginal	Low Priority
SW00013	E 3rd ST	4.8	134	647	Boulevard Walk	Concrete	33.50	Curb	4.00	4.83	19.32	71	Marginal	Low Priority
SW00964	E 3rd ST	4.4	316	1,389	Mono Curb And Walk	Concrete	60.28	Curb	5.24	4.39	23.04	78	Fair	Low Priority
SW00128	E 3rd ST	7.6	134	1,018	Mono Curb And Walk	Concrete	27.70	Curb	4.83	7.61	36.75	87	Fair	Very Low Priority
SW06074	E 3rd ST	4.8	213	1,019	Boulevard Walk	Concrete	42.70	Curb	4.98	4.79	23.86	60	Marginal	Low Priority
SW00986	E 3rd ST	7.6	305	2,311	Mono Curb And Walk	Concrete	37.55	Curb	8.13	7.57	61.53	71	Marginal	Very Low Priority
SW00974	E 3rd ST	4.1	257	1,044	Mono Curb And Walk	Concrete	52.73	Curb	4.88	4.06	19.81	78	Fair	Low Priority
SW06089	E 3rd ST	5.1	66	333	Mono Curb And Walk	Concrete	12.15	Curb	5.40	5.08	27.42	87	Fair	Deferrable Priority
SW00134	E 3rd ST	7.3	277	2,034	Mono Curb And Walk	Concrete	33.40	Curb	8.30	7.33	60.90	87	Fair	Deferrable Priority
SW06032	E 3rd ST	10.6	109	1,162	Mono Curb And Walk	Concrete	12.67	Curb	8.62	10.64	91.77	87	Fair	Deferrable Priority
SW00589	E 3rd ST	4.9	247	1,214	Boulevard Walk	Concrete	56.27	Curb	4.39	4.92	21.58	84	Fair	Low Priority
SW00946	E 3rd ST	4.4	69	307	Mono Curb And Walk	Concrete	17.33	Curb	3.99	4.44	17.71	87	Fair	Deferrable Priority
SW00960	E 3rd ST	6.9	197	1,352	Mono Curb And Walk	Concrete	27.54	Curb	7.16	6.85	49.08	80	Fair	Low Priority
SW00963	E 3rd ST	3.9	144	557	Mono Curb And Walk	Concrete	39.51	Curb	3.65	3.87	14.10	79	Fair	Low Priority
SW00006	E 3rd ST	4.7	160	746	Boulevard Walk	Concrete	38.79	Curb	4.13	4.66	19.24	83	Fair	Low Priority
SW00690	E 3rd ST	5.7	53	302	Mono Curb And Walk	Concrete	9.24	Curb	5.71	5.73	32.69	88	Fair	Deferrable Priority
SW06088	E 3rd ST	4.9	524	2,565	Boulevard Walk	Concrete	110.44	Curb	4.75	4.89	23.23	88	Fair	Immediate Priority
SW00141	E 3rd ST	5.7	19	107	Mono Curb And Walk	Pavers / Brick	4.71	Curb	4.00	5.70	22.78	88	Fair	Deferrable Priority
SW06066	E 3rd ST	3.7	329	1,202	Boulevard Walk	Concrete	71.19	Curb	4.62	3.65	16.89	74	Marginal	Immediate Priority
SW00961	E 3rd ST	7.0	252	1,760	Mono Curb And Walk	Concrete	36.22	Curb	6.95	6.99	48.59	78	Fair	Very Low Priority
SW00979	E 3rd ST	4.3	80	346	Mono Curb And Walk	Concrete	18.81	Curb	4.26	4.31	18.37	73	Marginal	Very Low Priority
SW00514	E 3rd ST	4.4	141	619	Mono Curb And Walk	Concrete	26.04	Curb	5.41	4.40	23.77	89	Fair	Deferrable Priority
SW00133	E 3rd ST	6.7	365	2,455	Boulevard Walk	Concrete	76.15	Curb	4.80	6.72	32.23	83	Fair	Low Priority
SW00015	E 3rd ST	6.0	155	928	Boulevard Walk	Concrete	37.18	Curb	4.16	6.01	24.96	89	Fair	Low Priority
SW00696	E 3rd ST	8.8	147	1,300	Mono Curb And Walk	Concrete	27.82	Curb	5.29	8.84	46.74	84	Fair	Low Priority
SW01621	E 3rd ST	5.3	194	1,024	Boulevard Walk	Concrete	36.60	Curb	5.31	5.27	27.99	90	Fair	Deferrable Priority
SW00574	E 3rd ST	6.6	39	254	Mono Curb And Walk	Concrete	5.91	Curb	6.56	6.57	43.05	90	Fair	Deferrable Priority
SW00993	E 3rd ST	7.4	77	568	Mono Curb And Walk	Concrete	11.87	Curb	6.46	7.41	47.88	90	Fair	Deferrable Priority
SW01000	E 3rd ST	5.0	94	466	Boulevard Walk	Concrete	18.38	Curb	5.10	4.97	25.33	90	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06084	E 3rd ST	5.2	73	379	Boulevard Walk	Concrete	12.32	Curb	5.95	5.18	30.79	90	Good	Deferrable Priority
SW00664	E 3rd ST	5.2	126	655	Boulevard Walk	Concrete	25.79	Curb	4.88	5.21	25.41	91	Good	Deferrable Priority
SW06075	E 3rd ST	6.1	285	1,733	Mono Curb And Walk	Concrete	50.98	Curb	5.60	6.08	34.00	77	Fair	Low Priority
SW00956	E 3rd ST	4.6	144	669	Mono Curb And Walk	Concrete	34.83	Curb	4.13	4.64	19.20	80	Fair	Very Low Priority
SW00988	E 3rd ST	7.0	32	222	Mono Curb And Walk	Concrete	5.07	Curb	6.27	6.98	43.74	53	Marginal	Very Low Priority
SW06071	E 3rd ST	6.5	594	3,833	Mono Curb And Walk	Concrete	120.26	Curb	4.94	6.46	31.87	77	Fair	Low Priority
SW00697	E 3rd ST	5.9	147	862	Mono Curb And Walk	Concrete	24.05	Curb	6.09	5.88	35.82	92	Good	Deferrable Priority
SW00520	E 3rd ST	4.5	322	1,437	Boulevard Walk	Concrete	67.29	Curb	4.79	4.46	21.36	92	Good	Deferrable Priority
SW00683	E 3rd ST	7.0	450	3,162	Boulevard Walk	Concrete	75.49	Curb	5.96	7.03	41.89	92	Good	Deferrable Priority
SW00994	E 3rd ST	6.9	50	341	Mono Curb And Walk	Concrete	8.67	Curb	5.73	6.86	39.34	93	Good	Deferrable Priority
SW00137	E 3rd ST	6.4	93	593	Mono Curb And Walk	Concrete	22.16	Curb	4.19	6.38	26.74	78	Fair	Very Low Priority
SW00953	E 3rd ST	4.5	137	613	Boulevard Walk	Concrete	28.27	Curb	4.85	4.47	21.67	93	Good	Deferrable Priority
SW00626	E 3rd ST	6.6	70	458	Mono Curb And Walk	Concrete	13.88	Curb	5.01	6.58	32.96	93	Good	Deferrable Priority
SW00628	E 3rd ST	6.1	114	692	Mono Curb And Walk	Concrete	19.43	Curb	5.87	6.07	35.63	93	Good	Deferrable Priority
SW06070	E 3rd ST	7.4	524	3,881	Boulevard Walk	Concrete	67.15	Curb	7.81	7.40	57.79	89	Fair	Low Priority
SW00999	E 3rd ST	5.1	203	1,041	Mono Curb And Walk	Concrete	37.56	Curb	5.39	5.14	27.71	94	Good	Deferrable Priority
SW00014	E 3rd ST	4.9	153	758	Boulevard Walk	Concrete	31.03	Curb	4.93	4.95	24.42	94	Good	Deferrable Priority
SW00699	E 3rd ST	5.5	89	486	Boulevard Walk	Concrete	16.25	Curb	5.45	5.48	29.88	94	Good	Deferrable Priority
SW00978	E 3rd ST	6.0	65	389	Boulevard Walk	Pavers / Brick	16.28	Curb	4.00	5.97	23.90	94	Good	Deferrable Priority
SW00681	E 3rd ST	5.7	890	5,041	Boulevard Walk	Concrete	190.09	Curb	4.68	5.66	26.52	86	Fair	Low Priority
SW00677	E 3rd ST	5.5	132	719	Boulevard Walk	Concrete	26.57	Curb	4.96	5.46	27.07	94	Good	Deferrable Priority
SW00130	E 3rd ST	7.1	63	446	Mono Curb And Walk	Concrete	13.14	Curb	4.79	7.09	33.99	95	Good	Deferrable Priority
SW00680	E 3rd ST	5.3	236	1,260	Boulevard Walk	Concrete	43.72	Curb	5.41	5.33	28.83	82	Fair	Low Priority
SW00030	E 3rd ST	5.3	145	769	Boulevard Walk	Concrete	21.69	Curb	6.70	5.29	35.47	95	Good	Deferrable Priority
SW00992	E 3rd ST	5.8	330	1,925	Boulevard Walk	Concrete	57.05	Curb	5.79	5.83	33.75	96	Good	Deferrable Priority
SW00581	E 3rd ST	8.0	147	1,179	Mono Curb And Walk	Concrete	19.97	Curb	7.36	8.02	59.05	97	Good	Deferrable Priority
SW00502	E 3rd ST	5.6	100	554	Boulevard Walk	Concrete	21.60	Curb	4.62	5.56	25.65	97	Good	Deferrable Priority
SW00673	E 3rd ST	5.6	131	735	Boulevard Walk	Concrete	23.54	Curb	5.58	5.60	31.23	97	Good	Deferrable Priority
SW00138	E 3rd ST	6.6	128	848	Boulevard Walk	Concrete	27.39	Curb	4.66	6.64	30.95	97	Good	Deferrable Priority
SW00959	E 3rd ST	7.0	186	1,295	Mono Curb And Walk	Concrete	30.10	Curb	6.19	6.95	43.03	98	Good	Deferrable Priority
SW00501	E 3rd ST	5.3	203	1,081	Boulevard Walk	Concrete	56.02	Curb	3.62	5.33	19.30	98	Good	Deferrable Priority
SW00129	E 3rd ST	8.0	16	131	Mono Curb And Walk	Concrete	3.56	Curb	4.57	8.02	36.64	100	Good	No Priority
SW00136	E 3rd ST	5.8	35	202	Mono Curb And Walk	Concrete	4.45	Curb	7.84	5.78	45.34	100	Good	No Priority
SW00665	E 3rd ST	5.5	92	506	Boulevard Walk	Concrete	16.87	Curb	5.46	5.50	30.02	100	Good	No Priority
SW01630	E 4th ST	3.7	27	98	Mono Curb And Walk	Concrete	5.66	Curb	4.70	3.68	17.30	70	Marginal	Low Priority
SW00610	E 4th ST	5.8	154	900	Boulevard Walk	Concrete	24.83	Curb	6.22	5.83	36.24	68	Marginal	Low Priority
SW00222	E 4th ST	9.5	199	1,882	Mono Curb And Walk	Concrete	24.14	Curb	8.22	9.48	77.97	45	Poor	Low Priority
SW00261	E 4th ST	6.0	107	637	Boulevard Walk	Concrete	19.97	Curb	5.36	5.95	31.89	87	Fair	Deferrable Priority
SW00608	E 4th ST	5.6	347	1,930	Boulevard Walk	Concrete	69.14	Curb	5.02	5.56	27.91	79	Fair	Low Priority
SW00497	E 4th ST	9.9	41	404	Mono Curb And Walk	Concrete	4.88	Curb	8.39	9.86	82.78	88	Fair	Deferrable Priority
SW00566	E 4th ST	6.4	101	652	Boulevard Walk	Concrete	21.31	Curb	4.75	6.45	30.61	92	Good	Very Low Priority
SW00300	E 4th ST	4.6	320	1,460	Boulevard Walk	Concrete	61.54	Curb	5.20	4.56	23.72	66	Marginal	Very Low Priority
SW00299	E 4th ST	13.6	158	2,140	Boulevard Walk	Concrete	27.74	Curb	5.69	13.56	77.15	93	Good	Deferrable Priority
SW00567	E 4th ST	9.1	154	1,409	Boulevard Walk	Pavers / Brick	38.51	Curb	4.00	9.15	36.59	93	Good	Deferrable Priority
SW00596	E 4th ST	5.6	245	1,375	Boulevard Walk	Concrete	42.70	Curb	5.74	5.61	32.22	89	Fair	Low Priority
SW00268	E 4th ST	6.0	194	1,163	Mono Curb And Walk	Concrete	38.42	Curb	5.05	6.00	30.28	69	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00301	E 4th ST	8.6	82	709	Mono Curb And Walk	Concrete	14.08	Curb	5.85	8.61	50.32	95	Good	Deferrable Priority
SW00604	E 4th ST	5.6	345	1,943	Boulevard Walk	Concrete	74.25	Curb	4.65	5.63	26.17	89	Fair	Low Priority
SW00188	E 4th ST	5.6	146	824	Mono Curb And Walk	Pavers / Brick	36.50	Curb	4.00	5.65	22.58	96	Good	Deferrable Priority
SW00488	E 4th ST	8.0	140	1,117	Boulevard Walk	Concrete	20.51	Curb	6.85	7.96	54.46	97	Good	Deferrable Priority
SW00607	E 4th ST	5.5	131	717	Boulevard Walk	Pavers / Brick	32.84	Curb	4.00	5.46	21.84	97	Good	Deferrable Priority
SW00221	E 4th ST	5.8	130	750	Boulevard Walk	Concrete	24.54	Curb	5.29	5.78	30.54	97	Good	Deferrable Priority
SW00187	E 4th ST	6.0	158	949	Boulevard Walk	Concrete	26.09	Curb	6.06	6.00	36.37	100	Good	No Priority
SW00223	E 4th ST	8.8	26	233	Boulevard Walk	Concrete	4.72	Curb	5.61	8.81	49.42	100	Good	No Priority
SW01603	E 5th ST	5.9	463	2,711	Mono Curb And Walk	Stamped Concrete	68.78	Curb	6.73	5.86	39.42	53	Marginal	Low Priority
SW01604	E 5th ST	5.8	493	2,876	Mono Curb And Walk	Concrete	85.53	Curb	5.77	5.83	33.63	77	Fair	Low Priority
SW01602	E 5th ST	4.9	99	485	Mono Curb And Walk	Concrete	23.84	Curb	4.16	4.89	20.34	65	Marginal	Very Low Priority
SW00195	E 6th ST	7.2	94	679	Mono Curb And Walk	Concrete	18.97	Curb	4.96	7.22	35.78	38	Poor	Immediate Priority
SW00190	E 6th ST	11.1	156	1,727	Mono Curb And Walk	Concrete	23.36	Curb	6.67	11.08	73.92	46	Poor	Low Priority
SW00436	E 6th ST	6.0	62	376	Boulevard Walk	Concrete	10.68	Curb	5.85	6.01	35.15	61	Marginal	Low Priority
SW00192	E 6th ST	7.5	148	1,116	Mono Curb And Walk	Concrete	29.06	Curb	5.09	7.54	38.38	66	Marginal	Low Priority
SW00180	E 6th ST	11.4	154	1,762	Mono Curb And Walk	Concrete	30.99	Curb	4.98	11.42	56.86	80	Fair	Low Priority
SW00239	E 6th ST	7.9	142	1,118	Mono Curb And Walk	Concrete	23.74	Curb	5.98	7.88	47.11	59	Marginal	Low Priority
SW00466	E 6th ST	8.4	98	821	Mono Curb And Walk	Concrete	14.22	Curb	6.87	8.40	57.72	65	Marginal	Low Priority
SW00707	E 6th ST	7.5	236	1,773	Mono Curb And Walk	Concrete	30.39	Curb	7.75	7.52	58.33	62	Marginal	Low Priority
SW00229	E 6th ST	11.8	151	1,789	Mono Curb And Walk	Concrete	30.52	Curb	4.95	11.84	58.60	90	Good	Deferrable Priority
SW00256	E 6th ST	13.4	157	2,100	Mono Curb And Walk	Concrete	20.60	Curb	7.62	13.39	101.94	91	Good	Deferrable Priority
SW00438	E 6th ST	6.0	218	1,313	Boulevard Walk	Concrete	37.35	Curb	5.85	6.01	35.15	86	Fair	Low Priority
SW00457	E 6th ST	6.1	95	581	Mono Curb And Walk	Concrete	17.31	Curb	5.49	6.12	33.60	93	Good	Deferrable Priority
SW00280	E 6th ST	7.6	154	1,163	Mono Curb And Walk	Concrete	25.41	Curb	6.06	7.55	45.77	67	Marginal	Very Low Priority
SW00227	E 6th ST	7.6	141	1,062	Mono Curb And Walk	Concrete	23.19	Curb	6.06	7.55	45.77	71	Marginal	Very Low Priority
SW00281	E 6th ST	7.5	200	1,505	Mono Curb And Walk	Concrete	28.23	Partial Curb	7.08	7.54	53.32	84	Fair	Very Low Priority
SW00452	E 6th ST	8.1	127	1,031	Boulevard Walk	Concrete	19.77	Curb	6.41	8.13	52.15	97	Good	Deferrable Priority
SW00467	E 6th ST	7.5	153	1,157	Mono Curb And Walk	Concrete	21.57	Curb	7.10	7.55	53.62	97	Good	Deferrable Priority
SW00284	E 6th ST	11.4	149	1,696	Mono Curb And Walk	Concrete	29.83	Curb	4.98	11.42	56.86	83	Fair	Very Low Priority
SW00451	E 6th ST	9.0	125	1,124	Boulevard Walk	Concrete	17.13	Curb	7.32	8.96	65.62	72	Marginal	Very Low Priority
SW00465	E 6th ST	6.6	203	1,347	Boulevard Walk	Concrete	33.76	Curb	6.01	6.64	39.91	98	Good	Deferrable Priority
SW00251	E 6th ST	7.6	46	352	Mono Curb And Walk	Concrete	8.30	Curb	5.56	7.63	42.39	100	Good	No Priority
SW00252	E 6th ST	7.7	27	208	Mono Curb And Walk	Concrete	5.82	Curb	4.66	7.69	35.81	100	Good	No Priority
SW00437	E 6th ST	6.0	25	151	Mono Curb And Walk	Concrete	4.30	Curb	5.85	6.01	35.15	100	Good	No Priority
SW00565	E 6th ST	6.0	42	250	Boulevard Walk	Concrete	7.11	Curb	5.85	6.01	35.15	100	Good	No Priority
SW01279	E 7th ST	5.2	9	46	Stand Alone	Concrete	1.17	No Curb	7.53	5.22	39.32	32	Poor	Low Priority
SW00245	E 7th ST	6.1	154	938	Boulevard Walk	Concrete	24.81	Curb	6.19	6.10	37.79	17	Very Poor	Immediate Priority
SW00447	E 7th ST	5.9	225	1,333	Boulevard Walk	Concrete	45.74	Curb	4.92	5.93	29.15	29	Very Poor	Immediate Priority
SW00205	E 7th ST	6.5	160	1,043	Boulevard Walk	Concrete	30.62	Curb	5.23	6.51	34.05	44	Poor	Immediate Priority
SW00246	E 7th ST	5.8	161	943	Boulevard Walk	Concrete	26.43	Curb	6.10	5.85	35.68	40	Poor	Immediate Priority
SW01377	E 7th ST	5.1	491	2,517	Boulevard Walk	Concrete	93.34	Curb	5.26	5.13	26.97	53	Marginal	Immediate Priority
SW01405	E 7th ST	9.7	61	594	Mono Curb And Walk	Concrete	7.17	Curb	8.52	9.74	82.95	58	Marginal	Low Priority
SW00213	E 7th ST	6.6	153	1,004	Mono Curb And Walk	Concrete	31.69	Curb	4.84	6.55	31.69	57	Marginal	Immediate Priority
SW01600	E 7th ST	4.1	281	1,158	Boulevard Walk	Concrete	66.06	Curb	4.25	4.12	17.53	68	Marginal	Low Priority
SW00474	E 7th ST	6.8	167	1,131	Boulevard Walk	Concrete	35.50	Curb	4.70	6.77	31.86	77	Fair	Immediate Priority
SW00308	E 7th ST	5.6	49	273	Mono Curb And Walk	Concrete	10.88	Curb	4.51	5.56	25.09	79	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00237	E 7th ST	5.3	119	625	Boulevard Walk	Concrete	29.55	Curb	4.03	5.25	21.16	74	Marginal	Low Priority
SW01595	E 7th ST	4.7	280	1,324	Boulevard Walk	Concrete	83.32	Curb	3.36	4.73	15.89	76	Fair	Low Priority
SW00475	E 7th ST	5.8	152	880	Boulevard Walk	Concrete	25.61	Curb	5.92	5.80	34.38	75	Fair	Low Priority
SW00206	E 7th ST	5.9	77	460	Boulevard Walk	Concrete	13.23	Curb	5.85	5.95	34.78	74	Marginal	Low Priority
SW00200	E 7th ST	5.7	164	940	Boulevard Walk	Concrete	28.59	Curb	5.74	5.73	32.87	55	Marginal	Low Priority
SW01598	E 7th ST	3.3	263	869	Mono Curb And Walk	Concrete	61.85	Curb	4.25	3.30	14.05	81	Fair	Low Priority
SW01599	E 7th ST	4.0	402	1,624	Boulevard Walk	Concrete	78.90	Curb	5.10	4.04	20.59	81	Fair	Low Priority
SW01406	E 7th ST	5.0	498	2,474	Boulevard Walk	Concrete	92.66	Curb	5.38	4.97	26.70	81	Fair	Low Priority
SW01309	E 7th ST	4.6	289	1,340	Boulevard Walk	Concrete	62.95	No Curb	4.59	4.64	21.29	83	Fair	Low Priority
SW00199	E 7th ST	6.0	157	944	Boulevard Walk	Concrete	29.75	Curb	5.29	6.00	31.73	89	Fair	Deferrable Priority
SW00217	E 7th ST	7.8	147	1,151	Mono Curb And Walk	Concrete	24.27	Curb	6.07	7.82	47.42	90	Fair	Deferrable Priority
SW00459	E 7th ST	5.2	341	1,774	Boulevard Walk	Concrete	87.32	Curb	3.90	5.21	20.32	70	Marginal	Low Priority
SW00232	E 7th ST	6.8	153	1,042	Mono Curb And Walk	Concrete	26.64	Curb	5.73	6.82	39.11	91	Good	Low Priority
SW00473	E 7th ST	5.8	297	1,724	Boulevard Walk	Concrete	51.98	Curb	5.71	5.81	33.17	83	Fair	Very Low Priority
SW00197	E 7th ST	4.6	79	366	Mono Curb And Walk	Concrete	19.25	Curb	4.10	4.63	18.99	92	Good	Deferrable Priority
SW00461	E 7th ST	7.1	143	1,011	Boulevard Walk	Concrete	28.52	Curb	5.03	7.05	35.46	93	Good	Deferrable Priority
SW00441	E 7th ST	5.4	147	802	Boulevard Walk	Concrete	29.69	Curb	4.96	5.44	27.00	73	Marginal	Very Low Priority
SW00446	E 7th ST	5.6	339	1,910	Boulevard Walk	Concrete	70.31	Curb	4.83	5.63	27.17	84	Fair	Low Priority
SW01596	E 7th ST	5.0	275	1,374	Boulevard Walk	Concrete	55.32	Curb	4.97	5.00	24.84	75	Marginal	Low Priority
SW00450	E 7th ST	6.0	155	921	Boulevard Walk	Concrete	26.88	Curb	5.76	5.96	34.28	96	Good	Deferrable Priority
SW00471	E 7th ST	4.3	294	1,251	Boulevard Walk	Concrete	62.93	Curb	4.68	5.86	27.43	97	Good	Deferrable Priority
SW00317	E 7th ST	5.5	145	802	Boulevard Walk	Concrete	27.86	Curb	5.22	5.52	28.77	98	Good	Very Low Priority
SW01614	E 7th ST	5.7	282	1,616	Boulevard Walk	Concrete	58.33	Curb	4.84	5.73	27.70	91	Good	Very Low Priority
SW00469	E 7th ST	6.4	319	2,055	Mono Curb And Walk	Concrete	61.25	Curb	5.22	6.43	33.55	90	Good	Very Low Priority
SW00207	E 7th ST	5.9	61	363	Boulevard Walk	Concrete	12.51	Curb	4.89	5.94	29.02	100	Good	No Priority
SW00472	E 7th ST	6.6	326	2,139	Boulevard Walk	Concrete	69.35	Curb	4.70	6.56	30.84	100	Good	No Priority
SW00058	E 8th ST	4.9	141	691	Boulevard Walk	Concrete	28.64	Curb	4.91	4.91	24.12	33	Poor	Immediate Priority
SW00435	E 8th ST	5.1	141	716	Boulevard Walk	Concrete	33.73	Curb	4.17	5.10	21.24	23	Very Poor	Immediate Priority
SW00065	E 8th ST	4.1	150	615	Boulevard Walk	Concrete	38.45	Curb	3.91	4.09	15.98	43	Poor	Immediate Priority
SW00468	E 8th ST	4.6	146	673	Boulevard Walk	Concrete	40.58	Curb	3.61	4.60	16.59	39	Poor	Immediate Priority
SW00057	E 8th ST	5.4	143	768	Boulevard Walk	Concrete	25.18	Curb	5.69	5.36	30.50	35	Poor	Immediate Priority
SW00056	E 8th ST	5.1	156	791	Boulevard Walk	Concrete	27.71	Curb	5.62	5.08	28.54	43	Poor	Immediate Priority
SW00076	E 8th ST	4.2	150	636	Boulevard Walk	Concrete	32.21	Curb	4.66	4.24	19.75	53	Marginal	Immediate Priority
SW00070	E 8th ST	4.5	153	690	Boulevard Walk	Concrete	35.88	Curb	4.26	4.52	19.24	42	Poor	Immediate Priority
SW07392	E 8th ST	5.2	329	1,716	Boulevard Walk	Concrete	63.39	Curb	5.18	5.22	27.07	33	Poor	Immediate Priority
SW00210	E 8th ST	5.0	151	750	Boulevard Walk	Concrete	30.17	Curb	5.01	4.96	24.85	60	Marginal	Low Priority
SW00062	E 8th ST	4.8	146	704	Boulevard Walk	Concrete	32.37	Curb	4.51	4.82	21.75	45	Poor	Low Priority
SW00060	E 8th ST	6.2	134	834	Mono Curb And Walk	Concrete	24.12	Curb	5.56	6.22	34.58	48	Poor	Low Priority
SW00430	E 8th ST	5.3	295	1,576	Boulevard Walk	Concrete	64.09	Curb	4.60	5.35	24.59	45	Poor	Immediate Priority
SW07402	E 8th ST	4.2	82	346	Boulevard Walk	Concrete	19.71	Curb	4.18	4.20	17.57	64	Marginal	Low Priority
SW00077	E 8th ST	4.0	155	616	Boulevard Walk	Concrete	32.66	Curb	4.76	3.96	18.85	68	Marginal	Low Priority
SW00449	E 8th ST	4.8	247	1,188	Boulevard Walk	Concrete	52.37	Curb	4.71	4.81	22.68	54	Marginal	Low Priority
SW00061	E 8th ST	4.8	138	667	Boulevard Walk	Concrete	31.73	Curb	4.34	4.85	21.03	72	Marginal	Low Priority
SW07376	E 8th ST	6.1	298	1,813	Boulevard Walk	Concrete	48.07	Curb	6.20	6.08	37.71	82	Fair	Immediate Priority
SW07400	E 8th ST	4.2	135	566	Boulevard Walk	Concrete	30.07	Curb	4.48	4.20	18.81	49	Poor	Low Priority
SW00443	E 8th ST	4.2	329	1,397	Boulevard Walk	Concrete	86.10	Curb	3.82	4.25	16.22	74	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00429	E 8th ST	5.8	297	1,728	Boulevard Walk	Concrete	56.37	Curb	5.27	5.82	30.66	68	Marginal	Low Priority
SW00432	E 8th ST	5.5	153	837	Boulevard Walk	Concrete	35.13	Curb	4.35	5.48	23.83	72	Marginal	Low Priority
SW07387	E 8th ST	5.7	151	865	Boulevard Walk	Concrete	26.91	Curb	5.60	5.74	32.15	76	Fair	Very Low Priority
SW07397	E 8th ST	6.5	155	1,002	Boulevard Walk	Concrete	25.19	Curb	6.14	6.48	39.77	92	Good	Deferrable Priority
SW00059	E 8th ST	5.1	128	654	Boulevard Walk	Concrete	23.85	Curb	5.37	5.10	27.41	94	Good	Deferrable Priority
SW07375	E 8th ST	5.8	296	1,704	Boulevard Walk	Concrete	50.96	Curb	5.81	5.76	33.43	95	Good	Deferrable Priority
SW07403	E 8th ST	4.1	131	538	Boulevard Walk	Concrete	31.94	Curb	4.09	4.12	16.84	97	Good	Deferrable Priority
SW00071	E 9th ST	4.9	162	795	Mono Curb And Walk	Concrete	26.18	Curb	6.18	4.91	30.38	14	Very Poor	Low Priority
SW00073	E 9th ST	4.9	151	747	Mono Curb And Walk	Concrete	27.31	Curb	5.54	4.93	27.34	17	Very Poor	Low Priority
SW07106	E 9th ST	5.5	151	824	Mono Curb And Walk	Concrete	26.15	Curb	5.77	5.46	31.53	33	Poor	Immediate Priority
SW07391	E 9th ST	5.0	53	263	Mono Curb And Walk	Concrete	10.72	Curb	4.92	4.99	24.54	22	Very Poor	Low Priority
SW07081	E 9th ST	5.3	159	842	Mono Curb And Walk	Concrete	29.55	Curb	5.40	5.28	28.51	34	Poor	Low Priority
SW00067	E 9th ST	4.9	149	736	Mono Curb And Walk	Concrete	25.16	Curb	5.92	4.95	29.26	43	Poor	Low Priority
SW00460	E 9th ST	4.7	132	625	Mono Curb And Walk	Concrete	25.18	Curb	5.24	4.74	24.83	42	Poor	Low Priority
SW00072	E 9th ST	4.9	108	525	Mono Curb And Walk	Concrete	17.35	Curb	6.21	4.87	30.28	45	Poor	Low Priority
SW07406	E 9th ST	6.4	93	590	Mono Curb And Walk	Concrete	14.45	Curb	6.43	6.35	40.83	21	Very Poor	Low Priority
SW00080	E 9th ST	4.9	38	184	Mono Curb And Walk	Concrete	6.04	Curb	6.27	4.87	30.53	59	Marginal	Low Priority
SW07052	E 9th ST	4.3	158	673	Mono Curb And Walk	Concrete	33.12	Curb	4.76	4.27	20.33	48	Poor	Low Priority
SW07625	E 9th ST	4.9	149	735	Mono Curb And Walk	Concrete	31.28	Curb	4.76	4.93	23.50	49	Poor	Low Priority
SW07390	E 9th ST	4.7	121	571	Mono Curb And Walk	Concrete	33.39	Curb	3.61	4.74	17.11	63	Marginal	Low Priority
SW07408	E 9th ST	4.6	322	1,490	Mono Curb And Walk	Concrete	61.97	Curb	5.20	4.62	24.04	54	Marginal	Low Priority
SW00055	E 9th ST	4.9	137	664	Mono Curb And Walk	Concrete	24.54	Curb	5.57	4.86	27.07	82	Fair	Low Priority
SW07038	E 9th ST	4.9	138	671	Mono Curb And Walk	Concrete	29.82	Curb	4.62	4.87	22.50	84	Fair	Low Priority
SW07421	E 9th ST	5.9	279	1,657	Mono Curb And Walk	Concrete	47.30	Partial Curb	5.90	5.94	35.04	55	Marginal	Low Priority
SW07399	E 9th ST	7.3	329	2,394	Mono Curb And Walk	Concrete	43.88	Curb	7.49	7.28	54.55	72	Marginal	Low Priority
SW07384	E 9th ST	5.2	131	677	Mono Curb And Walk	Concrete	29.08	Curb	4.51	5.16	23.28	60	Marginal	Very Low Priority
SW00079	E 9th ST	4.4	165	722	Mono Curb And Walk	Pavers / Brick	41.13	Curb	4.00	4.39	17.55	86	Fair	Deferrable Priority
SW07419	E 9th ST	5.3	279	1,483	Mono Curb And Walk	Concrete	52.87	Partial Curb	5.29	5.31	28.06	53	Marginal	Low Priority
SW07405	E 9th ST	4.2	133	560	Mono Curb And Walk	Concrete	33.70	Curb	3.96	4.20	16.62	73	Marginal	Low Priority
SW07411	E 9th ST	4.3	46	195	Mono Curb And Walk	Concrete	9.52	Curb	4.82	4.75	22.92	88	Fair	Deferrable Priority
SW07039	E 9th ST	4.1	160	662	Mono Curb And Walk	Pavers / Brick	40.01	Curb	4.00	4.14	16.55	89	Fair	Low Priority
SW07417	E 9th ST	5.5	135	740	Mono Curb And Walk	Concrete	25.22	Curb	5.36	5.48	29.33	74	Marginal	Very Low Priority
SW07415	E 9th ST	5.7	131	755	Mono Curb And Walk	Concrete	27.41	Curb	4.80	5.75	27.56	91	Good	Deferrable Priority
SW07389	E 9th ST	5.2	146	764	Mono Curb And Walk	Concrete	29.40	Curb	4.97	5.22	25.98	93	Good	Deferrable Priority
SW07413	E 9th ST	4.6	66	307	Mono Curb And Walk	Concrete	13.35	Curb	4.97	4.63	22.99	95	Good	Deferrable Priority
SW07423	E 9th ST	4.6	95	439	Mono Curb And Walk	Concrete	19.10	Curb	4.97	4.63	22.99	95	Good	Deferrable Priority
SW07416	E 9th ST	5.1	142	728	Mono Curb And Walk	Concrete	24.98	Curb	5.70	5.11	29.15	84	Fair	Very Low Priority
SW07383	E 9th ST	5.6	135	760	Mono Curb And Walk	Concrete	26.02	Curb	5.20	5.62	29.21	97	Good	Deferrable Priority
SW07401	E 9th ST	4.7	61	285	Mono Curb And Walk	Concrete	12.30	Curb	4.97	4.67	23.20	100	Good	No Priority
SW07420	E 9th ST	4.1	134	554	Mono Curb And Walk	Concrete	30.83	Curb	4.34	4.14	17.97	100	Good	No Priority
SW07371	E Alice ST	2.8	134	381	Stand Alone	Concrete	48.39	No Curb	2.78	2.83	7.87	48	Poor	Low Priority
SW07369	E Alice ST	2.7	135	371	Stand Alone	Concrete	31.18	No Curb	4.34	2.75	11.90	53	Marginal	Low Priority
SW02062	E Allen ST	4.6	143	652	Mono Curb And Walk	Concrete	33.50	Partial Curb	4.28	4.56	19.48	29	Very Poor	Low Priority
SW02073	E Allen ST	5.3	137	729	Mono Curb And Walk	Concrete	24.04	Partial Curb	5.72	5.30	30.31	41	Poor	Low Priority
SW02083	E Allen ST	4.9	146	708	Mono Curb And Walk	Concrete	32.01	Curb	4.55	4.86	22.11	68	Marginal	Low Priority
SW02085	E Allen ST	4.9	137	679	Mono Curb And Walk	Concrete	28.31	Curb	4.85	4.94	23.98	78	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02082	E Allen ST	4.9	140	683	Mono Curb And Walk	Concrete	28.83	Curb	4.87	4.87	23.70	87	Fair	Low Priority
SW02087	E Allen ST	4.6	286	1,317	Mono Curb And Walk	Concrete	54.33	Curb	5.27	4.60	24.24	84	Fair	Low Priority
SW06890	E Allen ST	4.8	147	700	Mono Curb And Walk	Concrete	27.62	Curb	5.32	4.77	25.35	80	Fair	Very Low Priority
SW05842	E Allendale DR	4.6	172	798	Boulevard Walk	Concrete	38.19	Curb	4.51	4.64	20.88	27	Very Poor	Immediate Priority
SW05852	E Allendale DR	4.5	126	561	Boulevard Walk	Concrete	24.22	Curb	5.21	4.45	23.18	47	Poor	Immediate Priority
SW05840	E Allendale DR	5.2	135	697	Boulevard Walk	Concrete	25.36	Curb	5.32	5.16	27.47	57	Marginal	Low Priority
SW05828	E Allendale DR	5.1	309	1,588	Boulevard Walk	Concrete	52.68	Curb	5.86	5.14	30.14	50	Poor	Immediate Priority
SW05811	E Allendale DR	4.6	125	575	Boulevard Walk	Concrete	28.22	Curb	4.44	4.59	20.38	56	Marginal	Immediate Priority
SW05830	E Allendale DR	4.3	133	571	Boulevard Walk	Concrete	30.35	Curb	4.37	4.31	18.83	64	Marginal	Immediate Priority
SW05843	E Allendale DR	4.6	132	612	Boulevard Walk	Concrete	30.68	Curb	4.32	4.62	19.96	65	Marginal	Low Priority
SW05855	E Allendale DR	4.5	185	830	Boulevard Walk	Concrete	38.96	Curb	4.76	4.48	21.31	47	Poor	Low Priority
SW05832	E Allendale DR	4.8	322	1,549	Boulevard Walk	Concrete	53.52	Curb	6.02	4.81	28.93	57	Marginal	Low Priority
SW05859	E Allendale DR	4.2	515	2,165	Boulevard Walk	Concrete	90.25	Curb	5.70	4.21	23.99	70	Marginal	Low Priority
SW05853	E Allendale DR	4.4	127	554	Mono Curb And Walk	Concrete	26.03	Curb	4.88	4.37	21.29	69	Marginal	Low Priority
SW05839	E Allendale DR	4.7	266	1,260	Boulevard Walk	Concrete	46.05	Curb	5.77	4.74	27.35	74	Marginal	Low Priority
SW05810	E Allendale DR	4.9	154	756	Boulevard Walk	Concrete	32.38	Curb	4.75	4.91	23.34	82	Fair	Immediate Priority
SW05849	E Allendale DR	4.6	163	742	Mono Curb And Walk	Concrete	33.43	Curb	4.87	4.55	22.19	64	Marginal	Low Priority
SW05847	E Allendale DR	4.8	139	665	Boulevard Walk	Concrete	27.91	Curb	4.97	4.80	23.84	76	Fair	Low Priority
SW05845	E Allendale DR	4.5	156	698	Boulevard Walk	Concrete	31.28	Curb	4.99	4.47	22.33	75	Fair	Low Priority
SW05822	E Allendale DR	5.0	549	2,719	Boulevard Walk	Concrete	109.47	Curb	5.01	4.96	24.84	72	Marginal	Low Priority
SW05848	E Allendale DR	4.8	150	722	Boulevard Walk	Concrete	29.61	Curb	5.07	4.81	24.37	80	Fair	Low Priority
SW05850	E Allendale DR	5.0	170	848	Boulevard Walk	Concrete	33.08	Curb	5.13	5.00	25.64	88	Fair	Deferrable Priority
SW05813	E Allendale DR	3.5	178	629	Boulevard Walk	Concrete	48.26	Curb	3.70	3.52	13.02	71	Marginal	Low Priority
SW05873	E Allendale DR	3.5	50	172	Boulevard Walk	Concrete	11.83	Curb	4.19	3.48	14.57	69	Marginal	Very Low Priority
SW05836	E Allendale DR	5.1	138	702	Boulevard Walk	Concrete	25.29	Curb	5.46	5.09	27.75	89	Fair	Deferrable Priority
SW05857	E Allendale DR	3.6	304	1,090	Boulevard Walk	Concrete	68.01	Curb	4.48	3.58	16.03	73	Marginal	Low Priority
SW05858	E Allendale DR	3.8	273	1,048	Boulevard Walk	Concrete	66.96	Curb	4.08	3.84	15.65	88	Fair	Low Priority
SW03283	E Arden DR	3.9	174	675	Boulevard Walk	Concrete	27.71	Curb	6.28	3.88	24.37	48	Poor	Low Priority
SW03277	E Arden DR	4.3	60	258	Boulevard Walk	Concrete	13.02	Curb	4.64	4.28	19.85	39	Poor	Low Priority
SW03267	E Arden DR	4.8	265	1,266	Boulevard Walk	Concrete	52.48	Curb	5.05	4.78	24.12	81	Fair	Low Priority
SW03282	E Arden DR	4.0	315	1,251	Boulevard Walk	Concrete	48.53	Curb	6.50	3.97	25.78	69	Marginal	Immediate Priority
SW03284	E Arden DR	3.5	312	1,079	Boulevard Walk	Concrete	63.16	Curb	4.93	3.47	17.09	65	Marginal	Low Priority
SW03281	E Arden DR	4.0	242	967	Boulevard Walk	Concrete	47.90	Curb	5.05	4.00	20.19	68	Marginal	Low Priority
SW03278	E Arden DR	4.0	31	123	Boulevard Walk	Concrete	6.53	Curb	4.71	3.99	18.82	91	Good	Deferrable Priority
SW05010	E Ashwood CIR	4.1	157	642	Boulevard Walk	Concrete	27.51	Curb	5.72	4.08	23.35	55	Marginal	Low Priority
SW04970	E Ashwood CIR	4.0	110	435	Boulevard Walk	Concrete	23.56	Curb	4.65	3.96	18.45	77	Fair	Low Priority
SW04969	E Ashwood CT	3.6	142	509	Boulevard Walk	Concrete	37.99	Curb	3.73	3.60	13.41	47	Poor	Low Priority
SW05006	E Ashwood CT	4.0	156	624	Boulevard Walk	Concrete	29.78	Curb	5.24	4.00	20.94	83	Fair	Low Priority
SW05011	E Ashwood LN	4.1	105	434	Boulevard Walk	Concrete	20.87	Curb	5.05	4.12	20.80	74	Marginal	Low Priority
SW04964	E Ashwood LN	3.7	158	579	Boulevard Walk	Concrete	28.29	Curb	5.59	3.67	20.48	67	Marginal	Low Priority
SW05005	E Ashwood LN	3.9	354	1,369	Boulevard Walk	Concrete	70.86	Curb	5.00	3.86	19.31	68	Marginal	Low Priority
SW04995	E Ashwood LN	4.0	332	1,322	Boulevard Walk	Concrete	64.53	Curb	5.15	3.98	20.48	86	Fair	Low Priority
SW02810	E Atwater AVE	7.9	262	2,081	Mono Curb And Walk	Concrete	35.68	Curb	7.34	7.94	58.32	33	Poor	Immediate Priority
SW06975	E Atwater AVE	4.4	129	562	Mono Curb And Walk	Concrete	26.22	Curb	4.92	4.37	21.45	42	Poor	Immediate Priority
SW01699	E Atwater AVE	5.6	360	2,012	Mono Curb And Walk	Concrete	63.67	Curb	5.66	5.58	31.61	44	Poor	Low Priority
SW06976	E Atwater AVE	4.6	133	607	Mono Curb And Walk	Concrete	26.42	Curb	5.03	4.56	22.96	65	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00969	E Atwater AVE	3.8	122	469	Mono Curb And Walk	Concrete	13.21	Curb	9.26	3.83	35.49	73	Marginal	Low Priority
SW01705	E Atwater AVE	4.5	340	1,513	Mono Curb And Walk	Concrete	66.82	Curb	5.09	4.45	22.64	55	Marginal	Immediate Priority
SW00989	E Atwater AVE	5.0	151	756	Mono Curb And Walk	Concrete	33.50	Curb	4.51	5.00	22.56	75	Fair	Low Priority
SW01697	E Atwater AVE	4.7	77	361	Mono Curb And Walk	Concrete	12.64	Curb	6.06	4.72	28.60	51	Marginal	Low Priority
SW01704	E Atwater AVE	4.7	181	850	Mono Curb And Walk	Concrete	33.45	Curb	5.42	4.69	25.42	66	Marginal	Low Priority
SW02811	E Atwater AVE	4.8	411	1,981	Boulevard Walk	Concrete	90.05	Curb	4.57	4.82	22.00	62	Marginal	Low Priority
SW00619	E Atwater AVE	4.8	201	974	Boulevard Walk	Concrete	42.12	Curb	4.78	4.84	23.11	52	Marginal	Low Priority
SW00954	E Atwater AVE	4.8	316	1,519	Mono Curb And Walk	Concrete	70.66	Curb	4.48	4.80	21.49	80	Fair	Low Priority
SW00958	E Atwater AVE	5.6	273	1,531	Mono Curb And Walk	Concrete	42.17	Curb	6.48	5.60	36.30	81	Fair	Low Priority
SW01700	E Atwater AVE	4.4	360	1,591	Boulevard Walk	Concrete	78.37	Curb	4.59	4.42	20.30	76	Fair	Low Priority
SW00971	E Atwater AVE	5.6	241	1,350	Mono Curb And Walk	Concrete	37.20	Curb	6.48	5.60	36.30	84	Fair	Low Priority
SW00987	E Atwater AVE	5.6	333	1,866	Mono Curb And Walk	Concrete	51.42	Curb	6.48	5.60	36.30	51	Marginal	Low Priority
SW02381	E Atwater AVE	4.0	106	420	Mono Curb And Walk	Concrete	22.31	Curb	4.74	3.97	18.83	86	Fair	Deferrable Priority
SW02382	E Atwater AVE	6.0	41	244	Boulevard Walk	Concrete	6.90	Curb	5.91	5.99	35.37	86	Fair	Deferrable Priority
SW06990	E Atwater AVE	4.2	119	499	Mono Curb And Walk	Concrete	25.45	Curb	4.69	4.18	19.61	87	Fair	Very Low Priority
SW01698	E Atwater AVE	4.3	122	529	Mono Curb And Walk	Concrete	24.16	Curb	5.05	4.34	21.91	61	Marginal	Low Priority
SW06979	E Atwater AVE	6.9	135	937	Mono Curb And Walk	Concrete	22.88	Curb	5.91	6.93	40.94	70	Marginal	Low Priority
SW00617	E Atwater AVE	5.0	333	1,649	Boulevard Walk	Concrete	66.76	Curb	4.99	4.95	24.70	78	Fair	Low Priority
SW00611	E Atwater AVE	4.8	219	1,051	Boulevard Walk	Concrete	45.07	Curb	4.86	4.80	23.32	88	Fair	Deferrable Priority
SW02795	E Atwater AVE	5.9	278	1,635	Mono Curb And Walk	Concrete	64.02	Curb	4.35	5.87	25.54	88	Fair	Deferrable Priority
SW01706	E Atwater AVE	4.2	150	625	Mono Curb And Walk	Concrete	24.53	Curb	6.10	4.18	25.50	88	Fair	Deferrable Priority
SW00970	E Atwater AVE	4.7	266	1,238	Mono Curb And Walk	Concrete	50.71	Curb	5.25	4.65	24.41	86	Fair	Low Priority
SW06987	E Atwater AVE	4.2	144	600	Mono Curb And Walk	Concrete	30.86	Curb	4.66	4.17	19.43	92	Good	Deferrable Priority
SW02800	E Atwater AVE	5.5	208	1,145	Boulevard Walk	Concrete	35.20	Curb	5.90	5.52	32.53	92	Good	Deferrable Priority
SW00995	E Atwater AVE	3.4	109	370	Mono Curb And Walk	Concrete	25.38	Curb	4.31	3.38	14.56	92	Good	Deferrable Priority
SW00957	E Atwater AVE	5.5	319	1,761	Mono Curb And Walk	Concrete	50.67	Curb	6.29	5.52	34.76	81	Fair	Low Priority
SW02383	E Atwater AVE	5.8	66	382	Mono Curb And Walk	Concrete	13.05	Curb	5.04	5.80	29.23	71	Marginal	Very Low Priority
SW02804	E Atwater AVE	4.5	201	914	Mono Curb And Walk	Concrete	39.06	Curb	5.15	4.54	23.39	84	Fair	Very Low Priority
SW02816	E Atwater AVE	4.6	262	1,214	Mono Curb And Walk	Concrete	57.16	Curb	4.58	4.64	21.24	94	Good	Deferrable Priority
SW02817	E Atwater AVE	5.0	261	1,312	Boulevard Walk	Concrete	53.04	Curb	4.92	5.03	24.73	94	Good	Deferrable Priority
SW02814	E Atwater AVE	3.7	206	765	Mono Curb And Walk	Concrete	57.51	Curb	3.59	3.71	13.30	95	Good	Deferrable Priority
SW10968	E Atwater AVE	4.1	68	278	Mono Curb And Walk	Concrete	13.07	Curb	5.22	4.07	21.24	95	Good	Deferrable Priority
SW00618	E Atwater AVE	4.3	164	710	Mono Curb And Walk	Concrete	29.30	Curb	5.59	4.34	24.23	83	Fair	Very Low Priority
SW00587	E Atwater AVE	4.8	373	1,798	Boulevard Walk	Concrete	72.64	Curb	5.14	4.82	24.75	86	Fair	Very Low Priority
SW00578	E Atwater AVE	6.2	239	1,476	Boulevard Walk	Concrete	38.02	Curb	6.29	6.17	38.83	96	Good	Deferrable Priority
SW02806	E Atwater AVE	6.0	363	2,194	Mono Curb And Walk	Concrete	55.73	Curb	6.52	6.04	39.37	90	Fair	Very Low Priority
SW02802	E Atwater AVE	6.8	508	3,457	Boulevard Walk	Concrete	83.73	Curb	6.07	6.81	41.29	98	Good	Deferrable Priority
SW02807	E Atwater AVE	6.6	79	525	Boulevard Walk	Concrete	12.89	Curb	6.15	6.62	40.74	100	Good	No Priority
SW00657	E Atwater TURN	4.8	20	98	Boulevard Walk	Concrete	4.17	Curb	4.89	4.81	23.55	87	Fair	Deferrable Priority
SW04893	E Autumn DR	3.6	28	102	Boulevard Walk	Concrete	7.01	Curb	4.00	3.63	14.49	74	Marginal	Low Priority
SW04866	E Autumn DR	3.8	505	1,936	Boulevard Walk	Concrete	95.50	Curb	5.29	3.83	20.27	69	Marginal	Immediate Priority
SW04872	E Autumn DR	3.7	606	2,266	Boulevard Walk	Concrete	127.39	Curb	4.76	3.74	17.79	77	Fair	Immediate Priority
SW04868	E Autumn DR	3.6	141	503	Boulevard Walk	Concrete	41.88	Curb	3.37	3.57	12.02	96	Good	Deferrable Priority
SW04871	E Autumn DR	3.6	116	421	Boulevard Walk	Concrete	29.08	Curb	4.00	3.63	14.49	98	Good	Deferrable Priority
SW03829	E Azalea LN	4.2	283	1,199	Boulevard Walk	Concrete	49.78	Curb	5.69	4.23	24.08	58	Marginal	Immediate Priority
SW03850	E Azalea LN	3.6	422	1,538	Boulevard Walk	Concrete	83.74	Curb	5.04	3.64	18.36	42	Poor	Immediate Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03853	E Azalea LN	4.1	313	1,286	Boulevard Walk	Concrete	70.10	Curb	4.46	4.11	18.35	35	Poor	Low Priority
SW03825	E Azalea LN	3.9	243	947	Boulevard Walk	Concrete	57.59	Curb	4.22	3.90	16.44	67	Marginal	Immediate Priority
SW03810	E Azalea LN	4.1	67	279	Boulevard Walk	Concrete	10.60	Curb	6.36	4.14	26.34	55	Marginal	Low Priority
SW03851	E Azalea LN	4.0	261	1,048	Boulevard Walk	Concrete	47.51	Curb	5.50	4.01	22.05	72	Marginal	Low Priority
SW03811	E Azalea LN	4.0	110	435	Boulevard Walk	Concrete	25.75	Curb	4.26	3.96	16.88	83	Fair	Low Priority
SW03865	E Azalea LN	3.7	467	1,731	Mono Curb And Walk	Concrete	103.10	Curb	4.53	3.71	16.79	77	Fair	Low Priority
SW03852	E Azalea LN	4.0	223	903	Boulevard Walk	Concrete	39.88	Curb	5.59	4.05	22.63	75	Fair	Low Priority
SW03866	E Azalea LN	3.9	139	535	Boulevard Walk	Concrete	33.42	Curb	4.16	3.85	16.01	89	Fair	Very Low Priority
SW03824	E Azalea LN	3.9	553	2,180	Boulevard Walk	Concrete	115.08	Curb	4.80	3.94	18.94	85	Fair	Low Priority
SW06202	E Bennington BLVD	3.8	468	1,785	Boulevard Walk	Concrete	90.48	Curb	5.17	3.81	19.72	65	Marginal	Immediate Priority
SW06196	E Bennington BLVD	4.0	519	2,087	Boulevard Walk	Concrete	101.29	Curb	5.13	4.02	20.61	71	Marginal	Immediate Priority
SW06195	E Bennington BLVD	3.9	383	1,497	Boulevard Walk	Concrete	84.14	Curb	4.55	3.91	17.80	74	Marginal	Low Priority
SW06211	E Bennington BLVD	3.8	425	1,620	Boulevard Walk	Concrete	94.68	Curb	4.49	3.81	17.11	79	Fair	Low Priority
SW06197	E Bennington BLVD	3.5	275	961	Boulevard Walk	Concrete	57.26	Curb	4.81	3.49	16.79	80	Fair	Low Priority
SW06179	E Bennington BLVD	3.8	255	969	Boulevard Walk	Concrete	53.89	Curb	4.74	3.80	17.99	92	Good	Low Priority
SW03614	E Benson CT	4.1	444	1,824	Boulevard Walk	Concrete	81.62	Curb	5.44	4.11	22.35	53	Marginal	Immediate Priority
SW03624	E Benson CT	3.9	524	2,050	Boulevard Walk	Concrete	130.93	Curb	4.00	3.91	15.65	54	Marginal	Immediate Priority
SW03612	E Benson CT	4.1	1481	6,009	Boulevard Walk	Concrete	266.56	Curb	5.56	4.06	22.54	70	Marginal	Low Priority
SW03626	E Benson CT	3.4	1555	5,331	Boulevard Walk	Concrete	380.00	Curb	4.09	3.43	14.03	77	Fair	Low Priority
SW03611	E Berkshire CT	3.9	140	548	Mono Curb And Walk	Concrete	27.87	Curb	5.02	3.91	19.65	60	Marginal	Low Priority
SW03662	E Berkshire CT	3.9	261	1,011	Mono Curb And Walk	Concrete	50.53	Curb	5.17	3.87	20.01	68	Marginal	Low Priority
SW03610	E Berkshire CT	3.9	98	381	Mono Curb And Walk	Concrete	20.80	Curb	4.71	3.89	18.31	72	Marginal	Low Priority
SW03660	E Berkshire CT	3.9	9	35	Mono Curb And Walk	Concrete	1.91	Curb	4.77	3.86	18.38	80	Fair	Deferrable Priority
SW03598	E Berkshire CT	3.9	36	139	Boulevard Walk	Concrete	7.68	Curb	4.64	3.89	18.04	86	Fair	Deferrable Priority
SW06181	E Bill Mallory BLVD	4.1	276	1,126	Boulevard Walk	Concrete	52.95	Curb	5.21	4.08	21.27	65	Marginal	Low Priority
SW06183	E Bill Mallory BLVD	3.5	159	550	Boulevard Walk	Concrete	38.56	Curb	4.11	3.47	14.27	71	Marginal	Low Priority
SW06192	E Bill Mallory BLVD	3.4	180	610	Boulevard Walk	Concrete	42.35	Curb	4.25	3.39	14.39	77	Fair	Immediate Priority
SW06255	E Bill Mallory BLVD	3.7	577	2,143	Boulevard Walk	Concrete	128.12	Curb	4.50	3.71	16.73	67	Marginal	Immediate Priority
SW06190	E Bill Mallory BLVD	3.8	619	2,351	Boulevard Walk	Concrete	134.54	Curb	4.60	3.80	17.47	71	Marginal	Immediate Priority
SW06220	E Bill Mallory BLVD	3.9	352	1,377	Boulevard Walk	Concrete	73.36	Curb	4.80	3.91	18.77	78	Fair	Immediate Priority
SW06191	E Bill Mallory BLVD	4.1	324	1,319	Boulevard Walk	Concrete	85.42	Curb	3.79	4.07	15.44	87	Fair	Immediate Priority
SW06189	E Bill Mallory BLVD	3.9	311	1,205	Boulevard Walk	Concrete	59.82	Curb	5.20	3.88	20.14	80	Fair	Low Priority
SW08763	E Blue Ridge DR	4.9	152	752	Boulevard Walk	Concrete	32.13	Curb	4.74	4.94	23.39	88	Fair	Deferrable Priority
SW05605	E Bradshire ST	4.5	292	1,326	Boulevard Walk	Concrete	51.47	Curb	5.67	4.54	25.76	37	Poor	Immediate Priority
SW05593	E Bradshire ST	4.7	212	1,003	Boulevard Walk	Concrete	35.50	Curb	5.97	4.74	28.26	71	Marginal	Low Priority
SW05595	E Bradshire ST	4.1	289	1,199	Boulevard Walk	Concrete	78.46	Curb	3.69	4.15	15.28	79	Fair	Low Priority
SW05610	E Bradshire ST	4.6	390	1,774	Boulevard Walk	Concrete	63.43	Curb	6.14	4.56	27.98	67	Marginal	Low Priority
SW04733	E Breckenmore DR	3.9	522	2,009	Boulevard Walk	Concrete	109.59	Curb	4.76	3.85	18.34	71	Marginal	Low Priority
SW04738	E Breckenmore DR	3.9	529	2,053	Boulevard Walk	Concrete	109.51	Curb	4.83	3.88	18.75	69	Marginal	Low Priority
SW02975	E Brenda LN	5.4	49	269	Boulevard Walk	Concrete	9.16	Curb	5.39	5.44	29.31	64	Marginal	Low Priority
SW02974	E Brenda LN	5.5	39	212	Boulevard Walk	Concrete	6.24	Curb	6.20	5.49	34.03	85	Fair	Deferrable Priority
SW03057	E Brenda LN	4.7	25	119	Boulevard Walk	Concrete	4.52	Curb	5.56	4.74	26.34	88	Fair	Deferrable Priority
SW03058	E Brenda LN	6.7	108	727	Mono Curb And Walk	Concrete	19.17	Curb	5.65	6.71	37.92	88	Fair	Deferrable Priority
SW02945	E Brenda LN	4.0	101	407	Mono Curb And Walk	Concrete	26.87	Curb	3.75	4.04	15.13	89	Fair	Low Priority
SW02996	E Brenda LN	4.0	159	634	Mono Curb And Walk	Concrete	33.79	No Curb	4.71	3.99	18.78	94	Good	Deferrable Priority
SW02973	E Brenda LN	4.7	18	84	Boulevard Walk	Concrete	3.20	Curb	5.56	4.74	26.34	100	Good	No Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04282	E Bricklin CT	3.8	84	317	Boulevard Walk	Concrete	22.11	Curb	3.80	3.77	14.34	81	Fair	Low Priority
SW04245	E Bricklin CT	4.8	83	403	Boulevard Walk	Concrete	16.83	Curb	4.96	4.83	23.92	78	Fair	Low Priority
SW04757	E Bridgestone DR	4.0	88	355	Boulevard Walk	Concrete	18.54	Curb	4.74	4.04	19.16	51	Marginal	Immediate Priority
SW04767	E Bridgestone DR	3.9	73	284	Boulevard Walk	Concrete	17.35	Curb	4.18	3.91	16.37	65	Marginal	Low Priority
SW04766	E Bridgestone DR	3.7	33	121	Boulevard Walk	Concrete	6.92	Curb	4.77	3.68	17.53	61	Marginal	Low Priority
SW04768	E Bridgestone DR	3.8	46	178	Boulevard Walk	Concrete	10.34	Curb	4.47	3.85	17.21	67	Marginal	Low Priority
SW04769	E Bridgestone DR	3.8	398	1,508	Boulevard Walk	Concrete	85.08	Curb	4.68	3.79	17.73	65	Marginal	Low Priority
SW04765	E Bridgestone DR	3.7	388	1,426	Boulevard Walk	Concrete	81.36	Curb	4.77	3.68	17.53	67	Marginal	Immediate Priority
SW06508	E Bridgewater CT	4.1	165	669	Boulevard Walk	Concrete	30.68	Curb	5.36	4.06	21.79	79	Fair	Low Priority
SW04167	E Brighton AVE	4.8	49	232	Mono Curb And Walk	Concrete	6.45	Curb	7.56	4.76	35.95	60	Marginal	Low Priority
SW04170	E Brighton AVE	4.8	317	1,518	Mono Curb And Walk	Concrete	48.62	Curb	6.52	4.79	31.23	69	Marginal	Low Priority
SW04171	E Brighton AVE	4.9	199	978	Mono Curb And Walk	Concrete	31.59	Curb	6.29	4.92	30.95	49	Poor	Low Priority
SW04166	E Brighton AVE	4.7	133	629	Mono Curb And Walk	Concrete	17.13	Curb	7.78	4.72	36.69	71	Marginal	Low Priority
SW04169	E Brighton AVE	4.9	147	713	Mono Curb And Walk	Concrete	23.44	Curb	6.25	4.86	30.41	75	Fair	Low Priority
SW04168	E Brighton AVE	4.7	491	2,291	Mono Curb And Walk	Concrete	75.42	Curb	6.51	4.67	30.37	69	Marginal	Low Priority
SW06214	E Brighton CRST	4.0	259	1,026	Boulevard Walk	Concrete	67.07	Curb	3.86	3.97	15.30	55	Marginal	Immediate Priority
SW06204	E Brighton CRST	3.8	271	1,034	Boulevard Walk	Concrete	60.06	Curb	4.51	3.82	17.22	53	Marginal	Low Priority
SW06212	E Brighton CRST	3.8	178	678	Boulevard Walk	Concrete	48.59	Curb	3.66	3.81	13.96	53	Marginal	Immediate Priority
SW06200	E Brighton CRST	3.5	165	571	Boulevard Walk	Concrete	41.19	Curb	4.02	3.45	13.87	84	Fair	Low Priority
SW06511	E Brigs BND	3.9	1915	7,441	Boulevard Walk	Concrete	399.97	Curb	4.79	3.89	18.60	77	Fair	Immediate Priority
SW06513	E Brigs BND	3.7	2081	7,783	Boulevard Walk	Concrete	468.61	Curb	4.44	3.74	16.61	75	Fair	Immediate Priority
SW05716	E Brookstone CT	4.1	165	685	Boulevard Walk	Concrete	29.74	Curb	5.56	4.15	23.04	31	Poor	Immediate Priority
SW05707	E Brookstone CT	3.5	129	455	Boulevard Walk	Concrete	31.66	Curb	4.07	3.53	14.36	60	Marginal	Low Priority
SW05645	E Browning CT	4.8	357	1,717	Boulevard Walk	Concrete	70.33	Curb	5.08	4.81	24.41	73	Marginal	Low Priority
SW05646	E Browning CT	4.3	400	1,739	Boulevard Walk	Concrete	74.96	Curb	5.34	4.35	23.20	68	Marginal	Low Priority
SW05644	E Browning LN	4.0	418	1,684	Boulevard Walk	Concrete	73.79	Curb	5.67	4.03	22.82	60	Marginal	Immediate Priority
SW05649	E Browning LN	3.8	452	1,737	Boulevard Walk	Concrete	96.12	Curb	4.70	3.85	18.07	77	Fair	Immediate Priority
SW05651	E Browning LN	4.8	484	2,299	Boulevard Walk	Concrete	95.58	Curb	5.06	4.75	24.05	74	Marginal	Low Priority
SW05647	E Browning LN	6.0	599	3,622	Boulevard Walk	Concrete	120.28	Curb	4.98	6.04	30.12	75	Marginal	Low Priority
SW05640	E Buckingham DR	5.1	305	1,543	Boulevard Walk	Concrete	47.94	Curb	6.36	5.06	32.18	26	Very Poor	Immediate Priority
SW05639	E Buckingham DR	4.7	248	1,156	Boulevard Walk	Concrete	56.18	Curb	4.42	4.65	20.58	59	Marginal	Low Priority
SW05641	E Buckingham DR	4.7	143	670	Boulevard Walk	Concrete	30.81	Curb	4.63	4.70	21.73	62	Marginal	Low Priority
SW04499	E Buick Cadillac BLVD	5.0	149	754	Boulevard Walk	Concrete	26.93	Curb	5.55	5.05	27.98	43	Poor	Immediate Priority
SW04524	E Buick Cadillac BLVD	4.7	54	255	Boulevard Walk	Concrete	10.98	Curb	4.93	4.71	23.23	61	Marginal	Low Priority
SW04496	E Buick Cadillac BLVD	5.0	414	2,078	Boulevard Walk	Concrete	87.26	Curb	4.75	5.01	23.81	62	Marginal	Immediate Priority
SW04520	E Buick Cadillac BLVD	4.8	109	529	Boulevard Walk	Concrete	23.51	Curb	4.64	4.85	22.50	55	Marginal	Low Priority
SW04490	E Buick Cadillac BLVD	4.6	95	440	Boulevard Walk	Concrete	21.09	Curb	4.50	4.64	20.87	52	Marginal	Low Priority
SW04497	E Buick Cadillac BLVD	4.8	900	4,309	Boulevard Walk	Concrete	232.46	Curb	3.87	4.79	18.54	69	Marginal	Immediate Priority
SW03533	E Buick Cadillac BLVD	5.0	60	298	Mono Curb And Walk	Concrete	10.91	Curb	5.47	5.00	27.34	56	Marginal	Very Low Priority
SW04518	E Buick Cadillac BLVD	3.5	276	962	Mono Curb And Walk	Concrete	67.32	Curb	4.10	3.48	14.29	78	Fair	Low Priority
SW04494	E Buick Cadillac BLVD	4.7	18	83	Boulevard Walk	Concrete	3.19	Curb	5.55	4.71	26.13	47	Poor	Very Low Priority
SW04491	E Buick Cadillac BLVD	4.8	56	269	Boulevard Walk	Concrete	12.24	Curb	4.57	4.82	22.01	70	Marginal	Very Low Priority
SW04493	E Buick Cadillac BLVD	4.9	33	159	Boulevard Walk	Concrete	6.05	Curb	5.40	4.86	26.25	90	Good	Deferrable Priority
SW04522	E Buick Cadillac BLVD	5.5	89	489	Boulevard Walk	Concrete	14.12	Curb	6.32	5.48	34.65	91	Good	Deferrable Priority
SW05487	E Burks DR	4.0	281	1,116	Boulevard Walk	Concrete	57.69	Curb	4.87	3.97	19.35	44	Poor	Immediate Priority
SW05499	E Burks DR	4.2	142	592	Boulevard Walk	Concrete	24.52	Curb	5.80	4.16	24.13	50	Poor	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05497	E Burks DR	4.0	134	543	Boulevard Walk	Concrete	29.73	Curb	4.51	4.05	18.25	58	Marginal	Immediate Priority
SW05506	E Burks DR	4.0	184	737	Boulevard Walk	Concrete	40.15	Curb	4.58	4.01	18.36	64	Marginal	Immediate Priority
SW05484	E Burks DR	3.9	318	1,227	Boulevard Walk	Concrete	77.64	Curb	4.09	3.86	15.80	69	Marginal	Immediate Priority
SW05505	E Burks DR	3.9	118	461	Boulevard Walk	Concrete	27.79	Curb	4.24	3.91	16.57	68	Marginal	Low Priority
SW05486	E Burks DR	4.1	389	1,595	Boulevard Walk	Concrete	86.68	Partial Curb	4.49	4.10	18.40	68	Marginal	Immediate Priority
SW05495	E Burks DR	3.4	164	562	Boulevard Walk	Concrete	47.16	Curb	3.47	3.43	11.92	79	Fair	Low Priority
SW05504	E Burks DR	3.9	170	656	Mono Curb And Walk	Concrete	37.18	Curb	4.56	3.87	17.63	82	Fair	Very Low Priority
SW05943	E Buttonwood LN	4.5	454	2,043	Boulevard Walk	Concrete	86.02	Curb	5.28	4.50	23.75	73	Marginal	Low Priority
SW05939	E Buttonwood LN	3.6	434	1,582	Boulevard Walk	Concrete	85.35	Curb	5.09	3.65	18.54	81	Fair	Low Priority
SW06177	E Cadbury CT	4.0	135	540	Boulevard Walk	Concrete	26.57	Curb	5.09	3.99	20.32	69	Marginal	Low Priority
SW06224	E Cadbury CT	4.0	134	534	Boulevard Walk	Concrete	28.63	Curb	4.68	3.98	18.66	87	Fair	Low Priority
SW01475	E Callery CT	3.9	416	1,623	Boulevard Walk	Concrete	79.57	Curb	5.23	3.90	20.40	60	Marginal	Immediate Priority
SW01474	E Callery CT	4.0	330	1,317	Boulevard Walk	Concrete	75.76	Curb	4.35	3.99	17.38	77	Fair	Low Priority
SW06838	E Cambridge DR	4.8	104	496	Boulevard Walk	Concrete	16.39	Curb	6.34	4.77	30.28	47	Poor	Immediate Priority
SW05590	E Camby LN	3.8	285	1,097	Mono Curb And Walk	Concrete	66.90	Curb	4.27	3.84	16.40	20	Very Poor	Immediate Priority
SW05606	E Camby LN	4.1	280	1,139	Mono Curb And Walk	Concrete	51.97	Curb	5.39	4.07	21.92	64	Marginal	Low Priority
SW04967	E Canada DR	4.0	327	1,311	Boulevard Walk	Concrete	68.92	Curb	4.74	4.01	19.02	70	Marginal	Low Priority
SW04997	E Canada DR	3.8	303	1,135	Boulevard Walk	Concrete	70.48	Curb	4.29	3.75	16.11	67	Marginal	Low Priority
SW05033	E Canada DR	4.1	362	1,481	Boulevard Walk	Concrete	67.48	Curb	5.36	4.10	21.95	71	Marginal	Immediate Priority
SW05023	E Canada DR	4.5	99	446	Boulevard Walk	Concrete	21.39	Curb	4.64	4.49	20.85	68	Marginal	Low Priority
SW05001	E Canada DR	4.9	500	2,466	Boulevard Walk	Concrete	103.17	Curb	4.85	4.93	23.90	81	Fair	Low Priority
SW05000	E Canada DR	4.0	504	2,021	Boulevard Walk	Concrete	93.95	Curb	5.36	4.01	21.51	81	Fair	Low Priority
SW04998	E Canada DR	3.8	720	2,700	Boulevard Walk	Concrete	185.12	Curb	3.89	3.75	14.59	92	Good	Low Priority
SW04966	E Canada DR	3.9	403	1,576	Boulevard Walk	Concrete	87.56	Curb	4.60	3.91	18.00	84	Fair	Low Priority
SW05022	E Canada DR	4.1	63	259	Boulevard Walk	Concrete	12.11	Curb	5.22	4.09	21.37	94	Good	Deferrable Priority
SW10921	E Caradon HL	4.7	323	1,504	Boulevard Walk	Concrete	64.26	No Curb	5.02	4.66	23.41	49	Poor	Immediate Priority
SW03355	E Caradon HL	4.5	477	2,139	Mono Curb And Walk	Concrete	105.72	Curb	4.51	4.48	20.23	45	Poor	Immediate Priority
SW03349	E Caradon HL	4.5	417	1,889	Mono Curb And Walk	Concrete	80.85	Curb	5.15	4.54	23.37	67	Marginal	Low Priority
SW04979	E Caray CT	3.8	126	482	Boulevard Walk	Concrete	27.04	Curb	4.67	3.82	17.83	48	Poor	Immediate Priority
SW04978	E Caray CT	4.2	130	542	Boulevard Walk	Concrete	26.50	Curb	4.91	4.16	20.45	70	Marginal	Low Priority
SW06235	E Cardigan CT	3.7	137	502	Boulevard Walk	Concrete	35.76	Curb	3.82	3.68	14.05	92	Good	Deferrable Priority
SW06225	E Carrington CT	4.5	301	1,342	Boulevard Walk	Concrete	59.06	Curb	5.09	4.47	22.73	61	Marginal	Immediate Priority
SW06234	E Carrington CT	4.2	374	1,555	Boulevard Walk	Concrete	76.71	Curb	4.88	4.15	20.27	62	Marginal	Low Priority
SW04990	E Cedarwood CIR	3.9	242	932	Boulevard Walk	Concrete	51.18	Curb	4.72	3.86	18.21	66	Marginal	Low Priority
SW04986	E Cedarwood CIR	4.1	344	1,402	Boulevard Walk	Concrete	67.28	Curb	5.12	4.07	20.83	85	Fair	Low Priority
SW04980	E Cedarwood CIR	3.8	267	1,004	Boulevard Walk	Concrete	69.78	Curb	3.82	3.77	14.39	89	Fair	Low Priority
SW04987	E Cedarwood CIR	4.1	344	1,398	Boulevard Walk	Concrete	66.88	Curb	5.15	4.06	20.91	88	Fair	Very Low Priority
SW04976	E Cedarwood CT	3.8	246	947	Boulevard Walk	Concrete	55.64	Curb	4.43	3.85	17.02	62	Marginal	Low Priority
SW04958	E Cedarwood CT	3.9	233	914	Boulevard Walk	Concrete	46.66	Curb	5.00	3.92	19.59	89	Fair	Deferrable Priority
SW05014	E Cedarwood DR	3.6	638	2,280	Boulevard Walk	Concrete	143.94	Curb	4.43	3.58	15.84	57	Marginal	Immediate Priority
SW04983	E Cedarwood DR	3.7	298	1,116	Boulevard Walk	Concrete	66.07	Curb	4.51	3.74	16.89	75	Fair	Low Priority
SW04957	E Cedarwood DR	4.0	568	2,250	Boulevard Walk	Concrete	114.47	Curb	4.96	3.96	19.65	74	Marginal	Low Priority
SW04989	E Cedarwood DR	4.0	276	1,106	Boulevard Walk	Concrete	54.42	Curb	5.07	4.01	20.32	82	Fair	Low Priority
SW03391	E Cheyanne LN	4.4	97	425	Mono Curb And Walk	Concrete	21.49	Curb	4.52	4.38	19.78	67	Marginal	Low Priority
SW03334	E Cheyanne LN	3.9	197	760	Boulevard Walk	Concrete	45.25	Curb	4.36	3.85	16.79	84	Fair	Low Priority
SW03392	E Cheyanne LN	3.9	348	1,371	Boulevard Walk	Concrete	74.58	Curb	4.67	3.94	18.38	85	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03367	E Cheyanne LN	3.6	171	613	Boulevard Walk	Concrete	45.40	Curb	3.77	3.58	13.50	87	Fair	Low Priority
SW03365	E Cheyanne LN	4.4	459	2,015	Boulevard Walk	Concrete	95.92	Curb	4.78	4.39	21.00	91	Good	Low Priority
SW03861	E Chris LN	3.9	248	977	Boulevard Walk	Concrete	56.62	Curb	4.38	3.94	17.25	43	Poor	Immediate Priority
SW03828	E Chris LN	4.0	218	864	Boulevard Walk	Concrete	45.10	Curb	4.84	3.96	19.15	74	Marginal	Immediate Priority
SW06239	E Clayton CT	3.8	180	686	Boulevard Walk	Concrete	36.74	Curb	4.91	3.80	18.68	61	Marginal	Low Priority
SW06237	E Clayton CT	3.5	172	594	Boulevard Walk	Concrete	44.58	Curb	3.85	3.46	13.32	70	Marginal	Low Priority
SW09945	E Clover LN	3.6	106	380	Boulevard Walk	Concrete	28.09	Curb	3.79	3.58	13.54	54	Marginal	Immediate Priority
SW09950	E Clover LN	3.7	253	946	Boulevard Walk	Concrete	57.87	Curb	4.38	3.74	16.35	74	Marginal	Low Priority
SW04775	E Cobble Creek CT	4.9	46	226	Mono Curb And Walk	Concrete	9.41	Curb	4.87	4.93	24.00	56	Marginal	Low Priority
SW04785	E Cobble Creek CT	4.9	43	209	Mono Curb And Walk	Concrete	7.96	Curb	5.38	4.87	26.22	60	Marginal	Low Priority
SW04787	E Cobble Creek CT	5.2	34	173	Boulevard Walk	Concrete	6.01	Curb	5.59	5.16	28.83	59	Marginal	Low Priority
SW04784	E Cobble Creek CT	4.9	26	128	Boulevard Walk	Concrete	5.01	Curb	5.27	4.86	25.61	53	Marginal	Low Priority
SW04751	E Cobble Creek CT	4.7	94	442	Boulevard Walk	Concrete	21.38	Curb	4.39	4.71	20.65	76	Fair	Low Priority
SW04786	E Cobble Creek CT	5.0	27	135	Boulevard Walk	Concrete	5.42	Curb	5.02	4.97	24.98	89	Fair	Deferrable Priority
SW04780	E Cobble Creek DR	4.9	35	170	Boulevard Walk	Concrete	7.04	Curb	4.96	4.89	24.21	48	Poor	Low Priority
SW04743	E Cobble Creek DR	4.8	94	457	Boulevard Walk	Concrete	19.03	Curb	4.96	4.85	24.02	57	Marginal	Low Priority
SW04770	E Cobble Creek DR	5.0	62	309	Boulevard Walk	Concrete	11.90	Curb	5.23	4.96	25.95	59	Marginal	Low Priority
SW04753	E Cobble Creek DR	4.8	92	445	Boulevard Walk	Concrete	16.31	Curb	5.66	4.82	27.28	60	Marginal	Low Priority
SW04778	E Cobble Creek DR	4.9	44	216	Mono Curb And Walk	Concrete	9.53	Curb	4.66	4.86	22.66	37	Poor	Low Priority
SW04779	E Cobble Creek DR	5.0	52	258	Mono Curb And Walk	Concrete	10.53	Curb	4.95	4.95	24.54	64	Marginal	Low Priority
SW04782	E Cobble Creek DR	4.9	39	189	Boulevard Walk	Concrete	7.94	Curb	4.89	4.88	23.82	63	Marginal	Low Priority
SW04755	E Cobble Creek DR	5.0	130	648	Mono Curb And Walk	Concrete	26.42	Curb	4.93	4.98	24.51	66	Marginal	Low Priority
SW04781	E Cobble Creek DR	4.9	43	208	Mono Curb And Walk	Concrete	8.59	Curb	4.98	4.85	24.16	64	Marginal	Low Priority
SW04773	E Cobble Creek DR	4.8	38	182	Boulevard Walk	Concrete	7.22	Curb	5.26	4.79	25.20	60	Marginal	Very Low Priority
SW04756	E Cobble Creek DR	4.9	188	915	Boulevard Walk	Concrete	36.38	Curb	5.17	4.87	25.15	78	Fair	Low Priority
SW04742	E Cobble Creek DR	4.8	97	470	Boulevard Walk	Concrete	18.87	Curb	5.16	4.83	24.93	64	Marginal	Low Priority
SW04772	E Cobble Creek DR	5.0	56	280	Boulevard Walk	Concrete	11.63	Curb	4.82	5.00	24.06	64	Marginal	Very Low Priority
SW04777	E Cobble Creek DR	5.1	20	103	Boulevard Walk	Concrete	4.06	Curb	5.00	5.07	25.32	87	Fair	Deferrable Priority
SW04771	E Cobble Creek DR	5.1	47	243	Mono Curb And Walk	Concrete	8.69	Curb	5.45	5.13	27.95	87	Fair	Deferrable Priority
SW04774	E Cobble Creek DR	5.0	46	232	Mono Curb And Walk	Concrete	9.33	Curb	4.98	4.99	24.86	88	Fair	Deferrable Priority
SW04776	E Cobble Creek DR	5.2	56	290	Boulevard Walk	Concrete	11.41	Curb	4.91	5.18	25.45	90	Fair	Deferrable Priority
SW04783	E Cobble Creek DR	4.9	49	239	Mono Curb And Walk	Concrete	9.80	Curb	4.99	4.90	24.41	93	Good	Deferrable Priority
SW02223	E Cobblefield CT	5.1	155	797	Boulevard Walk	Concrete	28.84	Curb	5.37	5.14	27.63	33	Poor	Immediate Priority
SW02242	E Cobblefield CT	4.7	161	750	Boulevard Walk	Concrete	33.02	Curb	4.88	4.65	22.70	55	Marginal	Immediate Priority
SW02228	E Cobblefield CT	4.9	92	453	Boulevard Walk	Concrete	20.27	Curb	4.52	4.93	22.32	58	Marginal	Low Priority
SW02234	E Cobblefield CT	4.9	295	1,443	Boulevard Walk	Concrete	57.64	Curb	5.12	4.89	25.02	84	Fair	Low Priority
SW02220	E Cobblefield CT	5.2	26	136	Boulevard Walk	Concrete	4.74	Curb	5.47	5.24	28.68	100	Good	No Priority
SW07160	E Cottage Grove AVE	4.7	40	186	Boulevard Walk	Concrete	7.59	Curb	5.21	4.69	24.45	10	Very Poor	Immediate Priority
SW07141	E Cottage Grove AVE	5.3	141	740	Boulevard Walk	Concrete	28.16	Curb	5.00	5.26	26.29	9	Very Poor	Low Priority
SW07156	E Cottage Grove AVE	5.0	152	765	Boulevard Walk	Concrete	30.99	Curb	4.92	5.02	24.69	53	Marginal	Immediate Priority
SW07195	E Cottage Grove AVE	5.4	139	748	Boulevard Walk	Concrete	27.51	Curb	5.06	5.37	27.18	58	Marginal	Low Priority
SW07093	E Cottage Grove AVE	4.4	182	806	Mono Curb And Walk	Concrete	36.83	Curb	4.95	4.42	21.88	46	Poor	Low Priority
SW07104	E Cottage Grove AVE	4.7	153	718	Mono Curb And Walk	Pavers / Brick	38.17	Curb	4.00	4.70	18.81	40	Poor	Low Priority
SW07056	E Cottage Grove AVE	4.3	135	577	Mono Curb And Walk	Concrete	27.53	Curb	4.89	4.28	20.95	58	Marginal	Immediate Priority
SW07044	E Cottage Grove AVE	4.6	141	643	Mono Curb And Walk	Concrete	24.52	Curb	5.76	4.55	26.22	74	Marginal	Low Priority
SW07163	E Cottage Grove AVE	4.6	141	645	Boulevard Walk	Concrete	16.84	Curb	8.40	4.56	38.30	47	Poor	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07260	E Cottage Grove AVE	5.0	81	405	Boulevard Walk	Concrete	12.55	Curb	6.43	5.02	32.27	65	Marginal	Low Priority
SW07042	E Cottage Grove AVE	3.9	133	521	Mono Curb And Walk	Concrete	28.77	Curb	4.62	3.92	18.10	71	Marginal	Low Priority
SW07226	E Cottage Grove AVE	4.7	144	678	Boulevard Walk	Concrete	24.46	Curb	5.89	4.71	27.72	68	Marginal	Low Priority
SW07159	E Cottage Grove AVE	4.6	92	425	Boulevard Walk	Concrete	18.09	Curb	5.07	4.64	23.49	56	Marginal	Low Priority
SW07173	E Cottage Grove AVE	5.1	142	727	Boulevard Walk	Concrete	24.47	Curb	5.82	5.11	29.73	60	Marginal	Low Priority
SW07144	E Cottage Grove AVE	6.0	141	844	Boulevard Walk	Concrete	23.87	Curb	5.91	5.99	35.37	82	Fair	Low Priority
SW07095	E Cottage Grove AVE	4.3	161	689	Mono Curb And Walk	Concrete	34.04	Curb	4.72	4.29	20.24	66	Marginal	Low Priority
SW07233	E Cottage Grove AVE	5.5	145	795	Boulevard Walk	Concrete	25.32	Curb	5.72	5.49	31.41	66	Marginal	Low Priority
SW07086	E Cottage Grove AVE	4.2	156	650	Mono Curb And Walk	Pavers / Brick	38.97	Curb	4.00	4.17	16.69	78	Fair	Low Priority
SW07201	E Cottage Grove AVE	4.1	143	594	Boulevard Walk	Concrete	42.69	Curb	3.36	4.14	13.90	85	Fair	Deferrable Priority
SW07205	E Cottage Grove AVE	4.6	291	1,348	Boulevard Walk	Concrete	62.77	Curb	4.64	4.63	21.48	80	Fair	Low Priority
SW07161	E Cottage Grove AVE	4.9	97	479	Boulevard Walk	Concrete	17.65	Curb	5.51	4.92	27.11	59	Marginal	Low Priority
SW07243	E Cottage Grove AVE	7.3	51	373	Mono Curb And Walk	Concrete	7.36	Curb	6.96	7.28	50.70	86	Fair	Deferrable Priority
SW07070	E Cottage Grove AVE	4.5	154	698	Mono Curb And Walk	Pavers / Brick	38.42	Curb	4.00	4.54	18.18	87	Fair	Deferrable Priority
SW07619	E Cottage Grove AVE	5.5	138	762	Boulevard Walk	Concrete	23.82	Curb	5.79	5.52	31.97	80	Fair	Low Priority
SW07229	E Cottage Grove AVE	3.8	148	567	Boulevard Walk	Concrete	48.50	Curb	3.04	3.85	11.70	88	Fair	Low Priority
SW07094	E Cottage Grove AVE	4.0	125	504	Mono Curb And Walk	Concrete	26.89	Curb	4.66	4.03	18.75	89	Fair	Deferrable Priority
SW07167	E Cottage Grove AVE	5.4	190	1,019	Boulevard Walk	Concrete	44.72	Curb	4.25	5.37	22.78	79	Fair	Low Priority
SW07164	E Cottage Grove AVE	4.3	188	801	Boulevard Walk	Concrete	47.14	Curb	3.99	4.26	17.00	90	Fair	Deferrable Priority
SW07202	E Cottage Grove AVE	7.0	262	1,836	Boulevard Walk	Concrete	45.22	Curb	5.80	7.00	40.60	91	Good	Deferrable Priority
SW07607	E Cottage Grove AVE	4.3	146	628	Boulevard Walk	Concrete	34.88	Curb	4.18	4.31	18.01	73	Marginal	Low Priority
SW07616	E Cottage Grove AVE	5.5	96	521	Boulevard Walk	Concrete	21.35	Curb	4.47	5.46	24.42	94	Good	Deferrable Priority
SW07208	E Cottage Grove AVE	5.1	219	1,117	Boulevard Walk	Concrete	43.74	Curb	5.01	5.10	25.55	95	Good	Deferrable Priority
SW07150	E Cottage Grove AVE	4.8	104	498	Boulevard Walk	Concrete	24.70	Curb	4.21	4.79	20.18	96	Good	Deferrable Priority
SW07227	E Cottage Grove AVE	3.9	136	527	Boulevard Walk	Concrete	42.54	Curb	3.19	3.88	12.38	76	Fair	Very Low Priority
SW07162	E Cottage Grove AVE	4.8	103	490	Boulevard Walk	Concrete	22.57	Curb	4.55	4.77	21.71	77	Fair	Very Low Priority
SW07207	E Cottage Grove AVE	4.5	37	168	Boulevard Walk	Concrete	7.54	Curb	4.91	4.55	22.30	100	Good	No Priority
SW07225	E Cottage Grove AVE	5.5	368	2,044	Boulevard Walk	Concrete	45.19	Curb	8.15	5.55	45.23	100	Good	No Priority
SW03489	E Covenanter DR	4.3	27	115	Boulevard Walk	Concrete	4.98	Curb	5.37	4.32	23.21	22	Very Poor	Immediate Priority
SW03509	E Covenanter DR	4.8	160	763	Boulevard Walk	Concrete	31.72	Curb	5.04	4.78	24.06	28	Very Poor	Immediate Priority
SW03536	E Covenanter DR	5.0	133	668	Boulevard Walk	Concrete	26.26	Curb	5.07	5.02	25.45	40	Poor	Immediate Priority
SW03494	E Covenanter DR	4.2	94	396	Boulevard Walk	Concrete	22.24	Curb	4.22	4.22	17.80	34	Poor	Immediate Priority
SW03492	E Covenanter DR	5.2	19	99	Boulevard Walk	Concrete	3.33	Curb	5.67	5.24	29.71	22	Very Poor	Low Priority
SW03486	E Covenanter DR	5.1	149	760	Boulevard Walk	Concrete	21.80	Curb	6.82	5.11	34.86	21	Very Poor	Low Priority
SW03485	E Covenanter DR	4.6	95	434	Boulevard Walk	Concrete	19.39	Curb	4.90	4.57	22.39	55	Marginal	Immediate Priority
SW03510	E Covenanter DR	5.2	154	800	Boulevard Walk	Concrete	29.53	Curb	5.20	5.20	27.08	53	Marginal	Immediate Priority
SW03756	E Covenanter DR	4.5	133	599	Boulevard Walk	Concrete	21.65	Curb	6.12	4.52	27.68	40	Poor	Immediate Priority
SW03469	E Covenanter DR	4.2	140	596	Boulevard Walk	Concrete	43.73	Curb	3.21	4.24	13.63	59	Marginal	Immediate Priority
SW03495	E Covenanter DR	4.9	320	1,563	Boulevard Walk	Concrete	65.33	Curb	4.90	4.89	23.92	58	Marginal	Low Priority
SW03461	E Covenanter DR	4.9	314	1,546	Boulevard Walk	Concrete	66.66	Curb	4.72	4.92	23.19	60	Marginal	Immediate Priority
SW03493	E Covenanter DR	5.1	40	203	Boulevard Walk	Concrete	7.46	Curb	5.37	5.08	27.27	59	Marginal	Low Priority
SW03483	E Covenanter DR	4.7	182	860	Boulevard Walk	Concrete	35.10	Curb	5.18	4.73	24.49	50	Poor	Immediate Priority
SW03713	E Covenanter DR	4.0	189	758	Mono Curb And Walk	Concrete	46.10	Curb	4.10	4.01	16.44	69	Marginal	Low Priority
SW03722	E Covenanter DR	4.7	229	1,065	Boulevard Walk	Concrete	54.58	Curb	4.19	4.65	19.51	51	Marginal	Immediate Priority
SW03712	E Covenanter DR	3.4	56	189	Mono Curb And Walk	Concrete	17.17	Curb	3.26	3.37	11.01	52	Marginal	Low Priority
SW03535	E Covenanter DR	5.0	75	374	Mono Curb And Walk	Concrete	14.81	Curb	5.07	4.98	25.25	42	Poor	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03514	E Covenanter DR	6.1	98	599	Mono Curb And Walk	Concrete	11.46	Curb	8.51	6.14	52.26	66	Marginal	Low Priority
SW03715	E Covenanter DR	4.1	42	169	Mono Curb And Walk	Concrete	10.20	Curb	4.08	4.07	16.59	48	Poor	Low Priority
SW03484	E Covenanter DR	4.8	173	826	Boulevard Walk	Concrete	27.83	Curb	6.22	4.77	29.67	57	Marginal	Low Priority
SW03736	E Covenanter DR	4.7	1002	4,725	Boulevard Walk	Concrete	198.41	Curb	5.05	4.72	23.81	63	Marginal	Immediate Priority
SW03511	E Covenanter DR	4.3	164	697	Boulevard Walk	Concrete	39.86	Curb	4.11	4.26	17.49	70	Marginal	Low Priority
SW03714	E Covenanter DR	3.7	53	200	Mono Curb And Walk	Concrete	14.01	Curb	3.81	3.74	14.24	79	Fair	Low Priority
SW03490	E Covenanter DR	4.8	101	483	Boulevard Walk	Concrete	18.78	Curb	5.37	4.80	25.74	59	Marginal	Low Priority
SW03482	E Covenanter DR	4.9	84	413	Boulevard Walk	Concrete	15.86	Curb	5.29	4.93	26.04	72	Marginal	Low Priority
SW04727	E Covenanter DR	5.0	378	1,897	Boulevard Walk	Concrete	65.83	Curb	5.74	5.02	28.81	71	Marginal	Low Priority
SW03719	E Covenanter DR	4.1	123	510	Boulevard Walk	Concrete	23.78	Partial Curb	5.17	4.15	21.44	64	Marginal	Low Priority
SW04729	E Covenanter DR	5.0	91	459	Boulevard Walk	Concrete	17.09	Curb	5.34	5.03	26.87	56	Marginal	Low Priority
SW03752	E Covenanter DR	4.6	239	1,101	Mono Curb And Walk	Concrete	42.80	Curb	5.59	4.60	25.73	75	Fair	Low Priority
SW03711	E Covenanter DR	3.8	175	664	Mono Curb And Walk	Concrete	39.90	Curb	4.38	3.81	16.65	69	Marginal	Low Priority
SW03735	E Covenanter DR	4.4	998	4,430	Boulevard Walk	Concrete	215.34	Curb	4.64	4.44	20.57	73	Marginal	Immediate Priority
SW03488	E Covenanter DR	4.8	140	677	Boulevard Walk	Concrete	27.04	Curb	5.18	4.83	25.05	68	Marginal	Low Priority
SW03497	E Covenanter DR	4.9	124	612	Boulevard Walk	Concrete	23.43	Curb	5.30	4.93	26.10	85	Fair	Deferrable Priority
SW03716	E Covenanter DR	4.4	532	2,366	Mono Curb And Walk	Concrete	103.46	Curb	5.15	4.44	22.87	83	Fair	Immediate Priority
SW03498	E Covenanter DR	4.7	70	325	Boulevard Walk	Concrete	17.26	Curb	4.04	4.66	18.84	86	Fair	Deferrable Priority
SW03534	E Covenanter DR	5.1	208	1,062	Boulevard Walk	Concrete	40.61	Curb	5.11	5.11	26.14	64	Marginal	Low Priority
SW03732	E Covenanter DR	4.8	257	1,232	Boulevard Walk	Concrete	48.76	Curb	5.28	4.79	25.27	86	Fair	Deferrable Priority
SW03487	E Covenanter DR	4.9	309	1,500	Boulevard Walk	Concrete	64.40	Curb	4.80	4.86	23.29	69	Marginal	Low Priority
SW03512	E Covenanter DR	7.2	61	441	Boulevard Walk	Concrete	12.29	Curb	4.95	7.25	35.87	87	Fair	Deferrable Priority
SW03537	E Covenanter DR	4.9	40	196	Boulevard Walk	Concrete	7.93	Curb	5.10	4.86	24.78	88	Fair	Deferrable Priority
SW03513	E Covenanter DR	6.3	68	425	Mono Curb And Walk	Concrete	9.69	Curb	7.01	6.26	43.89	88	Fair	Deferrable Priority
SW03538	E Covenanter DR	4.8	138	659	Mono Curb And Walk	Concrete	24.33	Curb	5.68	4.76	27.08	75	Marginal	Low Priority
SW03491	E Covenanter DR	5.0	194	967	Boulevard Walk	Concrete	37.04	Curb	5.25	4.98	26.11	73	Marginal	Low Priority
SW03475	E Covenanter DR	5.3	108	567	Boulevard Walk	Concrete	18.88	Curb	5.70	5.27	30.01	92	Good	Deferrable Priority
SW03532	E Covenanter DR	4.8	120	578	Boulevard Walk	Concrete	19.95	Curb	6.00	4.82	28.95	93	Good	Deferrable Priority
SW04728	E Covenanter DR	4.9	388	1,887	Boulevard Walk	Concrete	84.17	Curb	4.61	4.87	22.42	89	Fair	Low Priority
SW06263	E Cricket KNL	3.8	559	2,130	Boulevard Walk	Concrete	128.74	Curb	4.34	3.81	16.55	53	Marginal	Immediate Priority
SW06233	E Cricket KNL	3.9	160	631	Boulevard Walk	Concrete	35.54	Curb	4.50	3.95	17.76	33	Poor	Low Priority
SW06264	E Cricket KNL	4.2	520	2,208	Boulevard Walk	Concrete	108.21	Curb	4.81	4.24	20.40	52	Marginal	Low Priority
SW06232	E Cricket KNL	3.9	151	582	Boulevard Walk	Concrete	31.29	Curb	4.82	3.86	18.61	61	Marginal	Low Priority
SW05715	E Daniel ST	4.1	1428	5,884	Boulevard Walk	Concrete	243.85	Curb	5.86	4.12	24.13	53	Marginal	Immediate Priority
SW05757	E Daniel ST	3.8	1509	5,705	Boulevard Walk	Concrete	335.06	Curb	4.50	3.78	17.03	62	Marginal	Immediate Priority
SW05705	E Daniel ST	3.8	324	1,224	Boulevard Walk	Concrete	66.59	Curb	4.87	3.77	18.38	76	Fair	Low Priority
SW05755	E Daniel ST	3.7	364	1,338	Boulevard Walk	Concrete	81.68	Curb	4.46	3.68	16.38	70	Marginal	Low Priority
SW05702	E Daniel ST	3.7	267	999	Boulevard Walk	Concrete	66.57	Curb	4.01	3.74	15.01	80	Fair	Immediate Priority
SW05756	E Daniel ST	4.1	368	1,523	Boulevard Walk	Concrete	99.06	Curb	3.71	4.14	15.38	77	Fair	Immediate Priority
SW05960	E David DR	3.9	163	633	Boulevard Walk	Concrete	37.89	Curb	4.30	3.89	16.70	47	Poor	Immediate Priority
SW05944	E David DR	3.8	679	2,594	Boulevard Walk	Concrete	155.43	Curb	4.37	3.82	16.69	58	Marginal	Immediate Priority
SW05961	E David DR	3.7	654	2,453	Boulevard Walk	Concrete	144.48	Curb	4.53	3.75	16.98	58	Marginal	Immediate Priority
SW05956	E David DR	4.0	140	553	Boulevard Walk	Concrete	26.88	Curb	5.21	3.95	20.58	94	Good	Deferrable Priority
SW02092	E Davis ST	3.8	66	248	Stand Alone	Concrete	12.96	No Curb	5.08	3.78	19.16	47	Poor	Low Priority
SW02091	E Davis ST	4.4	170	745	Mono Curb And Walk	Concrete	49.75	Partial Curb	3.42	4.38	14.98	80	Fair	Low Priority
SW06915	E Davis ST	8.6	84	721	Stand Alone	Concrete	9.60	No Curb	8.71	8.62	75.10	63	Marginal	Very Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02038	E Davis ST	8.0	133	1,057	Stand Alone	Concrete	15.25	No Curb	8.71	7.95	69.31	100	Good	No Priority
SW01504	E Deckard DR	7.7	26	199	Boulevard Walk	Concrete	2.96	Curb	8.80	7.66	67.42	46	Poor	Very Low Priority
SW04249	E Diana CT	4.0	342	1,366	Boulevard Walk	Concrete	51.21	Curb	6.68	4.00	26.68	61	Marginal	Immediate Priority
SW04255	E Diana CT	3.8	300	1,140	Boulevard Walk	Concrete	53.03	Curb	5.66	3.80	21.49	64	Marginal	Low Priority
SW04287	E Diana CT	4.1	174	714	Boulevard Walk	Concrete	28.10	Curb	6.20	4.10	25.43	64	Marginal	Low Priority
SW04250	E Diana CT	3.9	141	542	Boulevard Walk	Concrete	24.40	Curb	5.76	3.86	22.21	82	Fair	Low Priority
SW02377	E Discovery PKWY	5.1	400	2,024	Boulevard Walk	Concrete	67.37	Curb	5.94	5.06	30.03	78	Fair	Low Priority
SW02370	E Discovery PKWY	4.6	141	643	Boulevard Walk	Concrete	30.36	Curb	4.65	4.55	21.17	79	Fair	Low Priority
SW02371	E Discovery PKWY	4.9	634	3,118	Boulevard Walk	Concrete	128.65	Curb	4.93	4.92	24.24	91	Good	Low Priority
SW02374	E Discovery PKWY	6.1	314	1,917	Boulevard Walk	Asphalt	78.39	Curb	4.00	6.11	24.45	86	Fair	Low Priority
SW02375	E Discovery PKWY	6.1	403	2,464	Boulevard Walk	Asphalt	100.75	Curb	4.00	6.11	24.45	82	Fair	Low Priority
SW02373	E Discovery PKWY	6.1	625	3,820	Boulevard Walk	Asphalt	156.23	Curb	4.00	6.11	24.45	91	Good	Low Priority
SW02376	E Discovery PKWY	6.1	865	5,291	Boulevard Walk	Asphalt	216.37	Curb	4.00	6.11	24.45	91	Good	Very Low Priority
SW02344	E Discovery PKWY	5.8	34	201	Mono Curb And Walk	Concrete	6.46	Curb	5.31	5.85	31.04	100	Good	No Priority
SW02075	E Dixie ST	4.3	141	603	Mono Curb And Walk	Concrete	21.40	No Curb	6.61	4.26	28.18	8	Very Poor	Immediate Priority
SW03137	E Dodds ST	4.1	141	574	Mono Curb And Walk	Concrete	32.59	Curb	4.32	4.08	17.61	74	Marginal	Low Priority
SW03132	E Dodds ST	3.7	136	496	Boulevard Walk	Concrete	21.75	No Curb	6.25	3.65	22.80	78	Fair	Low Priority
SW03168	E Dodds ST	4.5	148	668	Mono Curb And Walk	Concrete	30.51	Curb	4.86	4.50	21.89	66	Marginal	Low Priority
SW02982	E Driscoll DR	4.4	118	517	Boulevard Walk	Concrete	33.35	Curb	3.55	4.37	15.51	64	Marginal	Immediate Priority
SW03005	E Driscoll DR	4.7	147	698	Mono Curb And Walk	Concrete	30.45	Curb	4.84	4.74	22.94	64	Marginal	Low Priority
SW01149	E Driscoll DR	4.5	135	613	Boulevard Walk	Concrete	20.19	Curb	6.70	4.53	30.37	70	Marginal	Low Priority
SW03039	E Driscoll DR	4.8	97	465	Boulevard Walk	Concrete	19.37	Curb	5.00	4.80	24.00	76	Fair	Low Priority
SW02990	E Driscoll DR	4.9	128	623	Boulevard Walk	Concrete	26.74	Curb	4.79	4.87	23.29	89	Fair	Deferrable Priority
SW02979	E Driscoll DR	5.1	114	580	Boulevard Walk	Concrete	21.73	Curb	5.24	5.09	26.69	68	Marginal	Low Priority
SW03038	E Driscoll DR	5.1	40	205	Mono Curb And Walk	Concrete	6.55	Curb	6.17	5.06	31.23	91	Good	Deferrable Priority
SW01146	E Driscoll DR	4.9	28	137	Boulevard Walk	Concrete	3.52	Curb	8.03	4.87	39.07	100	Good	No Priority
SW05591	E Durham DR	3.9	204	792	Mono Curb And Walk	Concrete	42.10	Curb	4.83	3.89	18.82	24	Very Poor	Immediate Priority
SW05609	E Durham DR	3.8	227	870	Mono Curb And Walk	Concrete	54.21	Curb	4.18	3.84	16.05	39	Poor	Immediate Priority
SW01256	E Eastgate LN	4.4	589	2,568	Mono Curb And Walk	Concrete	116.46	Curb	5.06	4.36	22.05	71	Marginal	Low Priority
SW01155	E Eastgate LN	7.7	464	3,575	Mono Curb And Walk	Asphalt	115.92	Curb	4.00	7.71	30.84	72	Marginal	Very Low Priority
SW01275	E Eastgate LN	4.3	36	153	Mono Curb And Walk	Concrete	7.04	Curb	5.04	4.31	21.71	91	Good	Deferrable Priority
SW05827	E Eddington CT	4.0	535	2,120	Boulevard Walk	Concrete	108.14	Curb	4.95	3.96	19.61	52	Marginal	Immediate Priority
SW05825	E Eddington CT	3.9	599	2,326	Boulevard Walk	Concrete	125.27	Curb	4.78	3.89	18.57	79	Fair	Low Priority
SW06491	E Edward CT	3.7	251	940	Boulevard Walk	Concrete	60.61	Curb	4.14	3.75	15.51	67	Marginal	Immediate Priority
SW06525	E Edward CT	3.9	262	1,011	Boulevard Walk	Concrete	58.37	Curb	4.48	3.86	17.32	70	Marginal	Low Priority
SW06532	E Edward CT	3.6	171	618	Boulevard Walk	Concrete	41.33	Curb	4.14	3.62	14.96	80	Fair	Low Priority
SW06490	E Edward CT	4.1	150	621	Boulevard Walk	Concrete	28.05	Curb	5.35	4.14	22.13	84	Fair	Very Low Priority
SW06247	E Gentry BLVD	3.8	133	507	Boulevard Walk	Concrete	22.97	Curb	5.79	3.81	22.09	5	Very Poor	Immediate Priority
SW06242	E Gentry BLVD	4.1	129	524	Boulevard Walk	Concrete	23.99	Curb	5.36	4.08	21.85	21	Very Poor	Low Priority
SW06240	E Gentry BLVD	3.8	134	507	Mono Curb And Walk	Concrete	26.85	Curb	4.99	3.78	18.87	33	Poor	Low Priority
SW06248	E Gentry BLVD	3.9	213	834	Boulevard Walk	Concrete	38.49	Curb	5.54	3.91	21.66	40	Poor	Immediate Priority
SW06135	E Gentry BLVD	4.2	220	929	Boulevard Walk	Concrete	36.94	No Curb	5.97	4.22	25.15	50	Poor	Low Priority
SW06251	E Gentry BLVD	3.4	273	935	Boulevard Walk	Concrete	64.26	Curb	4.25	3.43	14.55	69	Marginal	Low Priority
SW06229	E Gentry BLVD	3.8	124	477	Boulevard Walk	Concrete	24.38	Curb	5.10	3.83	19.54	34	Poor	Low Priority
SW06186	E Gentry BLVD	3.5	270	937	Boulevard Walk	Concrete	73.65	Curb	3.66	3.48	12.73	78	Fair	Low Priority
SW06249	E Gentry BLVD	3.7	205	764	Boulevard Walk	Concrete	44.51	Curb	4.61	3.72	17.15	72	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06241	E Gentry BLVD	3.8	196	737	Boulevard Walk	Concrete	38.47	Curb	5.09	3.77	19.17	72	Marginal	Low Priority
SW06262	E Gentry BLVD	5.0	225	1,123	Boulevard Walk	Concrete	40.30	Curb	5.59	4.99	27.88	96	Good	Deferrable Priority
SW05020	E Goldin CT	3.9	36	141	Boulevard Walk	Concrete	7.65	Curb	4.68	3.93	18.39	63	Marginal	Low Priority
SW04975	E Goldin CT	3.8	31	119	Boulevard Walk	Concrete	6.70	Curb	4.66	3.82	17.79	91	Good	Deferrable Priority
SW04971	E Goldin DR	3.8	135	510	Boulevard Walk	Concrete	27.83	Curb	4.84	3.79	18.34	82	Fair	Low Priority
SW05019	E Goldin DR	3.9	293	1,143	Boulevard Walk	Concrete	60.03	Curb	4.89	3.90	19.04	91	Good	Low Priority
SW05021	E Goldin DR	3.8	315	1,205	Boulevard Walk	Concrete	67.29	Curb	4.68	3.83	17.91	90	Good	Low Priority
SW04960	E Goldin DR	3.9	116	450	Boulevard Walk	Concrete	25.78	Curb	4.52	3.86	17.45	96	Good	Deferrable Priority
SW05721	E Gosport CT	3.5	103	360	Boulevard Walk	Concrete	22.53	Curb	4.56	3.50	15.97	66	Marginal	Immediate Priority
SW05732	E Gosport CT	4.6	501	2,300	Mono Curb And Walk	Concrete	127.52	Curb	3.93	4.59	18.04	74	Marginal	Low Priority
SW05725	E Gosport CT	4.7	502	2,363	Mono Curb And Walk	Concrete	114.25	Curb	4.40	4.71	20.69	83	Fair	Low Priority
SW06407	E Graham DR	4.2	19	78	Boulevard Walk	Concrete	3.63	Curb	5.20	4.16	21.63	52	Marginal	Low Priority
SW06345	E Graham DR	4.5	324	1,467	Mono Curb And Walk	Concrete	62.85	Curb	5.16	4.53	23.34	67	Marginal	Low Priority
SW06349	E Graham DR	3.9	361	1,425	Mono Curb And Walk	Concrete	64.79	Curb	5.57	3.95	22.00	64	Marginal	Immediate Priority
SW06350	E Graham DR	3.9	67	262	Mono Curb And Walk	Concrete	14.42	Curb	4.64	3.91	18.15	65	Marginal	Very Low Priority
SW06405	E Graham DR	3.7	282	1,036	Boulevard Walk	Concrete	67.08	Curb	4.20	3.68	15.45	81	Fair	Low Priority
SW06406	E Graham DR	4.0	336	1,351	Boulevard Walk	Concrete	70.40	Curb	4.77	4.02	19.20	88	Fair	Low Priority
SW06351	E Graham DR	3.9	341	1,343	Mono Curb And Walk	Concrete	91.49	Curb	3.73	3.94	14.68	73	Marginal	Low Priority
SW02532	E Grandview DR	4.2	67	280	Boulevard Walk	Concrete	12.96	Curb	5.15	4.19	21.61	89	Fair	Deferrable Priority
SW02533	E Grandview DR	3.8	194	731	Boulevard Walk	Concrete	37.05	No Curb	5.22	3.78	19.73	90	Good	Deferrable Priority
SW03401	E Greenbriar LN	4.5	53	240	Mono Curb And Walk	Concrete	9.65	Curb	5.53	4.50	24.89	50	Poor	Immediate Priority
SW03341	E Greenbriar LN	5.1	74	378	Boulevard Walk	Concrete	14.38	Curb	5.14	5.12	26.31	50	Marginal	Low Priority
SW03337	E Greenbriar LN	3.9	307	1,198	Boulevard Walk	Concrete	63.74	Curb	4.82	3.90	18.79	59	Marginal	Immediate Priority
SW03386	E Greenbriar LN	5.0	329	1,637	Boulevard Walk	Concrete	53.70	Curb	6.12	4.98	30.48	63	Marginal	Low Priority
SW03383	E Greenbriar LN	4.0	320	1,274	Boulevard Walk	Concrete	64.77	Curb	4.93	3.99	19.67	69	Marginal	Low Priority
SW03340	E Greenbriar LN	5.0	119	593	Boulevard Walk	Concrete	24.09	Curb	4.95	4.97	24.61	80	Fair	Low Priority
SW03336	E Greenbriar LN	4.4	160	701	Boulevard Walk	Concrete	29.82	Curb	5.36	4.38	23.50	86	Fair	Low Priority
SW03328	E Greenbriar LN	4.1	134	544	Boulevard Walk	Concrete	27.34	Curb	4.91	4.05	19.90	88	Fair	Deferrable Priority
SW03379	E Greenbriar LN	5.0	238	1,185	Boulevard Walk	Concrete	42.79	Curb	5.55	4.99	27.70	71	Marginal	Very Low Priority
SW03329	E Greenbriar LN	4.9	56	271	Mono Curb And Walk	Concrete	10.68	Curb	5.23	4.85	25.36	89	Fair	Deferrable Priority
SW03385	E Greenbriar LN	3.8	366	1,400	Boulevard Walk	Concrete	77.78	Curb	4.70	3.83	17.99	89	Fair	Low Priority
SW03384	E Greenbriar LN	4.3	69	301	Boulevard Walk	Concrete	13.08	Curb	5.29	4.35	23.00	92	Good	Deferrable Priority
SW03330	E Greenbriar LN	4.9	141	683	Boulevard Walk	Concrete	29.70	Curb	4.73	4.86	23.00	96	Good	Deferrable Priority
SW03028	E Grimes LN	4.8	122	589	Boulevard Walk	Concrete	24.79	Curb	4.90	4.84	23.74	53	Marginal	Immediate Priority
SW01076	E Grimes LN	4.9	140	686	Mono Curb And Walk	Concrete	29.78	Curb	4.70	4.90	23.04	50	Poor	Low Priority
SW01101	E Grimes LN	4.8	127	611	Boulevard Walk	Concrete	26.23	Curb	4.84	4.81	23.31	50	Marginal	Low Priority
SW01090	E Grimes LN	4.4	77	339	Mono Curb And Walk	Concrete	17.59	Curb	4.38	4.39	19.24	69	Marginal	Low Priority
SW03059	E Grimes LN	5.6	46	257	Mono Curb And Walk	Concrete	8.86	Curb	5.16	5.63	29.05	48	Poor	Low Priority
SW01120	E Grimes LN	4.3	47	200	Mono Curb And Walk	Concrete	10.37	Curb	4.50	4.29	19.30	80	Fair	Low Priority
SW01094	E Grimes LN	4.8	57	275	Mono Curb And Walk	Concrete	11.85	Curb	4.83	4.81	23.24	57	Marginal	Very Low Priority
SW01079	E Grimes LN	4.3	129	554	Mono Curb And Walk	Concrete	26.01	Curb	4.95	4.31	21.30	68	Marginal	Low Priority
SW01114	E Grimes LN	4.0	293	1,172	Mono Curb And Walk	Concrete	66.18	Curb	4.42	4.01	17.71	84	Fair	Low Priority
SW01081	E Grimes LN	3.8	266	1,015	Mono Curb And Walk	Concrete	73.64	Curb	3.61	3.82	13.78	76	Fair	Low Priority
SW03055	E Grimes LN	5.1	286	1,450	Mono Curb And Walk	Concrete	55.64	Curb	5.15	5.06	26.07	84	Fair	Low Priority
SW03045	E Grimes LN	4.7	281	1,319	Mono Curb And Walk	Concrete	55.17	Curb	5.09	4.70	23.91	91	Good	Low Priority
SW03060	E Grimes LN	5.1	296	1,522	Mono Curb And Walk	Concrete	63.96	Curb	4.62	5.15	23.80	81	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02972	E Grimes LN	4.6	204	934	Mono Curb And Walk	Concrete	49.93	Curb	4.09	4.57	18.71	86	Fair	Low Priority
SW02971	E Grimes LN	4.2	282	1,191	Mono Curb And Walk	Concrete	75.46	Curb	3.74	4.23	15.79	92	Good	Low Priority
SW02989	E Grimes LN	3.8	145	553	Mono Curb And Walk	Concrete	38.07	Curb	3.80	3.83	14.53	82	Fair	Very Low Priority
SW01116	E Grimes LN	4.2	141	596	Mono Curb And Walk	Concrete	28.52	Curb	4.95	4.22	20.90	93	Good	Deferrable Priority
SW02969	E Grimes LN	5.1	47	240	Mono Curb And Walk	Concrete	10.16	Curb	4.67	5.06	23.63	93	Good	Deferrable Priority
SW02977	E Grimes LN	5.5	203	1,123	Mono Curb And Walk	Concrete	35.09	Curb	5.79	5.53	32.00	93	Good	Very Low Priority
SW01093	E Grimes LN	4.1	136	557	Mono Curb And Walk	Concrete	29.51	Curb	4.59	4.11	18.86	80	Fair	Very Low Priority
SW01080	E Grimes LN	3.7	279	1,041	Mono Curb And Walk	Concrete	75.77	Curb	3.68	3.73	13.74	83	Fair	Low Priority
SW01087	E Grimes LN	4.4	135	596	Mono Curb And Walk	Concrete	23.62	Curb	5.73	4.40	25.22	97	Good	Deferrable Priority
SW01112	E Grimes LN	4.0	109	438	Mono Curb And Walk	Concrete	26.08	Curb	4.20	4.00	16.77	97	Good	Deferrable Priority
SW01075	E Grimes LN	4.5	49	223	Mono Curb And Walk	Concrete	9.63	Curb	5.10	4.55	23.19	100	Good	No Priority
SW03027	E Grimes LN	3.6	13	46	Mono Curb And Walk	Concrete	3.53	Curb	3.57	3.64	13.00	100	Good	No Priority
SW06862	E Hagan ST	3.5	165	584	Boulevard Walk	Concrete	33.60	Curb	4.90	3.55	17.38	59	Marginal	Low Priority
SW06855	E Hagan ST	3.6	169	615	Boulevard Walk	Concrete	39.85	Curb	4.23	3.65	15.44	68	Marginal	Low Priority
SW06796	E Hagan ST	4.5	389	1,768	Mono Curb And Walk	Concrete	84.95	Curb	4.58	4.55	20.81	80	Fair	Low Priority
SW06863	E Hagan ST	3.9	1227	4,793	Boulevard Walk	Concrete	413.41	Curb	2.97	3.91	11.59	83	Fair	Immediate Priority
SW06857	E Hagan ST	5.0	530	2,632	Boulevard Walk	Concrete	107.70	Curb	4.92	4.96	24.44	93	Good	Low Priority
SW06856	E Hagan ST	4.6	183	843	Boulevard Walk	Concrete	40.18	Curb	4.54	4.62	20.98	98	Good	Deferrable Priority
SW03597	E Heather DR	5.2	175	900	Boulevard Walk	Concrete	24.95	Curb	7.00	5.16	36.08	42	Poor	Immediate Priority
SW03617	E Heather DR	5.0	226	1,121	Boulevard Walk	Concrete	46.96	Curb	4.81	4.96	23.87	59	Marginal	Low Priority
SW03619	E Heather DR	5.4	109	588	Boulevard Walk	Concrete	18.45	Curb	5.90	5.40	31.84	57	Marginal	Low Priority
SW03618	E Heather DR	6.2	472	2,929	Boulevard Walk	Concrete	57.32	Curb	8.24	6.20	51.10	47	Poor	Low Priority
SW03622	E Heather DR	4.5	166	753	Boulevard Walk	Concrete	37.03	Curb	4.49	4.52	20.32	65	Marginal	Immediate Priority
SW03616	E Heather DR	5.1	263	1,349	Boulevard Walk	Concrete	50.71	Curb	5.19	5.12	26.61	74	Marginal	Immediate Priority
SW03615	E Heather DR	5.5	162	900	Boulevard Walk	Concrete	27.23	Curb	5.95	5.55	33.04	59	Marginal	Low Priority
SW03623	E Heather DR	3.7	140	521	Boulevard Walk	Concrete	31.12	Curb	4.51	3.71	16.75	66	Marginal	Low Priority
SW03658	E Heather DR	5.0	501	2,498	Boulevard Walk	Concrete	85.66	Curb	5.85	4.98	29.16	62	Marginal	Low Priority
SW03635	E Heather DR	3.7	140	518	Boulevard Walk	Concrete	29.95	Curb	4.68	3.70	17.30	77	Fair	Low Priority
SW03645	E Heather DR	5.1	267	1,356	Boulevard Walk	Concrete	61.18	Curb	4.37	5.07	22.16	73	Marginal	Low Priority
SW03657	E Heather DR	5.0	174	864	Boulevard Walk	Concrete	37.04	Curb	4.69	4.98	23.34	74	Marginal	Low Priority
SW03655	E Heather DR	3.8	286	1,080	Boulevard Walk	Concrete	58.40	Curb	4.91	3.77	18.50	77	Fair	Low Priority
SW03606	E Heather DR	4.7	347	1,631	Boulevard Walk	Concrete	71.23	Curb	4.87	4.70	22.90	76	Fair	Low Priority
SW03613	E Heather DR	4.3	262	1,134	Boulevard Walk	Concrete	54.70	Curb	4.79	4.33	20.74	71	Marginal	Low Priority
SW03654	E Heather DR	3.9	336	1,325	Boulevard Walk	Concrete	71.55	Curb	4.70	3.94	18.52	79	Fair	Low Priority
SW03656	E Heather DR	3.6	144	517	Boulevard Walk	Concrete	35.98	Curb	4.01	3.58	14.36	83	Fair	Low Priority
SW03637	E Heather DR	3.9	149	587	Boulevard Walk	Concrete	30.95	Curb	4.82	3.94	18.98	69	Marginal	Low Priority
SW03647	E Heather DR	5.1	261	1,337	Boulevard Walk	Concrete	48.24	Curb	5.40	5.13	27.72	81	Fair	Low Priority
SW03659	E Heather DR	4.6	96	440	Boulevard Walk	Concrete	21.28	Curb	4.49	4.60	20.65	100	Good	No Priority
SW06391	E Hickory Stick DR	4.0	150	593	Boulevard Walk	Concrete	29.62	Curb	5.06	3.95	20.01	40	Poor	Immediate Priority
SW06394	E Hickory Stick DR	4.0	180	715	Boulevard Walk	Concrete	33.28	Curb	5.40	3.98	21.48	56	Marginal	Low Priority
SW06409	E Hickory Stick DR	3.6	199	714	Boulevard Walk	Concrete	46.90	Curb	4.25	3.58	15.22	61	Marginal	Immediate Priority
SW06420	E Hickory Stick DR	4.1	22	91	Boulevard Walk	Concrete	4.70	Curb	4.66	4.15	19.32	68	Marginal	Low Priority
SW06408	E Hickory Stick DR	3.8	218	833	Boulevard Walk	Concrete	47.85	Curb	4.56	3.82	17.42	53	Marginal	Low Priority
SW06393	E Hickory Stick DR	4.1	57	232	Boulevard Walk	Concrete	10.58	Curb	5.41	4.06	21.94	67	Marginal	Low Priority
SW02943	E Hillside DR	8.6	98	842	Mono Curb And Walk	Concrete	19.14	Curb	5.14	8.57	44.00	21	Very Poor	Immediate Priority
SW00859	E Hillside DR	4.6	263	1,215	Mono Curb And Walk	Concrete	52.15	Curb	5.04	4.62	23.30	19	Very Poor	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01097	E Hillside DR	3.7	118	440	Mono Curb And Walk	Concrete	24.77	Curb	4.75	3.74	17.78	66	Marginal	Low Priority
SW01122	E Hillside DR	4.1	283	1,165	Mono Curb And Walk	Concrete	65.80	Curb	4.31	4.11	17.71	63	Marginal	Immediate Priority
SW00860	E Hillside DR	3.9	143	550	Mono Curb And Walk	Concrete	29.66	Curb	4.81	3.86	18.55	67	Marginal	Low Priority
SW01131	E Hillside DR	4.0	139	561	Mono Curb And Walk	Concrete	27.76	Curb	5.02	4.03	20.20	69	Marginal	Low Priority
SW00882	E Hillside DR	4.1	493	2,037	Mono Curb And Walk	Concrete	97.66	Curb	5.05	4.13	20.85	66	Marginal	Low Priority
SW02214	E Hillside DR	3.7	494	1,808	Mono Curb And Walk	Concrete	107.98	Curb	4.57	3.66	16.74	67	Marginal	Low Priority
SW00881	E Hillside DR	3.8	688	2,625	Mono Curb And Walk	Concrete	150.71	Curb	4.57	3.82	17.42	67	Marginal	Immediate Priority
SW00861	E Hillside DR	3.7	62	232	Boulevard Walk	Concrete	13.90	Curb	4.47	3.73	16.66	66	Marginal	Low Priority
SW03249	E Hillside DR	5.0	311	1,555	Boulevard Walk	Concrete	54.02	Curb	5.76	5.00	28.78	74	Marginal	Immediate Priority
SW02230	E Hillside DR	3.9	456	1,769	Mono Curb And Walk	Concrete	96.90	Curb	4.71	3.88	18.26	65	Marginal	Immediate Priority
SW02942	E Hillside DR	9.5	77	729	Mono Curb And Walk	Concrete	16.04	Curb	4.80	9.48	45.47	67	Marginal	Low Priority
SW01128	E Hillside DR	3.8	132	501	Mono Curb And Walk	Concrete	24.64	Curb	5.36	3.80	20.33	68	Marginal	Low Priority
SW00873	E Hillside DR	4.5	370	1,679	Mono Curb And Walk	Concrete	66.80	Curb	5.55	4.53	25.13	56	Marginal	Low Priority
SW03041	E Hillside DR	9.6	17	167	Mono Curb And Walk	Concrete	3.30	Curb	5.25	9.62	50.50	50	Marginal	Very Low Priority
SW02244	E Hillside DR	4.2	368	1,539	Mono Curb And Walk	Concrete	73.82	Curb	4.98	4.19	20.85	71	Marginal	Low Priority
SW02941	E Hillside DR	4.9	142	704	Mono Curb And Walk	Concrete	26.04	Curb	5.47	4.94	27.04	73	Marginal	Low Priority
SW02940	E Hillside DR	9.5	89	844	Mono Curb And Walk	Concrete	17.10	Curb	5.20	9.48	49.32	68	Marginal	Low Priority
SW00868	E Hillside DR	3.7	478	1,755	Mono Curb And Walk	Concrete	115.28	Curb	4.14	3.68	15.22	79	Fair	Low Priority
SW03040	E Hillside DR	4.7	164	771	Mono Curb And Walk	Concrete	35.71	Curb	4.59	4.71	21.60	80	Fair	Low Priority
SW00865	E Hillside DR	5.0	262	1,314	Mono Curb And Walk	Concrete	53.18	Curb	4.93	5.01	24.71	77	Fair	Low Priority
SW01083	E Hillside DR	3.4	141	477	Mono Curb And Walk	Concrete	36.25	Curb	3.88	3.39	13.15	81	Fair	Low Priority
SW03042	E Hillside DR	10.8	46	496	Mono Curb And Walk	Concrete	9.57	Curb	4.80	10.79	51.86	81	Fair	Deferrable Priority
SW01105	E Hillside DR	3.7	121	441	Mono Curb And Walk	Concrete	27.06	Curb	4.46	3.65	16.29	77	Fair	Low Priority
SW06913	E Hillside DR	3.8	146	550	Mono Curb And Walk	Concrete	47.41	Curb	3.07	3.78	11.60	83	Fair	Low Priority
SW02229	E Hillside DR	5.2	218	1,131	Mono Curb And Walk	Concrete	36.08	Curb	6.05	5.18	31.34	83	Fair	Low Priority
SW00872	E Hillside DR	4.8	391	1,877	Mono Curb And Walk	Concrete	69.02	Curb	5.66	4.80	27.19	68	Marginal	Low Priority
SW03051	E Hillside DR	3.5	659	2,302	Mono Curb And Walk	Concrete	145.08	Curb	4.54	3.50	15.87	61	Marginal	Low Priority
SW01126	E Hillside DR	3.9	279	1,081	Mono Curb And Walk	Concrete	72.20	Curb	3.87	3.87	14.98	76	Fair	Immediate Priority
SW02239	E Hillside DR	4.7	181	848	Mono Curb And Walk	Concrete	39.52	Curb	4.57	4.70	21.46	85	Fair	Low Priority
SW03048	E Hillside DR	5.6	188	1,055	Boulevard Walk	Concrete	40.19	Curb	4.67	5.62	26.24	81	Fair	Low Priority
SW03044	E Hillside DR	4.3	35	149	Mono Curb And Walk	Concrete	6.81	Curb	5.10	4.30	21.90	86	Fair	Deferrable Priority
SW02243	E Hillside DR	4.8	103	495	Boulevard Walk	Concrete	20.18	Curb	5.12	4.79	24.51	77	Fair	Low Priority
SW02212	E Hillside DR	3.4	534	1,805	Mono Curb And Walk	Concrete	144.18	Curb	3.70	3.38	12.52	84	Fair	Immediate Priority
SW03062	E Hillside DR	4.1	148	609	Mono Curb And Walk	Concrete	46.09	Curb	3.21	4.12	13.22	87	Fair	Low Priority
SW03004	E Hillside DR	3.8	316	1,204	Mono Curb And Walk	Concrete	85.76	Curb	3.69	3.81	14.03	87	Fair	Immediate Priority
SW01132	E Hillside DR	3.9	329	1,286	Mono Curb And Walk	Concrete	65.64	Curb	5.01	3.92	19.60	75	Fair	Low Priority
SW02997	E Hillside DR	3.7	184	686	Mono Curb And Walk	Concrete	43.86	Curb	4.21	3.72	15.63	76	Fair	Low Priority
SW00858	E Hillside DR	4.3	82	353	Mono Curb And Walk	Concrete	17.20	Curb	4.77	4.31	20.55	72	Marginal	Very Low Priority
SW01107	E Hillside DR	3.5	26	89	Mono Curb And Walk	Concrete	5.40	Curb	4.73	3.49	16.49	89	Fair	Deferrable Priority
SW02998	E Hillside DR	6.1	200	1,225	Mono Curb And Walk	Concrete	32.88	Curb	6.09	6.12	37.25	90	Fair	Deferrable Priority
SW00857	E Hillside DR	4.3	380	1,626	Mono Curb And Walk	Concrete	80.07	Curb	4.75	4.28	20.30	82	Fair	Low Priority
SW03047	E Hillside DR	4.9	312	1,543	Mono Curb And Walk	Concrete	64.89	Curb	4.81	4.95	23.77	90	Fair	Low Priority
SW03000	E Hillside DR	3.2	136	441	Mono Curb And Walk	Concrete	28.11	Curb	4.83	3.25	15.68	78	Fair	Very Low Priority
SW01129	E Hillside DR	3.3	136	450	Mono Curb And Walk	Concrete	35.82	Curb	3.80	3.30	12.55	91	Good	Deferrable Priority
SW03001	E Hillside DR	3.5	254	893	Mono Curb And Walk	Concrete	52.90	Curb	4.79	3.52	16.88	82	Fair	Very Low Priority
SW03246	E Hillside DR	3.9	287	1,130	Mono Curb And Walk	Concrete	73.91	Curb	3.88	3.94	15.29	83	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02999	E Hillside DR	3.8	288	1,096	Mono Curb And Walk	Concrete	78.11	Curb	3.69	3.81	14.03	89	Fair	Low Priority
SW03050	E Hillside DR	4.8	362	1,756	Mono Curb And Walk	Concrete	74.87	Curb	4.84	4.85	23.45	88	Fair	Low Priority
SW02218	E Hillside DR	6.6	460	3,018	Boulevard Walk	Concrete	57.07	Curb	8.07	6.56	52.88	82	Fair	Very Low Priority
SW02917	E Hillside DR	7.1	620	4,409	Mono Curb And Walk	Concrete	106.08	Curb	5.85	7.11	41.57	94	Good	Low Priority
SW02245	E Hillside DR	4.8	150	720	Boulevard Walk	Concrete	28.99	Curb	5.17	4.81	24.85	98	Good	Deferrable Priority
SW03035	E Hillside DR	9.6	27	260	Mono Curb And Walk	Concrete	5.15	Curb	5.25	9.62	50.50	100	Good	No Priority
SW03049	E Hillside DR	5.9	77	454	Mono Curb And Walk	Concrete	14.93	Curb	5.18	5.87	30.39	100	Good	No Priority
SW02847	E Hunter AVE	4.5	136	614	Boulevard Walk	Concrete	23.63	Curb	5.75	4.52	25.98	10	Very Poor	Immediate Priority
SW02846	E Hunter AVE	4.8	61	294	Boulevard Walk	Concrete	9.55	Curb	6.43	4.78	30.74	9	Very Poor	Low Priority
SW01740	E Hunter AVE	8.1	50	402	Mono Curb And Walk	Concrete	8.42	Curb	5.91	8.07	47.73	67	Marginal	Low Priority
SW02828	E Hunter AVE	4.9	172	835	Boulevard Walk	Concrete	26.00	Curb	6.62	4.85	32.12	41	Poor	Low Priority
SW02914	E Hunter AVE	4.9	363	1,788	Mono Curb And Walk	Concrete	65.17	Curb	5.57	4.92	27.44	74	Marginal	Low Priority
SW02861	E Hunter AVE	4.1	363	1,501	Mono Curb And Walk	Concrete	76.19	Curb	4.76	4.14	19.71	74	Marginal	Immediate Priority
SW06985	E Hunter AVE	3.9	148	585	Mono Curb And Walk	Concrete	36.65	Curb	4.05	3.94	15.95	78	Fair	Low Priority
SW06982	E Hunter AVE	4.3	125	544	Mono Curb And Walk	Concrete	25.43	Curb	4.92	4.35	21.37	51	Marginal	Low Priority
SW02898	E Hunter AVE	4.5	47	213	Boulevard Walk	Concrete	9.41	Curb	5.03	4.50	22.63	83	Fair	Deferrable Priority
SW06986	E Hunter AVE	3.7	148	552	Mono Curb And Walk	Concrete	40.37	Curb	3.67	3.73	13.67	83	Fair	Low Priority
SW02877	E Hunter AVE	4.4	141	623	Boulevard Walk	Concrete	25.74	Curb	5.48	4.42	24.19	72	Marginal	Low Priority
SW02840	E Hunter AVE	4.5	200	894	Boulevard Walk	Concrete	32.30	Curb	6.20	4.47	27.68	54	Marginal	Low Priority
SW02911	E Hunter AVE	4.4	129	570	Mono Curb And Walk	Concrete	23.78	Curb	5.43	4.42	23.97	78	Fair	Low Priority
SW02853	E Hunter AVE	4.2	208	868	Mono Curb And Walk	Concrete	45.73	Curb	4.55	4.17	18.98	81	Fair	Low Priority
SW06977	E Hunter AVE	4.1	137	565	Mono Curb And Walk	Concrete	34.23	Curb	3.99	4.14	16.52	79	Fair	Very Low Priority
SW06978	E Hunter AVE	4.0	140	565	Mono Curb And Walk	Concrete	27.80	Curb	5.03	4.04	20.32	90	Fair	Low Priority
SW02899	E Hunter AVE	4.3	67	291	Boulevard Walk	Concrete	15.25	Curb	4.41	4.33	19.09	72	Marginal	Very Low Priority
SW02910	E Hunter AVE	4.4	75	328	Mono Curb And Walk	Concrete	13.05	Curb	5.73	4.39	25.13	91	Good	Deferrable Priority
SW02913	E Hunter AVE	4.5	133	597	Mono Curb And Walk	Concrete	25.88	Curb	5.13	4.50	23.07	91	Good	Deferrable Priority
SW02876	E Hunter AVE	4.2	135	564	Boulevard Walk	Concrete	30.80	Curb	4.40	4.16	18.32	92	Good	Very Low Priority
SW02912	E Hunter AVE	4.3	276	1,181	Mono Curb And Walk	Concrete	46.25	Curb	5.97	4.28	25.53	89	Fair	Low Priority
SW02900	E Hunter AVE	4.5	207	921	Boulevard Walk	Concrete	41.33	Curb	5.00	4.45	22.27	76	Fair	Low Priority
SW01731	E Hunter AVE	4.1	180	740	Mono Curb And Walk	Concrete	39.79	Curb	4.51	4.12	18.60	93	Good	Deferrable Priority
SW02843	E Hunter AVE	4.4	138	608	Boulevard Walk	Concrete	30.33	Curb	4.56	4.40	20.05	93	Good	Deferrable Priority
SW02821	E Hunter AVE	4.3	58	248	Boulevard Walk	Concrete	11.99	Curb	4.86	4.26	20.71	94	Good	Deferrable Priority
SW02822	E Hunter AVE	4.2	172	728	Boulevard Walk	Concrete	36.29	Curb	4.74	4.23	20.07	95	Good	Deferrable Priority
SW02860	E Hunter AVE	4.5	267	1,204	Mono Curb And Walk	Concrete	75.79	Curb	3.52	4.51	15.89	88	Fair	Low Priority
SW02870	E Hunter AVE	4.4	98	431	Boulevard Walk	Concrete	19.11	Curb	5.12	4.41	22.56	96	Good	Deferrable Priority
SW01712	E Hunter AVE	3.7	180	665	Mono Curb And Walk	Concrete	45.66	Curb	3.94	3.70	14.56	96	Good	Deferrable Priority
SW02833	E Hunter AVE	4.8	92	439	Boulevard Walk	Concrete	17.55	Curb	5.27	4.75	25.03	73	Marginal	Very Low Priority
SW02878	E Hunter AVE	4.1	204	842	Boulevard Walk	Concrete	45.05	Curb	4.52	4.14	18.70	90	Good	Very Low Priority
SW02820	E Hunter AVE	4.9	58	283	Boulevard Walk	Concrete	9.76	Curb	5.92	4.90	28.96	100	Good	No Priority
SW02845	E Hunter AVE	5.2	53	272	Boulevard Walk	Concrete	8.31	Curb	6.34	5.16	32.69	100	Good	No Priority
SW02850	E Hunter AVE	5.0	42	210	Boulevard Walk	Concrete	9.00	Curb	4.69	4.97	23.31	100	Good	No Priority
SW06974	E Hunter AVE	4.6	132	609	Boulevard Walk	Concrete	27.52	Curb	4.79	4.62	22.15	100	Good	No Priority
SW04237	E Hunters GLN	6.6	289	1,923	Mono Curb And Walk	Concrete	60.34	Curb	4.79	6.65	31.87	63	Marginal	Immediate Priority
SW04236	E Hunters GLN	3.9	276	1,079	Mono Curb And Walk	Concrete	52.44	Curb	5.27	3.91	20.57	84	Fair	Low Priority
SW03636	E Jamie LN	4.0	425	1,684	Boulevard Walk	Concrete	89.24	Curb	4.77	3.96	18.86	59	Marginal	Low Priority
SW03634	E Jamie LN	3.7	414	1,525	Boulevard Walk	Concrete	119.79	Curb	3.45	3.69	12.73	80	Fair	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06198	E Janet DR	5.0	100	500	Boulevard Walk	Concrete	20.79	No Curb	4.83	4.97	24.04	78	Fair	Very Low Priority
SW03605	E Jennifer DR	3.9	332	1,280	Boulevard Walk	Concrete	58.50	Curb	5.67	3.86	21.87	50	Marginal	Immediate Priority
SW03603	E Jennifer DR	4.2	151	632	Boulevard Walk	Concrete	23.67	Curb	6.39	4.18	26.69	68	Marginal	Low Priority
SW03653	E Jennifer DR	4.1	275	1,116	Boulevard Walk	Concrete	29.72	Curb	9.26	4.05	37.54	64	Marginal	Low Priority
SW03604	E Jennifer DR	3.9	342	1,344	Boulevard Walk	Concrete	66.32	Curb	5.15	3.94	20.27	65	Marginal	Low Priority
SW03652	E Jennifer DR	4.3	183	786	Boulevard Walk	Concrete	31.09	Curb	5.89	4.29	25.28	90	Good	Deferrable Priority
SW03600	E Jennifer DR	3.9	82	323	Boulevard Walk	Concrete	16.55	Curb	4.94	3.95	19.51	94	Good	Deferrable Priority
SW02351	E John Hinkle PL	5.5	220	1,219	Boulevard Walk	Concrete	29.31	Curb	7.51	5.54	41.58	53	Marginal	Low Priority
SW02353	E John Hinkle PL	4.9	211	1,043	Boulevard Walk	Concrete	39.60	Curb	5.33	4.94	26.34	60	Marginal	Low Priority
SW02360	E John Hinkle PL	4.8	66	315	Mono Curb And Walk	Concrete	13.05	Curb	5.07	4.76	24.14	39	Poor	Low Priority
SW02347	E John Hinkle PL	5.6	70	392	Boulevard Walk	Concrete	10.08	Curb	6.94	5.60	38.86	64	Marginal	Low Priority
SW02352	E John Hinkle PL	4.7	157	742	Boulevard Walk	Concrete	38.46	Curb	4.08	4.73	19.30	61	Marginal	Low Priority
SW02358	E John Hinkle PL	4.8	82	394	Boulevard Walk	Concrete	15.05	Curb	5.43	4.83	26.22	70	Marginal	Low Priority
SW02357	E John Hinkle PL	5.0	78	389	Boulevard Walk	Concrete	14.34	Curb	5.46	4.97	27.10	69	Marginal	Low Priority
SW02359	E John Hinkle PL	5.3	198	1,044	Boulevard Walk	Concrete	32.41	Curb	6.11	5.27	32.22	69	Marginal	Low Priority
SW02355	E John Hinkle PL	4.8	245	1,180	Boulevard Walk	Concrete	52.72	Curb	4.65	4.82	22.39	61	Marginal	Low Priority
SW02356	E John Hinkle PL	5.3	180	955	Boulevard Walk	Concrete	30.53	Curb	5.89	5.31	31.28	73	Marginal	Low Priority
SW02367	E John Hinkle PL	5.2	116	599	Boulevard Walk	Concrete	27.17	Curb	4.27	5.16	22.05	84	Fair	Low Priority
SW02354	E John Hinkle PL	3.8	168	636	Boulevard Walk	Concrete	34.40	Curb	4.88	3.79	18.50	86	Fair	Low Priority
SW02362	E John Hinkle PL	5.2	130	671	Boulevard Walk	Concrete	22.82	Curb	5.68	5.18	29.41	81	Fair	Low Priority
SW02350	E John Hinkle PL	3.9	240	924	Boulevard Walk	Concrete	60.55	Curb	3.96	3.85	15.25	87	Fair	Low Priority
SW02361	E John Hinkle PL	4.6	171	779	Boulevard Walk	Concrete	40.21	Curb	4.25	4.56	19.38	92	Good	Low Priority
SW02365	E John Hinkle PL	4.1	355	1,457	Mono Curb And Walk	Concrete	73.88	Curb	4.81	4.10	19.72	83	Fair	Low Priority
SW02348	E John Hinkle PL	4.1	294	1,203	Park	Concrete	62.24	Curb	4.73	4.09	19.33	96	Good	Deferrable Priority
SW05769	E Jordans WAY	3.7	560	2,099	Boulevard Walk	Concrete	148.18	Curb	3.78	3.75	14.16	70	Marginal	Immediate Priority
SW05771	E Jordans WAY	3.8	533	2,048	Boulevard Walk	Concrete	110.46	Curb	4.83	3.84	18.54	71	Marginal	Low Priority
SW08782	E Kenler DR	6.0	555	3,348	Boulevard Walk	Concrete	55.47	Curb	10.01	6.03	60.35	49	Poor	Low Priority
SW05489	E Kennedy CT	3.3	179	595	Mono Curb And Walk	Concrete	36.39	Curb	4.91	3.33	16.35	42	Poor	Immediate Priority
SW05503	E Kennedy CT	4.0	246	989	Mono Curb And Walk	Concrete	49.73	Curb	4.95	4.02	19.90	31	Poor	Low Priority
SW05699	E Kensington Park DR	3.8	119	456	Boulevard Walk	Concrete	26.51	Curb	4.49	3.83	17.19	31	Poor	Immediate Priority
SW05698	E Kensington Park DR	3.7	233	873	Boulevard Walk	Concrete	51.90	Curb	4.49	3.75	16.82	57	Marginal	Immediate Priority
SW05695	E Kensington Park DR	4.2	19	79	Boulevard Walk	Concrete	3.66	Curb	5.17	4.18	21.60	70	Marginal	Very Low Priority
SW05776	E Kensington Park DR	3.8	611	2,292	Boulevard Walk	Concrete	133.85	Curb	4.56	3.75	17.12	65	Marginal	Immediate Priority
SW05697	E Kensington Park DR	4.0	241	953	Boulevard Walk	Concrete	54.96	Curb	4.38	3.96	17.33	65	Marginal	Immediate Priority
SW05775	E Kensington Park DR	4.0	191	765	Boulevard Walk	Concrete	41.90	Curb	4.55	4.01	18.25	69	Marginal	Low Priority
SW03360	E Kensington PL	4.8	599	2,900	Boulevard Walk	Concrete	125.91	Curb	4.76	4.84	23.03	86	Fair	Low Priority
SW03357	E Kensington PL	4.7	682	3,178	Boulevard Walk	Concrete	143.16	Curb	4.76	4.66	22.20	76	Fair	Low Priority
SW03827	E Keri Marie LN	4.0	101	402	Boulevard Walk	Concrete	21.12	Curb	4.77	3.99	19.05	49	Poor	Immediate Priority
SW03826	E Keri Marie LN	4.4	155	689	Boulevard Walk	Concrete	31.45	Curb	4.94	4.44	21.92	67	Marginal	Low Priority
SW00562	E Kirkwood AVE	4.4	328	1,449	Mono Curb And Walk	Pavers / Brick	81.97	Curb	4.00	4.42	17.68	70	Marginal	Immediate Priority
SW00564	E Kirkwood AVE	8.6	328	2,806	Mono Curb And Walk	Pavers / Brick	81.91	Curb	4.00	8.56	34.25	91	Good	Deferrable Priority
SW00177	E Kirkwood AVE	8.5	151	1,279	Mono Curb And Walk	Pavers / Brick	37.68	Curb	4.00	8.49	33.94	92	Good	Deferrable Priority
SW10966	E Kirkwood AVE	7.5	154	1,159	Mono Curb And Walk	Pavers / Brick	38.55	Curb	4.00	7.52	30.06	92	Good	Deferrable Priority
SW00294	E Kirkwood AVE	9.1	156	1,417	Mono Curb And Walk	Pavers / Brick	39.03	Curb	4.00	9.08	36.30	92	Good	Deferrable Priority
SW00189	E Kirkwood AVE	9.5	166	1,572	Mono Curb And Walk	Pavers / Brick	41.46	Curb	4.00	9.48	37.91	93	Good	Low Priority
SW00563	E Kirkwood AVE	4.7	236	1,111	Mono Curb And Walk	Pavers / Brick	58.96	Curb	4.00	4.71	18.84	93	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00316	E Kirkwood AVE	6.1	155	938	Mono Curb And Walk	Pavers / Brick	38.67	Curb	4.00	6.07	24.26	94	Good	Low Priority
SW00249	E Kirkwood AVE	6.3	156	988	Mono Curb And Walk	Pavers / Brick	38.99	Curb	4.00	6.34	25.34	95	Good	Deferrable Priority
SW00250	E Kirkwood AVE	8.1	339	2,758	Mono Curb And Walk	Concrete	56.33	Curb	6.02	8.14	48.96	83	Fair	Very Low Priority
SW00315	E Kirkwood AVE	7.2	134	964	Mono Curb And Walk	Pavers / Brick	33.54	Curb	4.00	7.18	28.73	95	Good	Deferrable Priority
SW00196	E Kirkwood AVE	9.4	160	1,509	Mono Curb And Walk	Pavers / Brick	39.92	Curb	4.00	9.45	37.79	96	Good	Deferrable Priority
SW00248	E Kirkwood AVE	7.7	152	1,170	Mono Curb And Walk	Pavers / Brick	38.04	Curb	4.00	7.69	30.75	96	Good	Deferrable Priority
SW10967	E Kirkwood AVE	7.6	164	1,251	Mono Curb And Walk	Pavers / Brick	41.10	Curb	4.00	7.61	30.44	97	Good	Deferrable Priority
SW00292	E Kirkwood AVE	10.4	336	3,500	Mono Curb And Walk	Pavers / Brick	83.95	Curb	4.00	10.42	41.69	98	Good	Deferrable Priority
SW00559	E Kirkwood AVE	8.0	240	1,919	Mono Curb And Walk	Pavers / Brick	60.06	Curb	4.00	7.99	31.96	98	Good	Deferrable Priority
SW05739	E Kristen CT	4.1	357	1,472	Boulevard Walk	Concrete	72.55	Curb	4.92	4.12	20.28	72	Marginal	Low Priority
SW05744	E Kristen CT	4.1	354	1,434	Boulevard Walk	Concrete	54.06	Curb	6.55	4.05	26.54	81	Fair	Low Priority
SW08753	E Lakewood DR	3.6	360	1,312	Boulevard Walk	Concrete	72.02	Curb	5.00	3.64	18.22	32	Poor	Low Priority
SW08752	E Lakewood DR	4.0	324	1,282	Boulevard Walk	Concrete	66.94	Curb	4.84	3.96	19.16	60	Marginal	Low Priority
SW08777	E Lakewood DR	4.2	683	2,872	Boulevard Walk	Concrete	130.35	Curb	5.24	4.21	22.04	62	Marginal	Low Priority
SW08769	E Lakewood DR	4.8	333	1,613	Boulevard Walk	Concrete	66.80	Curb	4.98	4.85	24.14	92	Good	Low Priority
SW08768	E Lakewood DR	4.9	691	3,388	Boulevard Walk	Concrete	146.88	Curb	4.70	4.91	23.07	85	Fair	Low Priority
SW08754	E Lakewood DR	3.8	353	1,348	Boulevard Walk	Concrete	72.14	Curb	4.89	3.82	18.69	87	Fair	Low Priority
SW06344	E Laurelwood CT	4.2	331	1,374	Boulevard Walk	Concrete	47.48	Curb	6.97	4.16	28.94	44	Poor	Immediate Priority
SW06368	E Laurelwood CT	3.8	276	1,036	Boulevard Walk	Concrete	50.62	Curb	5.45	3.76	20.47	68	Marginal	Immediate Priority
SW06347	E Laurelwood DR	3.6	420	1,531	Boulevard Walk	Concrete	103.02	Curb	4.07	3.65	14.86	59	Marginal	Immediate Priority
SW06366	E Laurelwood DR	4.0	258	1,024	Boulevard Walk	Concrete	50.50	Curb	5.11	3.97	20.28	58	Marginal	Low Priority
SW06348	E Laurelwood DR	4.2	312	1,305	Boulevard Walk	Concrete	52.99	Curb	5.89	4.18	24.62	74	Marginal	Low Priority
SW06377	E Laurelwood DR	3.9	197	770	Boulevard Walk	Concrete	39.91	Curb	4.94	3.90	19.29	84	Fair	Low Priority
SW04879	E Linden Hill DR	3.8	1538	5,839	Boulevard Walk	Concrete	367.42	Curb	4.19	3.80	15.89	56	Marginal	Immediate Priority
SW04884	E Linden Hill DR	3.9	174	680	Boulevard Walk	Concrete	31.25	Curb	5.57	3.90	21.76	64	Marginal	Low Priority
SW04885	E Linden Hill DR	3.7	174	650	Boulevard Walk	Concrete	42.79	Curb	4.07	3.74	15.19	87	Fair	Deferrable Priority
SW04883	E Linden Hill DR	3.9	1778	6,890	Boulevard Walk	Concrete	382.16	Curb	4.65	3.88	18.03	80	Fair	Low Priority
SW01314	E Longview AVE	5.1	56	286	Boulevard Walk	Concrete	10.85	No Curb	5.16	5.10	26.32	35	Poor	Immediate Priority
SW01408	E Longview AVE	5.0	285	1,430	Mono Curb And Walk	Concrete	53.15	Curb	5.36	5.02	26.90	53	Marginal	Immediate Priority
SW01315	E Longview AVE	5.0	53	265	Boulevard Walk	Concrete	10.20	No Curb	5.18	5.02	26.00	57	Marginal	Low Priority
SW01375	E Longview AVE	4.8	210	1,010	Boulevard Walk	Concrete	38.37	Curb	5.47	4.81	26.33	52	Marginal	Low Priority
SW01305	E Longview AVE	4.7	163	771	Boulevard Walk	Concrete	34.57	No Curb	4.70	4.74	22.29	83	Fair	Low Priority
SW01402	E Longview AVE	5.0	267	1,330	Boulevard Walk	Concrete	52.31	Curb	5.11	4.98	25.43	71	Marginal	Low Priority
SW01316	E Longview AVE	4.8	45	217	Boulevard Walk	Concrete	9.52	No Curb	4.77	4.78	22.79	86	Fair	Deferrable Priority
SW01304	E Longview AVE	4.6	59	271	Boulevard Walk	Concrete	13.14	No Curb	4.49	4.60	20.64	86	Fair	Deferrable Priority
SW01312	E Longview AVE	4.9	132	639	Boulevard Walk	Concrete	27.93	No Curb	4.71	4.85	22.87	87	Fair	Deferrable Priority
SW01407	E Longview AVE	5.0	534	2,651	Boulevard Walk	Concrete	103.31	Curb	5.17	4.96	25.66	80	Fair	Low Priority
SW01378	E Longview AVE	4.4	219	962	Boulevard Walk	Concrete	49.57	Curb	4.42	4.39	19.41	75	Fair	Low Priority
SW01351	E Longview AVE	11.5	465	5,356	Boulevard Walk	Asphalt	116.33	Curb	4.00	11.51	46.04	93	Good	Deferrable Priority
SW01389	E Longview AVE	4.6	283	1,286	Boulevard Walk	Concrete	38.05	Curb	7.43	4.55	33.80	97	Good	Deferrable Priority
SW01403	E Longview AVE	6.5	225	1,472	Boulevard Walk	Asphalt	56.24	Curb	4.00	6.55	26.18	98	Good	Deferrable Priority
SW01399	E Longview AVE	6.5	144	940	Boulevard Walk	Asphalt	35.89	Curb	4.00	6.55	26.18	98	Good	Deferrable Priority
SW01313	E Longview AVE	5.0	14	70	Boulevard Walk	Concrete	2.88	No Curb	4.90	4.95	24.25	100	Good	No Priority
SW01390	E Longview AVE	6.5	17	113	Boulevard Walk	Asphalt	4.31	Curb	4.00	6.55	26.18	100	Good	No Priority
SW04821	E Lydia LN	6.0	23	138	Boulevard Walk	Concrete	4.72	Curb	4.87	6.01	29.30	68	Marginal	Low Priority
SW04820	E Lydia LN	5.1	55	281	Boulevard Walk	Concrete	10.16	Curb	5.46	5.07	27.66	57	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04819	E Lydia LN	5.1	46	234	Mono Curb And Walk	Concrete	6.95	Curb	6.65	5.06	33.61	58	Marginal	Low Priority
SW04822	E Lydia LN	5.0	43	215	Mono Curb And Walk	Concrete	10.52	Curb	4.09	5.01	20.46	60	Marginal	Low Priority
SW04818	E Lydia LN	4.8	63	300	Boulevard Walk	Concrete	10.89	Curb	5.74	4.79	27.52	68	Marginal	Very Low Priority
SW04754	E Lydia LN	4.7	33	153	Boulevard Walk	Concrete	6.97	Curb	4.72	4.66	21.97	100	Good	No Priority
SW00871	E Marilyn DR	5.1	720	3,675	Mono Curb And Walk	Concrete	176.24	Curb	4.09	5.10	20.85	89	Fair	Low Priority
SW00874	E Mark ST	6.5	48	313	Mono Curb And Walk	Concrete	6.67	Curb	7.19	6.53	46.89	73	Marginal	Low Priority
SW01801	E Maxwell LN	5.2	328	1,718	Boulevard Walk	Concrete	59.28	Curb	5.53	5.24	28.98	57	Marginal	Low Priority
SW01803	E Maxwell LN	4.4	45	200	Mono Curb And Walk	Concrete	9.18	Curb	4.95	4.39	21.74	65	Marginal	Low Priority
SW01815	E Maxwell LN	5.9	184	1,085	Mono Curb And Walk	Concrete	32.06	Curb	5.74	5.89	33.83	73	Marginal	Low Priority
SW01806	E Maxwell LN	4.1	105	437	Mono Curb And Walk	Concrete	18.52	Curb	5.69	4.15	23.58	70	Marginal	Low Priority
SW02621	E Maxwell LN	6.0	518	3,124	Mono Curb And Walk	Concrete	82.51	Curb	6.28	6.03	37.86	56	Marginal	Low Priority
SW02615	E Maxwell LN	6.2	259	1,590	Mono Curb And Walk	Concrete	43.14	Curb	5.99	6.15	36.85	82	Fair	Low Priority
SW01800	E Maxwell LN	4.6	445	2,038	Boulevard Walk	Concrete	103.14	Curb	4.31	4.58	19.76	79	Fair	Low Priority
SW02610	E Maxwell LN	6.7	205	1,382	Mono Curb And Walk	Concrete	32.54	Curb	6.30	6.74	42.47	79	Fair	Low Priority
SW01807	E Maxwell LN	4.4	126	554	Mono Curb And Walk	Concrete	25.49	Curb	4.95	4.39	21.74	83	Fair	Very Low Priority
SW01799	E Maxwell LN	4.4	54	239	Mono Curb And Walk	Concrete	10.99	Curb	4.95	4.39	21.74	86	Fair	Deferrable Priority
SW02664	E Maxwell LN	5.0	224	1,119	Mono Curb And Walk	Concrete	41.82	Curb	5.35	5.01	26.77	86	Fair	Deferrable Priority
SW01804	E Maxwell LN	4.4	49	215	Mono Curb And Walk	Concrete	9.89	Curb	4.95	4.39	21.74	63	Marginal	Very Low Priority
SW02671	E Maxwell LN	4.6	67	311	Mono Curb And Walk	Concrete	13.34	Curb	5.02	4.65	23.32	88	Fair	Deferrable Priority
SW01808	E Maxwell LN	4.4	46	202	Mono Curb And Walk	Concrete	9.27	Curb	4.95	4.39	21.74	88	Fair	Deferrable Priority
SW01809	E Maxwell LN	4.4	127	564	Mono Curb And Walk	Concrete	24.40	Curb	5.21	4.44	23.13	88	Fair	Deferrable Priority
SW02622	E Maxwell LN	6.0	155	937	Mono Curb And Walk	Concrete	24.74	Curb	6.28	6.03	37.86	89	Fair	Deferrable Priority
SW01816	E Maxwell LN	4.6	50	234	Mono Curb And Walk	Concrete	9.19	No Curb	5.48	4.65	25.45	89	Fair	Deferrable Priority
SW01811	E Maxwell LN	4.1	76	313	Mono Curb And Walk	Concrete	16.56	Curb	4.58	4.13	18.92	89	Fair	Deferrable Priority
SW01805	E Maxwell LN	4.4	63	277	Mono Curb And Walk	Concrete	12.74	Curb	4.95	4.39	21.74	90	Good	Deferrable Priority
SW01802	E Maxwell LN	4.4	66	287	Mono Curb And Walk	Concrete	13.38	Curb	4.93	4.35	21.44	91	Good	Deferrable Priority
SW01810	E Maxwell LN	3.8	58	216	Mono Curb And Walk	Concrete	14.06	Curb	4.10	3.76	15.40	91	Good	Deferrable Priority
SW01812	E Maxwell LN	3.7	107	400	Mono Curb And Walk	Concrete	21.13	Curb	5.05	3.75	18.93	74	Marginal	Very Low Priority
SW02668	E Maxwell LN	4.9	280	1,367	Mono Curb And Walk	Concrete	56.06	Curb	4.99	4.89	24.38	86	Fair	Very Low Priority
SW01813	E Maxwell LN	4.8	251	1,195	Mono Curb And Walk	Concrete	47.75	Curb	5.26	4.76	25.02	82	Fair	Low Priority
SW02670	E Maxwell LN	4.4	286	1,269	Mono Curb And Walk	Concrete	59.63	Curb	4.79	4.44	21.28	93	Good	Deferrable Priority
SW02669	E Maxwell LN	4.7	284	1,344	Mono Curb And Walk	Concrete	62.18	Curb	4.57	4.73	21.61	95	Good	Very Low Priority
SW02624	E Maxwell LN	6.8	225	1,520	Mono Curb And Walk	Concrete	35.62	Curb	6.31	6.77	42.66	84	Fair	Very Low Priority
SW03335	E Meadowbluff CT	4.0	627	2,524	Boulevard Walk	Concrete	96.21	Curb	6.51	4.03	26.23	46	Poor	Immediate Priority
SW03378	E Meadowbluff CT	4.0	563	2,226	Boulevard Walk	Concrete	126.80	Curb	4.44	3.95	17.55	64	Marginal	Low Priority
SW04043	E Melville CIR	4.9	696	3,426	Boulevard Walk	Concrete	192.17	Curb	3.62	4.92	17.83	82	Fair	Low Priority
SW02263	E Miller DR	4.4	171	750	Mono Curb And Walk	Concrete	36.03	Curb	4.74	4.40	20.83	31	Poor	Immediate Priority
SW02279	E Miller DR	4.8	168	800	Mono Curb And Walk	Concrete	32.05	Curb	5.23	4.78	24.97	39	Poor	Immediate Priority
SW03843	E Miller DR	4.9	545	2,646	Mono Curb And Walk	Concrete	61.63	Curb	8.85	4.85	42.93	59	Marginal	Immediate Priority
SW06321	E Miller DR	4.1	68	276	Mono Curb And Walk	Concrete	13.51	Curb	5.00	4.08	20.41	40	Poor	Low Priority
SW03804	E Miller DR	4.2	288	1,202	Mono Curb And Walk	Concrete	76.66	Curb	3.76	4.17	15.69	58	Marginal	Low Priority
SW06376	E Miller DR	4.2	55	233	Mono Curb And Walk	Concrete	9.09	Curb	6.08	4.21	25.60	74	Marginal	Low Priority
SW06327	E Miller DR	5.1	125	637	Mono Curb And Walk	Concrete	22.50	Curb	5.57	5.09	28.31	76	Fair	Low Priority
SW03860	E Miller DR	4.5	321	1,449	Mono Curb And Walk	Concrete	80.53	Curb	3.99	4.51	18.00	58	Marginal	Low Priority
SW06375	E Miller DR	5.4	129	696	Mono Curb And Walk	Concrete	25.33	Curb	5.10	5.39	27.48	66	Marginal	Low Priority
SW06323	E Miller DR	4.3	123	529	Boulevard Walk	Concrete	27.39	Curb	4.50	4.29	19.31	60	Marginal	Immediate Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03830	E Miller DR	4.4	336	1,474	Mono Curb And Walk	Concrete	78.72	Curb	4.27	4.39	18.73	76	Fair	Low Priority
SW03815	E Miller DR	4.5	356	1,618	Mono Curb And Walk	Concrete	80.20	Curb	4.44	4.55	20.18	64	Marginal	Low Priority
SW02274	E Miller DR	5.8	27	159	Boulevard Walk	Concrete	4.76	Curb	5.71	5.84	33.37	55	Marginal	Very Low Priority
SW06322	E Miller DR	4.1	331	1,361	Mono Curb And Walk	Concrete	74.08	Curb	4.47	4.11	18.37	54	Marginal	Low Priority
SW06324	E Miller DR	4.5	233	1,054	Boulevard Walk	Concrete	50.38	Curb	4.63	4.52	20.92	68	Marginal	Immediate Priority
SW02265	E Miller DR	4.1	263	1,082	Boulevard Walk	Concrete	55.52	Curb	4.75	4.11	19.49	65	Marginal	Low Priority
SW03847	E Miller DR	5.1	304	1,541	Boulevard Walk	Concrete	53.95	Curb	5.64	5.06	28.56	83	Fair	Low Priority
SW06331	E Miller DR	5.4	129	699	Mono Curb And Walk	Concrete	25.57	Curb	5.03	5.43	27.34	62	Marginal	Low Priority
SW06328	E Miller DR	6.0	169	1,015	Mono Curb And Walk	Concrete	32.12	Curb	5.27	6.00	31.60	78	Fair	Low Priority
SW06330	E Miller DR	5.0	127	635	Mono Curb And Walk	Concrete	24.57	Curb	5.18	4.98	25.83	85	Fair	Low Priority
SW06326	E Miller DR	4.8	187	896	Boulevard Walk	Concrete	31.74	Curb	5.90	4.78	28.21	80	Fair	Low Priority
SW02257	E Miller DR	4.9	366	1,781	Boulevard Walk	Concrete	77.10	Curb	4.74	4.87	23.10	87	Fair	Deferrable Priority
SW02252	E Miller DR	4.9	152	737	Mono Curb And Walk	Concrete	23.07	Curb	6.58	4.85	31.94	89	Fair	Low Priority
SW02280	E Miller DR	3.7	252	922	Boulevard Walk	Concrete	68.53	Curb	3.68	3.66	13.45	71	Marginal	Low Priority
SW06325	E Miller DR	4.8	364	1,731	Boulevard Walk	Concrete	64.89	Curb	5.61	4.76	26.68	84	Fair	Low Priority
SW06329	E Miller DR	5.9	674	3,947	Mono Curb And Walk	Concrete	137.13	Curb	4.92	5.85	28.78	78	Fair	Immediate Priority
SW02264	E Miller DR	3.8	364	1,400	Mono Curb And Walk	Concrete	71.09	Curb	5.12	3.84	19.69	82	Fair	Low Priority
SW02256	E Miller DR	3.5	183	645	Boulevard Walk	Concrete	35.90	Curb	5.09	3.53	17.97	90	Good	Deferrable Priority
SW02258	E Miller DR	4.9	100	489	Boulevard Walk	Concrete	19.67	Curb	5.08	4.90	24.88	90	Good	Deferrable Priority
SW02281	E Miller DR	3.7	30	113	Boulevard Walk	Concrete	6.59	Curb	4.62	3.70	17.11	91	Good	Deferrable Priority
SW03871	E Miller DR	5.0	115	573	Mono Curb And Walk	Concrete	27.07	Curb	4.25	4.98	21.17	91	Good	Deferrable Priority
SW02192	E Miller DR	5.8	53	306	Boulevard Walk	Concrete	8.43	Curb	6.32	5.75	36.33	92	Good	Deferrable Priority
SW03832	E Miller DR	4.2	312	1,304	Boulevard Walk	Concrete	65.05	Curb	4.79	4.18	20.05	92	Good	Very Low Priority
SW02193	E Miller DR	5.8	50	292	Boulevard Walk	Concrete	7.92	Curb	6.36	5.79	36.83	100	Good	No Priority
SW02271	E Moody DR	4.4	96	426	Mono Curb And Walk	Concrete	17.46	Curb	5.50	4.44	24.41	50	Poor	Low Priority
SW02272	E Moody DR	4.2	20	84	Mono Curb And Walk	Concrete	4.08	Curb	4.92	4.19	20.62	81	Fair	Very Low Priority
SW02260	E Moody DR	5.9	24	139	Boulevard Walk	Concrete	3.56	Curb	6.60	5.90	38.97	86	Fair	Deferrable Priority
SW02251	E Moody DR	4.8	107	517	Mono Curb And Walk	Concrete	16.89	Curb	6.33	4.83	30.60	86	Fair	Deferrable Priority
SW02250	E Moody DR	5.4	62	331	Mono Curb And Walk	Concrete	11.68	Curb	5.29	5.36	28.32	87	Fair	Deferrable Priority
SW02270	E Moody DR	4.5	48	218	Boulevard Walk	Concrete	8.07	Curb	5.96	4.54	27.06	92	Good	Deferrable Priority
SW02269	E Moody DR	4.8	71	339	Mono Curb And Walk	Concrete	12.12	Curb	5.87	4.77	27.98	69	Marginal	Very Low Priority
SW03522	E Moores PIKE	4.1	158	650	Mono Curb And Walk	Concrete	37.03	Curb	4.26	4.12	17.56	47	Poor	Immediate Priority
SW04760	E Moores PIKE	3.6	148	536	Boulevard Walk	Concrete	25.47	Curb	5.79	3.63	21.04	25	Very Poor	Low Priority
SW06467	E Moores PIKE	4.9	371	1,819	Mono Curb And Walk	Concrete	74.65	Curb	4.97	4.91	24.37	64	Marginal	Low Priority
SW06486	E Moores PIKE	4.6	238	1,095	Mono Curb And Walk	Concrete	53.77	Curb	4.42	4.61	20.37	46	Poor	Low Priority
SW06462	E Moores PIKE	5.1	136	698	Boulevard Walk	Concrete	23.81	Curb	5.70	5.14	29.31	67	Marginal	Immediate Priority
SW06475	E Moores PIKE	4.9	684	3,383	Boulevard Walk	Concrete	120.62	No Curb	5.67	4.94	28.05	55	Marginal	Immediate Priority
SW06472	E Moores PIKE	3.8	311	1,191	Boulevard Walk	Concrete	65.53	Curb	4.75	3.83	18.17	62	Marginal	Immediate Priority
SW06485	E Moores PIKE	4.8	173	824	Boulevard Walk	Concrete	37.40	No Curb	4.63	4.75	22.02	44	Poor	Low Priority
SW03521	E Moores PIKE	4.0	177	708	Boulevard Walk	Concrete	41.99	Curb	4.21	4.00	16.86	64	Marginal	Low Priority
SW03496	E Moores PIKE	5.1	522	2,653	Boulevard Walk	Concrete	106.77	Curb	4.89	5.08	24.85	55	Marginal	Immediate Priority
SW03243	E Moores PIKE	4.9	135	660	Boulevard Walk	Concrete	24.99	Curb	5.41	4.88	26.40	51	Marginal	Immediate Priority
SW03446	E Moores PIKE	3.5	150	530	Boulevard Walk	Concrete	45.06	Curb	3.32	3.54	11.76	69	Marginal	Immediate Priority
SW03499	E Moores PIKE	5.8	146	844	Boulevard Walk	Concrete	31.53	Curb	4.63	5.78	26.78	73	Marginal	Low Priority
SW03258	E Moores PIKE	6.7	50	336	Mono Curb And Walk	Concrete	8.36	Curb	6.02	6.69	40.25	73	Marginal	Low Priority
SW03531	E Moores PIKE	5.1	60	309	Boulevard Walk	Concrete	9.17	Curb	6.56	5.13	33.67	55	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03203	E Moores PIKE	4.7	425	2,000	Boulevard Walk	Concrete	58.70	Curb	7.25	4.70	34.06	67	Marginal	Low Priority
SW03466	E Moores PIKE	4.9	206	1,002	Meandering	Concrete	37.99	Curb	5.43	4.86	26.36	69	Marginal	Low Priority
SW03500	E Moores PIKE	4.5	454	2,062	Boulevard Walk	Concrete	105.23	Curb	4.32	4.54	19.59	77	Fair	Low Priority
SW06473	E Moores PIKE	4.8	207	992	Boulevard Walk	Concrete	42.19	No Curb	4.92	4.78	23.52	65	Marginal	Low Priority
SW03256	E Moores PIKE	4.9	174	863	Boulevard Walk	Concrete	33.23	Curb	5.25	4.95	25.98	78	Fair	Low Priority
SW03517	E Moores PIKE	4.7	501	2,348	Boulevard Walk	Concrete	110.24	Curb	4.55	4.69	21.30	70	Marginal	Low Priority
SW03238	E Moores PIKE	4.3	413	1,776	Mono Curb And Walk	Concrete	87.13	Curb	4.74	4.30	20.38	61	Marginal	Immediate Priority
SW03503	E Moores PIKE	4.7	540	2,560	Boulevard Walk	Concrete	106.91	Curb	5.05	4.74	23.94	70	Marginal	Immediate Priority
SW03244	E Moores PIKE	4.7	50	239	Mono Curb And Walk	Concrete	8.47	Curb	5.95	4.75	28.25	54	Marginal	Low Priority
SW03261	E Moores PIKE	4.6	517	2,350	Boulevard Walk	Concrete	111.95	Curb	4.61	4.55	20.99	66	Marginal	Low Priority
SW03525	E Moores PIKE	5.2	462	2,397	Mono Curb And Walk	Concrete	79.82	Partial Curb	5.79	5.19	30.03	72	Marginal	Low Priority
SW06436	E Moores PIKE	4.9	446	2,188	Boulevard Walk	Concrete	94.41	No Curb	4.72	4.91	23.17	67	Marginal	Low Priority
SW03477	E Moores PIKE	7.3	523	3,807	Boulevard Walk	Concrete	134.47	Curb	3.89	7.28	28.31	74	Marginal	Low Priority
SW06484	E Moores PIKE	4.9	81	395	Mono Curb And Walk	Concrete	16.90	Curb	4.81	4.86	23.39	73	Marginal	Low Priority
SW03524	E Moores PIKE	4.0	235	932	Boulevard Walk	Concrete	55.13	Partial Curb	4.26	3.97	16.90	79	Fair	Immediate Priority
SW03439	E Moores PIKE	4.2	293	1,235	Boulevard Walk	Concrete	67.06	Curb	4.36	4.22	18.42	61	Marginal	Low Priority
SW03195	E Moores PIKE	5.4	568	3,085	Boulevard Walk	Concrete	113.82	Curb	4.99	5.43	27.11	78	Fair	Low Priority
SW03467	E Moores PIKE	4.7	835	3,903	Boulevard Walk	Concrete	204.06	Curb	4.09	4.67	19.13	74	Marginal	Low Priority
SW03265	E Moores PIKE	5.8	54	315	Boulevard Walk	Concrete	9.98	Curb	5.42	5.81	31.51	86	Fair	Deferrable Priority
SW03530	E Moores PIKE	4.8	205	981	Mono Curb And Walk	Concrete	33.07	Curb	6.21	4.78	29.66	62	Marginal	Low Priority
SW03254	E Moores PIKE	4.3	32	139	Stand Alone	Concrete	4.30	No Curb	7.48	4.33	32.33	87	Fair	Deferrable Priority
SW04735	E Moores PIKE	3.7	323	1,189	Boulevard Walk	Concrete	67.69	Curb	4.77	3.69	17.56	83	Fair	Low Priority
SW03501	E Moores PIKE	4.4	173	762	Boulevard Walk	Concrete	39.38	Curb	4.40	4.40	19.36	88	Fair	Low Priority
SW06539	E Moores PIKE	3.3	179	597	Boulevard Walk	Concrete	38.91	No Curb	4.60	3.34	15.34	84	Fair	Low Priority
SW03240	E Moores PIKE	4.6	258	1,186	Boulevard Walk	Concrete	52.70	Curb	4.89	4.60	22.51	87	Fair	Low Priority
SW03288	E Moores PIKE	7.9	315	2,488	Boulevard Walk	Concrete	57.42	Curb	5.49	7.90	43.33	85	Fair	Low Priority
SW03523	E Moores PIKE	3.9	116	453	Mono Curb And Walk	Concrete	27.33	Partial Curb	4.24	3.91	16.58	91	Good	Deferrable Priority
SW06464	E Moores PIKE	3.4	77	261	Boulevard Walk	Concrete	17.11	Curb	4.49	3.40	15.24	92	Good	Deferrable Priority
SW04740	E Moores PIKE	3.6	619	2,238	Boulevard Walk	Concrete	147.94	Curb	4.18	3.62	15.13	83	Fair	Low Priority
SW06487	E Moores PIKE	5.1	66	339	Mono Curb And Walk	Concrete	12.77	No Curb	5.17	5.13	26.52	95	Good	Deferrable Priority
SW03262	E Moores PIKE	4.5	139	627	Boulevard Walk	Concrete	23.56	Curb	5.89	4.52	26.60	97	Good	Deferrable Priority
SW03250	E Moores PIKE	6.7	65	435	Mono Curb And Walk	Concrete	10.81	Curb	6.01	6.70	40.28	100	Good	No Priority
SW03465	E Moores PIKE	5.7	34	195	Boulevard Walk	Concrete	6.05	Curb	5.68	5.67	32.20	100	Good	No Priority
SW11549	E Moores PIKE	5.2	223	1,157	Mono Curb And Walk	Concrete	38.54	Partial Curb	5.79	5.19	30.03	100	Good	No Priority
SW06866	E Morningside DR	4.8	249	1,183	Boulevard Walk	Concrete	50.58	Curb	4.92	4.75	23.39	40	Poor	Immediate Priority
SW06843	E Morningside DR	4.7	44	209	Boulevard Walk	Concrete	8.51	Curb	5.22	4.71	24.57	37	Poor	Low Priority
SW01415	E Morningside DR	4.8	139	668	Boulevard Walk	Concrete	30.02	Curb	4.64	4.79	22.25	60	Marginal	Low Priority
SW06788	E Morningside DR	4.9	123	606	Boulevard Walk	Concrete	21.60	No Curb	5.68	4.94	28.08	51	Marginal	Low Priority
SW01416	E Morningside DR	4.8	81	385	Mono Curb And Walk	Concrete	16.33	Curb	4.96	4.76	23.60	77	Fair	Low Priority
SW06837	E Morningside DR	4.9	710	3,475	Boulevard Walk	Concrete	138.66	Curb	5.12	4.90	25.06	71	Marginal	Immediate Priority
SW06850	E Morningside DR	3.7	535	2,005	Boulevard Walk	Concrete	128.96	Curb	4.15	3.75	15.55	70	Marginal	Low Priority
SW06789	E Morningside DR	4.9	237	1,166	Boulevard Walk	Concrete	47.96	No Curb	4.94	4.92	24.31	71	Marginal	Low Priority
SW06846	E Morningside DR	5.2	545	2,851	Boulevard Walk	Concrete	81.62	Curb	6.68	5.23	34.93	63	Marginal	Low Priority
SW06845	E Morningside DR	4.9	101	499	Boulevard Walk	Concrete	20.04	Curb	5.04	4.94	24.89	88	Fair	Deferrable Priority
SW06833	E Morningside DR	5.2	272	1,419	Boulevard Walk	Concrete	47.28	Curb	5.75	5.22	30.01	89	Fair	Deferrable Priority
SW06839	E Morningside DR	4.7	568	2,649	Boulevard Walk	Concrete	116.69	Curb	4.87	4.66	22.70	86	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06785	E Morningside DR	4.9	182	889	Boulevard Walk	Concrete	36.75	No Curb	4.95	4.89	24.20	80	Fair	Very Low Priority
SW06867	E Morningside DR	4.8	20	97	Boulevard Walk	Concrete	7.07	Curb	2.86	4.78	13.68	91	Good	Deferrable Priority
SW06853	E Morningside DR	5.2	475	2,469	Boulevard Walk	Concrete	83.59	Curb	5.68	5.20	29.53	93	Good	Deferrable Priority
SW06851	E Morningside DR	4.7	244	1,152	Boulevard Walk	Concrete	55.08	Curb	4.44	4.71	20.92	95	Good	Deferrable Priority
SW06844	E Morningside DR	4.8	285	1,361	Boulevard Walk	Concrete	60.12	Curb	4.74	4.78	22.63	93	Good	Low Priority
SW05711	E Mulberry CT	4.1	170	705	Boulevard Walk	Concrete	37.18	Curb	4.58	4.14	18.95	41	Poor	Immediate Priority
SW05724	E Mulberry CT	3.9	127	492	Boulevard Walk	Concrete	27.39	Curb	4.64	3.87	17.96	57	Marginal	Low Priority
SW05758	E Mulberry DR	4.1	119	481	Boulevard Walk	Concrete	38.06	Curb	3.12	4.05	12.64	33	Poor	Immediate Priority
SW05722	E Mulberry DR	3.5	182	642	Boulevard Walk	Concrete	45.10	Curb	4.03	3.54	14.24	45	Poor	Immediate Priority
SW05720	E Mulberry DR	4.1	187	758	Boulevard Walk	Concrete	40.65	Curb	4.61	4.05	18.66	46	Poor	Immediate Priority
SW05719	E Mulberry DR	3.9	88	344	Boulevard Walk	Concrete	23.61	Curb	3.72	3.92	14.57	77	Fair	Low Priority
SW04039	E Nora Hill DR	5.3	113	595	Boulevard Walk	Concrete	20.03	Curb	5.63	5.27	29.68	79	Fair	Low Priority
SW04078	E Nora Hill DR	4.5	321	1,458	Boulevard Walk	Concrete	73.52	Curb	4.36	4.55	19.83	87	Fair	Low Priority
SW04076	E Nora Hill DR	4.9	320	1,571	Boulevard Walk	Concrete	67.03	Curb	4.77	4.91	23.44	82	Fair	Low Priority
SW04062	E Nora Hill DR	4.8	526	2,510	Boulevard Walk	Concrete	107.93	Curb	4.87	4.77	23.26	92	Good	Low Priority
SW05289	E North DR	4.1	271	1,102	Boulevard Walk	Concrete	54.42	Curb	4.99	4.06	20.26	69	Marginal	Low Priority
SW05282	E North DR	5.2	174	906	Boulevard Walk	Concrete	30.35	Curb	5.73	5.21	29.85	60	Marginal	Low Priority
SW05223	E North DR	5.6	255	1,416	Boulevard Walk	Concrete	52.25	Curb	4.88	5.56	27.10	66	Marginal	Immediate Priority
SW05283	E North DR	4.2	194	817	Boulevard Walk	Concrete	40.69	Curb	4.78	4.20	20.07	77	Fair	Very Low Priority
SW05279	E North DR	5.6	230	1,279	Boulevard Walk	Concrete	44.57	Curb	5.16	5.56	28.70	85	Fair	Very Low Priority
SW05280	E North DR	5.1	390	2,002	Boulevard Walk	Concrete	72.70	Curb	5.36	5.14	27.54	92	Good	Low Priority
SW05281	E North DR	5.0	182	910	Boulevard Walk	Concrete	35.27	Curb	5.15	5.01	25.79	98	Good	Deferrable Priority
SW06332	E North DR	4.5	15	69	Boulevard Walk	Concrete	2.84	Curb	5.35	4.55	24.32	100	Good	No Priority
SW05027	E Oakmont DR	4.1	113	458	Boulevard Walk	Concrete	23.20	Curb	4.86	4.06	19.74	53	Marginal	Low Priority
SW04888	E Oakmont DR	3.7	266	977	Boulevard Walk	Concrete	57.89	Curb	4.60	3.67	16.88	80	Fair	Low Priority
SW04981	E Oakmont DR	4.1	189	780	Boulevard Walk	Concrete	38.63	Curb	4.89	4.13	20.20	86	Fair	Low Priority
SW04961	E Oakmont DR	4.0	203	811	Boulevard Walk	Concrete	47.45	Curb	4.28	4.00	17.10	75	Fair	Low Priority
SW04878	E Oakmont DR	3.7	213	779	Boulevard Walk	Concrete	56.82	Curb	3.75	3.66	13.71	74	Marginal	Very Low Priority
SW05029	E Oakmont DR	3.9	173	679	Boulevard Walk	Concrete	35.50	Curb	4.87	3.93	19.13	91	Good	Deferrable Priority
SW05734	E Olcott BLVD	3.8	507	1,933	Boulevard Walk	Concrete	122.15	Curb	4.15	3.81	15.83	51	Marginal	Immediate Priority
SW05764	E Olcott BLVD	3.8	177	673	Boulevard Walk	Concrete	37.96	Curb	4.66	3.80	17.74	63	Marginal	Low Priority
SW05713	E Olcott BLVD	3.8	470	1,770	Boulevard Walk	Concrete	127.53	Curb	3.69	3.77	13.88	71	Marginal	Immediate Priority
SW05761	E Olcott BLVD	4.0	526	2,089	Boulevard Walk	Concrete	106.39	Curb	4.94	3.97	19.63	62	Marginal	Immediate Priority
SW05760	E Olcott BLVD	3.8	518	1,949	Boulevard Walk	Concrete	108.13	Curb	4.79	3.76	18.03	74	Marginal	Low Priority
SW05737	E Olcott BLVD	3.7	179	655	Boulevard Walk	Concrete	40.90	Curb	4.37	3.66	16.02	85	Fair	Low Priority
SW03857	E Olde Mill CIR	4.1	84	343	Boulevard Walk	Concrete	18.40	Curb	4.56	4.09	18.66	77	Fair	Low Priority
SW03819	E Olde Mill CIR	3.9	108	419	Boulevard Walk	Concrete	23.02	Curb	4.69	3.89	18.21	84	Fair	Low Priority
SW08778	E Oliver DR	3.9	617	2,416	Boulevard Walk	Concrete	128.12	Curb	4.82	3.91	18.85	68	Marginal	Immediate Priority
SW08772	E Oliver DR	3.7	621	2,322	Boulevard Walk	Concrete	146.94	Curb	4.23	3.74	15.80	89	Fair	Low Priority
SW04104	E Park LN	4.4	774	3,388	Boulevard Walk	Concrete	151.57	No Curb	5.11	4.38	22.35	68	Marginal	Immediate Priority
SW06178	E Pembroke CT	3.7	136	510	Boulevard Walk	Concrete	28.12	Curb	4.85	3.74	18.14	55	Marginal	Low Priority
SW06222	E Pembroke CT	3.9	153	604	Boulevard Walk	Concrete	32.86	Curb	4.66	3.95	18.38	52	Marginal	Low Priority
SW03642	E Pepperridge DR	4.7	393	1,839	Mono Curb And Walk	Concrete	79.35	Curb	4.96	4.68	23.17	42	Poor	Immediate Priority
SW03644	E Pepperridge DR	4.7	178	835	Mono Curb And Walk	Concrete	39.13	Curb	4.55	4.69	21.34	56	Marginal	Low Priority
SW03620	E Pepperridge DR	5.0	516	2,588	Mono Curb And Walk	Concrete	99.59	Curb	5.18	5.02	25.99	60	Marginal	Low Priority
SW03643	E Pepperridge DR	5.0	184	911	Mono Curb And Walk	Concrete	40.46	Curb	4.55	4.95	22.51	70	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05016	E Pierson CT	4.2	77	319	Boulevard Walk	Concrete	13.88	Curb	5.53	4.16	23.02	63	Marginal	Immediate Priority
SW04965	E Pierson CT	3.6	62	225	Boulevard Walk	Concrete	15.14	Curb	4.11	3.62	14.88	66	Marginal	Low Priority
SW04900	E Poplar DR	4.0	533	2,125	Boulevard Walk	Concrete	107.44	Curb	4.96	3.99	19.78	63	Marginal	Low Priority
SW04904	E Poplar DR	4.8	591	2,840	Boulevard Walk	Concrete	84.82	Curb	6.97	4.80	33.49	53	Marginal	Low Priority
SW04915	E Poplar DR	4.4	256	1,121	Boulevard Walk	Concrete	41.76	Curb	6.12	4.39	26.85	68	Marginal	Low Priority
SW04903	E Poplar DR	3.8	273	1,027	Boulevard Walk	Concrete	62.02	Curb	4.40	3.76	16.55	88	Fair	Low Priority
SW02516	E Post RD	4.7	165	782	Boulevard Walk	Concrete	36.29	No Curb	4.54	4.74	21.55	98	Good	Deferrable Priority
SW04095	E Queens WAY	4.5	39	175	Meandering	Concrete	6.94	Curb	5.59	4.51	25.19	86	Fair	Deferrable Priority
SW04027	E Queens WAY	4.7	83	389	Boulevard Walk	Concrete	17.55	Curb	4.73	4.69	22.19	63	Marginal	Low Priority
SW04067	E Queens WAY	4.6	281	1,299	Boulevard Walk	Concrete	62.96	Curb	4.47	4.62	20.63	89	Fair	Deferrable Priority
SW04028	E Queens WAY	4.9	186	910	Boulevard Walk	Concrete	33.90	Curb	5.48	4.90	26.84	80	Fair	Very Low Priority
SW04020	E Queens WAY	4.3	462	1,984	Boulevard Walk	Concrete	104.04	Curb	4.44	4.30	19.07	89	Fair	Very Low Priority
SW04096	E Queens WAY	4.8	69	334	Mono Curb And Walk	Concrete	13.68	Curb	5.05	4.83	24.43	93	Good	Deferrable Priority
SW03272	E Queens WAY	4.7	289	1,364	Boulevard Walk	Concrete	52.50	Curb	5.50	4.72	25.97	94	Good	Deferrable Priority
SW04021	E Queens WAY	4.7	209	980	Boulevard Walk	Concrete	44.24	Curb	4.72	4.69	22.15	98	Good	Deferrable Priority
SW04041	E Railway CIR	4.5	167	755	Boulevard Walk	Concrete	38.45	Curb	4.34	4.52	19.64	91	Good	Deferrable Priority
SW03738	E Rechter RD	4.7	230	1,085	Boulevard Walk	Concrete	51.35	Curb	4.47	4.72	21.13	51	Marginal	Immediate Priority
SW03720	E Rechter RD	4.7	92	434	Boulevard Walk	Concrete	19.83	Curb	4.62	4.73	21.89	45	Poor	Low Priority
SW03742	E Rechter RD	4.3	618	2,631	Boulevard Walk	Concrete	116.79	Curb	5.29	4.26	22.53	62	Marginal	Immediate Priority
SW03739	E Rechter RD	4.7	598	2,834	Boulevard Walk	Concrete	124.66	Curb	4.80	4.74	22.73	64	Marginal	Immediate Priority
SW03750	E Rechter RD	4.4	308	1,343	Boulevard Walk	Concrete	71.20	Curb	4.33	4.36	18.86	64	Marginal	Low Priority
SW03744	E Rechter RD	4.8	177	858	Boulevard Walk	Concrete	35.97	Curb	4.93	4.84	23.86	65	Marginal	Low Priority
SW03749	E Rechter RD	4.5	328	1,472	Boulevard Walk	Concrete	67.32	Curb	4.87	4.49	21.86	56	Marginal	Low Priority
SW03745	E Rechter RD	4.4	207	921	Boulevard Walk	Concrete	40.21	Curb	5.16	4.44	22.92	77	Fair	Low Priority
SW06528	E Reed CT	3.7	384	1,437	Boulevard Walk	Concrete	77.90	Curb	4.92	3.75	18.45	62	Marginal	Immediate Priority
SW06494	E Reed CT	3.6	435	1,548	Boulevard Walk	Concrete	132.95	Curb	3.28	3.55	11.64	91	Good	Low Priority
SW06478	E Regents CIR	4.2	116	492	Boulevard Walk	Concrete	19.14	Curb	6.06	4.24	25.71	38	Poor	Immediate Priority
SW06481	E Regents CIR	3.9	112	443	Boulevard Walk	Concrete	23.39	Curb	4.81	3.94	18.93	43	Poor	Immediate Priority
SW06482	E Regents CIR	3.9	1619	6,302	Boulevard Walk	Concrete	308.41	Curb	5.25	3.89	20.43	71	Marginal	Immediate Priority
SW06483	E Regents CIR	3.9	1311	5,128	Boulevard Walk	Concrete	247.81	Curb	5.29	3.91	20.69	69	Marginal	Low Priority
SW06479	E Regents CT	4.1	209	855	Boulevard Walk	Concrete	41.06	Curb	5.09	4.09	20.82	62	Marginal	Low Priority
SW06480	E Regents CT	4.1	228	935	Boulevard Walk	Concrete	38.14	Curb	5.97	4.11	24.53	65	Marginal	Low Priority
SW05354	E Rhorer RD	5.8	148	852	Mono Curb And Walk	Concrete	29.38	Curb	5.02	5.78	29.01	87	Fair	Deferrable Priority
SW05337	E Rhorer RD	4.7	58	272	Boulevard Walk	Concrete	14.84	Curb	3.92	4.68	18.33	92	Good	Deferrable Priority
SW05357	E Rhorer RD	9.2	180	1,666	Mono Curb And Walk	Concrete	28.14	Curb	6.41	9.24	59.20	95	Good	Deferrable Priority
SW05355	E Rhorer RD	5.2	63	326	Boulevard Walk	Concrete	13.28	Curb	4.73	5.18	24.53	95	Good	Deferrable Priority
SW05336	E Rhorer RD	4.6	128	585	Boulevard Walk	Concrete	29.28	Curb	4.36	4.58	19.97	98	Good	Deferrable Priority
SW05356	E Rhorer RD	10.0	229	2,293	Boulevard Walk	Concrete	35.82	Curb	6.41	10.00	64.02	98	Good	Deferrable Priority
SW04045	E Rock Creek CT	4.4	135	601	Mono Curb And Walk	Concrete	28.97	Curb	4.67	4.44	20.73	29	Very Poor	Low Priority
SW04044	E Rock Creek CT	4.7	140	653	Mono Curb And Walk	Concrete	27.69	Curb	5.06	4.66	23.59	88	Fair	Deferrable Priority
SW04023	E Rock Creek DR	5.0	426	2,116	Boulevard Walk	Concrete	79.85	Curb	5.34	4.97	26.50	42	Poor	Immediate Priority
SW03353	E Rock Creek DR	4.9	276	1,342	Boulevard Walk	Concrete	69.73	Curb	3.96	4.86	19.24	47	Poor	Immediate Priority
SW04054	E Rock Creek DR	4.3	334	1,428	Boulevard Walk	Concrete	74.38	Curb	4.49	4.27	19.19	56	Marginal	Immediate Priority
SW03373	E Rock Creek DR	4.8	239	1,138	Boulevard Walk	Concrete	43.93	Curb	5.44	4.76	25.91	66	Marginal	Low Priority
SW04097	E Rock Creek DR	3.7	17	65	Boulevard Walk	Concrete	2.53	Curb	6.84	3.74	25.59	47	Poor	Very Low Priority
SW03388	E Rock Creek DR	4.9	222	1,083	Boulevard Walk	Concrete	44.26	Curb	5.02	4.87	24.46	69	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04068	E Rock Creek DR	5.2	215	1,114	Boulevard Walk	Concrete	35.80	Curb	5.99	5.19	31.12	63	Marginal	Low Priority
SW04085	E Rock Creek DR	4.4	206	896	Boulevard Walk	Concrete	43.75	Curb	4.71	4.35	20.48	75	Marginal	Low Priority
SW04022	E Rock Creek DR	4.4	426	1,854	Mono Curb And Walk	Concrete	105.43	Curb	4.04	4.36	17.59	68	Marginal	Low Priority
SW03352	E Rock Creek DR	4.0	281	1,110	Boulevard Walk	Concrete	73.74	Curb	3.81	3.95	15.06	69	Marginal	Immediate Priority
SW03372	E Rock Creek DR	4.5	230	1,023	Boulevard Walk	Concrete	54.70	Curb	4.20	4.45	18.70	79	Fair	Low Priority
SW04090	E Rock Creek DR	4.9	377	1,829	Boulevard Walk	Concrete	65.24	Curb	5.78	4.85	28.04	57	Marginal	Low Priority
SW03368	E Rock Creek DR	4.9	582	2,849	Boulevard Walk	Concrete	116.10	Curb	5.01	4.89	24.54	84	Fair	Low Priority
SW03369	E Rock Creek DR	3.6	262	946	Boulevard Walk	Concrete	59.38	Curb	4.41	3.61	15.94	89	Fair	Low Priority
SW03371	E Rock Creek DR	4.7	585	2,771	Boulevard Walk	Concrete	125.01	Curb	4.68	4.74	22.17	89	Fair	Low Priority
SW04058	E Rock Creek DR	4.7	320	1,495	Boulevard Walk	Concrete	64.50	Curb	4.97	4.67	23.18	73	Marginal	Low Priority
SW04089	E Rock Creek DR	4.3	827	3,557	Boulevard Walk	Concrete	165.63	Curb	4.99	4.30	21.47	74	Marginal	Low Priority
SW04024	E Rock Creek DR	4.0	369	1,462	Boulevard Walk	Concrete	96.87	Curb	3.81	3.96	15.10	74	Marginal	Low Priority
SW04056	E Rock Creek DR	5.0	760	3,823	Boulevard Walk	Concrete	136.37	Curb	5.57	5.03	28.03	76	Fair	Low Priority
SW04025	E Rock Creek DR	5.0	385	1,922	Boulevard Walk	Concrete	66.40	Curb	5.81	4.99	28.95	91	Good	Low Priority
SW04046	E Rock Creek DR	4.6	387	1,786	Boulevard Walk	Concrete	91.77	Curb	4.22	4.62	19.46	81	Fair	Low Priority
SW05967	E Rogers RD	5.8	212	1,224	Boulevard Walk	Concrete	38.45	Curb	5.51	5.78	31.83	82	Fair	Deferrable Priority
SW04901	E Rogers RD	4.4	538	2,360	Boulevard Walk	Concrete	116.60	Curb	4.62	4.38	20.24	74	Marginal	Low Priority
SW04855	E Rogers RD	3.9	859	3,339	Boulevard Walk	Concrete	193.48	Curb	4.44	3.89	17.26	85	Fair	Immediate Priority
SW05938	E Rogers RD	4.7	440	2,077	Boulevard Walk	Concrete	85.68	Curb	5.14	4.72	24.24	78	Fair	Low Priority
SW05969	E Rogers RD	3.9	361	1,412	Boulevard Walk	Concrete	72.53	Curb	4.97	3.91	19.46	80	Fair	Low Priority
SW04863	E Rogers RD	3.9	46	181	Boulevard Walk	Concrete	10.58	Curb	4.39	3.88	17.07	89	Fair	Deferrable Priority
SW05964	E Rogers RD	6.5	95	618	Boulevard Walk	Concrete	16.31	Curb	5.83	6.50	37.90	89	Fair	Deferrable Priority
SW05968	E Rogers RD	4.6	335	1,525	Boulevard Walk	Concrete	67.64	Curb	4.95	4.56	22.54	91	Good	Deferrable Priority
SW05922	E Rogers RD	4.0	578	2,310	Boulevard Walk	Concrete	117.68	Curb	4.91	4.00	19.63	93	Good	Low Priority
SW05963	E Rogers RD	5.9	22	128	Boulevard Walk	Asphalt	5.44	Curb	4.00	5.89	23.57	100	Good	No Priority
SW04232	E Roundhill LN	4.5	130	591	Boulevard Walk	Concrete	31.25	Curb	4.17	4.54	18.93	66	Marginal	Low Priority
SW04229	E Roundhill LN	4.2	199	836	Mono Curb And Walk	Concrete	36.75	Curb	5.41	4.21	22.75	79	Fair	Low Priority
SW04228	E Roundhill LN	3.7	239	890	Boulevard Walk	Concrete	52.34	Curb	4.57	3.72	17.01	74	Marginal	Low Priority
SW04273	E Roundhill LN	4.0	123	488	Mono Curb And Walk	Concrete	22.85	Curb	5.37	3.98	21.34	75	Fair	Very Low Priority
SW04222	E Roundhill LN	4.9	275	1,335	Boulevard Walk	Concrete	56.76	Curb	4.84	4.86	23.51	90	Fair	Very Low Priority
SW04224	E Roundhill LN	4.0	140	559	Boulevard Walk	Concrete	28.15	Curb	4.96	4.00	19.85	91	Good	Deferrable Priority
SW04289	E Roundhill LN	3.9	133	522	Boulevard Walk	Concrete	26.85	Curb	4.94	3.93	19.45	91	Good	Deferrable Priority
SW04272	E Roundhill LN	3.8	136	518	Boulevard Walk	Concrete	28.67	Curb	4.75	3.80	18.08	66	Marginal	Very Low Priority
SW04230	E Roundhill LN	3.7	348	1,296	Boulevard Walk	Concrete	68.90	Curb	5.04	3.73	18.81	82	Fair	Low Priority
SW04271	E Roundhill LN	4.6	171	790	Boulevard Walk	Concrete	36.14	Curb	4.73	4.63	21.87	84	Fair	Very Low Priority
SW04221	E Roundhill LN	4.0	302	1,217	Boulevard Walk	Concrete	61.88	Curb	4.89	4.03	19.66	92	Good	Low Priority
SW04270	E Roundhill LN	3.9	163	635	Boulevard Walk	Concrete	33.77	Curb	4.83	3.89	18.81	95	Good	Deferrable Priority
SW00876	E Ruby LN	5.2	153	802	Boulevard Walk	Concrete	30.07	Curb	5.10	5.23	26.68	80	Fair	Low Priority
SW00875	E Ruby LN	5.1	69	351	Mono Curb And Walk	Concrete	13.77	Curb	5.01	5.09	25.52	88	Fair	Deferrable Priority
SW00877	E Ruby LN	5.0	244	1,211	Boulevard Walk	Concrete	45.92	Curb	5.31	4.96	26.37	83	Fair	Low Priority
SW00878	E Ruby LN	5.0	250	1,237	Boulevard Walk	Concrete	48.52	Curb	5.15	4.95	25.50	87	Fair	Low Priority
SW08775	E Rusgan DR	4.3	196	849	Boulevard Walk	Concrete	40.53	Curb	4.84	4.33	20.94	45	Poor	Immediate Priority
SW08774	E Rusgan DR	4.8	149	720	Boulevard Walk	Concrete	27.06	Curb	5.51	4.83	26.59	69	Marginal	Low Priority
SW04991	E Sandberg CT	3.7	300	1,120	Boulevard Walk	Concrete	80.77	Curb	3.72	3.73	13.87	75	Marginal	Immediate Priority
SW04992	E Sandberg CT	4.0	299	1,190	Boulevard Walk	Concrete	62.58	Curb	4.77	3.99	19.01	83	Fair	Low Priority
SW06793	E Saratoga DR	5.1	104	527	Boulevard Walk	Concrete	16.84	No Curb	6.15	5.09	31.30	53	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06792	E Saratoga DR	5.0	61	307	Boulevard Walk	Concrete	10.21	No Curb	5.96	5.05	30.10	69	Marginal	Very Low Priority
SW04063	E Seminary DR	4.5	102	457	Boulevard Walk	Concrete	20.89	Curb	4.88	4.49	21.89	91	Good	Deferrable Priority
SW04073	E Seminary DR	4.8	172	823	Boulevard Walk	Concrete	30.47	Curb	5.66	4.77	27.01	74	Marginal	Low Priority
SW03640	E Sherbrooke DR	4.1	84	339	Mono Curb And Walk	Concrete	17.25	Curb	4.84	4.05	19.62	54	Marginal	Low Priority
SW03596	E Sherbrooke DR	4.1	42	172	Mono Curb And Walk	Concrete	7.88	Curb	5.29	4.14	21.90	79	Fair	Deferrable Priority
SW03609	E Sherbrooke DR	4.2	84	355	Mono Curb And Walk	Concrete	16.12	Curb	5.19	4.25	22.03	52	Marginal	Low Priority
SW03638	E Sherbrooke DR	3.6	84	300	Mono Curb And Walk	Concrete	22.12	Curb	3.79	3.58	13.57	70	Marginal	Low Priority
SW03641	E Sherbrooke DR	4.6	104	479	Mono Curb And Walk	Concrete	23.42	Curb	4.43	4.62	20.46	62	Marginal	Low Priority
SW03639	E Sherbrooke DR	4.0	173	688	Mono Curb And Walk	Concrete	34.47	Curb	5.02	3.97	19.95	64	Marginal	Very Low Priority
SW03607	E Sherbrooke DR	4.6	38	176	Mono Curb And Walk	Concrete	8.77	Curb	4.32	4.63	20.02	100	Good	No Priority
SW03881	E Short ST	3.8	63	240	Boulevard Walk	Concrete	13.25	No Curb	4.72	3.84	18.13	50	Marginal	Low Priority
SW03876	E Short ST	4.7	293	1,365	Boulevard Walk	Concrete	63.98	No Curb	4.58	4.66	21.34	72	Marginal	Low Priority
SW03879	E Short ST	7.2	89	636	Mono Curb And Walk	Concrete	11.87	Curb	7.49	7.16	53.61	90	Fair	Deferrable Priority
SW03877	E Short ST	4.8	114	545	Boulevard Walk	Concrete	24.05	Curb	4.72	4.80	22.65	97	Good	Deferrable Priority
SW11547	E Short ST	4.7	48	225	Boulevard Walk	Concrete	10.53	No Curb	4.58	4.66	21.34	100	Good	No Priority
SW11548	E Short ST	4.7	62	287	Boulevard Walk	Concrete	13.45	No Curb	4.58	4.66	21.34	100	Good	No Priority
SW06506	E Silver Creek CT	3.7	244	913	Boulevard Walk	Concrete	53.34	Curb	4.57	3.74	17.12	82	Fair	Low Priority
SW06502	E Silver Creek CT	3.6	53	189	Boulevard Walk	Concrete	10.95	Curb	4.86	3.55	17.27	87	Fair	Deferrable Priority
SW06501	E Silver Creek CT	3.8	109	410	Boulevard Walk	Concrete	23.67	Curb	4.61	3.75	17.31	81	Fair	Very Low Priority
SW00591	E Smith AVE	5.2	161	843	Mono Curb And Walk	Concrete	27.24	Curb	5.92	5.22	30.94	52	Marginal	Low Priority
SW02406	E Smith AVE	4.8	185	886	Mono Curb And Walk	Concrete	32.88	Curb	5.62	4.79	26.94	83	Fair	Low Priority
SW00010	E Smith AVE	4.2	58	244	Mono Curb And Walk	Concrete	9.50	Curb	6.15	4.17	25.68	56	Marginal	Very Low Priority
SW00019	E Smith AVE	3.1	105	327	Mono Curb And Walk	Concrete	28.06	Curb	3.75	3.11	11.64	55	Marginal	Very Low Priority
SW00622	E Smith AVE	5.1	180	919	Mono Curb And Walk	Concrete	36.37	Curb	4.95	5.10	25.27	75	Fair	Low Priority
SW02405	E Smith AVE	4.7	139	660	Mono Curb And Walk	Concrete	27.96	Curb	4.99	4.74	23.61	86	Fair	Low Priority
SW00026	E Smith AVE	4.9	173	845	Mono Curb And Walk	Concrete	30.89	Curb	5.60	4.89	27.37	87	Fair	Low Priority
SW00715	E Smith AVE	4.6	147	670	Mono Curb And Walk	Concrete	34.78	Curb	4.22	4.57	19.28	87	Fair	Low Priority
SW00016	E Smith AVE	4.4	149	661	Mono Curb And Walk	Concrete	30.71	Curb	4.87	4.42	21.52	84	Fair	Low Priority
SW06997	E Smith AVE	4.7	39	184	Mono Curb And Walk	Concrete	6.75	Curb	5.74	4.75	27.24	91	Good	Deferrable Priority
SW00621	E Smith AVE	4.1	302	1,245	Mono Curb And Walk	Concrete	74.22	Curb	4.07	4.12	16.77	82	Fair	Low Priority
SW02403	E Smith AVE	5.2	143	736	Mono Curb And Walk	Concrete	29.42	Curb	4.86	5.15	25.02	73	Marginal	Low Priority
SW07000	E Smith AVE	5.2	139	717	Mono Curb And Walk	Concrete	28.66	Curb	4.85	5.16	25.02	91	Good	Very Low Priority
SW00011	E Smith AVE	5.5	163	905	Mono Curb And Walk	Concrete	30.66	Curb	5.32	5.55	29.50	77	Fair	Very Low Priority
SW00034	E Smith AVE	5.0	161	805	Boulevard Walk	Concrete	31.60	Curb	5.10	4.99	25.48	71	Marginal	Very Low Priority
SW00008	E Smith AVE	4.6	101	462	Boulevard Walk	Concrete	23.98	Curb	4.21	4.57	19.26	92	Good	Deferrable Priority
SW00012	E Smith AVE	5.1	145	738	Boulevard Walk	Concrete	24.01	Curb	6.02	5.10	30.74	94	Good	Deferrable Priority
SW00020	E Smith AVE	3.9	139	541	Boulevard Walk	Concrete	37.59	Curb	3.70	3.89	14.39	95	Good	Deferrable Priority
SW00783	E Smith AVE	4.6	183	850	Mono Curb And Walk	Concrete	32.70	Curb	5.61	4.64	26.00	95	Good	Deferrable Priority
SW06474	E South CT	3.7	294	1,089	Boulevard Walk	Concrete	68.14	Curb	4.32	3.70	15.98	65	Marginal	Low Priority
SW06477	E South CT	3.9	295	1,142	Boulevard Walk	Concrete	54.81	Curb	5.38	3.88	20.84	80	Fair	Low Priority
SW00870	E Southdowns DR	4.5	34	152	Boulevard Walk	Concrete	7.61	Curb	4.47	4.47	19.98	86	Fair	Deferrable Priority
SW00888	E Southdowns DR	5.0	43	212	Boulevard Walk	Concrete	9.22	Curb	4.62	4.98	23.03	93	Good	Deferrable Priority
SW00887	E Southdowns DR	5.7	299	1,702	Mono Curb And Walk	Concrete	48.02	Curb	6.23	5.69	35.44	94	Good	Deferrable Priority
SW05254	E Southern DR	4.2	42	178	Mono Curb And Walk	Concrete	9.78	Curb	4.32	4.21	18.18	47	Poor	Immediate Priority
SW03007	E Southern DR	6.8	105	714	Mono Curb And Walk	Concrete	13.06	No Curb	8.04	6.80	54.70	37	Poor	Low Priority
SW05257	E Southern DR	4.4	55	241	Mono Curb And Walk	Concrete	9.01	Curb	6.11	4.39	26.77	71	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05253	E Southern DR	3.6	31	115	Mono Curb And Walk	Concrete	9.26	Curb	3.39	3.65	12.36	72	Marginal	Low Priority
SW02968	E Southern DR	3.9	53	210	Boulevard Walk	Concrete	13.08	No Curb	4.08	3.93	16.05	84	Fair	Very Low Priority
SW02967	E Southern DR	4.7	158	749	Mono Curb And Walk	Concrete	28.71	No Curb	5.50	4.75	26.10	81	Fair	Low Priority
SW03008	E Southern DR	3.8	148	557	Mono Curb And Walk	Concrete	32.37	No Curb	4.57	3.77	17.21	92	Good	Deferrable Priority
SW02965	E Southern DR	4.5	205	929	Mono Curb And Walk	Concrete	40.28	Curb	5.10	4.52	23.06	96	Good	Deferrable Priority
SW02966	E Southern DR	4.1	151	622	Mono Curb And Walk	Concrete	31.83	No Curb	4.75	4.12	19.54	97	Good	Deferrable Priority
SW04240	E Spicewood LN	5.1	848	4,344	Boulevard Walk	Concrete	171.47	Curb	4.95	5.12	25.33	68	Marginal	Immediate Priority
SW04235	E Spicewood LN	4.4	881	3,856	Boulevard Walk	Concrete	147.42	Curb	5.98	4.38	26.16	75	Marginal	Low Priority
SW04295	E Spicewood LN	4.4	24	104	Boulevard Walk	Concrete	3.99	Curb	5.98	4.38	26.16	100	Good	No Priority
SW05710	E St James CT	3.7	406	1,514	Boulevard Walk	Concrete	103.91	Curb	3.91	3.73	14.57	47	Poor	Immediate Priority
SW05708	E St James CT	3.9	405	1,595	Boulevard Walk	Concrete	82.59	Curb	4.91	3.94	19.31	43	Poor	Immediate Priority
SW06510	E St Remy DR	3.4	80	270	Mono Curb And Walk	Concrete	21.49	Curb	3.73	3.37	12.57	69	Marginal	Low Priority
SW06499	E St Remy DR	4.0	412	1,664	Boulevard Walk	Concrete	96.29	Curb	4.28	4.04	17.28	65	Marginal	Low Priority
SW06500	E St Remy DR	3.8	567	2,167	Boulevard Walk	Concrete	142.98	Curb	3.97	3.82	15.15	74	Marginal	Low Priority
SW06498	E St Remy DR	3.9	90	355	Boulevard Walk	Concrete	19.09	Curb	4.72	3.94	18.59	90	Fair	Very Low Priority
SW06497	E St Remy DR	3.8	297	1,133	Boulevard Walk	Concrete	55.84	Curb	5.32	3.81	20.28	84	Fair	Low Priority
SW04179	E Stonegate CT	3.8	247	930	Boulevard Walk	Concrete	33.63	Curb	7.34	3.77	27.67	43	Poor	Low Priority
SW04177	E Stonegate CT	3.8	106	404	Boulevard Walk	Concrete	24.84	Curb	4.27	3.81	16.28	77	Fair	Low Priority
SW04181	E Stonegate CT	3.7	120	444	Boulevard Walk	Concrete	32.39	Curb	3.69	3.71	13.70	80	Fair	Low Priority
SW04178	E Stonegate CT	3.8	222	853	Boulevard Walk	Concrete	54.63	Curb	4.07	3.84	15.61	88	Fair	Low Priority
SW04176	E Stonegate DR	3.8	732	2,803	Boulevard Walk	Concrete	157.42	Curb	4.65	3.83	17.80	80	Fair	Immediate Priority
SW04180	E Stonegate DR	3.8	650	2,484	Boulevard Walk	Concrete	144.55	Curb	4.50	3.82	17.18	86	Fair	Low Priority
SW01482	E Tamarron CT	3.7	266	974	Boulevard Walk	Concrete	55.48	Curb	4.79	3.66	17.55	34	Poor	Immediate Priority
SW01506	E Tamarron CT	4.9	90	439	Boulevard Walk	Concrete	14.99	No Curb	5.98	4.90	29.29	56	Marginal	Low Priority
SW01481	E Tamarron CT	4.2	334	1,388	Boulevard Walk	Concrete	66.86	Curb	5.00	4.16	20.77	68	Marginal	Low Priority
SW01478	E Tamarron CT	4.0	34	135	Boulevard Walk	Concrete	7.03	Curb	4.81	4.00	19.21	91	Good	Deferrable Priority
SW01462	E Tamarron DR	4.0	128	515	Boulevard Walk	Concrete	28.91	Curb	4.44	4.01	17.82	60	Marginal	Low Priority
SW01461	E Tamarron DR	4.2	783	3,262	Boulevard Walk	Concrete	154.77	Curb	5.06	4.17	21.08	60	Marginal	Low Priority
SW01463	E Tamarron DR	3.8	109	416	Boulevard Walk	Concrete	26.58	Curb	4.09	3.83	15.65	66	Marginal	Low Priority
SW01483	E Tamarron DR	3.9	560	2,186	Boulevard Walk	Concrete	133.60	Curb	4.19	3.90	16.36	63	Marginal	Immediate Priority
SW01464	E Tamarron DR	3.8	442	1,698	Mono Curb And Walk	Concrete	88.65	Curb	4.99	3.84	19.16	56	Marginal	Immediate Priority
SW01473	E Tamarron DR	3.9	655	2,570	Boulevard Walk	Concrete	190.41	Curb	3.44	3.93	13.50	68	Marginal	Immediate Priority
SW01466	E Tamarron DR	4.2	62	260	Mono Curb And Walk	Concrete	12.22	Curb	5.03	4.22	21.23	58	Marginal	Low Priority
SW01489	E Tamarron DR	3.9	670	2,588	Boulevard Walk	Concrete	170.97	Curb	3.92	3.86	15.14	70	Marginal	Low Priority
SW01469	E Tamarron DR	3.9	235	911	Boulevard Walk	Concrete	45.28	Curb	5.19	3.88	20.13	70	Marginal	Low Priority
SW01491	E Tamarron DR	3.8	563	2,113	Boulevard Walk	Concrete	100.34	Curb	5.61	3.76	21.06	70	Marginal	Low Priority
SW01468	E Tamarron DR	3.8	314	1,202	Boulevard Walk	Concrete	77.38	Curb	4.05	3.83	15.53	66	Marginal	Low Priority
SW01499	E Tamarron DR	3.8	283	1,067	Boulevard Walk	Concrete	79.42	Curb	3.56	3.78	13.43	63	Marginal	Low Priority
SW01484	E Tamarron DR	4.0	444	1,752	Boulevard Walk	Concrete	99.73	Curb	4.45	3.95	17.57	75	Marginal	Low Priority
SW01470	E Tamarron DR	3.8	174	661	Boulevard Walk	Concrete	38.88	Curb	4.48	3.80	17.00	64	Marginal	Low Priority
SW01477	E Tamarron DR	3.9	724	2,815	Boulevard Walk	Concrete	193.45	Curb	3.74	3.89	14.55	71	Marginal	Low Priority
SW01467	E Tamarron DR	4.0	321	1,285	Boulevard Walk	Concrete	76.29	Curb	4.21	4.01	16.84	64	Marginal	Low Priority
SW01479	E Tamarron DR	3.9	237	935	Boulevard Walk	Concrete	46.62	Curb	5.08	3.95	20.05	77	Fair	Low Priority
SW01465	E Tamarron DR	4.2	57	241	Mono Curb And Walk	Concrete	11.39	Curb	5.03	4.21	21.17	88	Fair	Deferrable Priority
SW05959	E Tapps TURN	3.7	1343	4,920	Boulevard Walk	Concrete	323.68	Curb	4.15	3.66	15.20	63	Marginal	Immediate Priority
SW05957	E Tapps TURN	3.8	1430	5,476	Boulevard Walk	Concrete	270.75	Curb	5.28	3.83	20.23	59	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03287	E Thornton DR	3.8	99	374	Boulevard Walk	Concrete	24.71	Curb	4.01	3.78	15.14	45	Poor	Immediate Priority
SW02211	E Thornton DR	5.3	65	344	Mono Curb And Walk	Concrete	13.37	Curb	4.83	5.34	25.75	76	Fair	Low Priority
SW02216	E Thornton DR	4.0	185	747	Mono Curb And Walk	Concrete	44.41	Curb	4.17	4.03	16.82	77	Fair	Low Priority
SW02268	E Thornton DR	5.0	124	622	Boulevard Walk	Concrete	20.10	No Curb	6.19	5.00	30.94	64	Marginal	Low Priority
SW02209	E Thornton DR	4.7	57	263	Boulevard Walk	Concrete	10.72	No Curb	5.27	4.65	24.54	57	Marginal	Very Low Priority
SW02210	E Thornton DR	5.1	62	314	Mono Curb And Walk	Concrete	13.58	Curb	4.54	5.10	23.12	83	Fair	Deferrable Priority
SW03266	E Thornton DR	3.7	213	796	Boulevard Walk	Concrete	41.97	Curb	5.08	3.74	18.97	76	Fair	Low Priority
SW03273	E Thornton DR	3.6	897	3,267	Boulevard Walk	Concrete	164.70	Curb	5.45	3.64	19.84	71	Marginal	Low Priority
SW02219	E Thornton DR	3.7	94	351	Boulevard Walk	Concrete	19.24	No Curb	4.89	3.74	18.25	88	Fair	Very Low Priority
SW03275	E Thornton DR	3.7	857	3,164	Boulevard Walk	Concrete	156.11	Curb	5.49	3.69	20.26	89	Fair	Low Priority
SW02206	E Thornton DR	3.1	195	612	Boulevard Walk	Concrete	44.13	No Curb	4.42	3.14	13.87	89	Fair	Low Priority
SW02278	E Thornton DR	4.7	90	425	Boulevard Walk	Concrete	20.02	No Curb	4.50	4.72	21.25	75	Marginal	Very Low Priority
SW02249	E Thornton DR	4.3	101	430	Boulevard Walk	Concrete	19.02	No Curb	5.31	4.25	22.59	100	Good	No Priority
SW05815	E Tremont WAY	4.9	189	922	Mono Curb And Walk	Concrete	42.44	Curb	4.45	4.88	21.72	84	Fair	Low Priority
SW05872	E Tremont WAY	4.6	284	1,301	Mono Curb And Walk	Concrete	60.13	Curb	4.72	4.59	21.63	88	Fair	Low Priority
SW03176	E University ST	4.4	81	356	Mono Curb And Walk	Concrete	12.95	Curb	6.23	4.42	27.53	23	Very Poor	Low Priority
SW02743	E University ST	4.7	273	1,290	Boulevard Walk	Concrete	43.27	Curb	6.32	4.72	29.82	54	Marginal	Immediate Priority
SW02745	E University ST	4.7	510	2,375	Boulevard Walk	Concrete	81.63	Curb	6.25	4.66	29.09	51	Marginal	Immediate Priority
SW02771	E University ST	5.2	275	1,419	Boulevard Walk	Concrete	43.12	Curb	6.37	5.16	32.90	53	Marginal	Low Priority
SW06955	E University ST	3.9	110	432	Mono Curb And Walk	Concrete	19.00	Curb	5.81	3.91	22.71	48	Poor	Low Priority
SW03175	E University ST	4.4	121	535	Mono Curb And Walk	Concrete	19.40	Curb	6.24	4.41	27.55	63	Marginal	Low Priority
SW02864	E University ST	4.4	80	349	Boulevard Walk	Concrete	17.05	Curb	4.68	4.38	20.46	79	Fair	Low Priority
SW02751	E University ST	5.0	136	682	Boulevard Walk	Concrete	23.92	Curb	5.68	5.03	28.53	74	Marginal	Low Priority
SW02905	E University ST	4.3	137	585	Boulevard Walk	Concrete	27.90	Curb	4.93	4.26	20.97	80	Fair	Low Priority
SW06956	E University ST	4.2	107	447	Mono Curb And Walk	Concrete	21.72	Curb	4.94	4.17	20.58	73	Marginal	Low Priority
SW02750	E University ST	4.9	134	660	Boulevard Walk	Concrete	23.17	Curb	5.77	4.94	28.50	75	Fair	Low Priority
SW02827	E University ST	4.7	170	800	Boulevard Walk	Concrete	33.43	Curb	5.09	4.70	23.92	67	Marginal	Low Priority
SW02760	E University ST	5.2	506	2,644	Boulevard Walk	Concrete	102.85	Curb	4.92	5.22	25.70	71	Marginal	Immediate Priority
SW02881	E University ST	4.9	212	1,047	Boulevard Walk	Concrete	30.45	Curb	6.97	4.93	34.40	57	Marginal	Low Priority
SW02904	E University ST	4.6	139	645	Boulevard Walk	Concrete	37.24	Curb	3.74	4.63	17.33	78	Fair	Low Priority
SW02909	E University ST	4.7	135	637	Boulevard Walk	Concrete	25.68	Curb	5.26	4.72	24.82	83	Fair	Low Priority
SW02894	E University ST	4.1	64	263	Boulevard Walk	Concrete	13.48	Curb	4.74	4.12	19.52	83	Fair	Low Priority
SW02885	E University ST	4.5	136	618	Boulevard Walk	Concrete	27.94	Curb	4.86	4.55	22.11	65	Marginal	Low Priority
SW03139	E University ST	3.9	219	854	Mono Curb And Walk	Concrete	41.13	Curb	5.34	3.89	20.77	77	Fair	Low Priority
SW06925	E University ST	4.7	102	478	Mono Curb And Walk	Concrete	15.28	Curb	6.67	4.69	31.29	61	Marginal	Very Low Priority
SW03120	E University ST	4.2	129	540	Mono Curb And Walk	Concrete	24.46	Curb	5.28	4.18	22.08	59	Marginal	Low Priority
SW02907	E University ST	4.7	133	622	Boulevard Walk	Concrete	33.59	Curb	3.96	4.68	18.51	75	Marginal	Low Priority
SW02826	E University ST	4.6	52	240	Boulevard Walk	Concrete	10.71	Curb	4.87	4.61	22.42	87	Fair	Deferrable Priority
SW02825	E University ST	5.1	50	254	Boulevard Walk	Concrete	8.32	Curb	6.00	5.09	30.50	87	Fair	Deferrable Priority
SW06958	E University ST	3.9	108	424	Mono Curb And Walk	Concrete	18.41	Curb	5.87	3.92	23.03	88	Fair	Deferrable Priority
SW06923	E University ST	5.0	146	726	Mono Curb And Walk	Concrete	24.19	Curb	6.04	4.97	30.02	88	Fair	Deferrable Priority
SW02897	E University ST	4.5	65	298	Boulevard Walk	Concrete	15.92	Curb	4.11	4.55	18.70	88	Fair	Deferrable Priority
SW03142	E University ST	4.4	367	1,614	Mono Curb And Walk	Concrete	71.43	Curb	5.13	4.40	22.60	73	Marginal	Low Priority
SW02892	E University ST	4.3	136	592	Boulevard Walk	Concrete	30.23	Curb	4.51	4.35	19.59	89	Fair	Low Priority
SW02890	E University ST	4.0	98	392	Boulevard Walk	Concrete	18.98	Curb	5.18	3.99	20.67	73	Marginal	Very Low Priority
SW02830	E University ST	5.1	176	889	Boulevard Walk	Concrete	28.84	Curb	6.10	5.06	30.83	68	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02906	E University ST	3.2	47	149	Boulevard Walk	Concrete	14.93	Curb	3.14	3.19	10.00	90	Fair	Very Low Priority
SW02889	E University ST	3.6	32	114	Boulevard Walk	Concrete	6.41	Curb	4.99	3.58	17.85	91	Good	Deferrable Priority
SW02862	E University ST	4.9	80	396	Boulevard Walk	Concrete	13.74	Curb	5.83	4.94	28.81	91	Good	Deferrable Priority
SW03141	E University ST	4.3	491	2,100	Mono Curb And Walk	Concrete	96.50	Curb	5.08	4.28	21.77	85	Fair	Low Priority
SW06924	E University ST	4.4	107	468	Mono Curb And Walk	Concrete	18.05	Curb	5.91	4.39	25.95	73	Marginal	Very Low Priority
SW02882	E University ST	4.8	129	618	Boulevard Walk	Concrete	23.25	Curb	5.56	4.79	26.60	96	Good	Deferrable Priority
SW02891	E University ST	4.8	102	493	Boulevard Walk	Concrete	19.82	Curb	5.14	4.84	24.89	97	Good	Deferrable Priority
SW08688	E Varsity LN	3.6	33	120	Mono Curb And Walk	Concrete	4.02	Curb	8.19	3.64	29.81	18	Very Poor	Low Priority
SW08658	E Varsity LN	3.8	217	817	Mono Curb And Walk	Concrete	40.38	No Curb	5.36	3.77	20.23	57	Marginal	Immediate Priority
SW08652	E Varsity LN	3.7	233	858	Boulevard Walk	Concrete	43.66	Curb	5.33	3.69	19.65	61	Marginal	Immediate Priority
SW08689	E Varsity LN	3.8	68	263	Boulevard Walk	Concrete	10.06	Curb	6.81	3.84	26.15	41	Poor	Low Priority
SW08642	E Varsity LN	4.0	209	844	Boulevard Walk	Concrete	25.80	Curb	8.11	4.03	32.69	57	Marginal	Low Priority
SW08659	E Varsity LN	3.8	240	911	Boulevard Walk	Concrete	30.07	Curb	7.99	3.79	30.30	76	Fair	Immediate Priority
SW08641	E Varsity LN	3.6	107	389	Mono Curb And Walk	Concrete	23.88	Curb	4.46	3.65	16.28	79	Fair	Low Priority
SW08650	E Varsity LN	3.8	93	351	Boulevard Walk	Concrete	12.02	Curb	7.75	3.77	29.20	94	Good	Deferrable Priority
SW08651	E Varsity LN	3.5	288	1,020	Boulevard Walk	Concrete	54.13	Curb	5.33	3.54	18.84	97	Good	Deferrable Priority
SW05255	E Vermilya AVE	4.5	599	2,675	Boulevard Walk	Concrete	111.95	Curb	5.35	4.47	23.90	59	Marginal	Immediate Priority
SW05246	E Vermilya AVE	3.9	626	2,452	Boulevard Walk	Concrete	134.88	Curb	4.64	3.92	18.18	63	Marginal	Immediate Priority
SW02521	E Walpole LN	4.8	640	3,077	Boulevard Walk	Concrete	135.19	Curb	4.73	4.81	22.76	33	Poor	Immediate Priority
SW02526	E Walpole LN	4.7	635	2,997	Boulevard Walk	Concrete	141.70	Curb	4.48	4.72	21.15	44	Poor	Low Priority
SW05833	E Wellington CT	3.8	360	1,375	Boulevard Walk	Concrete	71.90	Curb	5.00	3.82	19.13	53	Marginal	Immediate Priority
SW05834	E Wellington CT	4.0	378	1,516	Boulevard Walk	Concrete	68.71	Curb	5.51	4.01	22.07	65	Marginal	Low Priority
SW03363	E Wexley RD	5.0	334	1,673	Boulevard Walk	Concrete	69.11	Curb	4.84	5.00	24.21	71	Marginal	Immediate Priority
SW03350	E Wexley RD	4.7	336	1,570	Boulevard Walk	Concrete	72.19	Curb	4.66	4.67	21.75	83	Fair	Low Priority
SW03331	E Wexley RD	4.9	343	1,683	Boulevard Walk	Concrete	72.52	Curb	4.73	4.91	23.21	90	Fair	Deferrable Priority
SW03362	E Wexley RD	4.8	443	2,141	Mono Curb And Walk	Concrete	83.07	Curb	5.33	4.84	25.77	89	Fair	Low Priority
SW03361	E Wexley RD	4.9	363	1,775	Boulevard Walk	Concrete	74.51	Curb	4.88	4.89	23.82	88	Fair	Very Low Priority
SW03356	E Wexley RD	5.0	341	1,698	Boulevard Walk	Concrete	65.08	Curb	5.24	4.97	26.09	91	Good	Very Low Priority
SW02519	E Weymouth LN	3.9	519	2,033	Boulevard Walk	Concrete	114.74	Curb	4.52	3.92	17.72	61	Marginal	Immediate Priority
SW02528	E Weymouth LN	3.9	522	2,054	Boulevard Walk	Concrete	134.48	Curb	3.89	3.93	15.27	59	Marginal	Low Priority
SW06260	E Whitley DR	4.0	186	747	Boulevard Walk	Concrete	36.10	Curb	5.16	4.01	20.68	63	Marginal	Low Priority
SW06254	E Whitley DR	3.6	263	940	Boulevard Walk	Concrete	50.52	Curb	5.21	3.57	18.60	61	Marginal	Low Priority
SW06257	E Whitley DR	3.8	240	910	Boulevard Walk	Concrete	50.87	Curb	4.71	3.80	17.88	66	Marginal	Immediate Priority
SW06199	E Whitley DR	3.8	233	879	Boulevard Walk	Concrete	46.96	Curb	4.97	3.77	18.71	70	Marginal	Low Priority
SW06465	E William CT	3.8	425	1,609	Boulevard Walk	Concrete	95.36	Curb	4.46	3.78	16.87	77	Fair	Immediate Priority
SW06463	E William CT	3.9	480	1,878	Boulevard Walk	Concrete	96.25	Curb	4.99	3.91	19.51	71	Marginal	Low Priority
SW05491	E Willow CT	3.8	198	759	Mono Curb And Walk	Concrete	43.55	Curb	4.55	3.83	17.43	47	Poor	Low Priority
SW05488	E Willow CT	3.8	204	778	Mono Curb And Walk	Concrete	53.62	Curb	3.80	3.82	14.51	66	Marginal	Low Priority
SW01100	E Wilson ST	3.9	30	117	Mono Curb And Walk	Concrete	6.50	Curb	4.62	3.91	18.06	41	Poor	Low Priority
SW02992	E Wilson ST	4.8	128	619	Boulevard Walk	Concrete	25.98	Curb	4.93	4.83	23.83	63	Marginal	Low Priority
SW02983	E Wilson ST	4.9	130	632	Boulevard Walk	Concrete	28.53	Curb	4.56	4.86	22.14	62	Marginal	Low Priority
SW02981	E Wilson ST	5.3	126	670	Boulevard Walk	Concrete	23.64	Curb	5.35	5.30	28.33	84	Fair	Low Priority
SW02980	E Wilson ST	5.0	143	709	Mono Curb And Walk	Concrete	30.16	Curb	4.75	4.95	23.50	80	Fair	Low Priority
SW02994	E Wilson ST	4.9	133	651	Boulevard Walk	Concrete	26.58	Curb	5.01	4.89	24.48	80	Fair	Low Priority
SW01134	E Wilson ST	4.1	145	591	Mono Curb And Walk	Concrete	30.52	Curb	4.76	4.07	19.36	74	Marginal	Very Low Priority
SW03052	E Wilson ST	4.8	202	965	Mono Curb And Walk	Concrete	42.67	Curb	4.74	4.78	22.62	96	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03054	E Wilson ST	4.2	39	161	Mono Curb And Walk	Concrete	7.44	Curb	5.19	4.16	21.59	100	Good	No Priority
SW03400	E Wimbleton LN	4.3	102	443	Boulevard Walk	Concrete	14.17	Curb	7.23	4.33	31.29	95	Good	Deferrable Priority
SW03758	E Windermere Woods DR	4.7	59	275	Boulevard Walk	Concrete	13.19	Curb	4.48	4.66	20.89	71	Marginal	Low Priority
SW03468	E Windermere Woods DR	4.9	70	344	Mono Curb And Walk	Concrete	9.33	Curb	7.45	4.94	36.83	89	Fair	Deferrable Priority
SW03472	E Windermere Woods DR	4.0	149	591	Mono Curb And Walk	Concrete	30.10	Curb	4.96	3.96	19.63	80	Fair	Very Low Priority
SW05583	E Winslow Farm DR	4.2	50	210	Boulevard Walk	Concrete	9.86	Curb	5.11	4.18	21.35	32	Poor	Immediate Priority
SW03863	E Winslow Farm DR	4.3	148	628	Mono Curb And Walk	Concrete	30.82	Curb	4.79	4.25	20.38	68	Marginal	Low Priority
SW03809	E Winslow Farm DR	3.9	90	356	Boulevard Walk	Concrete	15.32	Curb	5.89	3.94	23.24	64	Marginal	Low Priority
SW05582	E Winslow Farm DR	3.8	74	283	Boulevard Walk	Concrete	15.15	Curb	4.88	3.83	18.69	58	Marginal	Low Priority
SW03840	E Winslow Farm DR	3.9	272	1,053	Mono Curb And Walk	Concrete	63.19	Curb	4.31	3.87	16.66	75	Marginal	Low Priority
SW03818	E Winslow Farm DR	3.9	147	579	Boulevard Walk	Concrete	31.00	Curb	4.73	3.95	18.67	79	Fair	Low Priority
SW03864	E Winslow Farm DR	4.4	39	173	Mono Curb And Walk	Concrete	7.25	Curb	5.44	4.40	23.90	86	Fair	Deferrable Priority
SW03808	E Winslow Farm DR	3.9	45	176	Boulevard Walk	Concrete	8.53	Curb	5.31	3.89	20.69	87	Fair	Deferrable Priority
SW03839	E Winslow Farm DR	3.9	99	386	Mono Curb And Walk	Concrete	18.88	Curb	5.27	3.88	20.45	87	Fair	Low Priority
SW03854	E Winslow Farm DR	4.2	242	1,009	Boulevard Walk	Concrete	42.18	Curb	5.73	4.17	23.92	69	Marginal	Low Priority
SW03823	E Winslow Farm DR	3.8	255	965	Boulevard Walk	Concrete	57.77	Curb	4.42	3.78	16.71	86	Fair	Low Priority
SW05584	E Winslow Farm DR	3.9	126	492	Boulevard Walk	Concrete	30.13	Curb	4.20	3.89	16.33	81	Fair	Low Priority
SW05600	E Winslow Farm DR	5.0	345	1,743	Boulevard Walk	Concrete	40.70	Curb	8.48	5.05	42.82	85	Fair	Low Priority
SW03859	E Winslow Farm DR	5.4	57	306	Mono Curb And Walk	Concrete	12.00	Curb	4.75	5.37	25.52	94	Good	Deferrable Priority
SW03862	E Winslow Farm DR	5.4	150	813	Boulevard Walk	Concrete	29.37	Curb	5.11	5.41	27.68	98	Good	Deferrable Priority
SW05586	E Winslow RD	4.6	412	1,894	Boulevard Walk	Concrete	75.42	Partial Curb	5.46	4.60	25.11	49	Poor	Immediate Priority
SW05570	E Winslow RD	7.6	31	234	Stand Alone	Concrete	4.66	No Curb	6.62	7.58	50.16	56	Marginal	Low Priority
SW05541	E Winslow RD	4.7	679	3,213	Boulevard Walk	Concrete	136.89	Partial Curb	4.96	4.73	23.47	61	Marginal	Immediate Priority
SW05613	E Winslow RD	4.8	104	504	Mono Curb And Walk	Concrete	25.60	Curb	4.07	4.83	19.68	61	Marginal	Low Priority
SW06876	E Winslow RD	4.9	568	2,764	Boulevard Walk	Concrete	133.42	Curb	4.26	4.87	20.71	58	Marginal	Immediate Priority
SW05612	E Winslow RD	4.8	67	324	Boulevard Walk	Concrete	14.07	No Curb	4.80	4.81	23.05	60	Marginal	Low Priority
SW05575	E Winslow RD	4.7	168	796	Boulevard Walk	Concrete	40.64	No Curb	4.14	4.73	19.58	50	Poor	Low Priority
SW05576	E Winslow RD	5.0	154	767	Boulevard Walk	Concrete	30.85	Curb	5.00	4.98	24.85	45	Poor	Low Priority
SW05556	E Winslow RD	3.7	657	2,458	Boulevard Walk	Concrete	208.39	Partial Curb	3.15	3.74	11.80	71	Marginal	Immediate Priority
SW05551	E Winslow RD	4.9	228	1,115	Boulevard Walk	Concrete	47.15	Curb	4.83	4.89	23.64	52	Marginal	Low Priority
SW05459	E Winslow RD	4.8	447	2,132	Mono Curb And Walk	Concrete	92.57	No Curb	4.83	4.77	23.03	72	Marginal	Low Priority
SW05578	E Winslow RD	4.9	155	763	Boulevard Walk	Concrete	31.45	Curb	4.94	4.91	24.27	69	Marginal	Low Priority
SW05577	E Winslow RD	4.9	212	1,043	Boulevard Walk	Concrete	42.91	Curb	4.94	4.93	24.31	62	Marginal	Low Priority
SW05569	E Winslow RD	4.8	380	1,833	Boulevard Walk	Concrete	86.48	Partial Curb	4.40	4.82	21.20	76	Fair	Low Priority
SW05509	E Winslow RD	5.0	62	308	Mono Curb And Walk	Concrete	12.10	Curb	5.13	4.96	25.44	87	Fair	Deferrable Priority
SW05464	E Winslow RD	4.9	659	3,197	Boulevard Walk	Concrete	116.65	No Curb	5.65	4.85	27.40	77	Fair	Low Priority
SW05608	E Winslow RD	4.5	301	1,353	Boulevard Walk	Concrete	74.16	No Curb	4.06	4.50	18.24	82	Fair	Low Priority
SW05520	E Winslow RD	9.4	196	1,847	Boulevard Walk	Concrete	18.32	Partial Curb	10.73	9.40	100.79	74	Marginal	Very Low Priority
SW05468	E Winslow RD	4.9	143	700	Boulevard Walk	Concrete	30.49	Curb	4.69	4.89	22.95	91	Good	Deferrable Priority
SW05454	E Winslow RD	4.9	64	314	Mono Curb And Walk	Concrete	10.97	Curb	5.82	4.92	28.66	91	Good	Deferrable Priority
SW05455	E Winslow RD	4.9	134	659	Boulevard Walk	Concrete	26.98	No Curb	4.97	4.92	24.42	67	Marginal	Very Low Priority
SW05456	E Winslow RD	5.0	89	450	Boulevard Walk	Concrete	17.18	Partial Curb	5.20	5.03	26.19	92	Good	Very Low Priority
SW05543	E Winslow RD	12.7	96	1,218	Boulevard Walk	Concrete	17.55	Partial Curb	5.45	12.72	69.40	93	Good	Deferrable Priority
SW05611	E Winslow RD	8.0	287	2,309	Boulevard Walk	Concrete	52.62	Curb	5.45	8.05	43.88	93	Good	Deferrable Priority
SW10923	E Winslow RD	11.0	203	2,246	Boulevard Walk	Asphalt	50.85	Curb	4.00	11.04	44.16	88	Fair	Very Low Priority
SW05467	E Winslow RD	4.9	16	77	Boulevard Walk	Concrete	3.35	Curb	4.68	4.90	22.89	100	Good	No Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05469	E Winslow RD	5.0	54	271	Boulevard Walk	Concrete	13.37	Curb	4.04	5.02	20.28	100	Good	No Priority
SW05656	E Winslow RD	5.1	29	150	Stand Alone	Concrete	5.35	No Curb	5.46	5.14	28.08	100	Good	No Priority
SW05657	E Winslow RD	4.6	114	526	Boulevard Walk	Concrete	22.48	No Curb	5.05	4.63	23.41	100	Good	No Priority
SW05662	E Winslow RD	5.0	4	22	Boulevard Walk	Concrete	0.88	Curb	5.06	5.03	25.42	100	Good	No Priority
SW06533	E Winston ST	3.7	135	497	Boulevard Walk	Concrete	32.38	Curb	4.16	3.69	15.36	58	Marginal	Immediate Priority
SW04268	E Winston ST	3.8	259	983	Boulevard Walk	Concrete	45.16	Curb	5.74	3.80	21.77	48	Poor	Low Priority
SW04267	E Winston ST	3.9	210	830	Boulevard Walk	Concrete	34.32	Curb	6.12	3.95	24.18	65	Marginal	Low Priority
SW04243	E Winston ST	3.7	367	1,363	Boulevard Walk	Concrete	64.74	Curb	5.66	3.72	21.05	61	Marginal	Low Priority
SW06519	E Winston ST	3.3	228	751	Boulevard Walk	Concrete	75.04	Curb	3.04	3.29	10.01	75	Marginal	Low Priority
SW06537	E Winston ST	4.0	127	515	Boulevard Walk	Concrete	23.04	Curb	5.53	4.05	22.36	65	Marginal	Low Priority
SW04253	E Winston ST	4.0	428	1,698	Boulevard Walk	Concrete	87.64	Curb	4.89	3.96	19.37	62	Marginal	Low Priority
SW06512	E Winston ST	3.8	215	822	Boulevard Walk	Concrete	44.16	Curb	4.87	3.82	18.61	65	Marginal	Low Priority
SW04260	E Winston ST	3.7	339	1,267	Boulevard Walk	Concrete	56.25	Curb	6.02	3.74	22.52	57	Marginal	Low Priority
SW06538	E Winston ST	3.9	35	136	Mono Curb And Walk	Concrete	6.26	Curb	5.58	3.89	21.69	56	Marginal	Very Low Priority
SW06536	E Winston ST	4.0	178	711	Boulevard Walk	Concrete	29.01	Curb	6.13	4.00	24.50	65	Marginal	Low Priority
SW04280	E Winston ST	3.8	490	1,852	Boulevard Walk	Concrete	99.64	Curb	4.92	3.78	18.58	79	Fair	Immediate Priority
SW04263	E Winston ST	3.7	158	581	Mono Curb And Walk	Concrete	30.84	Curb	5.11	3.68	18.84	78	Fair	Low Priority
SW06518	E Winston ST	3.9	298	1,172	Boulevard Walk	Concrete	61.26	Curb	4.86	3.94	19.13	75	Marginal	Low Priority
SW04276	E Winston ST	3.8	352	1,333	Boulevard Walk	Concrete	66.60	Curb	5.28	3.79	20.01	67	Marginal	Low Priority
SW04259	E Winston ST	3.7	338	1,265	Boulevard Walk	Concrete	65.89	Curb	5.13	3.74	19.20	72	Marginal	Low Priority
SW04248	E Winston ST	3.6	267	972	Boulevard Walk	Concrete	47.53	Curb	5.61	3.64	20.45	69	Marginal	Low Priority
SW04257	E Winston ST	3.9	448	1,751	Boulevard Walk	Concrete	99.86	Curb	4.49	3.91	17.53	80	Fair	Low Priority
SW04275	E Winston ST	3.3	701	2,297	Boulevard Walk	Concrete	194.35	Curb	3.61	3.28	11.82	87	Fair	Immediate Priority
SW04258	E Winston ST	3.8	53	197	Boulevard Walk	Concrete	10.75	Curb	4.89	3.76	18.36	89	Fair	Deferrable Priority
SW06535	E Winston ST	3.9	152	600	Boulevard Walk	Concrete	32.35	Curb	4.70	3.94	18.54	82	Fair	Low Priority
SW04254	E Winston ST	3.7	410	1,522	Boulevard Walk	Concrete	80.44	Curb	5.10	3.71	18.92	80	Fair	Low Priority
SW04256	E Winston ST	3.8	302	1,145	Boulevard Walk	Concrete	65.48	Curb	4.62	3.79	17.49	83	Fair	Low Priority
SW04277	E Winston ST	3.8	301	1,132	Boulevard Walk	Concrete	65.27	Curb	4.62	3.76	17.34	81	Fair	Low Priority
SW04252	E Winston ST	4.2	187	777	Mono Curb And Walk	Concrete	34.66	Curb	5.40	4.15	22.42	72	Marginal	Very Low Priority
SW06534	E Winston ST	3.8	34	129	Mono Curb And Walk	Concrete	7.96	Curb	4.25	3.81	16.18	92	Good	Deferrable Priority
SW06495	E Winston ST	3.7	193	705	Boulevard Walk	Concrete	53.70	Curb	3.59	3.66	13.12	87	Fair	Low Priority
SW04281	E Winston ST	4.0	231	920	Boulevard Walk	Concrete	51.96	Curb	4.44	3.99	17.70	86	Fair	Very Low Priority
SW04279	E Winston ST	3.2	748	2,375	Boulevard Walk	Concrete	218.83	Curb	3.42	3.18	10.85	86	Fair	Low Priority
SW06489	E Winston ST	3.7	237	875	Boulevard Walk	Concrete	58.86	Curb	4.02	3.70	14.86	92	Good	Low Priority
SW04264	E Winston ST	3.9	126	493	Boulevard Walk	Concrete	27.52	Curb	4.59	3.90	17.92	84	Fair	Very Low Priority
SW04251	E Winston ST	4.0	141	564	Boulevard Walk	Concrete	28.94	Curb	4.86	4.01	19.50	83	Fair	Very Low Priority
SW03709	E Woodbine AVE	5.0	53	270	Boulevard Walk	Concrete	10.14	Curb	5.27	5.05	26.63	53	Marginal	Low Priority
SW03734	E Woodbine AVE	4.5	237	1,072	Boulevard Walk	Concrete	46.51	Curb	5.09	4.53	23.05	42	Poor	Immediate Priority
SW03724	E Woodbine AVE	4.8	294	1,411	Boulevard Walk	Concrete	68.72	Curb	4.29	4.79	20.53	71	Marginal	Immediate Priority
SW03723	E Woodbine AVE	4.8	230	1,107	Mono Curb And Walk	Concrete	46.85	Curb	4.90	4.82	23.63	78	Fair	Low Priority
SW03729	E Woodbine AVE	4.9	314	1,550	Boulevard Walk	Concrete	57.38	Curb	5.46	4.94	27.02	52	Marginal	Low Priority
SW03717	E Woodbine AVE	5.0	357	1,778	Boulevard Walk	Concrete	70.06	Curb	5.10	4.98	25.38	59	Marginal	Low Priority
SW03733	E Woodbine AVE	4.7	236	1,104	Boulevard Walk	Concrete	47.92	Curb	4.92	4.68	23.03	51	Marginal	Low Priority
SW03728	E Woodbine AVE	4.9	289	1,416	Boulevard Walk	Concrete	54.49	Curb	5.30	4.91	25.99	69	Marginal	Low Priority
SW03757	E Woodbine AVE	4.7	181	848	Mono Curb And Walk	Concrete	39.81	Curb	4.54	4.69	21.29	88	Fair	Deferrable Priority
SW03625	E Woods Edge WAY	3.9	353	1,381	Boulevard Walk	Concrete	60.08	Curb	5.87	3.92	22.99	89	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03630	E Woods Edge WAY	3.8	388	1,469	Boulevard Walk	Concrete	87.89	Curb	4.41	3.79	16.71	91	Good	Very Low Priority
SW06367	E Wylie Farm RD	3.9	153	594	Boulevard Walk	Concrete	29.92	Curb	5.13	3.87	19.85	56	Marginal	Immediate Priority
SW06379	E Wylie Farm RD	4.0	87	344	Boulevard Walk	Concrete	19.99	Curb	4.36	3.95	17.23	61	Marginal	Low Priority
SW06346	E Wylie Farm RD	4.0	19	76	Boulevard Walk	Concrete	3.93	Curb	4.87	3.97	19.33	69	Marginal	Low Priority
SW06369	E Wylie Farm RD	3.9	93	364	Boulevard Walk	Concrete	22.27	Curb	4.19	3.90	16.33	66	Marginal	Low Priority
SW06411	E Wylie Farm RD	3.8	161	614	Boulevard Walk	Concrete	34.50	Curb	4.66	3.82	17.79	63	Marginal	Low Priority
SW06380	E Wylie Farm RD	3.9	45	175	Mono Curb And Walk	Concrete	11.80	Curb	3.81	3.89	14.81	73	Marginal	Low Priority
SW06413	E Wylie Farm RD	3.7	113	414	Mono Curb And Walk	Concrete	22.85	Curb	4.93	3.68	18.13	75	Fair	Low Priority
SW06414	E Wylie Farm RD	3.4	81	276	Boulevard Walk	Concrete	18.71	Curb	4.32	3.42	14.77	56	Marginal	Low Priority
SW06386	E Wylie Farm RD	4.5	106	482	Mono Curb And Walk	Concrete	25.47	Curb	4.16	4.55	18.93	81	Fair	Deferrable Priority
SW06382	E Wylie Farm RD	3.7	48	178	Boulevard Walk	Concrete	12.44	Curb	3.87	3.69	14.29	73	Marginal	Low Priority
SW06374	E Wylie Farm RD	3.6	373	1,352	Boulevard Walk	Concrete	82.79	Curb	4.50	3.63	16.33	86	Fair	Low Priority
SW06342	E Wylie Farm RD	3.7	69	256	Mono Curb And Walk	Concrete	13.98	Curb	4.95	3.69	18.29	91	Good	Deferrable Priority
SW06337	E Wylie Farm RD	3.7	30	108	Mono Curb And Walk	Concrete	7.24	Curb	4.09	3.65	14.94	91	Good	Deferrable Priority
SW06381	E Wylie Farm RD	4.1	197	799	Mono Curb And Walk	Concrete	38.37	Curb	5.14	4.05	20.84	92	Good	Low Priority
SW06341	E Wylie Farm RD	4.1	100	414	Mono Curb And Walk	Concrete	16.71	Curb	5.99	4.14	24.79	92	Good	Deferrable Priority
SW06370	E Wylie Farm RD	3.6	100	362	Boulevard Walk	Concrete	18.89	Curb	5.30	3.62	19.17	77	Fair	Very Low Priority
SW06358	E Wylie Farm RD	3.6	376	1,369	Boulevard Walk	Concrete	76.07	Curb	4.95	3.64	17.99	95	Good	Deferrable Priority
SW06385	E Wylie Farm RD	4.0	376	1,498	Boulevard Walk	Concrete	73.21	Curb	5.13	3.99	20.46	92	Good	Low Priority
SW06398	E Wylie Farm RD	3.8	24	90	Boulevard Walk	Concrete	5.48	Curb	4.32	3.80	16.39	100	Good	No Priority
SW02716	E Wylie ST	4.3	210	907	Mono Curb And Walk	Concrete	39.91	Curb	5.27	4.31	22.73	15	Very Poor	Immediate Priority
SW02713	E Wylie ST	4.2	111	466	Mono Curb And Walk	Concrete	21.61	Curb	5.15	4.18	21.55	30	Very Poor	Immediate Priority
SW03125	E Wylie ST	3.6	147	526	Mono Curb And Walk	Concrete	26.77	Curb	5.50	3.58	19.66	46	Poor	Immediate Priority
SW02726	E Wylie ST	4.2	510	2,164	Mono Curb And Walk	Concrete	100.57	Curb	5.07	4.24	21.51	67	Marginal	Immediate Priority
SW02715	E Wylie ST	4.5	43	194	Mono Curb And Walk	Concrete	9.00	Curb	4.76	4.52	21.52	46	Poor	Low Priority
SW02714	E Wylie ST	4.3	84	358	Mono Curb And Walk	Concrete	16.41	Curb	5.09	4.29	21.81	50	Marginal	Low Priority
SW02711	E Wylie ST	4.9	265	1,298	Mono Curb And Walk	Concrete	43.23	Curb	6.12	4.91	30.03	49	Poor	Immediate Priority
SW02708	E Wylie ST	4.9	218	1,081	Mono Curb And Walk	Concrete	32.71	Curb	6.68	4.95	33.06	68	Marginal	Low Priority
SW03164	E Wylie ST	3.3	149	484	Mono Curb And Walk	Concrete	29.39	Curb	5.07	3.25	16.48	82	Fair	Low Priority
SW03166	E Wylie ST	4.5	135	609	Mono Curb And Walk	Concrete	25.35	Curb	5.31	4.52	24.02	75	Fair	Low Priority
SW03130	E Wylie ST	3.6	139	496	Mono Curb And Walk	Concrete	32.52	Curb	4.26	3.58	15.26	87	Fair	Deferrable Priority
SW03112	E Wylie ST	4.9	133	656	Mono Curb And Walk	Concrete	27.88	Curb	4.79	4.92	23.53	88	Fair	Deferrable Priority
SW02719	E Wylie ST	4.2	273	1,147	Mono Curb And Walk	Concrete	55.46	Curb	4.93	4.20	20.68	82	Fair	Low Priority
SW02705	E Wylie ST	4.8	262	1,259	Mono Curb And Walk	Concrete	55.47	Curb	4.72	4.81	22.70	90	Fair	Low Priority
SW03167	E Wylie ST	3.3	137	456	Mono Curb And Walk	Concrete	31.35	Curb	4.36	3.34	14.55	90	Fair	Deferrable Priority
SW02728	E Wylie ST	4.7	158	740	Mono Curb And Walk	Concrete	29.58	Curb	5.33	4.69	25.01	90	Good	Very Low Priority
SW02723	E Wylie ST	4.2	91	387	Mono Curb And Walk	Concrete	19.24	Curb	4.73	4.24	20.09	91	Good	Deferrable Priority
SW02706	E Wylie ST	4.9	160	781	Mono Curb And Walk	Concrete	24.75	Curb	6.45	4.89	31.55	91	Good	Deferrable Priority
SW03110	E Wylie ST	3.7	153	567	Mono Curb And Walk	Concrete	33.23	Curb	4.61	3.70	17.05	91	Good	Deferrable Priority
SW02718	E Wylie ST	4.0	134	532	Mono Curb And Walk	Concrete	27.25	Curb	4.90	3.99	19.54	91	Good	Deferrable Priority
SW03163	E Wylie ST	3.5	143	503	Mono Curb And Walk	Concrete	29.93	Curb	4.78	3.51	16.81	95	Good	Deferrable Priority
SW04286	E Wyndam CT	4.9	441	2,148	Boulevard Walk	Concrete	95.96	Curb	4.59	4.87	22.38	74	Marginal	Low Priority
SW04247	E Wyndam CT	4.9	496	2,407	Boulevard Walk	Concrete	99.44	Curb	4.99	4.85	24.21	78	Fair	Low Priority
SW08126	N Adams ST	4.6	100	466	Mono Curb And Walk	Concrete	19.20	Curb	5.23	4.64	24.27	65	Marginal	Low Priority
SW10262	N Adams ST	6.1	146	895	Mono Curb And Walk	Concrete	26.61	Curb	5.48	6.14	33.63	81	Fair	Low Priority
SW10326	N Adams ST	6.1	41	254	Mono Curb And Walk	Concrete	7.55	Curb	5.48	6.14	33.63	83	Fair	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08075	N Adams ST	5.2	341	1,787	Mono Curb And Walk	Concrete	41.77	Curb	8.16	5.24	42.77	83	Fair	Low Priority
SW08127	N Adams ST	3.3	187	614	Mono Curb And Walk	Concrete	41.02	Curb	4.55	3.29	14.97	77	Fair	Low Priority
SW08128	N Adams ST	3.2	143	454	Mono Curb And Walk	Concrete	33.15	Curb	4.31	3.18	13.69	80	Fair	Low Priority
SW08104	N Adams ST	4.5	390	1,759	Mono Curb And Walk	Concrete	76.87	Curb	5.08	4.51	22.88	60	Marginal	Low Priority
SW08124	N Adams ST	4.3	325	1,403	Mono Curb And Walk	Concrete	58.81	Curb	5.52	4.32	23.86	83	Fair	Low Priority
SW10341	N Adams ST	5.5	107	592	Mono Curb And Walk	Concrete	16.24	Curb	6.60	5.52	36.45	89	Fair	Deferrable Priority
SW08125	N Adams ST	5.5	415	2,267	Mono Curb And Walk	Concrete	66.83	Curb	6.21	5.46	33.93	78	Fair	Low Priority
SW08000	N Adams ST	5.9	330	1,943	Mono Curb And Walk	Concrete	60.06	Curb	5.50	5.88	32.35	87	Fair	Low Priority
SW08038	N Adams ST	6.1	50	308	Mono Curb And Walk	Concrete	7.00	Curb	7.16	6.14	43.98	91	Good	Deferrable Priority
SW10325	N Adams ST	4.9	293	1,438	Mono Curb And Walk	Concrete	63.79	Curb	4.59	4.91	22.55	91	Good	Deferrable Priority
SW08018	N Adams ST	6.1	316	1,938	Mono Curb And Walk	Concrete	44.07	Curb	7.16	6.14	43.98	88	Fair	Low Priority
SW08153	N Ashlynn Park DR	4.5	221	1,001	Boulevard Walk	Concrete	48.54	Curb	4.55	4.54	20.63	68	Marginal	Low Priority
SW08150	N Ashlynn Park DR	4.7	235	1,099	Boulevard Walk	Concrete	52.17	Curb	4.50	4.69	21.07	68	Marginal	Low Priority
SW08142	N Ashlynn Park DR	4.7	17	78	Boulevard Walk	Concrete	3.20	No Curb	5.26	4.65	24.50	100	Good	No Priority
SW09087	N Blair AVE	4.4	303	1,335	Mono Curb And Walk	Concrete	51.07	Curb	5.94	4.40	26.14	63	Marginal	Low Priority
SW09088	N Blair AVE	4.6	181	838	Mono Curb And Walk	Concrete	32.69	Curb	5.54	4.63	25.65	77	Fair	Low Priority
SW09092	N Blair AVE	4.4	399	1,743	Mono Curb And Walk	Concrete	76.34	Curb	5.22	4.37	22.83	62	Marginal	Low Priority
SW09033	N Blair AVE	4.7	94	447	Mono Curb And Walk	Concrete	19.16	Curb	4.92	4.75	23.35	72	Marginal	Low Priority
SW09086	N Blair AVE	4.4	282	1,229	Mono Curb And Walk	Concrete	55.25	Curb	5.10	4.36	22.25	77	Fair	Low Priority
SW09132	N Blair AVE	4.6	145	664	Mono Curb And Walk	Concrete	31.77	Curb	4.56	4.59	20.89	88	Fair	Deferrable Priority
SW09089	N Blair AVE	4.5	168	763	Mono Curb And Walk	Concrete	34.64	Curb	4.86	4.53	22.02	90	Good	Very Low Priority
SW09078	N Blair AVE	4.4	253	1,109	Mono Curb And Walk	Concrete	49.61	Curb	5.11	4.38	22.34	81	Fair	Low Priority
SW09076	N Blair AVE	4.3	343	1,456	Mono Curb And Walk	Concrete	71.62	Curb	4.78	4.53	21.67	88	Fair	Low Priority
SW09079	N Blair AVE	4.2	290	1,214	Mono Curb And Walk	Concrete	60.77	Curb	4.77	4.19	19.98	84	Fair	Low Priority
SW09944	N Blue Ridge CT	3.3	667	2,234	Boulevard Walk	Concrete	185.45	Curb	3.60	3.35	12.05	53	Marginal	Immediate Priority
SW08766	N Blue Ridge DR	4.5	582	2,611	Boulevard Walk	Concrete	140.94	Curb	4.13	4.49	18.52	45	Poor	Immediate Priority
SW08765	N Blue Slopes DR	3.7	122	447	Mono Curb And Walk	Concrete	15.50	Curb	7.89	3.65	28.82	50	Poor	Low Priority
SW08786	N Blue Slopes DR	3.7	617	2,282	Boulevard Walk	Concrete	72.01	Curb	8.57	3.70	31.70	47	Poor	Low Priority
SW01471	N Callery DR	3.8	292	1,109	Boulevard Walk	Concrete	72.53	Curb	4.02	3.80	15.29	69	Marginal	Immediate Priority
SW01500	N Callery DR	3.9	296	1,163	Boulevard Walk	Concrete	72.39	Curb	4.09	3.93	16.07	70	Marginal	Low Priority
SW01490	N Callery DR	3.9	248	970	Boulevard Walk	Concrete	59.57	Curb	4.17	3.91	16.29	72	Marginal	Low Priority
SW01476	N Callery DR	3.7	230	860	Boulevard Walk	Concrete	61.25	Curb	3.76	3.73	14.03	70	Marginal	Low Priority
SW01601	N Clark ST	4.4	49	217	Mono Curb And Walk	Concrete	12.45	No Curb	3.95	4.40	17.41	90	Good	Deferrable Priority
SW09167	N College AVE	5.0	36	179	Boulevard Walk	Concrete	6.42	Curb	5.63	4.97	27.95	15	Very Poor	Immediate Priority
SW10817	N College AVE	5.8	99	574	Boulevard Walk	Concrete	15.29	Curb	6.49	5.78	37.51	29	Very Poor	Immediate Priority
SW07274	N College AVE	6.8	466	3,160	Boulevard Walk	Concrete	94.07	Curb	4.96	6.78	33.60	18	Very Poor	Immediate Priority
SW09160	N College AVE	5.3	27	142	Boulevard Walk	Concrete	4.83	Curb	5.55	5.29	29.36	24	Very Poor	Immediate Priority
SW09169	N College AVE	5.7	23	129	Mono Curb And Walk	Concrete	3.46	Curb	6.52	5.71	37.18	38	Poor	Low Priority
SW07612	N College AVE	6.8	123	836	Boulevard Walk	Concrete	23.86	Curb	5.15	6.80	35.03	60	Marginal	Low Priority
SW09173	N College AVE	5.8	136	785	Boulevard Walk	Asphalt	34.09	Curb	4.00	5.76	23.02	48	Poor	Immediate Priority
SW07273	N College AVE	5.8	296	1,712	Boulevard Walk	Concrete	73.63	Curb	4.03	5.78	23.24	56	Marginal	Immediate Priority
SW09168	N College AVE	5.2	141	736	Boulevard Walk	Concrete	24.26	Curb	5.80	5.23	30.33	35	Poor	Low Priority
SW09228	N College AVE	5.5	42	227	Boulevard Walk	Concrete	7.37	Curb	5.66	5.46	30.87	62	Marginal	Low Priority
SW07306	N College AVE	7.1	123	878	Boulevard Walk	Concrete	24.33	Curb	5.05	7.14	36.09	69	Marginal	Low Priority
SW07305	N College AVE	6.5	366	2,391	Boulevard Walk	Concrete	71.64	Curb	5.11	6.53	33.37	75	Fair	Immediate Priority
SW07299	N College AVE	7.5	269	2,020	Boulevard Walk	Concrete	40.33	Curb	6.66	7.52	50.09	77	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09224	N College AVE	5.6	141	794	Boulevard Walk	Concrete	22.96	Curb	6.13	5.64	34.56	78	Fair	Low Priority
SW09158	N College AVE	5.7	46	266	Boulevard Walk	Concrete	9.24	Curb	5.03	5.73	28.84	36	Poor	Low Priority
SW09161	N College AVE	5.9	68	402	Boulevard Walk	Concrete	10.77	Curb	6.30	5.93	37.37	68	Marginal	Low Priority
SW07611	N College AVE	6.3	128	810	Boulevard Walk	Concrete	25.32	Curb	5.06	6.32	32.00	80	Fair	Low Priority
SW07269	N College AVE	6.3	168	1,056	Boulevard Walk	Concrete	25.91	Curb	6.49	6.28	40.78	80	Fair	Low Priority
SW09225	N College AVE	5.6	165	923	Boulevard Walk	Concrete	28.11	Curb	5.88	5.59	32.85	65	Marginal	Low Priority
SW09195	N College AVE	5.8	30	175	Boulevard Walk	Concrete	5.15	Curb	5.89	5.76	33.97	82	Fair	Deferrable Priority
SW09163	N College AVE	6.0	150	905	Boulevard Walk	Concrete	24.07	Curb	6.22	6.04	37.61	65	Marginal	Low Priority
SW09166	N College AVE	5.8	229	1,323	Boulevard Walk	Concrete	35.16	Curb	6.52	5.77	37.62	46	Poor	Low Priority
SW09156	N College AVE	5.9	113	670	Boulevard Walk	Concrete	18.34	Curb	6.19	5.91	36.55	52	Marginal	Low Priority
SW09164	N College AVE	6.0	103	612	Boulevard Walk	Concrete	17.19	Curb	5.98	5.95	35.59	84	Fair	Deferrable Priority
SW10803	N College AVE	5.9	126	745	Boulevard Walk	Concrete	20.11	Curb	6.27	5.91	37.05	71	Marginal	Very Low Priority
SW09194	N College AVE	6.1	111	673	Boulevard Walk	Concrete	17.87	Curb	6.19	6.08	37.67	88	Fair	Deferrable Priority
SW08712	N College AVE	7.8	43	337	Boulevard Walk	Asphalt	10.76	Curb	4.00	7.82	31.28	67	Marginal	Very Low Priority
SW00254	N College AVE	9.7	153	1,493	Mono Curb And Walk	Concrete	31.53	Curb	4.86	9.75	47.35	88	Fair	Deferrable Priority
SW09159	N College AVE	5.1	75	381	Boulevard Walk	Concrete	16.34	Curb	4.60	5.08	23.34	89	Fair	Deferrable Priority
SW00374	N College AVE	5.8	142	821	Boulevard Walk	Concrete	25.48	Curb	5.58	5.78	32.22	89	Fair	Deferrable Priority
SW00278	N College AVE	14.4	149	2,137	Mono Curb And Walk	Concrete	27.17	Curb	5.47	14.38	78.64	89	Fair	Deferrable Priority
SW09162	N College AVE	5.9	105	615	Boulevard Walk	Concrete	17.56	Curb	5.95	5.89	35.05	89	Fair	Deferrable Priority
SW09221	N College AVE	4.3	135	573	Boulevard Walk	Concrete	22.25	Curb	6.06	5.83	35.31	71	Marginal	Low Priority
SW09157	N College AVE	5.8	115	666	Boulevard Walk	Concrete	22.42	Curb	5.12	5.80	29.71	90	Fair	Deferrable Priority
SW09165	N College AVE	6.0	162	962	Boulevard Walk	Concrete	28.41	Curb	5.69	5.95	33.87	90	Good	Deferrable Priority
SW00287	N College AVE	8.8	313	2,759	Mono Curb And Walk	Concrete	56.81	Curb	5.51	8.82	48.56	90	Good	Deferrable Priority
SW07263	N College AVE	5.5	270	1,479	Mono Curb And Walk	Concrete	47.53	Curb	5.67	5.49	31.11	83	Fair	Very Low Priority
SW00182	N College AVE	12.5	298	3,737	Mono Curb And Walk	Concrete	54.81	Curb	5.44	12.54	68.18	91	Good	Deferrable Priority
SW07321	N College AVE	9.6	380	3,637	Mono Curb And Walk	Concrete	73.37	Curb	5.19	9.56	49.57	91	Good	Deferrable Priority
SW07294	N College AVE	8.5	130	1,106	Boulevard Walk	Concrete	24.28	Curb	5.36	8.50	45.53	75	Marginal	Very Low Priority
SW07583	N College AVE	6.3	143	901	Boulevard Walk	Concrete	22.96	Curb	6.24	6.29	39.26	91	Good	Very Low Priority
SW00694	N College AVE	13.5	158	2,140	Mono Curb And Walk	Concrete	28.73	Curb	5.50	13.54	74.47	79	Fair	Very Low Priority
SW00161	N College AVE	9.2	317	2,917	Mono Curb And Walk	Concrete	41.23	Curb	7.70	9.20	70.76	73	Marginal	Very Low Priority
SW00373	N College AVE	7.5	151	1,140	Boulevard Walk	Concrete	27.20	Curb	5.55	7.55	41.91	79	Fair	Very Low Priority
SW00693	N College AVE	9.4	151	1,411	Mono Curb And Walk	Concrete	31.95	Curb	4.72	9.37	44.18	92	Good	Low Priority
SW07270	N College AVE	6.1	387	2,343	Boulevard Walk	Concrete	60.93	Curb	6.34	6.06	38.45	76	Fair	Low Priority
SW00175	N College AVE	7.6	67	509	Boulevard Walk	Concrete	13.08	Curb	5.09	7.65	38.94	92	Good	Deferrable Priority
SW07320	N College AVE	7.7	202	1,556	Boulevard Walk	Concrete	40.13	Curb	5.03	7.72	38.78	93	Good	Deferrable Priority
SW00169	N College AVE	5.4	319	1,709	Boulevard Walk	Concrete	58.11	Curb	5.49	5.36	29.40	86	Fair	Very Low Priority
SW08706	N College AVE	5.7	152	870	Boulevard Walk	Concrete	25.77	Curb	5.88	5.74	33.78	94	Good	Deferrable Priority
SW08624	N College AVE	4.9	83	404	Boulevard Walk	Concrete	14.02	Curb	5.91	4.88	28.81	95	Good	Deferrable Priority
SW00377	N College AVE	7.6	307	2,323	Mono Curb And Walk	Concrete	39.80	Curb	7.71	7.57	58.36	88	Fair	Very Low Priority
SW09222	N College AVE	11.6	315	3,638	Mono Curb And Walk	Concrete	68.90	Curb	4.57	11.55	52.80	92	Good	Very Low Priority
SW10802	N College AVE	5.5	131	721	Boulevard Walk	Concrete	21.48	Curb	6.09	5.51	33.55	97	Good	Deferrable Priority
SW07293	N College AVE	7.2	135	965	Boulevard Walk	Concrete	27.13	Curb	4.97	7.15	35.57	97	Good	Deferrable Priority
SW09227	N College AVE	5.2	8	41	Boulevard Walk	Concrete	1.46	Curb	5.39	5.22	28.13	100	Good	No Priority
SW09861	N Crescent RD	10.1	250	2,520	Boulevard Walk	Asphalt	62.55	Curb	4.00	10.07	40.29	91	Good	Deferrable Priority
SW09860	N Crescent RD	9.4	106	992	Boulevard Walk	Asphalt	26.42	Curb	4.00	9.39	37.55	93	Good	Deferrable Priority
SW09801	N Crescent RD	11.2	196	2,197	Boulevard Walk	Asphalt	48.92	Curb	4.00	11.23	44.91	94	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09862	N Crescent RD	12.3	187	2,300	Boulevard Walk	Asphalt	46.82	No Curb	4.00	12.28	49.13	94	Good	Deferrable Priority
SW09754	N Crescent RD	10.5	168	1,768	Boulevard Walk	Asphalt	41.92	Partial Curb	4.00	10.55	42.19	96	Good	Deferrable Priority
SW09863	N Crescent RD	9.3	404	3,746	Boulevard Walk	Asphalt	100.96	Curb	4.00	9.28	37.11	98	Good	Deferrable Priority
SW08071	N Diamond ST	4.7	92	433	Mono Curb And Walk	Concrete	16.49	Curb	5.56	4.73	26.26	51	Marginal	Low Priority
SW08070	N Diamond ST	3.2	92	296	Mono Curb And Walk	Concrete	15.44	Curb	5.94	3.23	19.18	65	Marginal	Low Priority
SW08676	N Dunn ST	3.9	400	1,575	Mono Curb And Walk	Concrete	42.46	Curb	9.41	3.94	37.10	37	Poor	Immediate Priority
SW07171	N Dunn ST	4.9	143	699	Boulevard Walk	Concrete	28.57	Curb	5.00	4.89	24.46	48	Poor	Immediate Priority
SW07149	N Dunn ST	4.2	123	519	Boulevard Walk	Concrete	25.69	Curb	4.81	4.20	20.20	52	Marginal	Low Priority
SW07180	N Dunn ST	4.6	161	744	Boulevard Walk	Concrete	40.44	No Curb	3.98	4.63	18.40	64	Marginal	Low Priority
SW07511	N Dunn ST	3.1	126	394	Mono Curb And Walk	Concrete	22.97	Curb	5.50	3.12	17.17	53	Marginal	Low Priority
SW08687	N Dunn ST	9.6	137	1,314	Boulevard Walk	Concrete	15.75	Curb	8.68	9.61	83.41	75	Marginal	Low Priority
SW07498	N Dunn ST	5.1	147	741	Boulevard Walk	Concrete	29.71	Curb	4.93	5.05	24.93	70	Marginal	Low Priority
SW07486	N Dunn ST	5.9	108	643	Mono Curb And Walk	Concrete	20.96	Curb	5.17	5.93	30.69	63	Marginal	Low Priority
SW08663	N Dunn ST	5.6	78	438	Mono Curb And Walk	Concrete	14.00	Curb	5.58	5.61	31.28	64	Marginal	Low Priority
SW07487	N Dunn ST	3.8	183	695	Mono Curb And Walk	Concrete	62.35	Curb	2.94	3.79	11.15	78	Fair	Low Priority
SW07507	N Dunn ST	4.7	58	277	Boulevard Walk	Concrete	9.60	Curb	6.08	4.74	28.82	66	Marginal	Low Priority
SW07510	N Dunn ST	3.5	51	180	Boulevard Walk	Concrete	10.35	Curb	4.93	3.53	17.40	45	Poor	Low Priority
SW07483	N Dunn ST	5.1	101	514	Boulevard Walk	Concrete	20.37	Curb	4.95	5.09	25.23	79	Fair	Low Priority
SW09510	N Dunn ST	9.7	401	3,897	Boulevard Walk	Concrete	55.05	Curb	7.28	9.73	70.80	70	Marginal	Low Priority
SW07361	N Dunn ST	4.9	139	684	Boulevard Walk	Concrete	27.87	Curb	5.00	4.91	24.55	75	Fair	Low Priority
SW00453	N Dunn ST	5.6	137	775	Mono Curb And Walk	Concrete	30.25	Curb	4.54	5.64	25.62	62	Marginal	Low Priority
SW00711	N Dunn ST	5.0	130	648	Mono Curb And Walk	Pavers / Brick	32.40	Curb	4.00	5.00	19.99	65	Marginal	Low Priority
SW08668	N Dunn ST	6.2	105	651	Mono Curb And Walk	Concrete	15.18	Curb	6.94	6.17	42.85	70	Marginal	Low Priority
SW08633	N Dunn ST	11.3	18	204	Boulevard Walk	Concrete	2.73	No Curb	6.60	11.29	74.47	84	Fair	Deferrable Priority
SW07567	N Dunn ST	6.0	33	197	Boulevard Walk	Concrete	6.25	Curb	5.29	5.96	31.49	85	Fair	Deferrable Priority
SW00456	N Dunn ST	5.2	158	820	Mono Curb And Walk	Concrete	37.05	Curb	4.26	5.19	22.12	80	Fair	Low Priority
SW08666	N Dunn ST	4.2	190	805	Mono Curb And Walk	Concrete	20.18	Curb	9.43	4.23	39.87	71	Marginal	Very Low Priority
SW07528	N Dunn ST	6.1	228	1,384	Mono Curb And Walk	Concrete	30.56	Curb	7.48	6.06	45.31	76	Fair	Low Priority
SW08627	N Dunn ST	7.4	131	962	Mono Curb And Walk	Concrete	16.25	Curb	8.05	7.36	59.20	66	Marginal	Very Low Priority
SW08669	N Dunn ST	6.3	276	1,747	Mono Curb And Walk	Concrete	40.81	Curb	6.77	6.32	42.81	74	Marginal	Very Low Priority
SW07398	N Dunn ST	4.8	129	611	Boulevard Walk	Concrete	27.00	Curb	4.76	4.75	22.62	67	Marginal	Low Priority
SW09951	N Dunn ST	7.5	244	1,838	Boulevard Walk	Concrete	25.79	Curb	9.46	7.54	71.27	76	Fair	Very Low Priority
SW07450	N Dunn ST	10.0	240	2,399	Boulevard Walk	Concrete	23.45	Curb	10.24	9.99	102.30	90	Fair	Deferrable Priority
SW07172	N Dunn ST	4.8	140	676	Boulevard Walk	Concrete	30.11	Curb	4.66	4.81	22.45	83	Fair	Low Priority
SW07409	N Dunn ST	5.8	163	945	Mono Curb And Walk	Concrete	35.49	Curb	4.60	5.79	26.63	84	Fair	Low Priority
SW07629	N Dunn ST	5.0	141	701	Boulevard Walk	Concrete	26.25	Curb	5.39	4.96	26.69	70	Marginal	Low Priority
SW07531	N Dunn ST	5.8	43	250	Boulevard Walk	Concrete	6.46	Curb	6.73	5.76	38.74	91	Good	Deferrable Priority
SW07573	N Dunn ST	4.9	133	647	Boulevard Walk	Concrete	27.94	Curb	4.77	4.85	23.16	91	Good	Deferrable Priority
SW07151	N Dunn ST	4.9	143	696	Boulevard Walk	Concrete	28.90	Curb	4.95	4.87	24.10	91	Good	Deferrable Priority
SW08667	N Dunn ST	5.2	323	1,665	Mono Curb And Walk	Concrete	50.88	Curb	6.35	5.15	32.72	69	Marginal	Low Priority
SW07509	N Dunn ST	5.0	161	803	Boulevard Walk	Concrete	28.65	Curb	5.63	4.98	28.04	92	Good	Deferrable Priority
SW00598	N Dunn ST	5.0	165	823	Mono Curb And Walk	Concrete	33.93	Curb	4.88	4.97	24.25	92	Good	Deferrable Priority
SW00594	N Dunn ST	5.5	150	831	Mono Curb And Walk	Concrete	33.77	Curb	4.45	5.53	24.62	92	Good	Deferrable Priority
SW07407	N Dunn ST	5.1	251	1,287	Boulevard Walk	Concrete	50.68	Curb	4.95	5.13	25.40	92	Good	Deferrable Priority
SW00455	N Dunn ST	4.2	151	632	Mono Curb And Walk	Pavers / Brick	37.74	Curb	4.00	4.19	16.76	92	Good	Deferrable Priority
SW07404	N Dunn ST	6.9	405	2,793	Mono Curb And Walk	Concrete	75.32	Curb	5.38	6.89	37.09	80	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00602	N Dunn ST	6.3	151	942	Mono Curb And Walk	Concrete	26.69	Curb	5.65	6.25	35.30	93	Good	Deferrable Priority
SW00710	N Dunn ST	4.3	148	632	Mono Curb And Walk	Pavers / Brick	36.91	Curb	4.00	4.28	17.11	93	Good	Very Low Priority
SW08661	N Dunn ST	5.9	129	764	Mono Curb And Walk	Concrete	18.42	Curb	6.99	5.93	41.49	77	Fair	Very Low Priority
SW00600	N Dunn ST	7.3	157	1,153	Mono Curb And Walk	Concrete	33.42	Curb	4.71	7.33	34.48	69	Marginal	Very Low Priority
SW00442	N Dunn ST	4.2	145	611	Mono Curb And Walk	Pavers / Brick	36.27	Curb	4.00	4.21	16.84	94	Good	Deferrable Priority
SW07152	N Dunn ST	5.6	144	803	Boulevard Walk	Concrete	24.78	Curb	5.81	5.58	32.41	95	Good	Deferrable Priority
SW00448	N Dunn ST	4.5	151	674	Mono Curb And Walk	Pavers / Brick	37.72	Curb	4.00	4.47	17.88	95	Good	Deferrable Priority
SW07393	N Dunn ST	4.3	148	640	Boulevard Walk	Concrete	28.59	Curb	5.16	4.34	22.38	95	Good	Deferrable Priority
SW00464	N Dunn ST	7.0	151	1,061	Boulevard Walk	Concrete	30.35	Curb	4.98	7.02	34.96	96	Good	Deferrable Priority
SW07496	N Dunn ST	4.7	41	195	Boulevard Walk	Concrete	6.78	Curb	6.08	4.74	28.82	100	Good	No Priority
SW07497	N Dunn ST	4.5	65	294	Mono Curb And Walk	Concrete	13.22	Curb	4.93	4.51	22.22	100	Good	No Priority
SW07628	N Dunn ST	6.6	131	869	Mono Curb And Walk	Concrete	24.55	Curb	5.34	6.63	35.41	100	Good	No Priority
SW08707	N Dunn ST	5.9	19	114	Mono Curb And Walk	Concrete	3.44	Curb	5.64	5.90	33.27	100	Good	No Priority
SW09077	N Dyer DR	4.8	176	848	Mono Curb And Walk	Concrete	32.17	Curb	5.46	4.83	26.36	68	Marginal	Low Priority
SW09090	N Dyer DR	5.1	168	852	Mono Curb And Walk	Concrete	33.06	Curb	5.08	5.07	25.77	79	Fair	Low Priority
SW00116	N Eagleson AVE	7.0	43	297	Mono Curb And Walk	Concrete	6.46	Curb	6.59	6.99	46.04	57	Marginal	Low Priority
SW01209	N Eagleson AVE	4.8	289	1,380	Mono Curb And Walk	Concrete	63.25	Curb	4.56	4.78	21.82	76	Fair	Low Priority
SW01210	N Eagleson AVE	5.7	484	2,735	Mono Curb And Walk	Concrete	102.44	Curb	4.72	5.65	26.70	69	Marginal	Low Priority
SW00089	N Eagleson AVE	4.9	196	957	Mono Curb And Walk	Concrete	36.08	Curb	5.44	4.88	26.52	82	Fair	Low Priority
SW01207	N Eagleson AVE	5.3	115	611	Mono Curb And Walk	Concrete	24.34	Curb	4.72	5.32	25.09	53	Marginal	Low Priority
SW00088	N Eagleson AVE	4.3	662	2,840	Mono Curb And Walk	Concrete	118.02	Curb	5.61	4.29	24.07	84	Fair	Low Priority
SW00092	N Eagleson AVE	4.9	184	901	Mono Curb And Walk	Concrete	39.56	Curb	4.65	4.90	22.77	74	Marginal	Low Priority
SW01206	N Eagleson AVE	4.9	147	728	Mono Curb And Walk	Concrete	33.48	Curb	4.40	4.95	21.74	64	Marginal	Low Priority
SW01236	N Eagleson AVE	6.3	328	2,063	Mono Curb And Walk	Concrete	66.99	Curb	4.89	6.30	30.79	86	Fair	Low Priority
SW00104	N Eagleson AVE	10.1	19	193	Mono Curb And Walk	Concrete	3.69	Curb	5.17	10.12	52.30	86	Fair	Deferrable Priority
SW00090	N Eagleson AVE	4.7	207	979	Mono Curb And Walk	Concrete	39.90	Curb	5.19	4.73	24.53	77	Fair	Very Low Priority
SW01232	N Eagleson AVE	8.9	74	653	Mono Curb And Walk	Concrete	12.97	Curb	5.69	8.86	50.35	87	Fair	Deferrable Priority
SW00118	N Eagleson AVE	5.3	62	330	Mono Curb And Walk	Concrete	9.03	Curb	6.85	5.34	36.56	88	Fair	Deferrable Priority
SW00091	N Eagleson AVE	4.9	159	784	Mono Curb And Walk	Concrete	32.45	Curb	4.91	4.92	24.15	72	Marginal	Very Low Priority
SW00117	N Eagleson AVE	7.8	221	1,726	Boulevard Walk	Concrete	29.16	Curb	7.58	7.81	59.19	92	Good	Deferrable Priority
SW00114	N Eagleson AVE	5.9	232	1,366	Boulevard Walk	Concrete	38.49	Curb	6.02	5.89	35.48	93	Good	Deferrable Priority
SW01208	N Eagleson AVE	4.1	189	784	Mono Curb And Walk	Concrete	42.50	Curb	4.45	4.15	18.45	94	Good	Deferrable Priority
SW00115	N Eagleson AVE	6.3	178	1,114	Mono Curb And Walk	Concrete	27.25	Curb	6.53	6.26	40.87	94	Good	Deferrable Priority
SW00119	N Eagleson AVE	8.5	157	1,331	Boulevard Walk	Concrete	19.85	Curb	7.92	8.47	67.08	95	Good	Deferrable Priority
SW00103	N Eagleson AVE	4.6	418	1,920	Mono Curb And Walk	Concrete	66.45	Curb	6.29	4.60	28.90	93	Good	Low Priority
SW00143	N Eagleson AVE	10.1	8	83	Mono Curb And Walk	Concrete	1.59	Curb	5.17	10.12	52.30	100	Good	No Priority
SW08257	N Elm ST	4.2	137	578	Boulevard Walk	Concrete	24.22	Curb	5.64	4.23	23.88	57	Marginal	Immediate Priority
SW08258	N Elm ST	4.5	125	563	Boulevard Walk	Concrete	23.49	Curb	5.31	4.51	23.96	77	Fair	Low Priority
SW07963	N Elm ST	5.9	37	219	Boulevard Walk	Concrete	6.55	Curb	5.66	5.90	33.39	85	Fair	Deferrable Priority
SW07944	N Elm ST	4.8	307	1,465	Mono Curb And Walk	Concrete	54.11	Curb	5.68	4.77	27.08	87	Fair	Deferrable Priority
SW07964	N Elm ST	6.5	111	717	Boulevard Walk	Concrete	19.43	Curb	5.71	6.46	36.91	88	Fair	Deferrable Priority
SW08290	N Fairview ST	5.1	263	1,333	Mono Curb And Walk	Concrete	55.21	Curb	4.76	5.08	24.15	17	Very Poor	Low Priority
SW08298	N Fairview ST	4.2	139	588	Mono Curb And Walk	Concrete	20.39	Curb	6.82	4.23	28.84	27	Very Poor	Low Priority
SW08287	N Fairview ST	4.4	419	1,839	Mono Curb And Walk	Concrete	80.89	Curb	5.19	4.38	22.74	33	Poor	Low Priority
SW07946	N Fairview ST	3.9	292	1,146	Mono Curb And Walk	Concrete	50.84	Curb	5.74	3.93	22.54	49	Poor	Low Priority
SW08284	N Fairview ST	5.4	292	1,571	Mono Curb And Walk	Concrete	52.05	Curb	5.62	5.37	30.18	69	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08240	N Fairview ST	4.8	70	338	Mono Curb And Walk	Concrete	15.51	Curb	4.52	4.82	21.80	66	Marginal	Low Priority
SW08231	N Fairview ST	4.7	51	239	Boulevard Walk	Concrete	11.16	No Curb	4.60	4.66	21.42	76	Fair	Low Priority
SW08301	N Fairview ST	4.4	283	1,233	Mono Curb And Walk	Concrete	55.10	Curb	5.14	4.36	22.38	76	Fair	Low Priority
SW08286	N Fairview ST	5.4	289	1,568	Mono Curb And Walk	Concrete	60.34	Curb	4.80	5.42	25.98	75	Marginal	Low Priority
SW08253	N Fairview ST	3.6	48	174	Mono Curb And Walk	Concrete	17.53	Curb	2.76	3.59	9.92	53	Marginal	Low Priority
SW08239	N Fairview ST	4.4	84	369	Boulevard Walk	Concrete	17.64	Curb	4.79	4.37	20.93	74	Marginal	Low Priority
SW07945	N Fairview ST	4.2	293	1,235	Mono Curb And Walk	Concrete	73.64	Curb	3.97	4.22	16.76	71	Marginal	Low Priority
SW08296	N Fairview ST	4.0	280	1,132	Mono Curb And Walk	Concrete	61.27	Curb	4.57	4.05	18.47	77	Fair	Low Priority
SW10794	N Fairview ST	3.8	127	486	Mono Curb And Walk	Concrete	25.60	Curb	4.98	3.82	18.98	73	Marginal	Very Low Priority
SW08252	N Fairview ST	3.7	133	494	Mono Curb And Walk	Concrete	42.02	Curb	3.16	3.72	11.75	73	Marginal	Very Low Priority
SW07839	N Fee LN	5.9	171	1,001	Mono Curb And Walk	Concrete	31.52	Curb	5.41	5.87	31.76	73	Marginal	Low Priority
SW07112	N Fee LN	5.8	369	2,123	Mono Curb And Walk	Concrete	72.64	Curb	5.08	5.75	29.22	71	Marginal	Low Priority
SW07110	N Fee LN	6.1	256	1,566	Mono Curb And Walk	Concrete	36.71	Curb	6.97	6.12	42.66	81	Fair	Low Priority
SW07840	N Fee LN	5.4	206	1,109	Mono Curb And Walk	Concrete	34.35	Curb	6.00	5.39	32.30	83	Fair	Low Priority
SW07844	N Fee LN	5.6	192	1,082	Mono Curb And Walk	Concrete	43.63	Curb	4.40	5.63	24.79	70	Marginal	Low Priority
SW07016	N Fee LN	6.0	24	143	Mono Curb And Walk	Concrete	6.28	Curb	3.83	5.96	22.85	85	Fair	Deferrable Priority
SW07019	N Fee LN	5.8	361	2,097	Mono Curb And Walk	Concrete	63.11	Curb	5.72	5.81	33.22	73	Marginal	Low Priority
SW07113	N Fee LN	5.7	348	1,973	Mono Curb And Walk	Concrete	63.21	Curb	5.51	5.67	31.21	74	Marginal	Immediate Priority
SW07114	N Fee LN	5.8	88	510	Mono Curb And Walk	Concrete	18.89	Curb	4.67	5.78	27.01	70	Marginal	Very Low Priority
SW07024	N Fee LN	5.7	72	407	Mono Curb And Walk	Concrete	15.82	Curb	4.52	5.68	25.71	89	Fair	Deferrable Priority
SW07021	N Fee LN	5.5	401	2,200	Mono Curb And Walk	Concrete	77.78	Curb	5.16	5.48	28.28	82	Fair	Low Priority
SW07693	N Fee LN	7.4	801	5,963	Mono Curb And Walk	Concrete	103.66	Curb	7.72	7.45	57.53	84	Fair	Very Low Priority
SW07838	N Fee LN	6.4	92	586	Mono Curb And Walk	Concrete	17.10	Curb	5.39	6.35	34.25	92	Good	Deferrable Priority
SW07701	N Fee LN	6.2	196	1,220	Boulevard Walk	Concrete	33.77	Curb	5.80	6.23	36.12	77	Fair	Low Priority
SW07841	N Fee LN	6.1	455	2,758	Mono Curb And Walk	Concrete	95.67	Curb	4.75	6.07	28.83	80	Fair	Very Low Priority
SW07837	N Fee LN	7.2	345	2,484	Mono Curb And Walk	Concrete	59.67	Curb	5.79	7.19	41.62	68	Marginal	Low Priority
SW07730	N Fee LN	6.7	81	540	Mono Curb And Walk	Concrete	12.22	Curb	6.64	6.66	44.21	67	Marginal	Very Low Priority
SW07111	N Fee LN	11.1	571	6,329	Mono Curb And Walk	Concrete	89.53	Curb	6.38	11.08	70.69	91	Good	Very Low Priority
SW07842	N Fee LN	9.6	103	990	Mono Curb And Walk	Concrete	18.48	Curb	5.59	9.58	53.58	100	Good	No Priority
SW08958	N Feerwood CT	4.0	135	542	Boulevard Walk	Concrete	21.36	Curb	6.34	4.00	25.37	66	Marginal	Low Priority
SW08957	N Feerwood CT	3.9	132	515	Boulevard Walk	Concrete	28.51	Curb	4.62	3.91	18.06	79	Fair	Very Low Priority
SW07381	N Fess AVE	5.3	404	2,129	Boulevard Walk	Concrete	95.92	Partial Curb	4.22	5.26	22.19	35	Poor	Immediate Priority
SW07213	N Fess AVE	3.8	135	515	Boulevard Walk	Concrete	29.40	Curb	4.59	3.82	17.53	25	Very Poor	Low Priority
SW00424	N Fess AVE	6.0	156	927	Boulevard Walk	Concrete	26.89	Curb	5.79	5.95	34.46	37	Poor	Low Priority
SW00431	N Fess AVE	6.2	154	949	Boulevard Walk	Concrete	29.54	Curb	5.20	6.18	32.14	49	Poor	Immediate Priority
SW07388	N Fess AVE	6.0	148	893	Boulevard Walk	Concrete	23.95	Partial Curb	6.19	6.02	37.28	74	Marginal	Low Priority
SW07474	N Fess AVE	5.4	142	768	Boulevard Walk	Concrete	29.24	No Curb	4.84	5.43	26.27	85	Fair	Low Priority
SW00433	N Fess AVE	6.0	155	927	Boulevard Walk	Concrete	30.63	Curb	5.07	5.98	30.27	70	Marginal	Low Priority
SW07382	N Fess AVE	5.7	314	1,785	Boulevard Walk	Concrete	55.88	Curb	5.63	5.68	31.95	89	Fair	Low Priority
SW00434	N Fess AVE	6.1	152	929	Boulevard Walk	Concrete	26.26	Curb	5.77	6.13	35.40	78	Fair	Low Priority
SW07234	N Fess AVE	5.1	290	1,488	Boulevard Walk	Concrete	53.04	Curb	5.47	5.13	28.06	90	Good	Deferrable Priority
SW07380	N Fess AVE	5.1	404	2,074	Boulevard Walk	Concrete	84.16	Partial Curb	4.80	5.14	24.64	86	Fair	Low Priority
SW07377	N Fess AVE	5.5	150	816	Boulevard Walk	Concrete	35.15	Partial Curb	4.26	5.46	23.22	86	Fair	Very Low Priority
SW07210	N Forrest AVE	7.7	267	2,063	Mono Curb And Walk	Concrete	38.05	Curb	7.01	7.73	54.23	20	Very Poor	Low Priority
SW07255	N Forrest AVE	5.6	276	1,546	Boulevard Walk	Concrete	36.20	Curb	7.63	5.60	42.71	82	Fair	Low Priority
SW07013	N Forrest AVE	5.9	102	597	Mono Curb And Walk	Concrete	20.84	Curb	4.88	5.87	28.65	73	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07254	N Forrest AVE	4.6	142	657	Mono Curb And Walk	Concrete	30.44	Curb	4.67	4.62	21.57	84	Fair	Low Priority
SW07224	N Forrest AVE	4.9	282	1,379	Boulevard Walk	Concrete	71.35	Curb	3.95	4.90	19.32	88	Fair	Low Priority
SW10710	N Gates DR	4.5	121	549	Boulevard Walk	Concrete	24.44	Curb	4.97	4.52	22.45	63	Marginal	Low Priority
SW10724	N Gates DR	4.7	375	1,750	Boulevard Walk	Concrete	73.68	Curb	5.08	4.67	23.75	64	Marginal	Low Priority
SW10713	N Gates DR	4.6	104	480	Boulevard Walk	Concrete	22.14	Curb	4.69	4.62	21.66	86	Fair	Deferrable Priority
SW10698	N Gates DR	4.2	404	1,702	Boulevard Walk	Concrete	81.21	Curb	4.97	4.22	20.96	82	Fair	Low Priority
SW10699	N Gates DR	5.0	107	538	Boulevard Walk	Concrete	21.29	Curb	5.05	5.01	25.28	89	Fair	Deferrable Priority
SW10721	N Gates DR	3.6	234	842	Boulevard Walk	Concrete	64.37	Curb	3.64	3.60	13.08	85	Fair	Low Priority
SW10722	N Gates DR	5.0	182	906	Boulevard Walk	Concrete	35.31	Curb	5.15	4.98	25.66	90	Fair	Deferrable Priority
SW10702	N Gates DR	4.6	431	1,985	Boulevard Walk	Concrete	86.82	Curb	4.96	4.61	22.86	87	Fair	Low Priority
SW10701	N Gates DR	4.7	388	1,814	Boulevard Walk	Concrete	76.66	Curb	5.06	4.68	23.66	95	Good	Deferrable Priority
SW10703	N Gates DR	4.6	71	327	Boulevard Walk	Concrete	15.11	Curb	4.69	4.62	21.66	95	Good	Deferrable Priority
SW10711	N Gates DR	4.8	367	1,752	Boulevard Walk	Concrete	70.65	Curb	5.19	4.78	24.80	96	Good	Deferrable Priority
SW09804	N Glandore DR	5.4	188	1,010	Mono Curb And Walk	Concrete	35.00	Curb	5.36	5.38	28.85	87	Fair	Low Priority
SW09864	N Glandore DR	4.9	252	1,226	Boulevard Walk	Concrete	46.02	Curb	5.47	4.87	26.64	87	Fair	Low Priority
SW09803	N Glandore DR	5.0	120	602	Boulevard Walk	Concrete	23.28	Curb	5.16	5.01	25.85	92	Good	Deferrable Priority
SW00708	N Grant ST	5.5	46	249	Mono Curb And Walk	Concrete	6.83	Curb	6.67	5.48	36.54	8	Very Poor	Immediate Priority
SW00201	N Grant ST	4.7	155	723	Mono Curb And Walk	Concrete	30.98	Partial Curb	5.02	4.65	23.33	5	Very Poor	Immediate Priority
SW07363	N Grant ST	4.5	74	334	Mono Curb And Walk	Concrete	14.36	No Curb	5.14	4.53	23.28	31	Poor	Immediate Priority
SW07036	N Grant ST	5.2	78	406	Mono Curb And Walk	Concrete	13.34	Curb	5.85	5.21	30.47	29	Very Poor	Immediate Priority
SW00242	N Grant ST	6.2	94	587	Mono Curb And Walk	Concrete	12.78	Partial Curb	7.38	6.23	45.96	17	Very Poor	Low Priority
SW07589	N Grant ST	4.9	126	622	Mono Curb And Walk	Concrete	24.95	Curb	5.06	4.92	24.92	31	Poor	Low Priority
SW07107	N Grant ST	4.8	17	81	Mono Curb And Walk	Pavers / Brick	4.23	Curb	4.00	4.79	19.16	67	Marginal	Low Priority
SW00296	N Grant ST	5.7	152	865	Mono Curb And Walk	Concrete	27.74	Curb	5.48	5.69	31.18	30	Poor	Low Priority
SW07082	N Grant ST	4.8	144	697	Mono Curb And Walk	Concrete	31.33	Curb	4.60	4.84	22.26	56	Marginal	Low Priority
SW07035	N Grant ST	5.3	193	1,022	Mono Curb And Walk	Concrete	33.58	Curb	5.74	5.31	30.43	40	Poor	Low Priority
SW07071	N Grant ST	4.0	61	244	Mono Curb And Walk	Pavers / Brick	15.22	Curb	4.00	4.00	16.01	78	Fair	Low Priority
SW00078	N Grant ST	5.0	161	809	Mono Curb And Walk	Concrete	32.54	Curb	4.95	5.02	24.86	45	Poor	Low Priority
SW07588	N Grant ST	3.8	142	544	Mono Curb And Walk	Concrete	37.86	Curb	3.74	3.84	14.36	81	Fair	Low Priority
SW07076	N Grant ST	5.1	267	1,368	Mono Curb And Walk	Concrete	52.25	Curb	5.11	5.12	26.18	64	Marginal	Low Priority
SW07064	N Grant ST	4.7	132	622	Mono Curb And Walk	Concrete	21.95	Curb	6.03	4.70	28.33	53	Marginal	Low Priority
SW08631	N Grant ST	6.1	77	468	Boulevard Walk	Concrete	14.06	Curb	5.45	6.11	33.32	83	Fair	Low Priority
SW07037	N Grant ST	5.0	109	542	Mono Curb And Walk	Concrete	22.07	Curb	4.95	4.97	24.57	61	Marginal	Low Priority
SW07105	N Grant ST	4.0	139	555	Mono Curb And Walk	Pavers / Brick	34.66	Curb	4.00	4.00	16.01	83	Fair	Low Priority
SW00312	N Grant ST	6.0	152	913	Mono Curb And Walk	Concrete	24.99	Curb	6.06	6.03	36.54	72	Marginal	Low Priority
SW00709	N Grant ST	5.2	153	800	Mono Curb And Walk	Concrete	36.81	Curb	4.15	5.23	21.72	79	Fair	Low Priority
SW07060	N Grant ST	3.7	142	522	Mono Curb And Walk	Concrete	42.53	Curb	3.35	3.67	12.28	85	Fair	Low Priority
SW00082	N Grant ST	5.4	132	709	Mono Curb And Walk	Concrete	22.44	Curb	5.86	5.39	31.60	60	Marginal	Very Low Priority
SW00295	N Grant ST	9.0	319	2,878	Mono Curb And Walk	Concrete	34.75	Curb	9.17	9.04	82.84	71	Marginal	Low Priority
SW07108	N Grant ST	4.9	65	317	Mono Curb And Walk	Concrete	12.91	Curb	5.01	4.90	24.52	86	Fair	Deferrable Priority
SW07072	N Grant ST	4.3	61	263	Mono Curb And Walk	Pavers / Brick	15.22	Curb	4.00	4.31	17.25	86	Fair	Deferrable Priority
SW07063	N Grant ST	4.5	146	657	Mono Curb And Walk	Concrete	26.82	Curb	5.45	4.49	24.48	50	Poor	Low Priority
SW07074	N Grant ST	4.5	69	313	Mono Curb And Walk	Pavers / Brick	17.35	Curb	4.00	4.51	18.04	87	Fair	Deferrable Priority
SW07075	N Grant ST	5.0	139	697	Mono Curb And Walk	Concrete	27.80	Curb	5.00	5.02	25.07	64	Marginal	Very Low Priority
SW00247	N Grant ST	5.5	140	768	Mono Curb And Walk	Concrete	25.18	Curb	5.56	5.49	30.52	63	Marginal	Very Low Priority
SW00081	N Grant ST	5.1	128	646	Mono Curb And Walk	Concrete	26.94	Curb	4.74	5.06	23.97	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07103	N Grant ST	5.0	131	653	Mono Curb And Walk	Concrete	29.08	Curb	4.49	4.99	22.44	76	Fair	Very Low Priority
SW00253	N Grant ST	5.0	149	738	Mono Curb And Walk	Concrete	35.35	Curb	4.22	4.95	20.87	91	Good	Deferrable Priority
SW07101	N Grant ST	5.4	87	468	Mono Curb And Walk	Pavers / Brick	21.75	Curb	4.00	5.37	21.50	91	Good	Deferrable Priority
SW00202	N Grant ST	5.5	137	751	Mono Curb And Walk	Concrete	27.30	Curb	5.01	5.50	27.52	91	Good	Deferrable Priority
SW07603	N Grant ST	4.7	141	662	Mono Curb And Walk	Concrete	23.30	Curb	6.07	4.68	28.43	75	Fair	Very Low Priority
SW08665	N Grant ST	4.7	245	1,158	Boulevard Walk	Concrete	57.00	Curb	4.30	4.73	20.31	95	Good	Deferrable Priority
SW00083	N Grant ST	4.8	173	838	Mono Curb And Walk	Concrete	37.85	Curb	4.57	4.84	22.15	96	Good	Deferrable Priority
SW00198	N Grant ST	5.4	134	731	Mono Curb And Walk	Concrete	22.45	Curb	5.98	5.44	32.54	100	Good	No Priority
SW07351	N Grant ST	4.8	10	48	Boulevard Walk	Concrete	2.11	Curb	4.74	4.79	22.72	100	Good	No Priority
SW09810	N Hay ST	4.8	87	419	Boulevard Walk	Concrete	16.59	Curb	5.26	4.80	25.25	71	Marginal	Low Priority
SW09816	N Hay ST	3.8	337	1,290	Mono Curb And Walk	Concrete	88.91	Curb	3.79	3.82	14.51	66	Marginal	Low Priority
SW01262	N Hillsdale DR	5.0	146	730	Boulevard Walk	Concrete	28.59	No Curb	5.12	4.98	25.53	79	Fair	Low Priority
SW01605	N Hillsdale DR	4.9	382	1,872	Boulevard Walk	Concrete	84.89	Partial Curb	4.50	4.90	22.05	77	Fair	Low Priority
SW01619	N Hillsdale DR	4.4	153	671	Boulevard Walk	Concrete	34.61	No Curb	4.42	4.39	19.40	86	Fair	Deferrable Priority
SW01615	N Hillsdale DR	4.6	449	2,055	Boulevard Walk	Concrete	98.10	No Curb	4.57	4.58	20.95	83	Fair	Low Priority
SW01255	N Hillsdale DR	5.1	66	333	Boulevard Walk	Concrete	12.58	No Curb	5.23	5.06	26.46	90	Good	Deferrable Priority
SW07984	N Hopewell ST	5.9	137	806	Boulevard Walk	Concrete	23.47	Curb	5.86	5.87	34.37	92	Good	Deferrable Priority
SW09129	N Illinois ST	6.1	21	132	Boulevard Walk	Concrete	3.16	Curb	6.80	6.13	41.69	50	Poor	Very Low Priority
SW09111	N Illinois ST	4.8	235	1,126	Boulevard Walk	Concrete	48.79	Curb	4.81	4.80	23.08	81	Fair	Low Priority
SW09113	N Illinois ST	4.7	225	1,046	Boulevard Walk	Concrete	46.16	Curb	4.86	4.66	22.66	82	Fair	Low Priority
SW09066	N Illinois ST	4.6	298	1,384	Boulevard Walk	Concrete	47.48	Curb	6.28	4.64	29.15	71	Marginal	Low Priority
SW09103	N Illinois ST	4.4	229	1,011	Boulevard Walk	Concrete	50.62	Curb	4.52	4.42	19.97	88	Fair	Deferrable Priority
SW09116	N Illinois ST	5.2	40	206	Boulevard Walk	Concrete	7.87	Partial Curb	5.02	5.22	26.19	92	Good	Deferrable Priority
SW09114	N Illinois ST	4.5	300	1,356	Boulevard Walk	Concrete	62.91	Curb	4.77	4.52	21.55	94	Good	Deferrable Priority
SW09056	N Illinois ST	4.7	332	1,556	Boulevard Walk	Concrete	69.21	Curb	4.80	4.68	22.48	95	Good	Deferrable Priority
SW09073	N Illinois ST	5.1	197	997	Boulevard Walk	Concrete	28.37	Partial Curb	6.94	5.07	35.14	100	Good	No Priority
SW09120	N Illinois ST	4.9	34	168	Boulevard Walk	Concrete	4.75	Curb	7.25	4.88	35.39	100	Good	No Priority
SW00458	N Indiana AVE	6.0	143	854	Boulevard Walk	Concrete	32.17	Curb	4.43	5.99	26.54	42	Poor	Immediate Priority
SW07518	N Indiana AVE	5.1	141	722	Boulevard Walk	Concrete	25.69	Curb	5.49	5.12	28.11	40	Poor	Low Priority
SW07519	N Indiana AVE	4.9	135	664	Boulevard Walk	Concrete	24.65	Curb	5.48	4.92	26.93	60	Marginal	Low Priority
SW07520	N Indiana AVE	4.3	140	604	Boulevard Walk	Concrete	33.05	Curb	4.23	4.32	18.28	72	Marginal	Low Priority
SW07513	N Indiana AVE	5.2	136	703	Boulevard Walk	Concrete	20.89	Curb	6.51	5.17	33.66	67	Marginal	Low Priority
SW07174	N Indiana AVE	5.0	226	1,137	Boulevard Walk	Concrete	36.43	Curb	6.21	5.03	31.21	53	Marginal	Immediate Priority
SW07502	N Indiana AVE	5.9	62	367	Boulevard Walk	Concrete	12.26	Curb	5.04	5.95	29.96	76	Fair	Low Priority
SW00444	N Indiana AVE	4.8	146	699	Boulevard Walk	Concrete	30.74	Curb	4.75	4.80	22.76	56	Marginal	Low Priority
SW00440	N Indiana AVE	4.4	143	625	Boulevard Walk	Concrete	32.10	Curb	4.44	4.38	19.46	69	Marginal	Low Priority
SW00439	N Indiana AVE	4.3	145	626	Boulevard Walk	Concrete	39.20	Curb	3.69	4.33	15.98	74	Marginal	Low Priority
SW07187	N Indiana AVE	4.7	148	696	Boulevard Walk	Concrete	18.08	Curb	8.20	4.69	38.49	59	Marginal	Low Priority
SW07515	N Indiana AVE	4.9	136	668	Boulevard Walk	Concrete	27.14	Curb	5.02	4.91	24.61	67	Marginal	Low Priority
SW00462	N Indiana AVE	6.0	149	895	Boulevard Walk	Concrete	22.93	Curb	6.49	6.01	39.03	57	Marginal	Low Priority
SW07514	N Indiana AVE	4.7	207	972	Boulevard Walk	Concrete	43.58	Curb	4.76	4.69	22.30	84	Fair	Low Priority
SW07181	N Indiana AVE	4.4	287	1,278	Boulevard Walk	Concrete	64.02	Curb	4.49	4.45	19.97	54	Marginal	Low Priority
SW07508	N Indiana AVE	5.1	58	297	Boulevard Walk	Concrete	8.81	Curb	6.57	5.14	33.77	87	Fair	Very Low Priority
SW00593	N Indiana AVE	6.0	137	827	Boulevard Walk	Concrete	22.71	Curb	6.02	6.05	36.41	81	Fair	Low Priority
SW07494	N Indiana AVE	4.6	75	341	Boulevard Walk	Concrete	16.92	Curb	4.41	4.57	20.12	71	Marginal	Very Low Priority
SW07490	N Indiana AVE	4.7	25	117	Boulevard Walk	Concrete	4.69	Curb	5.30	4.70	24.88	88	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07410	N Indiana AVE	5.1	144	739	Boulevard Walk	Concrete	33.24	Curb	4.32	5.14	22.23	89	Fair	Deferrable Priority
SW07522	N Indiana AVE	5.6	131	726	Mono Curb And Walk	Concrete	29.49	Curb	4.43	5.56	24.63	78	Fair	Very Low Priority
SW00445	N Indiana AVE	4.9	152	753	Boulevard Walk	Concrete	28.77	Curb	5.29	4.94	26.17	90	Fair	Low Priority
SW07169	N Indiana AVE	4.7	122	575	Boulevard Walk	Concrete	29.28	Curb	4.17	4.71	19.63	83	Fair	Low Priority
SW07481	N Indiana AVE	5.1	78	397	Boulevard Walk	Concrete	14.61	Curb	5.31	5.13	27.20	90	Good	Deferrable Priority
SW07503	N Indiana AVE	4.8	55	262	Boulevard Walk	Concrete	10.12	Curb	5.40	4.80	25.92	90	Good	Deferrable Priority
SW07530	N Indiana AVE	6.0	138	830	Mono Curb And Walk	Concrete	28.11	Curb	4.90	6.03	29.54	90	Good	Very Low Priority
SW07395	N Indiana AVE	4.7	155	726	Boulevard Walk	Concrete	38.63	Curb	4.02	4.68	18.81	91	Good	Deferrable Priority
SW07146	N Indiana AVE	4.8	96	463	Boulevard Walk	Concrete	17.74	Curb	5.42	4.82	26.13	74	Marginal	Very Low Priority
SW07165	N Indiana AVE	4.4	298	1,319	Boulevard Walk	Concrete	71.34	Curb	4.18	4.42	18.48	93	Good	Deferrable Priority
SW07145	N Indiana AVE	5.5	167	929	Boulevard Walk	Concrete	28.50	Curb	5.88	5.55	32.59	93	Good	Deferrable Priority
SW07500	N Indiana AVE	5.0	185	917	Boulevard Walk	Concrete	30.44	Curb	6.07	4.96	30.12	93	Good	Deferrable Priority
SW00463	N Indiana AVE	6.1	335	2,042	Boulevard Walk	Concrete	58.63	Curb	5.72	6.10	34.84	93	Good	Deferrable Priority
SW07595	N Indiana AVE	4.3	142	607	Boulevard Walk	Concrete	37.04	Curb	3.83	4.28	16.40	83	Fair	Low Priority
SW00599	N Indiana AVE	5.9	356	2,105	Boulevard Walk	Concrete	56.95	Curb	6.24	5.92	36.96	94	Good	Low Priority
SW07396	N Indiana AVE	5.3	121	636	Boulevard Walk	Concrete	22.17	Curb	5.44	5.28	28.71	94	Good	Deferrable Priority
SW00592	N Indiana AVE	6.0	145	863	Boulevard Walk	Concrete	24.83	Curb	5.83	5.96	34.78	95	Good	Deferrable Priority
SW07605	N Indiana AVE	4.7	142	665	Boulevard Walk	Concrete	30.70	Curb	4.62	4.69	21.66	95	Good	Deferrable Priority
SW07523	N Indiana AVE	4.7	140	662	Boulevard Walk	Concrete	31.04	Curb	4.52	4.72	21.33	95	Good	Deferrable Priority
SW07394	N Indiana AVE	4.8	156	746	Boulevard Walk	Concrete	31.09	Curb	5.03	4.78	24.01	95	Good	Deferrable Priority
SW07188	N Indiana AVE	4.8	403	1,922	Boulevard Walk	Concrete	85.38	Curb	4.72	4.77	22.51	95	Good	Very Low Priority
SW07168	N Indiana AVE	4.9	137	675	Boulevard Walk	Concrete	26.07	Curb	5.27	4.91	25.88	96	Good	Deferrable Priority
SW07142	N Indiana AVE	4.6	143	656	Boulevard Walk	Concrete	32.27	Curb	4.45	4.58	20.34	82	Fair	Very Low Priority
SW07177	N Indiana AVE	4.1	143	591	Boulevard Walk	Concrete	40.15	Curb	3.56	4.14	14.73	100	Good	No Priority
SW07491	N Indiana AVE	4.5	21	97	Boulevard Walk	Concrete	4.40	Curb	4.86	4.54	22.07	100	Good	No Priority
SW08971	N Ironwood CT	4.1	130	535	Boulevard Walk	Concrete	30.11	Curb	4.33	4.11	17.77	46	Poor	Immediate Priority
SW08953	N Ironwood CT	3.8	173	661	Boulevard Walk	Concrete	56.50	Curb	3.06	3.82	11.69	63	Marginal	Low Priority
SW08954	N Ironwood CT	3.9	143	557	Boulevard Walk	Concrete	31.75	Curb	4.50	3.90	17.55	71	Marginal	Low Priority
SW08443	N Jackson ST	4.3	77	328	Boulevard Walk	Concrete	16.67	No Curb	4.62	4.26	19.68	38	Poor	Immediate Priority
SW08326	N Jackson ST	4.6	119	545	Boulevard Walk	Concrete	25.27	Curb	4.73	4.56	21.55	56	Marginal	Immediate Priority
SW08445	N Jackson ST	3.8	29	110	Boulevard Walk	Concrete	5.76	No Curb	4.97	3.85	19.11	62	Marginal	Low Priority
SW08439	N Jackson ST	5.4	50	268	Mono Curb And Walk	Concrete	10.54	No Curb	4.75	5.35	25.41	65	Marginal	Low Priority
SW10789	N Jackson ST	3.9	116	451	Boulevard Walk	Concrete	26.76	Curb	4.33	3.89	16.85	36	Poor	Low Priority
SW10770	N Jackson ST	4.6	117	542	Boulevard Walk	Concrete	24.48	Curb	4.79	4.63	22.14	61	Marginal	Immediate Priority
SW10790	N Jackson ST	5.1	116	592	Boulevard Walk	Concrete	24.06	Curb	4.81	5.12	24.62	71	Marginal	Low Priority
SW08316	N Jackson ST	4.7	119	554	Boulevard Walk	Concrete	26.49	Curb	4.49	4.66	20.90	47	Poor	Low Priority
SW08444	N Jackson ST	3.8	60	227	Boulevard Walk	Concrete	11.13	No Curb	5.43	3.76	20.44	62	Marginal	Low Priority
SW08328	N Jackson ST	3.6	117	417	Boulevard Walk	Concrete	27.87	No Curb	4.19	3.57	14.96	67	Marginal	Low Priority
SW08340	N Jackson ST	4.9	147	723	Mono Curb And Walk	Concrete	27.78	Curb	5.30	4.92	26.04	73	Marginal	Low Priority
SW08344	N Jackson ST	4.2	318	1,331	Mono Curb And Walk	Concrete	89.39	Curb	3.56	4.19	14.89	78	Fair	Low Priority
SW07978	N Jackson ST	6.3	216	1,361	Mono Curb And Walk	Concrete	30.73	Curb	7.02	6.31	44.28	82	Fair	Low Priority
SW08317	N Jackson ST	4.0	145	581	Boulevard Walk	Concrete	31.45	Curb	4.61	4.01	18.46	58	Marginal	Low Priority
SW08339	N Jackson ST	4.6	132	601	Mono Curb And Walk	Concrete	25.09	Curb	5.26	4.56	23.97	84	Fair	Low Priority
SW07982	N Jackson ST	5.5	137	754	Boulevard Walk	Concrete	30.87	No Curb	4.45	5.49	24.44	86	Fair	Low Priority
SW08333	N Jackson ST	4.2	135	570	Boulevard Walk	Concrete	27.85	No Curb	4.84	4.23	20.47	88	Fair	Deferrable Priority
SW08323	N Jackson ST	4.2	145	609	Boulevard Walk	Concrete	29.99	Curb	4.82	4.21	20.32	75	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08325	N Jackson ST	4.9	139	681	Boulevard Walk	Concrete	26.05	No Curb	5.33	4.90	26.14	93	Good	Deferrable Priority
SW01613	N Jefferson ST	5.1	96	485	Boulevard Walk	Concrete	15.80	Curb	6.06	5.07	30.72	58	Marginal	Low Priority
SW01597	N Jefferson ST	4.9	432	2,104	Mono Curb And Walk	Concrete	93.47	Curb	4.62	4.88	22.51	80	Fair	Low Priority
SW08278	N John ST	4.9	134	656	Boulevard Walk	Concrete	23.80	Curb	5.63	4.90	27.57	81	Fair	Low Priority
SW08279	N John ST	4.6	138	635	Boulevard Walk	Concrete	28.04	Curb	4.93	4.60	22.65	85	Fair	Deferrable Priority
SW01502	N Keystone CT	4.0	126	505	Boulevard Walk	Concrete	26.55	Curb	4.76	4.00	19.01	57	Marginal	Low Priority
SW01487	N Keystone CT	3.9	108	424	Boulevard Walk	Concrete	21.91	Curb	4.95	3.92	19.36	66	Marginal	Low Priority
SW01503	N Keystone CT	4.1	688	2,807	Mono Curb And Walk	Concrete	138.53	Curb	4.96	4.08	20.27	51	Marginal	Low Priority
SW01488	N Keystone CT	3.8	174	661	Boulevard Walk	Concrete	38.65	Curb	4.50	3.80	17.10	58	Marginal	Low Priority
SW01480	N Keystone CT	4.2	189	797	Boulevard Walk	Concrete	31.94	Curb	5.91	4.23	24.95	70	Marginal	Low Priority
SW01485	N Keystone CT	4.0	118	475	Boulevard Walk	Concrete	24.77	Curb	4.78	4.01	19.18	78	Fair	Low Priority
SW01486	N Keystone CT	3.9	118	459	Boulevard Walk	Concrete	21.08	Curb	5.62	3.88	21.77	97	Good	Deferrable Priority
SW09349	N Kinser PIKE	4.9	149	724	Boulevard Walk	Concrete	28.48	No Curb	5.24	4.86	25.44	23	Very Poor	Immediate Priority
SW09332	N Kinser PIKE	5.1	147	746	Boulevard Walk	Concrete	30.10	Partial Curb	4.88	5.08	24.78	44	Poor	Immediate Priority
SW09379	N Kinser PIKE	4.7	38	182	Boulevard Walk	Concrete	7.98	Curb	4.81	4.75	22.84	60	Marginal	Low Priority
SW09000	N Kinser PIKE	5.0	660	3,331	Park	Asphalt	165.09	No Curb	4.00	5.04	20.18	54	Marginal	Immediate Priority
SW08951	N Kinser PIKE	3.8	108	413	Boulevard Walk	Concrete	24.98	Curb	4.32	3.83	16.52	67	Marginal	Immediate Priority
SW08969	N Kinser PIKE	3.9	288	1,108	Boulevard Walk	Concrete	61.91	Curb	4.65	3.85	17.89	46	Poor	Immediate Priority
SW08950	N Kinser PIKE	3.8	142	537	Boulevard Walk	Concrete	26.62	Curb	5.33	3.78	20.17	54	Marginal	Immediate Priority
SW07826	N Kinser PIKE	4.7	66	310	Mono Curb And Walk	Concrete	13.70	Curb	4.79	4.73	22.63	57	Marginal	Low Priority
SW08989	N Kinser PIKE	5.1	1283	6,503	Boulevard Walk	Concrete	245.90	Curb	5.22	5.07	26.44	60	Marginal	Immediate Priority
SW07824	N Kinser PIKE	4.9	1462	7,168	Boulevard Walk	Concrete	295.63	Curb	4.95	4.90	24.25	62	Marginal	Immediate Priority
SW09333	N Kinser PIKE	6.6	546	3,592	Mono Curb And Walk	Concrete	88.94	Curb	6.14	6.58	40.39	57	Marginal	Low Priority
SW07825	N Kinser PIKE	5.2	972	5,027	Boulevard Walk	Concrete	164.27	Curb	5.91	5.17	30.60	61	Marginal	Low Priority
SW09334	N Kinser PIKE	4.9	563	2,779	Boulevard Walk	Concrete	107.33	Curb	5.25	4.93	25.89	71	Marginal	Immediate Priority
SW08934	N Kinser PIKE	4.9	821	4,021	Boulevard Walk	Concrete	172.76	Curb	4.76	4.90	23.28	54	Marginal	Immediate Priority
SW09354	N Kinser PIKE	6.1	64	391	Boulevard Walk	Concrete	8.01	Curb	7.99	6.10	48.75	76	Fair	Low Priority
SW09380	N Kinser PIKE	5.7	103	589	Mono Curb And Walk	Concrete	16.86	Curb	6.12	5.71	34.95	76	Fair	Low Priority
SW07822	N Kinser PIKE	4.4	295	1,303	Mono Curb And Walk	Concrete	64.91	Curb	4.55	4.41	20.07	69	Marginal	Low Priority
SW09323	N Kinser PIKE	5.2	503	2,630	Boulevard Walk	Concrete	77.70	Curb	6.47	5.23	33.85	64	Marginal	Low Priority
SW08952	N Kinser PIKE	4.0	344	1,367	Boulevard Walk	Concrete	80.69	Curb	4.27	3.97	16.95	73	Marginal	Low Priority
SW08962	N Kinser PIKE	4.0	351	1,390	Boulevard Walk	Concrete	66.86	Curb	5.25	3.96	20.79	72	Marginal	Immediate Priority
SW07823	N Kinser PIKE	4.9	165	815	Boulevard Walk	Concrete	31.69	No Curb	5.21	4.94	25.73	73	Marginal	Low Priority
SW09356	N Kinser PIKE	4.7	298	1,410	Mono Curb And Walk	Concrete	66.25	Curb	4.50	4.73	21.29	81	Fair	Low Priority
SW09360	N Kinser PIKE	6.3	187	1,178	Boulevard Walk	Concrete	28.56	Curb	6.55	6.30	41.24	82	Fair	Low Priority
SW09350	N Kinser PIKE	4.3	690	2,979	Boulevard Walk	Concrete	150.20	Partial Curb	4.59	4.32	19.84	76	Fair	Immediate Priority
SW09335	N Kinser PIKE	4.6	180	833	Boulevard Walk	Concrete	39.40	Partial Curb	4.56	4.64	21.15	73	Marginal	Low Priority
SW09368	N Kinser PIKE	5.8	89	515	Mono Curb And Walk	Concrete	14.08	Curb	6.30	5.81	36.55	85	Fair	Low Priority
SW09367	N Kinser PIKE	5.3	718	3,809	Boulevard Walk	Concrete	114.97	Partial Curb	6.25	5.30	33.13	83	Fair	Immediate Priority
SW09353	N Kinser PIKE	4.8	336	1,605	Boulevard Walk	Concrete	68.59	Curb	4.89	4.78	23.39	86	Fair	Low Priority
SW09343	N Kinser PIKE	4.9	48	235	Boulevard Walk	Concrete	11.35	Curb	4.19	4.95	20.73	86	Fair	Deferrable Priority
SW09370	N Kinser PIKE	5.6	27	149	Stand Alone	Concrete	4.06	No Curb	6.54	5.62	36.75	87	Fair	Deferrable Priority
SW08963	N Kinser PIKE	4.1	673	2,730	Boulevard Walk	Concrete	118.26	Curb	5.69	4.05	23.08	72	Marginal	Low Priority
SW09371	N Kinser PIKE	4.9	283	1,387	Boulevard Walk	Concrete	57.69	Curb	4.90	4.90	24.04	67	Marginal	Low Priority
SW09366	N Kinser PIKE	6.5	88	571	Boulevard Walk	Concrete	13.82	Curb	6.37	6.49	41.33	88	Fair	Deferrable Priority
SW09374	N Kinser PIKE	4.9	128	634	Mono Curb And Walk	Concrete	22.96	Curb	5.59	4.94	27.62	66	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09338	N Kinser PIKE	4.6	92	427	Boulevard Walk	Concrete	19.68	Curb	4.68	4.64	21.71	91	Good	Deferrable Priority
SW08935	N Kinser PIKE	3.9	727	2,812	Boulevard Walk	Concrete	176.85	Curb	4.11	3.87	15.90	85	Fair	Low Priority
SW09373	N Kinser PIKE	4.9	47	230	Mono Curb And Walk	Concrete	8.97	Curb	5.21	4.92	25.63	93	Good	Deferrable Priority
SW09336	N Kinser PIKE	4.8	167	804	Boulevard Walk	Concrete	36.45	Curb	4.59	4.81	22.06	95	Good	Deferrable Priority
SW09357	N Kinser PIKE	4.0	145	588	Mono Curb And Walk	Concrete	30.01	Curb	4.85	4.05	19.61	77	Fair	Very Low Priority
SW09369	N Kinser PIKE	4.9	220	1,081	Boulevard Walk	Concrete	50.31	Curb	4.36	4.93	21.49	97	Good	Deferrable Priority
SW09359	N Kinser PIKE	6.1	142	864	Boulevard Walk	Concrete	28.24	Curb	5.02	6.09	30.59	97	Good	Deferrable Priority
SW09372	N Kinser PIKE	4.7	48	228	Boulevard Walk	Concrete	10.57	Curb	4.57	4.73	21.59	100	Good	No Priority
SW07089	N Lincoln ST	4.9	86	420	Mono Curb And Walk	Stamped Concrete	17.36	Curb	4.97	4.86	24.16	34	Poor	Immediate Priority
SW07058	N Lincoln ST	4.8	144	690	Mono Curb And Walk	Concrete	23.37	Curb	6.18	4.78	29.50	21	Very Poor	Low Priority
SW07582	N Lincoln ST	4.2	134	565	Boulevard Walk	Concrete	25.18	Curb	5.30	4.23	22.44	51	Marginal	Low Priority
SW07577	N Lincoln ST	4.4	145	645	Boulevard Walk	Concrete	32.20	Curb	4.52	4.44	20.02	33	Poor	Immediate Priority
SW00208	N Lincoln ST	6.0	153	923	Boulevard Walk	Concrete	27.08	Curb	5.66	6.02	34.09	38	Poor	Immediate Priority
SW08691	N Lincoln ST	4.1	105	424	Mono Curb And Walk	Concrete	21.08	Curb	4.96	4.05	20.10	66	Marginal	Immediate Priority
SW07053	N Lincoln ST	4.7	302	1,428	Mono Curb And Walk	Concrete	56.92	Curb	5.30	4.73	25.08	38	Poor	Immediate Priority
SW07057	N Lincoln ST	4.8	144	699	Mono Curb And Walk	Concrete	25.88	Curb	5.57	4.85	27.02	38	Poor	Low Priority
SW07578	N Lincoln ST	5.4	119	649	Mono Curb And Walk	Concrete	18.01	Curb	6.61	5.45	36.02	31	Poor	Low Priority
SW00075	N Lincoln ST	4.8	43	203	Boulevard Walk	Concrete	9.66	Curb	4.41	4.76	21.00	74	Marginal	Low Priority
SW00074	N Lincoln ST	4.7	69	324	Boulevard Walk	Concrete	15.71	Curb	4.37	4.72	20.64	74	Marginal	Low Priority
SW07109	N Lincoln ST	4.8	49	232	Mono Curb And Walk	Concrete	9.78	Curb	4.98	4.77	23.76	74	Marginal	Low Priority
SW07080	N Lincoln ST	5.0	130	650	Boulevard Walk	Concrete	25.14	Curb	5.19	4.98	25.85	57	Marginal	Immediate Priority
SW09153	N Lincoln ST	5.0	126	630	Boulevard Walk	Concrete	25.84	Curb	4.88	4.99	24.36	58	Marginal	Low Priority
SW07360	N Lincoln ST	4.7	278	1,318	Boulevard Walk	Concrete	67.49	Curb	4.12	4.74	19.52	52	Marginal	Low Priority
SW09213	N Lincoln ST	4.7	83	390	Boulevard Walk	Concrete	18.12	Curb	4.59	4.70	21.54	76	Fair	Low Priority
SW07601	N Lincoln ST	4.3	141	608	Mono Curb And Walk	Concrete	26.48	Curb	5.34	4.30	22.96	67	Marginal	Low Priority
SW07349	N Lincoln ST	4.1	144	586	Boulevard Walk	Concrete	29.08	Curb	4.94	4.08	20.14	55	Marginal	Low Priority
SW07088	N Lincoln ST	4.9	324	1,586	Mono Curb And Walk	Concrete	64.52	Curb	5.03	4.89	24.58	56	Marginal	Low Priority
SW09190	N Lincoln ST	4.5	105	473	Boulevard Walk	Concrete	21.86	Curb	4.78	4.52	21.62	82	Fair	Low Priority
SW08647	N Lincoln ST	3.9	154	593	Boulevard Walk	Concrete	32.73	Curb	4.69	3.86	18.11	73	Marginal	Low Priority
SW00084	N Lincoln ST	4.8	177	841	Boulevard Walk	Concrete	40.11	Curb	4.40	4.76	20.96	83	Fair	Immediate Priority
SW07581	N Lincoln ST	5.0	135	671	Boulevard Walk	Concrete	26.50	Curb	5.09	4.98	25.33	65	Marginal	Low Priority
SW07615	N Lincoln ST	5.1	138	711	Mono Curb And Walk	Stamped Concrete	28.85	Curb	4.80	5.14	24.65	50	Marginal	Low Priority
SW08690	N Lincoln ST	3.7	98	361	Mono Curb And Walk	Concrete	21.87	Curb	4.50	3.67	16.52	72	Marginal	Low Priority
SW00066	N Lincoln ST	4.5	314	1,413	Boulevard Walk	Concrete	62.76	Curb	5.00	4.50	22.52	80	Fair	Immediate Priority
SW00204	N Lincoln ST	6.0	155	931	Boulevard Walk	Concrete	30.48	Curb	5.09	6.00	30.53	87	Fair	Low Priority
SW07576	N Lincoln ST	5.1	123	621	Boulevard Walk	Concrete	24.76	Curb	4.95	5.07	25.09	80	Fair	Low Priority
SW07563	N Lincoln ST	4.7	121	570	Boulevard Walk	Concrete	25.20	Curb	4.79	4.72	22.62	80	Fair	Low Priority
SW07078	N Lincoln ST	5.1	127	653	Boulevard Walk	Concrete	26.47	Curb	4.80	5.14	24.65	79	Fair	Low Priority
SW07570	N Lincoln ST	4.5	135	611	Boulevard Walk	Concrete	28.49	Curb	4.73	4.53	21.45	81	Fair	Low Priority
SW07068	N Lincoln ST	4.7	122	574	Mono Curb And Walk	Pavers / Brick	30.55	Curb	4.00	4.70	18.81	74	Marginal	Very Low Priority
SW08649	N Lincoln ST	3.9	70	276	Mono Curb And Walk	Concrete	14.31	Curb	4.90	3.94	19.31	88	Fair	Deferrable Priority
SW00203	N Lincoln ST	5.6	134	752	Boulevard Walk	Concrete	27.36	Curb	4.90	5.62	27.50	89	Fair	Low Priority
SW07098	N Lincoln ST	4.8	133	638	Boulevard Walk	Concrete	26.28	Curb	5.07	4.79	24.28	83	Fair	Low Priority
SW08648	N Lincoln ST	3.9	119	468	Boulevard Walk	Concrete	23.07	Curb	5.17	3.93	20.29	89	Fair	Low Priority
SW07087	N Lincoln ST	4.6	143	662	Mono Curb And Walk	Concrete	27.61	Curb	5.17	4.64	23.97	90	Fair	Low Priority
SW00209	N Lincoln ST	5.6	133	749	Boulevard Walk	Concrete	24.77	Curb	5.38	5.62	30.25	90	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07047	N Lincoln ST	4.5	126	566	Boulevard Walk	Concrete	27.32	Curb	4.62	4.48	20.73	85	Fair	Low Priority
SW00257	N Lincoln ST	5.9	157	926	Boulevard Walk	Concrete	33.22	Curb	4.71	5.91	27.86	85	Fair	Low Priority
SW07345	N Lincoln ST	4.3	133	568	Boulevard Walk	Concrete	28.55	Curb	4.67	4.26	19.88	92	Good	Deferrable Priority
SW00283	N Lincoln ST	5.8	130	751	Boulevard Walk	Concrete	25.45	Curb	5.10	5.78	29.49	93	Good	Deferrable Priority
SW08585	N Lincoln ST	5.9	223	1,318	Boulevard Walk	Concrete	37.71	Curb	5.91	5.92	34.95	94	Good	Low Priority
SW00240	N Lincoln ST	7.3	320	2,348	Boulevard Walk	Concrete	54.00	Curb	5.93	7.34	43.49	86	Fair	Very Low Priority
SW09191	N Lincoln ST	4.5	228	1,023	Boulevard Walk	Concrete	40.90	Curb	5.57	4.49	25.02	94	Good	Deferrable Priority
SW00282	N Lincoln ST	5.0	320	1,604	Boulevard Walk	Concrete	64.59	Curb	4.95	5.02	24.83	94	Good	Deferrable Priority
SW00243	N Lincoln ST	5.7	153	868	Boulevard Walk	Concrete	27.51	Curb	5.56	5.68	31.55	95	Good	Deferrable Priority
SW00244	N Lincoln ST	6.1	152	924	Boulevard Walk	Concrete	27.23	Curb	5.58	6.08	33.94	73	Marginal	Very Low Priority
SW07050	N Lincoln ST	4.8	122	586	Boulevard Walk	Concrete	24.68	Curb	4.93	4.82	23.75	97	Good	Deferrable Priority
SW07079	N Lincoln ST	5.1	126	640	Boulevard Walk	Concrete	24.59	Curb	5.13	5.07	26.03	100	Good	No Priority
SW08619	N Lincoln ST	5.4	114	616	Boulevard Walk	Concrete	19.55	Curb	5.82	5.41	31.50	100	Good	No Priority
SW08678	N Lincoln ST	3.9	24	96	Boulevard Walk	Concrete	4.53	Curb	5.39	3.95	21.28	100	Good	No Priority
SW09139	N Lincoln ST	7.9	25	195	Boulevard Walk	Concrete	3.26	Curb	7.58	7.89	59.76	100	Good	No Priority
SW09058	N Lindbergh DR	5.4	72	388	Mono Curb And Walk	Concrete	10.43	No Curb	6.91	5.38	37.20	75	Marginal	Low Priority
SW09053	N Lindbergh DR	5.1	206	1,050	Mono Curb And Walk	Concrete	35.51	Curb	5.80	5.10	29.58	63	Marginal	Low Priority
SW09048	N Lindbergh DR	4.0	310	1,226	Mono Curb And Walk	Concrete	66.21	Curb	4.68	3.96	18.51	64	Marginal	Low Priority
SW09065	N Lindbergh DR	5.0	149	746	Boulevard Walk	Concrete	25.20	No Curb	5.91	5.01	29.62	69	Marginal	Low Priority
SW09054	N Lindbergh DR	6.4	237	1,517	Mono Curb And Walk	Concrete	28.91	Curb	8.20	6.40	52.47	84	Fair	Low Priority
SW09128	N Lindbergh DR	4.8	142	681	Mono Curb And Walk	Concrete	29.94	Curb	4.75	4.79	22.74	81	Fair	Very Low Priority
SW09064	N Lindbergh DR	3.7	71	264	Boulevard Walk	Concrete	19.55	No Curb	3.61	3.74	13.48	93	Good	Deferrable Priority
SW09055	N Lindbergh DR	4.4	45	198	Boulevard Walk	Concrete	9.58	No Curb	4.73	4.37	20.67	93	Good	Deferrable Priority
SW09109	N Lindbergh DR	4.7	244	1,140	Mono Curb And Walk	Concrete	62.44	Curb	3.91	4.67	18.26	78	Fair	Very Low Priority
SW09127	N Lindbergh DR	4.8	416	1,997	Mono Curb And Walk	Concrete	90.87	Curb	4.57	4.81	21.98	92	Good	Low Priority
SW09806	N Lismore DR	5.0	25	126	Mono Curb And Walk	Concrete	4.89	Curb	5.14	5.02	25.77	69	Marginal	Low Priority
SW09797	N Lismore DR	4.5	266	1,185	Boulevard Walk	Concrete	60.81	Curb	4.37	4.46	19.49	75	Marginal	Low Priority
SW09807	N Lismore DR	5.0	163	820	Boulevard Walk	Concrete	34.41	Curb	4.74	5.03	23.83	80	Fair	Low Priority
SW09805	N Lismore DR	4.9	202	997	Boulevard Walk	Concrete	39.47	Curb	5.11	4.95	25.27	81	Fair	Low Priority
SW09789	N Lismore DR	4.4	106	467	Boulevard Walk	Concrete	24.69	Curb	4.29	4.41	18.92	84	Fair	Low Priority
SW08405	N Madison ST	4.9	304	1,492	Boulevard Walk	Concrete	51.55	Curb	5.90	4.90	28.95	11	Very Poor	Immediate Priority
SW08419	N Madison ST	5.1	197	998	Boulevard Walk	Concrete	33.07	Curb	5.95	5.07	30.17	22	Very Poor	Immediate Priority
SW08177	N Madison ST	5.4	141	765	Mono Curb And Walk	Concrete	20.64	Curb	6.81	5.44	37.08	38	Poor	Low Priority
SW08421	N Madison ST	4.5	138	621	Boulevard Walk	Concrete	22.13	Curb	6.25	4.49	28.05	20	Very Poor	Low Priority
SW08178	N Madison ST	4.9	156	758	Mono Curb And Walk	Concrete	27.86	Curb	5.59	4.86	27.20	43	Poor	Low Priority
SW08179	N Madison ST	5.0	194	964	Mono Curb And Walk	Concrete	36.80	Curb	5.26	4.98	26.19	67	Marginal	Low Priority
SW10798	N Madison ST	4.1	137	561	Mono Curb And Walk	Concrete	24.39	Curb	5.63	4.09	23.00	74	Marginal	Low Priority
SW08180	N Madison ST	4.4	353	1,558	Mono Curb And Walk	Concrete	65.10	Curb	5.43	4.41	23.94	62	Marginal	Low Priority
SW08435	N Madison ST	4.9	49	242	Boulevard Walk	Concrete	8.37	Curb	5.90	4.90	28.95	64	Marginal	Low Priority
SW08458	N Madison ST	3.9	43	169	Mono Curb And Walk	Concrete	7.94	Curb	5.43	3.93	21.33	43	Poor	Low Priority
SW08456	N Madison ST	4.6	114	521	Boulevard Walk	Concrete	21.51	Curb	5.29	4.58	24.23	39	Poor	Low Priority
SW08425	N Madison ST	3.9	34	132	Mono Curb And Walk	Concrete	6.18	Curb	5.43	3.93	21.33	38	Poor	Low Priority
SW08420	N Madison ST	4.4	199	883	Boulevard Walk	Concrete	48.91	Curb	4.07	4.44	18.05	75	Fair	Low Priority
SW08888	N Madison ST	4.4	23	102	Mono Curb And Walk	Concrete	3.91	Curb	5.97	4.37	26.06	84	Fair	Very Low Priority
SW08410	N Madison ST	4.9	204	994	Boulevard Walk	Concrete	40.42	Curb	5.06	4.87	24.59	67	Marginal	Low Priority
SW08455	N Madison ST	4.9	22	109	Boulevard Walk	Concrete	3.77	Curb	5.90	4.90	28.95	86	Fair	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08798	N Madison ST	5.0	100	499	Boulevard Walk	Concrete	19.20	Curb	5.22	4.99	26.01	86	Fair	Deferrable Priority
SW08465	N Madison ST	4.1	84	347	Mono Curb And Walk	Concrete	16.04	Curb	5.26	4.12	21.64	65	Marginal	Low Priority
SW08863	N Madison ST	5.8	158	918	Boulevard Walk	Concrete	25.18	Curb	6.27	5.81	36.46	81	Fair	Low Priority
SW08428	N Madison ST	4.6	213	978	Boulevard Walk	Concrete	37.83	Curb	5.62	4.60	25.85	84	Fair	Low Priority
SW08466	N Madison ST	4.6	133	607	Mono Curb And Walk	Concrete	26.42	Curb	5.02	4.58	22.97	89	Fair	Deferrable Priority
SW08147	N Madison ST	4.6	276	1,278	Mono Curb And Walk	Concrete	51.64	Curb	5.34	4.64	24.75	90	Fair	Low Priority
SW08173	N Madison ST	8.9	325	2,898	Boulevard Walk	Concrete	68.88	Curb	4.72	8.91	42.07	90	Good	Deferrable Priority
SW08853	N Madison ST	5.8	148	856	Boulevard Walk	Concrete	31.06	Curb	4.76	5.80	27.56	91	Good	Low Priority
SW08847	N Madison ST	5.1	207	1,059	Boulevard Walk	Concrete	39.60	Curb	5.22	5.12	26.73	82	Fair	Very Low Priority
SW08457	N Madison ST	4.5	53	242	Boulevard Walk	Concrete	10.13	Curb	5.27	4.53	23.88	93	Good	Deferrable Priority
SW08169	N Madison ST	8.4	357	3,014	Mono Curb And Walk	Pavers / Brick	89.30	Curb	4.00	8.44	33.75	93	Good	Deferrable Priority
SW08146	N Madison ST	5.0	267	1,342	Mono Curb And Walk	Concrete	52.32	Curb	5.11	5.02	25.66	93	Good	Deferrable Priority
SW08161	N Madison ST	10.1	345	3,490	Mono Curb And Walk	Pavers / Brick	86.26	Curb	4.00	10.11	40.45	96	Good	Deferrable Priority
SW08864	N Madison ST	6.0	165	988	Boulevard Walk	Concrete	28.20	Curb	5.85	5.99	35.04	84	Fair	Very Low Priority
SW08160	N Madison ST	10.9	315	3,442	Mono Curb And Walk	Pavers / Brick	78.84	Curb	4.00	10.91	43.66	96	Good	Low Priority
SW08862	N Madison ST	6.4	137	872	Boulevard Walk	Concrete	21.61	Curb	6.35	6.35	40.34	97	Good	Deferrable Priority
SW10805	N Madison ST	5.6	134	746	Boulevard Walk	Concrete	21.23	Curb	6.29	5.58	35.15	97	Good	Deferrable Priority
SW08846	N Madison ST	5.3	151	794	Boulevard Walk	Concrete	19.12	Curb	7.89	5.27	41.53	100	Good	No Priority
SW08865	N Madison ST	6.0	23	140	Boulevard Walk	Concrete	4.44	Curb	5.28	5.99	31.64	100	Good	No Priority
SW08866	N Madison ST	6.0	40	238	Boulevard Walk	Concrete	7.52	Curb	5.28	5.99	31.64	100	Good	No Priority
SW08319	N Maple ST	5.3	60	317	Boulevard Walk	Concrete	10.49	Curb	5.73	5.27	30.18	25	Very Poor	Immediate Priority
SW08312	N Maple ST	4.7	87	406	Mono Curb And Walk	Concrete	13.48	Curb	6.47	4.66	30.16	30	Very Poor	Low Priority
SW07950	N Maple ST	4.1	114	471	Mono Curb And Walk	Pavers / Brick	28.59	Curb	4.00	4.12	16.47	32	Poor	Low Priority
SW08308	N Maple ST	4.3	59	258	Mono Curb And Walk	Concrete	8.53	Curb	6.97	4.35	30.27	58	Marginal	Low Priority
SW08418	N Maple ST	4.8	111	534	Boulevard Walk	Concrete	23.14	Curb	4.80	4.81	23.09	49	Poor	Low Priority
SW07951	N Maple ST	4.3	39	168	Mono Curb And Walk	Pavers / Brick	9.79	Curb	4.00	4.28	17.12	42	Poor	Low Priority
SW08407	N Maple ST	5.3	451	2,392	Boulevard Walk	Concrete	78.67	No Curb	5.73	5.30	30.40	49	Poor	Immediate Priority
SW07953	N Maple ST	4.6	15	70	Mono Curb And Walk	Concrete	3.44	Curb	4.48	4.56	20.41	51	Marginal	Low Priority
SW07960	N Maple ST	4.4	158	694	Mono Curb And Walk	Pavers / Brick	39.39	Curb	4.00	4.41	17.62	65	Marginal	Low Priority
SW08310	N Maple ST	4.3	91	396	Mono Curb And Walk	Pavers / Brick	22.87	Curb	4.00	4.33	17.31	68	Marginal	Low Priority
SW07940	N Maple ST	4.4	149	659	Mono Curb And Walk	Concrete	30.44	Curb	4.91	4.41	21.65	44	Poor	Low Priority
SW08311	N Maple ST	3.8	44	163	Mono Curb And Walk	Concrete	7.75	Curb	5.62	3.75	21.06	69	Marginal	Low Priority
SW08318	N Maple ST	5.2	338	1,744	Mono Curb And Walk	Concrete	60.25	Curb	5.61	5.16	28.95	56	Marginal	Low Priority
SW07937	N Maple ST	4.1	148	610	Mono Curb And Walk	Concrete	39.72	Curb	3.74	4.11	15.35	71	Marginal	Low Priority
SW10822	N Maple ST	4.3	145	629	Mono Curb And Walk	Concrete	33.31	Curb	4.35	4.34	18.88	66	Marginal	Low Priority
SW07954	N Maple ST	4.5	109	490	Mono Curb And Walk	Pavers / Brick	27.22	Curb	4.00	4.50	18.02	71	Marginal	Low Priority
SW08306	N Maple ST	4.0	84	335	Mono Curb And Walk	Pavers / Brick	21.02	Curb	4.00	3.99	15.95	73	Marginal	Low Priority
SW10786	N Maple ST	4.5	88	394	Mono Curb And Walk	Concrete	19.70	Curb	4.47	4.47	19.98	62	Marginal	Low Priority
SW07961	N Maple ST	4.7	103	478	Mono Curb And Walk	Concrete	17.57	Curb	5.85	4.65	27.20	75	Marginal	Low Priority
SW08309	N Maple ST	4.1	63	257	Mono Curb And Walk	Pavers / Brick	15.82	Curb	4.00	4.06	16.25	75	Fair	Low Priority
SW07948	N Maple ST	4.9	44	215	Mono Curb And Walk	Concrete	9.96	Curb	4.44	4.85	21.54	76	Fair	Low Priority
SW08230	N Maple ST	4.6	316	1,452	Mono Curb And Walk	Concrete	63.27	Curb	4.99	4.60	22.94	72	Marginal	Low Priority
SW07958	N Maple ST	4.5	220	996	Mono Curb And Walk	Pavers / Brick	54.96	Curb	4.00	4.53	18.12	73	Marginal	Low Priority
SW08303	N Maple ST	4.3	251	1,070	Mono Curb And Walk	Concrete	62.09	Curb	4.04	4.26	17.24	78	Fair	Low Priority
SW07952	N Maple ST	4.9	156	756	Mono Curb And Walk	Concrete	35.08	Curb	4.44	4.85	21.54	69	Marginal	Low Priority
SW10823	N Maple ST	4.7	143	666	Mono Curb And Walk	Concrete	29.11	Curb	4.91	4.66	22.88	68	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07956	N Maple ST	4.6	131	604	Mono Curb And Walk	Pavers / Brick	32.81	Curb	4.00	4.61	18.42	80	Fair	Low Priority
SW08307	N Maple ST	4.1	54	219	Mono Curb And Walk	Concrete	8.89	Curb	6.03	4.10	24.69	80	Fair	Very Low Priority
SW07959	N Maple ST	5.1	32	164	Mono Curb And Walk	Concrete	4.81	Curb	6.69	5.10	34.10	82	Fair	Deferrable Priority
SW10787	N Maple ST	4.3	109	466	Mono Curb And Walk	Concrete	27.03	Curb	4.04	4.26	17.24	82	Fair	Low Priority
SW08294	N Maple ST	4.1	292	1,212	Mono Curb And Walk	Concrete	76.86	Curb	3.80	4.15	15.77	67	Marginal	Low Priority
SW07949	N Maple ST	4.4	25	108	Mono Curb And Walk	Concrete	5.49	Curb	4.48	4.40	19.68	83	Fair	Deferrable Priority
SW08454	N Maple ST	5.4	16	85	Boulevard Walk	Concrete	2.85	Curb	5.57	5.35	29.80	84	Fair	Deferrable Priority
SW07955	N Maple ST	4.9	27	133	Mono Curb And Walk	Concrete	6.18	Curb	4.44	4.85	21.54	85	Fair	Deferrable Priority
SW08300	N Maple ST	4.2	289	1,225	Mono Curb And Walk	Concrete	66.47	Curb	4.35	4.24	18.43	85	Fair	Low Priority
SW08295	N Maple ST	4.1	281	1,163	Mono Curb And Walk	Concrete	61.04	Curb	4.60	4.15	19.06	82	Fair	Low Priority
SW07957	N Maple ST	4.9	38	183	Mono Curb And Walk	Concrete	8.50	Curb	4.44	4.86	21.56	89	Fair	Deferrable Priority
SW08304	N Maple ST	4.7	28	134	Mono Curb And Walk	Concrete	5.51	Curb	5.16	4.72	24.35	89	Fair	Deferrable Priority
SW08417	N Maple ST	5.2	91	472	Mono Curb And Walk	Concrete	16.92	No Curb	5.36	5.21	27.91	72	Marginal	Very Low Priority
SW08406	N Maple ST	5.0	341	1,705	Mono Curb And Walk	Concrete	62.46	Curb	5.46	5.00	27.30	93	Good	Low Priority
SW10785	N Maple ST	4.3	123	526	Mono Curb And Walk	Concrete	30.49	Curb	4.04	4.26	17.24	94	Good	Deferrable Priority
SW08313	N Maple ST	4.3	51	218	Mono Curb And Walk	Pavers / Brick	12.63	Curb	4.00	4.32	17.26	95	Good	Deferrable Priority
SW02534	N Meadowlark LN	4.7	35	166	Boulevard Walk	Concrete	7.75	No Curb	4.51	4.75	21.40	92	Good	Deferrable Priority
SW08065	N Monroe ST	4.3	108	461	Boulevard Walk	Concrete	25.03	Curb	4.33	4.26	18.42	49	Poor	Immediate Priority
SW08134	N Monroe ST	4.1	76	315	Boulevard Walk	Concrete	22.35	Curb	3.40	4.15	14.11	49	Poor	Low Priority
SW08448	N Monroe ST	5.3	53	281	Mono Curb And Walk	Concrete	10.78	Curb	4.95	5.27	26.09	51	Marginal	Low Priority
SW08135	N Monroe ST	4.9	225	1,090	Mono Curb And Walk	Concrete	44.13	Curb	5.09	4.85	24.71	44	Poor	Low Priority
SW08402	N Monroe ST	5.9	39	231	Mono Curb And Walk	Concrete	7.16	Curb	5.48	5.89	32.29	68	Marginal	Low Priority
SW08403	N Monroe ST	5.9	65	384	Mono Curb And Walk	Concrete	10.81	Curb	6.02	5.90	35.55	70	Marginal	Low Priority
SW09046	N Monroe ST	5.2	251	1,308	Boulevard Walk	Concrete	47.14	Curb	5.33	5.20	27.76	53	Marginal	Low Priority
SW08066	N Monroe ST	4.7	108	503	Boulevard Walk	Concrete	23.93	Curb	4.51	4.66	21.02	73	Marginal	Low Priority
SW09068	N Monroe ST	4.8	303	1,458	Boulevard Walk	Concrete	62.57	Curb	4.84	4.82	23.31	57	Marginal	Low Priority
SW08447	N Monroe ST	5.4	245	1,314	Boulevard Walk	Concrete	46.48	Curb	5.28	5.36	28.28	77	Fair	Low Priority
SW08113	N Monroe ST	4.7	107	502	Boulevard Walk	Concrete	22.33	Curb	4.77	4.71	22.50	71	Marginal	Low Priority
SW09081	N Monroe ST	7.4	267	1,966	Boulevard Walk	Concrete	52.60	Curb	5.08	7.36	37.37	63	Marginal	Low Priority
SW09100	N Monroe ST	4.9	137	664	Boulevard Walk	Concrete	25.43	Curb	5.37	4.86	26.09	60	Marginal	Low Priority
SW10765	N Monroe ST	4.6	142	661	Boulevard Walk	Concrete	27.17	Curb	5.23	4.65	24.31	77	Fair	Low Priority
SW09099	N Monroe ST	7.0	50	350	Boulevard Walk	Concrete	10.10	Curb	4.98	6.96	34.66	86	Fair	Deferrable Priority
SW09096	N Monroe ST	4.9	273	1,334	Boulevard Walk	Concrete	73.95	Curb	3.70	4.88	18.04	89	Fair	Deferrable Priority
SW09075	N Monroe ST	5.3	228	1,209	Boulevard Walk	Concrete	46.10	Curb	4.94	5.31	26.22	78	Fair	Low Priority
SW09097	N Monroe ST	4.7	294	1,386	Boulevard Walk	Concrete	60.12	Curb	4.89	4.71	23.06	90	Fair	Very Low Priority
SW09080	N Monroe ST	4.8	283	1,367	Boulevard Walk	Concrete	52.27	Curb	5.42	4.82	26.15	85	Fair	Low Priority
SW08531	N Monroe ST	4.7	34	160	Boulevard Walk	Concrete	7.40	No Curb	4.64	4.66	21.59	92	Good	Deferrable Priority
SW08532	N Monroe ST	4.8	102	488	Boulevard Walk	Concrete	21.12	No Curb	4.82	4.79	23.11	97	Good	Deferrable Priority
SW07319	N Morton ST	6.0	135	804	Boulevard Walk	Concrete	30.04	Curb	4.48	5.97	26.77	39	Poor	Low Priority
SW07297	N Morton ST	4.1	39	157	Mono Curb And Walk	Pavers / Brick	9.63	Curb	4.00	4.08	16.31	74	Marginal	Low Priority
SW10880	N Morton ST	4.6	73	336	Mono Curb And Walk	Concrete	16.00	Curb	4.54	4.63	21.01	74	Marginal	Low Priority
SW07608	N Morton ST	4.6	116	539	Mono Curb And Walk	Concrete	25.64	Curb	4.54	4.63	21.01	75	Marginal	Low Priority
SW07323	N Morton ST	4.6	264	1,220	Mono Curb And Walk	Concrete	58.08	Curb	4.54	4.63	21.01	76	Fair	Low Priority
SW08185	N Morton ST	5.7	539	3,054	Boulevard Walk	Concrete	123.42	Curb	4.37	5.67	24.75	72	Marginal	Low Priority
SW08176	N Morton ST	6.5	171	1,108	Mono Curb And Walk	Concrete	26.29	Curb	6.49	6.50	42.15	80	Fair	Low Priority
SW00389	N Morton ST	9.1	150	1,367	Mono Curb And Walk	Concrete	23.94	Curb	6.25	9.14	57.09	61	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08152	N Morton ST	5.1	231	1,172	Boulevard Walk	Concrete	45.42	Curb	5.09	5.08	25.81	80	Fair	Low Priority
SW00367	N Morton ST	9.2	159	1,466	Mono Curb And Walk	Concrete	31.66	Curb	5.01	9.23	46.29	88	Fair	Deferrable Priority
SW07266	N Morton ST	4.2	245	1,036	Boulevard Walk	Concrete	55.92	Curb	4.39	4.22	18.52	89	Fair	Low Priority
SW00150	N Morton ST	6.1	154	933	Mono Curb And Walk	Concrete	20.34	Curb	7.57	6.06	45.86	71	Marginal	Very Low Priority
SW07291	N Morton ST	6.6	136	892	Mono Curb And Walk	Concrete	29.81	Curb	4.56	6.56	29.93	90	Good	Deferrable Priority
SW00151	N Morton ST	10.8	135	1,454	Mono Curb And Walk	Concrete	24.77	Curb	5.45	10.78	58.69	75	Marginal	Very Low Priority
SW08154	N Morton ST	4.8	247	1,193	Boulevard Walk	Concrete	49.28	Curb	5.02	4.82	24.20	86	Fair	Low Priority
SW00379	N Morton ST	5.3	184	978	Mono Curb And Walk	Concrete	32.57	Curb	5.66	5.30	30.03	74	Marginal	Very Low Priority
SW00369	N Morton ST	5.2	316	1,627	Mono Curb And Walk	Concrete	55.77	Curb	5.66	5.15	29.18	86	Fair	Very Low Priority
SW00366	N Morton ST	6.7	133	891	Mono Curb And Walk	Concrete	28.06	Curb	4.73	6.71	31.73	93	Good	Deferrable Priority
SW00172	N Morton ST	10.6	363	3,859	Mono Curb And Walk	Concrete	50.66	Curb	7.16	10.64	76.17	76	Fair	Low Priority
SW00390	N Morton ST	10.7	315	3,368	Mono Curb And Walk	Asphalt	78.77	Curb	4.00	10.69	42.75	75	Marginal	Very Low Priority
SW00380	N Morton ST	9.8	108	1,057	Mono Curb And Walk	Concrete	18.99	Curb	5.70	9.76	55.67	95	Good	Deferrable Priority
SW07318	N Morton ST	9.3	132	1,229	Mono Curb And Walk	Concrete	29.14	Curb	4.54	9.28	42.17	95	Good	Deferrable Priority
SW07265	N Morton ST	4.8	260	1,252	Boulevard Walk	Concrete	52.44	Curb	4.96	4.82	23.87	92	Good	Low Priority
SW00370	N Morton ST	9.9	312	3,093	Mono Curb And Walk	Concrete	56.46	Curb	5.53	9.90	54.79	86	Fair	Low Priority
SW00368	N Morton ST	9.6	141	1,353	Boulevard Walk	Concrete	22.54	No Curb	6.25	9.61	60.01	97	Good	Deferrable Priority
SW08156	N Morton ST	10.8	258	2,782	Boulevard Walk	Concrete	39.20	Curb	6.59	10.77	70.97	98	Good	Deferrable Priority
SW07264	N Morton ST	4.8	14	67	Boulevard Walk	Concrete	2.81	Curb	4.96	4.82	23.87	100	Good	No Priority
SW08155	N Morton ST	4.8	13	60	Boulevard Walk	Concrete	2.50	Curb	5.02	4.82	24.18	100	Good	No Priority
SW08260	N Oak ST	5.0	152	762	Boulevard Walk	Concrete	27.09	No Curb	5.60	5.02	28.15	87	Fair	Low Priority
SW08698	N Old State Road 37	4.4	318	1,396	Boulevard Walk	Concrete	51.75	No Curb	6.14	4.40	26.97	10	Very Poor	Immediate Priority
SW08643	N Old State Road 37	8.9	57	507	Boulevard Walk	Asphalt	14.22	Curb	4.00	8.91	35.64	71	Marginal	Low Priority
SW08626	N Old State Road 37	4.4	78	339	Boulevard Walk	Concrete	15.26	Curb	5.09	4.37	22.25	76	Fair	Low Priority
SW08715	N Old State Road 37	7.9	73	576	Boulevard Walk	Concrete	14.15	No Curb	5.17	7.88	40.74	87	Fair	Deferrable Priority
SW09688	N Old State Road 37	4.6	249	1,136	Boulevard Walk	Concrete	46.31	No Curb	5.38	4.56	24.53	92	Good	Very Low Priority
SW09687	N Old State Road 37	4.9	287	1,399	Boulevard Walk	Concrete	55.50	No Curb	5.17	4.87	25.22	89	Fair	Low Priority
SW08700	N Old State Road 37	8.5	18	152	Stand Alone	Concrete	4.16	No Curb	4.32	8.49	36.64	100	Good	No Priority
SW09124	N Oolitic DR	4.9	122	594	Boulevard Walk	Concrete	24.69	No Curb	4.95	4.86	24.04	62	Marginal	Low Priority
SW09107	N Oolitic DR	5.2	256	1,334	Mono Curb And Walk	Concrete	51.11	Curb	5.00	5.22	26.10	61	Marginal	Immediate Priority
SW09123	N Oolitic DR	5.0	42	208	Boulevard Walk	Concrete	7.83	No Curb	5.36	4.96	26.58	75	Fair	Low Priority
SW09106	N Oolitic DR	5.0	58	289	Boulevard Walk	Concrete	9.99	No Curb	5.82	4.97	28.95	79	Fair	Low Priority
SW07232	N Park AVE	4.8	132	631	Boulevard Walk	Concrete	26.82	Curb	4.91	4.79	23.52	31	Poor	Low Priority
SW07386	N Park AVE	5.9	148	869	Boulevard Walk	Concrete	34.27	Partial Curb	4.31	5.88	25.35	48	Poor	Immediate Priority
SW07230	N Park AVE	4.7	135	637	Boulevard Walk	Concrete	28.55	Curb	4.71	4.73	22.30	53	Marginal	Immediate Priority
SW07378	N Park AVE	5.3	150	796	Boulevard Walk	Concrete	27.75	Curb	5.41	5.30	28.69	54	Marginal	Low Priority
SW07217	N Park AVE	5.1	300	1,537	Boulevard Walk	Concrete	53.09	Curb	5.65	5.13	28.95	60	Marginal	Low Priority
SW07214	N Park AVE	4.7	292	1,374	Boulevard Walk	Concrete	60.78	Curb	4.80	4.71	22.61	66	Marginal	Immediate Priority
SW07231	N Park AVE	4.2	299	1,243	Boulevard Walk	Concrete	81.57	Curb	3.67	4.15	15.23	61	Marginal	Immediate Priority
SW00426	N Park AVE	5.8	154	888	Boulevard Walk	Concrete	26.77	Curb	5.73	5.78	33.17	76	Fair	Low Priority
SW07374	N Park AVE	5.3	142	755	Boulevard Walk	Concrete	26.93	Curb	5.29	5.30	28.05	83	Fair	Low Priority
SW07598	N Park AVE	4.7	130	609	Boulevard Walk	Concrete	25.11	Curb	5.17	4.69	24.26	62	Marginal	Very Low Priority
SW07216	N Park AVE	4.7	154	731	Boulevard Walk	Concrete	29.43	Curb	5.24	4.74	24.86	61	Marginal	Low Priority
SW07373	N Park AVE	5.7	147	841	Boulevard Walk	Concrete	33.28	Partial Curb	4.43	5.71	25.28	87	Fair	Low Priority
SW00427	N Park AVE	5.6	150	843	Boulevard Walk	Concrete	30.87	Curb	4.88	5.60	27.30	77	Fair	Very Low Priority
SW07379	N Park AVE	5.9	405	2,373	Boulevard Walk	Concrete	81.92	Partial Curb	4.95	5.86	28.97	90	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07618	N Park AVE	5.1	135	685	Boulevard Walk	Concrete	22.89	Curb	5.89	5.08	29.91	90	Fair	Deferrable Priority
SW00425	N Park AVE	5.4	152	820	Boulevard Walk	Concrete	32.91	Curb	4.63	5.38	24.91	94	Good	Deferrable Priority
SW00428	N Park AVE	5.6	150	847	Boulevard Walk	Concrete	28.84	Curb	5.21	5.64	29.36	95	Good	Deferrable Priority
SW07385	N Park AVE	6.2	404	2,491	Boulevard Walk	Concrete	78.51	Curb	5.14	6.17	31.73	91	Good	Very Low Priority
SW06869	N Park Ridge RD	5.4	53	286	Mono Curb And Walk	Concrete	10.87	Curb	4.86	5.41	26.30	37	Poor	Immediate Priority
SW06849	N Park Ridge RD	4.4	235	1,026	Boulevard Walk	Concrete	38.58	Curb	6.10	4.36	26.60	56	Marginal	Immediate Priority
SW02520	N Park Ridge RD	3.8	501	1,918	Boulevard Walk	Concrete	107.23	Curb	4.67	3.83	17.89	39	Poor	Immediate Priority
SW06841	N Park Ridge RD	4.8	217	1,038	Boulevard Walk	Concrete	45.23	Curb	4.80	4.79	22.94	50	Marginal	Immediate Priority
SW06874	N Park Ridge RD	4.9	88	428	Mono Curb And Walk	Concrete	16.53	Curb	5.34	4.85	25.89	55	Marginal	Low Priority
SW06870	N Park Ridge RD	5.0	103	518	Boulevard Walk	Concrete	21.21	Curb	4.84	5.05	24.41	48	Poor	Low Priority
SW02524	N Park Ridge RD	4.4	719	3,185	Boulevard Walk	Concrete	180.57	Curb	3.98	4.43	17.64	47	Poor	Immediate Priority
SW02529	N Park Ridge RD	3.7	419	1,548	Boulevard Walk	Concrete	105.61	Curb	3.97	3.70	14.65	48	Poor	Immediate Priority
SW06831	N Park Ridge RD	4.9	119	586	Mono Curb And Walk	Concrete	24.31	Curb	4.91	4.92	24.11	61	Marginal	Low Priority
SW02530	N Park Ridge RD	4.8	382	1,824	Boulevard Walk	Concrete	65.15	Curb	5.86	4.78	27.99	45	Poor	Low Priority
SW02531	N Park Ridge RD	4.8	783	3,722	Boulevard Walk	Concrete	163.74	Curb	4.78	4.75	22.73	56	Marginal	Immediate Priority
SW06871	N Park Ridge RD	5.0	112	553	Mono Curb And Walk	Concrete	23.13	Curb	4.83	4.96	23.92	58	Marginal	Low Priority
SW02525	N Park Ridge RD	5.1	351	1,802	Boulevard Walk	Concrete	69.07	Curb	5.09	5.13	26.09	62	Marginal	Low Priority
SW06842	N Park Ridge RD	4.8	224	1,072	Boulevard Walk	Concrete	43.96	Curb	5.09	4.79	24.38	77	Fair	Low Priority
SW06854	N Park Ridge RD	4.3	79	340	Boulevard Walk	Concrete	15.93	Curb	4.97	4.30	21.37	71	Marginal	Very Low Priority
SW02342	N Pete Ellis DR	4.9	78	381	Boulevard Walk	Concrete	15.73	Curb	4.93	4.92	24.21	38	Poor	Immediate Priority
SW02369	N Pete Ellis DR	4.9	44	214	Boulevard Walk	Concrete	6.76	Curb	6.47	4.90	31.72	28	Very Poor	Low Priority
SW02378	N Pete Ellis DR	6.5	39	257	Boulevard Walk	Concrete	4.29	Curb	9.15	6.55	59.91	51	Marginal	Low Priority
SW02366	N Pete Ellis DR	4.7	289	1,346	Boulevard Walk	Concrete	61.91	Curb	4.66	4.66	21.74	45	Poor	Immediate Priority
SW01425	N Pete Ellis DR	5.5	213	1,175	Boulevard Walk	Concrete	40.50	Curb	5.26	5.51	29.00	50	Poor	Immediate Priority
SW02341	N Pete Ellis DR	5.0	266	1,326	Boulevard Walk	Concrete	53.72	Curb	4.95	4.99	24.68	63	Marginal	Immediate Priority
SW02368	N Pete Ellis DR	8.0	368	2,956	Boulevard Walk	Concrete	40.22	Curb	9.15	8.03	73.50	56	Marginal	Low Priority
SW02343	N Pete Ellis DR	4.8	85	404	Boulevard Walk	Concrete	18.82	Curb	4.50	4.78	21.47	57	Marginal	Low Priority
SW02364	N Pete Ellis DR	5.0	350	1,732	Boulevard Walk	Concrete	55.03	Curb	6.36	4.95	31.48	60	Marginal	Low Priority
SW02379	N Pete Ellis DR	6.5	82	536	Boulevard Walk	Asphalt	20.49	Curb	4.00	6.55	26.18	63	Marginal	Low Priority
SW02363	N Pete Ellis DR	5.0	305	1,520	Boulevard Walk	Concrete	57.56	Curb	5.29	4.99	26.41	77	Fair	Low Priority
SW01400	N Pete Ellis DR	6.5	222	1,453	Boulevard Walk	Asphalt	55.49	Curb	4.00	6.55	26.18	71	Marginal	Low Priority
SW02349	N Pete Ellis DR	5.4	330	1,797	Boulevard Walk	Asphalt	82.53	Curb	4.00	5.44	21.78	79	Fair	Low Priority
SW01352	N Pete Ellis DR	5.0	276	1,368	Mono Curb And Walk	Pavers / Brick	69.06	Curb	4.00	4.95	19.81	92	Good	Deferrable Priority
SW01398	N Pete Ellis DR	6.5	275	1,800	Boulevard Walk	Asphalt	68.76	Curb	4.00	6.55	26.18	80	Fair	Very Low Priority
SW08105	N Pine ST	3.9	131	505	Mono Curb And Walk	Concrete	32.16	Curb	4.06	3.87	15.71	84	Fair	Very Low Priority
SW02518	N Plymouth CT	3.7	285	1,040	Boulevard Walk	Concrete	64.18	Curb	4.44	3.65	16.21	61	Marginal	Low Priority
SW02512	N Plymouth CT	4.1	309	1,276	Boulevard Walk	Concrete	55.10	Curb	5.60	4.14	23.17	83	Fair	Low Priority
SW02522	N Plymouth RD	4.8	264	1,268	Boulevard Walk	Concrete	53.81	Curb	4.90	4.80	23.56	49	Poor	Immediate Priority
SW02523	N Plymouth RD	4.6	481	2,217	Boulevard Walk	Concrete	99.72	Curb	4.82	4.61	22.23	49	Poor	Immediate Priority
SW02517	N Plymouth RD	4.5	239	1,088	Boulevard Walk	Concrete	49.22	Curb	4.86	4.55	22.10	58	Marginal	Immediate Priority
SW02527	N Plymouth RD	4.3	460	1,977	Boulevard Walk	Concrete	117.02	Curb	3.93	4.30	16.90	64	Marginal	Low Priority
SW02511	N Plymouth RD	4.4	300	1,314	Boulevard Walk	Concrete	72.13	Curb	4.16	4.39	18.22	77	Fair	Immediate Priority
SW02515	N Plymouth RD	4.4	542	2,400	Boulevard Walk	Concrete	127.27	Curb	4.26	4.43	18.85	72	Marginal	Immediate Priority
SW02513	N Plymouth RD	4.4	797	3,516	Boulevard Walk	Concrete	185.51	Curb	4.30	4.41	18.96	83	Fair	Immediate Priority
SW02514	N Plymouth RD	4.3	290	1,245	Boulevard Walk	Concrete	78.26	Curb	3.71	4.29	15.91	95	Good	Deferrable Priority
SW07412	N Prow AVE	3.5	409	1,441	Mono Curb And Walk	Concrete	113.12	Curb	3.61	3.53	12.74	85	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08773	N Ramble RD E	4.7	249	1,177	Boulevard Walk	Concrete	41.58	Curb	5.99	4.73	28.30	47	Poor	Immediate Priority
SW08756	N Ramble RD E	3.9	660	2,549	Boulevard Walk	Concrete	134.30	Curb	4.92	3.86	18.98	77	Fair	Immediate Priority
SW08784	N Ramble RD E	3.8	575	2,201	Boulevard Walk	Concrete	121.87	Curb	4.72	3.83	18.06	70	Marginal	Low Priority
SW08764	N Ramble RD E	4.0	326	1,288	Boulevard Walk	Concrete	67.08	Curb	4.86	3.95	19.21	76	Fair	Low Priority
SW08776	N Ramble RD E	4.9	602	2,973	Boulevard Walk	Concrete	94.98	Curb	6.34	4.94	31.30	71	Marginal	Low Priority
SW08755	N Ramble RD E	3.9	343	1,324	Boulevard Walk	Concrete	69.75	Curb	4.92	3.86	18.98	83	Fair	Immediate Priority
SW08770	N Ramble RD E	4.0	237	942	Boulevard Walk	Concrete	52.95	Curb	4.48	3.98	17.79	88	Fair	Deferrable Priority
SW08779	N Ramble RD E	4.5	314	1,407	Boulevard Walk	Concrete	50.23	Curb	6.25	4.48	28.01	78	Fair	Low Priority
SW08751	N Ramble RD E	3.9	346	1,335	Boulevard Walk	Concrete	70.35	Curb	4.92	3.86	18.98	80	Fair	Very Low Priority
SW08780	N Ramble RD W	3.4	325	1,120	Boulevard Walk	Concrete	69.74	Curb	4.66	3.44	16.06	60	Marginal	Immediate Priority
SW08785	N Ramble RD W	5.2	1216	6,333	Boulevard Walk	Concrete	174.30	Curb	6.97	5.21	36.34	58	Marginal	Low Priority
SW08767	N Ramble RD W	4.9	392	1,928	Boulevard Walk	Concrete	74.38	Curb	5.27	4.92	25.92	66	Marginal	Low Priority
SW08760	N Ramble RD W	4.0	281	1,119	Boulevard Walk	Concrete	59.38	Curb	4.74	3.98	18.85	71	Marginal	Immediate Priority
SW08762	N Ramble RD W	4.9	1246	6,090	Boulevard Walk	Concrete	260.08	Curb	4.79	4.89	23.42	70	Marginal	Immediate Priority
SW08783	N Ramble RD W	3.8	520	1,982	Boulevard Walk	Concrete	100.92	Curb	5.15	3.81	19.64	62	Marginal	Low Priority
SW08771	N Ramble RD W	3.8	346	1,324	Boulevard Walk	Concrete	77.36	Curb	4.47	3.83	17.11	81	Fair	Low Priority
SW08757	N Ramble RD W	3.6	603	2,158	Boulevard Walk	Concrete	158.91	Curb	3.79	3.58	13.58	87	Fair	Low Priority
SW08761	N Ramble RD W	4.7	158	745	Meandering	Concrete	31.75	Curb	4.97	4.72	23.45	92	Good	Deferrable Priority
SW08758	N Ramble RD W	3.9	366	1,437	Boulevard Walk	Concrete	77.45	Curb	4.73	3.92	18.56	90	Good	Very Low Priority
SW08759	N Ramble RD W	4.0	383	1,522	Boulevard Walk	Concrete	80.18	Curb	4.78	3.97	18.99	84	Fair	Low Priority
SW08329	N Rogers ST	5.8	56	327	Mono Curb And Walk	Concrete	6.49	No Curb	8.63	5.83	50.30	13	Very Poor	Low Priority
SW08815	N Rogers ST	7.0	283	1,976	Mono Curb And Walk	Concrete	38.40	Curb	7.37	6.99	51.47	53	Marginal	Immediate Priority
SW08327	N Rogers ST	5.8	250	1,457	Mono Curb And Walk	Concrete	28.96	No Curb	8.63	5.83	50.30	62	Marginal	Immediate Priority
SW08162	N Rogers ST	5.2	209	1,093	Mono Curb And Walk	Concrete	32.09	Curb	6.51	5.23	34.07	34	Poor	Low Priority
SW08875	N Rogers ST	6.0	242	1,460	Mono Curb And Walk	Concrete	42.25	Curb	5.73	6.04	34.56	53	Marginal	Immediate Priority
SW08824	N Rogers ST	7.4	52	384	Mono Curb And Walk	Concrete	7.96	Curb	6.51	7.40	48.18	55	Marginal	Low Priority
SW08163	N Rogers ST	6.8	209	1,427	Mono Curb And Walk	Concrete	32.26	Curb	6.47	6.84	44.25	53	Marginal	Low Priority
SW08881	N Rogers ST	6.2	285	1,760	Mono Curb And Walk	Concrete	54.73	Curb	5.21	6.17	32.15	54	Marginal	Low Priority
SW08829	N Rogers ST	5.0	147	737	Boulevard Walk	Concrete	25.54	Curb	5.77	5.00	28.84	79	Fair	Low Priority
SW08876	N Rogers ST	4.4	355	1,573	Mono Curb And Walk	Concrete	71.50	Curb	4.96	4.43	21.99	74	Marginal	Low Priority
SW08822	N Rogers ST	4.8	68	329	Mono Curb And Walk	Concrete	14.68	Curb	4.67	4.81	22.45	86	Fair	Deferrable Priority
SW08821	N Rogers ST	5.0	62	312	Mono Curb And Walk	Concrete	12.51	Curb	4.93	5.05	24.91	87	Fair	Deferrable Priority
SW08823	N Rogers ST	4.9	16	81	Mono Curb And Walk	Concrete	4.40	Curb	3.71	4.94	18.32	88	Fair	Deferrable Priority
SW10851	N Rogers ST	5.0	147	739	Boulevard Walk	Concrete	26.73	Curb	5.50	5.03	27.66	88	Fair	Low Priority
SW10853	N Rogers ST	5.9	148	872	Boulevard Walk	Concrete	23.54	Curb	6.29	5.89	37.03	65	Marginal	Low Priority
SW08819	N Rogers ST	4.6	123	564	Mono Curb And Walk	Pavers / Brick	30.70	Curb	4.00	4.59	18.37	89	Fair	Deferrable Priority
SW08820	N Rogers ST	4.8	44	215	Mono Curb And Walk	Concrete	10.24	Curb	4.34	4.85	21.03	89	Fair	Deferrable Priority
SW08807	N Rogers ST	4.8	137	662	Boulevard Walk	Concrete	24.68	Curb	5.54	4.84	26.83	66	Marginal	Low Priority
SW08877	N Rogers ST	5.8	322	1,875	Boulevard Walk	Concrete	57.56	Curb	5.59	5.83	32.58	89	Fair	Deferrable Priority
SW08861	N Rogers ST	6.3	150	954	Stand Alone	Concrete	23.64	Curb	6.36	6.35	40.36	60	Marginal	Very Low Priority
SW08814	N Rogers ST	4.8	238	1,147	Boulevard Walk	Concrete	51.36	Curb	4.63	4.83	22.34	90	Good	Low Priority
SW08828	N Rogers ST	4.9	154	751	Boulevard Walk	Concrete	35.00	Curb	4.41	4.87	21.46	84	Fair	Very Low Priority
SW08874	N Rogers ST	9.5	125	1,186	Boulevard Walk	Concrete	24.73	Curb	5.04	9.51	47.97	72	Marginal	Very Low Priority
SW08894	N Rogers ST	6.1	122	746	Mono Curb And Walk	Concrete	26.00	Curb	4.69	6.12	28.68	83	Fair	Very Low Priority
SW08834	N Rogers ST	5.4	116	625	Boulevard Walk	Concrete	16.72	Curb	6.92	5.40	37.36	96	Good	Deferrable Priority
SW08850	N Rogers ST	4.6	152	705	Boulevard Walk	Concrete	34.01	Curb	4.46	4.64	20.72	96	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08893	N Rogers ST	6.8	252	1,710	Boulevard Walk	Concrete	48.14	Curb	5.23	6.79	35.52	97	Good	Deferrable Priority
SW08806	N Rogers ST	4.8	148	714	Boulevard Walk	Concrete	30.29	Curb	4.88	4.83	23.59	83	Fair	Very Low Priority
SW08883	N Rogers ST	5.0	160	793	Boulevard Walk	Concrete	29.97	Curb	5.33	4.96	26.46	100	Good	No Priority
SW01622	N Roosevelt ST	5.4	78	419	Mono Curb And Walk	Concrete	15.71	No Curb	4.98	5.36	26.65	73	Marginal	Low Priority
SW01624	N Roosevelt ST	4.7	73	345	Boulevard Walk	Concrete	16.12	No Curb	4.51	4.74	21.40	74	Marginal	Low Priority
SW08975	N Rosewood DR	3.8	139	525	Boulevard Walk	Concrete	29.95	Curb	4.63	3.79	17.52	61	Marginal	Low Priority
SW08979	N Rosewood DR	3.9	97	381	Boulevard Walk	Concrete	20.94	Curb	4.65	3.91	18.18	63	Marginal	Low Priority
SW08980	N Rosewood DR	3.3	113	378	Boulevard Walk	Concrete	23.20	Curb	4.87	3.34	16.28	67	Marginal	Low Priority
SW08940	N Rosewood DR	4.0	196	790	Boulevard Walk	Concrete	38.50	Curb	5.08	4.04	20.53	71	Marginal	Low Priority
SW08966	N Rosewood DR	3.7	93	347	Boulevard Walk	Concrete	19.31	Curb	4.83	3.72	17.98	71	Marginal	Low Priority
SW08964	N Rosewood DR	3.9	106	409	Boulevard Walk	Concrete	26.39	Curb	4.02	3.86	15.50	69	Marginal	Low Priority
SW08945	N Rosewood DR	4.1	416	1,707	Boulevard Walk	Concrete	99.22	Curb	4.19	4.10	17.20	71	Marginal	Low Priority
SW08978	N Rosewood DR	4.2	422	1,775	Boulevard Walk	Concrete	85.54	Curb	4.94	4.20	20.75	72	Marginal	Immediate Priority
SW08943	N Rosewood DR	3.9	107	419	Boulevard Walk	Concrete	21.34	Curb	5.01	3.92	19.64	91	Good	Deferrable Priority
SW08981	N Rosewood DR	3.4	183	628	Boulevard Walk	Concrete	38.33	Curb	4.77	3.44	16.39	94	Good	Deferrable Priority
SW06832	N Sheffield DR	5.2	333	1,727	Boulevard Walk	Concrete	51.84	Curb	6.42	5.19	33.31	39	Poor	Immediate Priority
SW06840	N Sheffield DR	4.9	120	588	Boulevard Walk	Concrete	18.24	Curb	6.59	4.89	32.23	48	Poor	Immediate Priority
SW06834	N Sheffield DR	5.5	888	4,891	Boulevard Walk	Concrete	186.69	Curb	4.76	5.51	26.20	75	Fair	Low Priority
SW06835	N Sheffield DR	5.1	286	1,461	Boulevard Walk	Concrete	53.49	Curb	5.34	5.12	27.31	73	Marginal	Low Priority
SW01424	N Smith RD	4.8	317	1,529	Mono Curb And Walk	Concrete	64.03	Curb	4.95	4.82	23.88	17	Very Poor	Immediate Priority
SW01494	N Smith RD	4.5	143	636	Mono Curb And Walk	Concrete	37.77	Curb	3.78	4.45	16.83	14	Very Poor	Immediate Priority
SW01492	N Smith RD	5.1	50	251	Mono Curb And Walk	Concrete	9.18	Curb	5.39	5.07	27.37	29	Very Poor	Low Priority
SW01472	N Smith RD	4.8	75	363	Mono Curb And Walk	Concrete	15.52	Curb	4.85	4.81	23.36	17	Very Poor	Low Priority
SW01412	N Smith RD	4.9	41	197	Boulevard Walk	Concrete	7.69	Curb	5.29	4.85	25.64	15	Very Poor	Low Priority
SW01421	N Smith RD	4.5	241	1,092	Mono Curb And Walk	Concrete	45.91	Curb	5.25	4.54	23.79	63	Marginal	Low Priority
SW01495	N Smith RD	5.3	472	2,495	Mono Curb And Walk	Concrete	73.02	Curb	6.47	5.28	34.17	51	Marginal	Low Priority
SW01417	N Smith RD	4.7	217	1,029	Boulevard Walk	Concrete	42.97	Curb	5.06	4.74	23.95	65	Marginal	Low Priority
SW01497	N Smith RD	5.4	297	1,600	Mono Curb And Walk	Concrete	37.61	Curb	7.91	5.38	42.53	46	Poor	Low Priority
SW01498	N Smith RD	4.8	452	2,147	Mono Curb And Walk	Concrete	82.56	Curb	5.47	4.75	26.00	82	Fair	Low Priority
SW01501	N Smith RD	5.3	30	159	Mono Curb And Walk	Concrete	5.01	Curb	6.01	5.26	31.62	82	Fair	Deferrable Priority
SW01493	N Smith RD	5.0	409	2,044	Mono Curb And Walk	Concrete	81.47	Curb	5.02	5.00	25.09	71	Marginal	Low Priority
SW01496	N Smith RD	5.6	234	1,318	Mono Curb And Walk	Concrete	25.62	Curb	9.13	5.63	51.44	63	Marginal	Low Priority
SW01414	N Smith RD	4.9	98	475	Boulevard Walk	Concrete	20.42	Curb	4.80	4.85	23.27	100	Good	No Priority
SW08525	N Stonelake DR	4.8	61	289	Boulevard Walk	Concrete	12.01	Curb	5.05	4.77	24.05	66	Marginal	Low Priority
SW08533	N Stonelake DR	3.8	54	207	Boulevard Walk	Concrete	11.15	Curb	4.85	3.83	18.54	60	Marginal	Low Priority
SW08527	N Stonelake DR	3.4	328	1,117	Boulevard Walk	Concrete	80.73	Curb	4.07	3.40	13.84	60	Marginal	Immediate Priority
SW08526	N Stonelake DR	3.9	83	323	Boulevard Walk	Concrete	15.83	Curb	5.23	3.91	20.42	78	Fair	Low Priority
SW08528	N Stonelake DR	3.8	170	654	Mono Curb And Walk	Concrete	31.81	Curb	5.35	3.85	20.57	70	Marginal	Low Priority
SW08534	N Stonelake DR	3.7	185	694	Boulevard Walk	Concrete	37.30	No Curb	4.97	3.74	18.60	88	Fair	Deferrable Priority
SW08117	N Summit ST	4.3	159	680	Mono Curb And Walk	Concrete	35.29	Curb	4.50	4.28	19.26	64	Marginal	Low Priority
SW08076	N Summit ST	3.5	161	557	Mono Curb And Walk	Concrete	25.66	Curb	6.28	3.46	21.71	73	Marginal	Low Priority
SW10831	N Summit ST	4.3	137	584	Mono Curb And Walk	Concrete	23.61	Curb	5.82	4.26	24.74	65	Marginal	Low Priority
SW09118	N Summit ST	6.2	121	753	Boulevard Walk	Concrete	15.16	Curb	7.96	6.24	49.67	70	Marginal	Low Priority
SW09117	N Summit ST	4.4	241	1,069	Boulevard Walk	Concrete	51.16	Curb	4.71	4.43	20.89	76	Fair	Low Priority
SW08139	N Summit ST	5.7	17	98	Mono Curb And Walk	Concrete	2.62	Curb	6.58	5.66	37.24	83	Fair	Deferrable Priority
SW09115	N Summit ST	4.8	266	1,270	Boulevard Walk	Concrete	52.19	Curb	5.09	4.78	24.33	82	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09095	N Summit ST	5.6	331	1,855	Boulevard Walk	Concrete	51.24	Curb	6.46	5.60	36.20	86	Fair	Low Priority
SW09072	N Summit ST	4.7	448	2,118	Boulevard Walk	Concrete	90.54	Curb	4.95	4.73	23.40	87	Fair	Low Priority
SW08064	N Summit ST	4.1	153	624	Mono Curb And Walk	Concrete	39.37	Curb	3.88	4.09	15.86	79	Fair	Very Low Priority
SW08956	N Tulipwood CT	3.7	189	690	Boulevard Walk	Concrete	51.00	Curb	3.70	3.66	13.54	79	Fair	Low Priority
SW08933	N Tulipwood CT	3.5	164	580	Boulevard Walk	Concrete	44.45	Curb	3.68	3.54	13.04	71	Marginal	Very Low Priority
SW01610	N Union ST	4.8	150	719	Mono Curb And Walk	Concrete	31.12	Curb	4.82	4.79	23.10	34	Poor	Immediate Priority
SW01251	N Union ST	8.2	193	1,589	Mono Curb And Walk	Concrete	64.18	Curb	3.00	8.24	24.75	48	Poor	Low Priority
SW01259	N Union ST	4.9	1181	5,815	Mono Curb And Walk	Concrete	216.86	Curb	5.45	4.92	26.82	57	Marginal	Immediate Priority
SW01252	N Union ST	6.0	156	934	Mono Curb And Walk	Concrete	28.01	Curb	5.55	6.01	33.35	61	Marginal	Low Priority
SW01254	N Union ST	4.1	20	82	Mono Curb And Walk	Concrete	5.70	Curb	3.48	4.11	14.31	84	Fair	Deferrable Priority
SW01609	N Union ST	5.0	262	1,320	Mono Curb And Walk	Concrete	50.09	Curb	5.23	5.04	26.36	76	Fair	Low Priority
SW01249	N Union ST	8.1	114	926	Mono Curb And Walk	Concrete	37.84	Curb	3.01	8.13	24.48	60	Marginal	Very Low Priority
SW01248	N Union ST	6.0	113	681	Boulevard Walk	Concrete	17.49	Curb	6.49	6.00	38.92	73	Marginal	Very Low Priority
SW01263	N Union ST	5.6	60	336	Boulevard Walk	Concrete	11.85	Curb	5.03	5.65	28.38	89	Fair	Very Low Priority
SW01264	N Union ST	5.6	76	426	Mono Curb And Walk	Concrete	15.02	Curb	5.03	5.65	28.38	90	Fair	Very Low Priority
SW01253	N Union ST	4.9	241	1,177	Mono Curb And Walk	Concrete	49.58	Curb	4.86	4.89	23.75	90	Good	Very Low Priority
SW01520	N Union ST	7.7	42	322	Boulevard Walk	Concrete	5.38	Curb	7.74	7.73	59.80	100	Good	No Priority
SW07555	N Walnut Grove AVE	5.8	127	738	Mono Curb And Walk	Concrete	26.45	Curb	4.82	5.79	27.89	18	Very Poor	Low Priority
SW07544	N Walnut Grove AVE	5.5	183	1,013	Mono Curb And Walk	Concrete	39.62	Curb	4.62	5.53	25.58	36	Poor	Low Priority
SW07022	N Walnut Grove AVE	5.2	126	652	Mono Curb And Walk	Concrete	27.16	Curb	4.63	5.19	24.02	66	Marginal	Low Priority
SW07241	N Walnut Grove AVE	7.9	264	2,084	Mono Curb And Walk	Concrete	33.63	Curb	7.85	7.90	61.98	49	Poor	Low Priority
SW07189	N Walnut Grove AVE	5.6	72	402	Mono Curb And Walk	Concrete	11.54	Curb	6.21	5.61	34.84	78	Fair	Low Priority
SW07242	N Walnut Grove AVE	5.6	311	1,732	Mono Curb And Walk	Concrete	59.97	Curb	5.19	5.56	28.88	81	Fair	Low Priority
SW07006	N Walnut Grove AVE	5.9	385	2,275	Mono Curb And Walk	Concrete	63.26	Curb	6.09	5.90	35.96	87	Fair	Low Priority
SW07554	N Walnut Grove AVE	5.8	306	1,768	Mono Curb And Walk	Concrete	65.78	Curb	4.65	5.78	26.88	93	Good	Deferrable Priority
SW07026	N Walnut Grove AVE	5.9	257	1,511	Mono Curb And Walk	Concrete	51.97	Curb	4.94	5.89	29.08	93	Good	Deferrable Priority
SW07025	N Walnut Grove AVE	3.8	240	903	Mono Curb And Walk	Stamped Concrete	55.63	Curb	4.31	3.77	16.24	93	Good	Deferrable Priority
SW07008	N Walnut Grove AVE	6.0	367	2,195	Mono Curb And Walk	Concrete	73.12	Curb	5.02	5.98	30.02	96	Good	Deferrable Priority
SW07545	N Walnut Grove AVE	5.7	220	1,246	Mono Curb And Walk	Concrete	46.88	Curb	4.69	5.67	26.59	89	Fair	Very Low Priority
SW07023	N Walnut Grove AVE	4.1	696	2,853	Mono Curb And Walk	Stamped Concrete	139.90	Curb	4.98	4.10	20.39	98	Good	Deferrable Priority
SW07537	N Walnut Grove AVE	3.7	291	1,067	Mono Curb And Walk	Stamped Concrete	69.41	Curb	4.19	3.67	15.37	98	Good	Deferrable Priority
SW07283	N Walnut ST	6.6	248	1,626	Boulevard Walk	Concrete	47.44	Curb	5.23	6.56	34.28	32	Poor	Immediate Priority
SW07277	N Walnut ST	6.5	63	411	Boulevard Walk	Concrete	10.18	Curb	6.19	6.53	40.40	53	Marginal	Low Priority
SW09204	N Walnut ST	4.8	43	205	Boulevard Walk	Concrete	10.15	Curb	4.22	4.78	20.16	56	Marginal	Low Priority
SW09941	N Walnut ST	4.9	96	470	Boulevard Walk	Concrete	16.80	Partial Curb	5.69	4.92	27.99	67	Marginal	Low Priority
SW07278	N Walnut ST	6.5	285	1,865	Boulevard Walk	Concrete	38.23	Curb	7.47	6.54	48.79	66	Marginal	Low Priority
SW07307	N Walnut ST	4.7	359	1,679	Boulevard Walk	Concrete	82.14	Curb	4.37	4.67	20.44	79	Fair	Low Priority
SW09171	N Walnut ST	5.4	102	551	Boulevard Walk	Concrete	17.33	Curb	5.89	5.40	31.81	82	Fair	Low Priority
SW00179	N Walnut ST	5.2	144	750	Mono Curb And Walk	Concrete	26.33	Curb	5.45	5.22	28.48	66	Marginal	Low Priority
SW08635	N Walnut ST	5.2	134	690	Boulevard Walk	Concrete	25.47	Curb	5.25	5.16	27.11	85	Fair	Low Priority
SW08697	N Walnut ST	8.9	24	210	Mono Curb And Walk	Concrete	3.27	Curb	7.21	8.91	64.28	85	Fair	Deferrable Priority
SW07280	N Walnut ST	6.3	58	364	Mono Curb And Walk	Concrete	9.10	Curb	6.36	6.29	40.04	85	Fair	Deferrable Priority
SW07613	N Walnut ST	6.0	14	83	Boulevard Walk	Concrete	2.18	Curb	6.31	6.04	38.08	41	Poor	Very Low Priority
SW09938	N Walnut ST	4.6	162	743	Boulevard Walk	Concrete	39.93	Curb	4.05	4.60	18.62	60	Marginal	Low Priority
SW09182	N Walnut ST	5.6	128	718	Mono Curb And Walk	Concrete	25.78	Curb	4.96	5.61	27.84	72	Marginal	Low Priority
SW00228	N Walnut ST	9.5	159	1,508	Mono Curb And Walk	Concrete	34.91	Curb	4.57	9.47	43.21	85	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09939	N Walnut ST	4.9	118	582	Boulevard Walk	Concrete	19.08	No Curb	6.20	4.92	30.51	74	Marginal	Low Priority
SW07311	N Walnut ST	5.7	57	327	Boulevard Walk	Concrete	12.27	Curb	4.67	5.72	26.68	86	Fair	Deferrable Priority
SW07276	N Walnut ST	5.8	354	2,039	Boulevard Walk	Concrete	52.95	Curb	6.70	5.75	38.52	77	Fair	Low Priority
SW08638	N Walnut ST	5.7	18	101	Mono Curb And Walk	Concrete	3.73	Curb	4.76	5.70	27.13	86	Fair	Deferrable Priority
SW09936	N Walnut ST	4.2	14	58	Boulevard Walk	Concrete	4.06	Curb	3.36	4.21	14.16	87	Fair	Deferrable Priority
SW00178	N Walnut ST	5.9	305	1,785	Mono Curb And Walk	Concrete	66.76	Curb	4.56	5.86	26.73	87	Fair	Low Priority
SW00173	N Walnut ST	8.4	96	807	Mono Curb And Walk	Concrete	16.37	Curb	5.88	8.38	49.30	68	Marginal	Very Low Priority
SW00174	N Walnut ST	7.3	73	537	Boulevard Walk	Concrete	11.91	Curb	6.16	7.31	45.05	58	Marginal	Very Low Priority
SW09200	N Walnut ST	5.2	123	636	Mono Curb And Walk	Concrete	27.01	Curb	4.55	5.17	23.54	88	Fair	Deferrable Priority
SW09949	N Walnut ST	4.2	22	92	Boulevard Walk	Concrete	4.52	Curb	4.77	4.25	20.28	88	Fair	Deferrable Priority
SW08639	N Walnut ST	6.8	191	1,292	Mono Curb And Walk	Concrete	41.10	Curb	4.65	6.76	31.45	74	Marginal	Low Priority
SW00259	N Walnut ST	8.7	155	1,346	Mono Curb And Walk	Concrete	27.40	Curb	5.64	8.71	49.11	88	Fair	Deferrable Priority
SW07314	N Walnut ST	6.1	74	453	Mono Curb And Walk	Concrete	12.01	Curb	6.17	6.11	37.69	88	Fair	Deferrable Priority
SW00258	N Walnut ST	10.5	153	1,609	Mono Curb And Walk	Concrete	27.78	Curb	5.52	10.49	57.93	88	Fair	Deferrable Priority
SW08637	N Walnut ST	6.4	78	498	Mono Curb And Walk	Concrete	10.27	Curb	7.59	6.38	48.47	89	Fair	Deferrable Priority
SW09954	N Walnut ST	4.7	338	1,604	Boulevard Walk	Concrete	69.53	No Curb	4.86	4.74	23.06	82	Fair	Low Priority
SW09943	N Walnut ST	4.7	204	963	Boulevard Walk	Concrete	35.19	No Curb	5.80	4.72	27.38	89	Fair	Deferrable Priority
SW08694	N Walnut ST	6.4	40	257	Mono Curb And Walk	Concrete	5.29	Curb	7.59	6.39	48.54	89	Fair	Deferrable Priority
SW07282	N Walnut ST	7.5	124	931	Boulevard Walk	Concrete	22.16	Curb	5.59	7.51	42.01	89	Fair	Deferrable Priority
SW08695	N Walnut ST	4.7	265	1,253	Boulevard Walk	Concrete	65.97	Curb	4.02	4.73	18.99	89	Fair	Deferrable Priority
SW08722	N Walnut ST	5.1	23	118	Boulevard Walk	Concrete	5.64	Curb	4.10	5.09	20.86	90	Fair	Deferrable Priority
SW09187	N Walnut ST	5.3	41	216	Boulevard Walk	Concrete	5.64	Curb	7.27	5.27	38.27	90	Fair	Deferrable Priority
SW09175	N Walnut ST	5.6	29	162	Mono Curb And Walk	Concrete	5.80	Curb	4.96	5.61	27.84	90	Fair	Deferrable Priority
SW09202	N Walnut ST	5.8	135	787	Mono Curb And Walk	Concrete	24.08	Curb	5.62	5.82	32.67	90	Good	Deferrable Priority
SW07316	N Walnut ST	6.0	84	507	Mono Curb And Walk	Concrete	13.32	Curb	6.30	6.04	38.06	51	Marginal	Very Low Priority
SW08636	N Walnut ST	5.0	143	713	Boulevard Walk	Concrete	24.71	Curb	5.80	4.97	28.85	90	Good	Deferrable Priority
SW09183	N Walnut ST	5.4	159	861	Mono Curb And Walk	Concrete	26.93	Curb	5.90	5.42	31.98	91	Good	Deferrable Priority
SW08681	N Walnut ST	4.8	72	350	Boulevard Walk	Concrete	13.73	Curb	5.27	4.83	25.46	91	Good	Deferrable Priority
SW00165	N Walnut ST	8.1	123	991	Boulevard Walk	Concrete	18.30	Curb	6.71	8.07	54.15	75	Marginal	Very Low Priority
SW09198	N Walnut ST	5.5	206	1,134	Mono Curb And Walk	Concrete	36.58	Curb	5.63	5.51	31.00	91	Good	Deferrable Priority
SW07308	N Walnut ST	5.1	128	656	Boulevard Walk	Concrete	20.50	Curb	6.25	5.12	32.01	73	Marginal	Very Low Priority
SW08683	N Walnut ST	10.1	58	588	Boulevard Walk	Concrete	7.30	Curb	7.98	10.09	80.52	91	Good	Deferrable Priority
SW09223	N Walnut ST	5.1	106	540	Mono Curb And Walk	Concrete	22.43	Curb	4.73	5.09	24.06	92	Good	Deferrable Priority
SW09937	N Walnut ST	4.2	50	211	Boulevard Walk	Concrete	14.92	Curb	3.36	4.21	14.16	92	Good	Deferrable Priority
SW09148	N Walnut ST	4.6	244	1,115	Boulevard Walk	Concrete	60.22	Curb	4.05	4.58	18.51	86	Fair	Very Low Priority
SW09172	N Walnut ST	5.3	302	1,594	Mono Curb And Walk	Concrete	57.14	Curb	5.28	5.28	27.89	71	Marginal	Low Priority
SW09942	N Walnut ST	4.8	163	785	Boulevard Walk	Concrete	36.09	Partial Curb	4.53	4.80	21.74	92	Good	Deferrable Priority
SW09188	N Walnut ST	4.6	217	995	Boulevard Walk	Concrete	47.61	Curb	4.55	4.59	20.89	93	Good	Very Low Priority
SW09948	N Walnut ST	4.6	103	473	Boulevard Walk	Concrete	18.27	Curb	5.67	4.57	25.92	93	Good	Very Low Priority
SW07303	N Walnut ST	4.9	236	1,144	Boulevard Walk	Concrete	49.05	Curb	4.80	4.85	23.31	93	Good	Deferrable Priority
SW07302	N Walnut ST	4.7	129	606	Mono Curb And Walk	Concrete	22.58	Curb	5.71	4.70	26.83	66	Marginal	Very Low Priority
SW00153	N Walnut ST	7.4	120	887	Boulevard Walk	Concrete	19.23	Curb	6.21	7.42	46.11	93	Good	Deferrable Priority
SW00307	N Walnut ST	13.6	142	1,926	Mono Curb And Walk	Concrete	29.70	Curb	4.79	13.55	64.85	93	Good	Deferrable Priority
SW09947	N Walnut ST	4.7	60	283	Boulevard Walk	Concrete	9.99	Curb	6.03	4.70	28.31	93	Good	Deferrable Priority
SW00215	N Walnut ST	7.7	73	563	Boulevard Walk	Concrete	10.35	Curb	7.06	7.70	54.35	94	Good	Deferrable Priority
SW09170	N Walnut ST	5.6	138	771	Mono Curb And Walk	Concrete	23.68	Curb	5.83	5.59	32.58	74	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00231	N Walnut ST	8.0	149	1,190	Mono Curb And Walk	Concrete	26.30	Curb	5.65	8.01	45.25	94	Good	Deferrable Priority
SW07614	N Walnut ST	5.9	111	654	Boulevard Walk	Concrete	17.73	Curb	6.28	5.87	36.88	94	Good	Deferrable Priority
SW08692	N Walnut ST	7.9	98	778	Mono Curb And Walk	Concrete	14.67	Curb	6.70	7.92	53.07	95	Good	Deferrable Priority
SW07275	N Walnut ST	4.9	131	639	Boulevard Walk	Concrete	24.45	Curb	5.36	4.88	26.15	82	Fair	Very Low Priority
SW08693	N Walnut ST	5.7	135	771	Boulevard Walk	Concrete	20.97	Curb	6.42	5.73	36.78	78	Fair	Very Low Priority
SW07309	N Walnut ST	4.9	133	657	Boulevard Walk	Concrete	23.74	Curb	5.62	4.92	27.67	96	Good	Deferrable Priority
SW07281	N Walnut ST	6.0	424	2,548	Mono Curb And Walk	Concrete	68.23	Curb	6.22	6.01	37.34	96	Good	Very Low Priority
SW09189	N Walnut ST	5.2	427	2,209	Boulevard Walk	Concrete	78.64	Curb	5.44	5.17	28.09	92	Good	Very Low Priority
SW08682	N Walnut ST	6.0	122	734	Boulevard Walk	Concrete	18.84	Curb	6.46	6.04	38.98	96	Good	Deferrable Priority
SW08617	N Walnut ST	4.8	198	945	Boulevard Walk	Concrete	42.42	Curb	4.66	4.78	22.28	97	Good	Deferrable Priority
SW00306	N Walnut ST	8.0	148	1,185	Boulevard Walk	Concrete	25.91	Curb	5.71	8.01	45.74	84	Fair	Very Low Priority
SW00152	N Walnut ST	7.5	171	1,278	Boulevard Walk	Concrete	23.01	Curb	7.45	7.46	55.55	97	Good	Deferrable Priority
SW08711	N Walnut ST	5.1	241	1,229	Boulevard Walk	Concrete	64.30	Curb	3.74	5.11	19.11	97	Good	Deferrable Priority
SW07290	N Walnut ST	7.4	331	2,458	Boulevard Walk	Concrete	65.53	Curb	5.05	7.43	37.50	94	Good	Very Low Priority
SW08713	N Walnut ST	8.0	259	2,067	Boulevard Walk	Concrete	46.26	Curb	5.60	7.98	44.68	98	Good	Deferrable Priority
SW07315	N Walnut ST	6.1	50	306	Boulevard Walk	Concrete	8.12	Curb	6.17	6.11	37.69	100	Good	No Priority
SW07317	N Walnut ST	6.0	45	269	Boulevard Walk	Concrete	7.08	Curb	6.31	6.04	38.08	100	Good	No Priority
SW08696	N Walnut ST	5.8	23	134	Boulevard Walk	Concrete	3.06	Curb	7.59	5.77	43.74	100	Good	No Priority
SW09230	N Walnut ST	5.5	85	469	Mono Curb And Walk	Concrete	17.40	Curb	4.91	5.49	26.97	100	Good	No Priority
SW09940	N Walnut ST	5.9	29	171	Boulevard Walk	Concrete	4.56	Curb	6.39	5.88	37.58	100	Good	No Priority
SW10812	N Washington ST	4.3	123	525	Mono Curb And Walk	Concrete	26.08	Curb	4.71	4.28	20.11	5	Very Poor	Immediate Priority
SW07085	N Washington ST	5.4	306	1,664	Mono Curb And Walk	Concrete	67.35	Curb	4.54	5.44	24.70	19	Very Poor	Immediate Priority
SW07091	N Washington ST	4.4	137	598	Mono Curb And Walk	Concrete	35.54	Curb	3.85	4.37	16.82	36	Poor	Immediate Priority
SW00063	N Washington ST	5.7	167	956	Boulevard Walk	Concrete	29.81	Curb	5.62	5.71	32.06	23	Very Poor	Immediate Priority
SW07048	N Washington ST	5.9	125	731	Boulevard Walk	Concrete	26.20	Curb	4.76	5.87	27.91	28	Very Poor	Immediate Priority
SW07090	N Washington ST	4.7	340	1,609	Mono Curb And Walk	Concrete	80.17	Curb	4.24	4.74	20.07	40	Poor	Immediate Priority
SW07049	N Washington ST	4.3	128	545	Boulevard Walk	Concrete	24.84	Curb	5.16	6.10	31.47	55	Marginal	Immediate Priority
SW00193	N Washington ST	7.8	155	1,211	Mono Curb And Walk	Concrete	20.50	Curb	7.58	7.80	59.06	66	Marginal	Immediate Priority
SW00069	N Washington ST	5.6	166	931	Boulevard Walk	Concrete	31.13	Curb	5.34	5.59	29.90	22	Very Poor	Low Priority
SW07051	N Washington ST	5.5	300	1,634	Mono Curb And Walk	Concrete	47.42	Curb	6.32	5.46	34.46	47	Poor	Immediate Priority
SW09206	N Washington ST	4.3	125	532	Mono Curb And Walk	Concrete	20.91	Curb	5.97	4.26	25.46	50	Marginal	Immediate Priority
SW00214	N Washington ST	5.3	299	1,582	Mono Curb And Walk	Concrete	51.51	Curb	5.81	5.29	30.71	67	Marginal	Immediate Priority
SW00064	N Washington ST	5.6	143	797	Boulevard Walk	Concrete	27.45	Curb	5.22	5.56	29.01	69	Marginal	Immediate Priority
SW09155	N Washington ST	4.1	125	511	Mono Curb And Walk	Concrete	30.01	Curb	4.16	4.09	17.01	65	Marginal	Low Priority
SW08674	N Washington ST	5.1	137	693	Boulevard Walk	Asphalt	34.28	Curb	4.00	5.06	20.23	71	Marginal	Low Priority
SW00211	N Washington ST	5.4	137	741	Boulevard Walk	Concrete	24.78	Curb	5.53	5.41	29.91	39	Poor	Low Priority
SW07041	N Washington ST	5.5	136	746	Boulevard Walk	Concrete	36.88	Curb	3.68	5.49	20.22	76	Fair	Immediate Priority
SW09185	N Washington ST	3.7	124	458	Mono Curb And Walk	Concrete	44.30	Curb	2.81	3.69	10.35	64	Marginal	Immediate Priority
SW09210	N Washington ST	4.3	122	520	Mono Curb And Walk	Concrete	28.61	Curb	4.26	4.27	18.17	51	Marginal	Low Priority
SW00285	N Washington ST	8.5	152	1,295	Mono Curb And Walk	Concrete	19.25	Curb	7.87	8.55	67.27	47	Poor	Low Priority
SW08646	N Washington ST	4.5	91	411	Mono Curb And Walk	Concrete	18.79	No Curb	4.85	4.51	21.87	79	Fair	Low Priority
SW08640	N Washington ST	3.7	140	524	Mono Curb And Walk	Concrete	37.57	Curb	3.72	3.74	13.93	76	Fair	Low Priority
SW10811	N Washington ST	4.0	118	469	Mono Curb And Walk	Concrete	25.90	Curb	4.54	3.99	18.12	57	Marginal	Low Priority
SW07623	N Washington ST	5.5	122	671	Boulevard Walk	Concrete	22.54	Curb	5.40	5.52	29.79	60	Marginal	Low Priority
SW07096	N Washington ST	5.5	135	746	Mono Curb And Walk	Concrete	24.16	Curb	5.61	5.51	30.89	85	Fair	Low Priority
SW07622	N Washington ST	5.7	128	728	Boulevard Walk	Concrete	22.23	Curb	5.77	5.68	32.76	76	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07055	N Washington ST	5.7	325	1,848	Mono Curb And Walk	Concrete	65.21	Curb	4.99	5.69	28.34	66	Marginal	Immediate Priority
SW00286	N Washington ST	9.5	151	1,430	Mono Curb And Walk	Concrete	21.27	Curb	7.10	9.46	67.23	68	Marginal	Very Low Priority
SW07040	N Washington ST	5.6	135	750	Boulevard Walk	Concrete	26.79	Curb	5.03	5.57	28.01	80	Fair	Low Priority
SW00212	N Washington ST	5.7	152	857	Boulevard Walk	Concrete	31.65	Curb	4.79	5.65	27.09	88	Fair	Low Priority
SW00234	N Washington ST	6.7	33	219	Mono Curb And Walk	Concrete	5.24	Curb	6.23	6.71	41.75	89	Fair	Deferrable Priority
SW07043	N Washington ST	5.6	135	754	Mono Curb And Walk	Concrete	26.99	Curb	5.01	5.58	27.95	91	Good	Low Priority
SW00238	N Washington ST	8.4	152	1,267	Mono Curb And Walk	Concrete	15.24	Curb	9.95	8.36	83.13	92	Good	Deferrable Priority
SW00279	N Washington ST	5.6	151	847	Boulevard Walk	Concrete	32.37	Curb	4.65	5.62	26.15	92	Good	Deferrable Priority
SW00235	N Washington ST	8.8	164	1,437	Mono Curb And Walk	Concrete	18.45	Curb	8.90	8.75	77.89	93	Good	Deferrable Priority
SW00233	N Washington ST	4.6	88	403	Mono Curb And Walk	Concrete	19.45	Curb	4.53	4.57	20.71	93	Good	Deferrable Priority
SW07069	N Washington ST	5.6	133	739	Mono Curb And Walk	Concrete	28.10	Curb	4.73	5.56	26.30	82	Fair	Very Low Priority
SW00068	N Washington ST	5.4	144	770	Boulevard Walk	Concrete	34.22	Curb	4.20	5.35	22.51	96	Good	Deferrable Priority
SW00191	N Washington ST	8.0	156	1,255	Mono Curb And Walk	Concrete	31.83	Curb	4.92	8.02	39.42	96	Good	Deferrable Priority
SW00309	N Washington ST	5.2	33	170	Mono Curb And Walk	Concrete	7.89	Curb	4.14	5.21	21.53	100	Good	No Priority
SW08709	N Washington ST	4.3	30	130	Boulevard Walk	Concrete	6.23	No Curb	4.87	4.28	20.85	100	Good	No Priority
SW08937	N Whitewood WAY	4.1	496	2,051	Boulevard Walk	Concrete	91.95	Curb	5.39	4.14	22.30	71	Marginal	Low Priority
SW08936	N Whitewood WAY	3.9	265	1,030	Boulevard Walk	Concrete	63.06	Curb	4.20	3.89	16.34	76	Fair	Low Priority
SW08983	N Whitewood WAY	3.9	209	810	Boulevard Walk	Concrete	50.36	Curb	4.14	3.88	16.09	77	Fair	Low Priority
SW08414	N Willis DR	3.5	29	101	Boulevard Walk	Concrete	7.96	Curb	3.65	3.47	12.64	52	Marginal	Immediate Priority
SW08416	N Willis DR	3.7	202	752	Boulevard Walk	Concrete	46.12	Curb	4.38	3.73	16.30	67	Marginal	Low Priority
SW08415	N Willis DR	4.9	453	2,228	Boulevard Walk	Concrete	96.21	Curb	4.71	4.91	23.16	87	Fair	Immediate Priority
SW08984	N Wintersweet DR	3.9	150	585	Boulevard Walk	Concrete	30.05	Curb	5.00	3.90	19.48	63	Marginal	Low Priority
SW08982	N Wintersweet DR	3.9	120	466	Boulevard Walk	Concrete	25.60	Curb	4.69	3.88	18.20	78	Fair	Low Priority
SW08987	N Wintersweet DR	3.9	137	533	Boulevard Walk	Concrete	30.24	Curb	4.54	3.88	17.61	68	Marginal	Low Priority
SW08986	N Wintersweet DR	3.9	114	446	Boulevard Walk	Concrete	20.42	Curb	5.59	3.91	21.85	83	Fair	Low Priority
SW08985	N Wintersweet DR	4.0	96	382	Boulevard Walk	Concrete	19.39	Curb	4.97	3.97	19.73	90	Good	Deferrable Priority
SW08432	N Woodburn AVE	5.1	218	1,116	Boulevard Walk	Concrete	41.06	Curb	5.32	5.11	27.18	43	Poor	Immediate Priority
SW08459	N Woodburn AVE	4.6	141	646	Boulevard Walk	Concrete	29.12	Curb	4.85	4.57	22.18	61	Marginal	Low Priority
SW08426	N Woodburn AVE	5.2	36	186	Boulevard Walk	Concrete	7.04	Curb	5.05	5.25	26.47	74	Marginal	Low Priority
SW08429	N Woodburn AVE	4.2	35	145	Boulevard Walk	Concrete	7.14	Curb	4.87	4.16	20.25	74	Marginal	Low Priority
SW08460	N Woodburn AVE	4.2	104	431	Boulevard Walk	Concrete	22.17	Curb	4.67	4.17	19.45	68	Marginal	Low Priority
SW07326	N Woodburn AVE	3.5	170	586	Boulevard Walk	Concrete	74.48	Curb	2.28	3.46	7.86	54	Marginal	Low Priority
SW08424	N Woodburn AVE	4.8	145	689	Boulevard Walk	Concrete	30.54	Curb	4.73	4.77	22.57	38	Poor	Low Priority
SW08462	N Woodburn AVE	5.0	106	531	Boulevard Walk	Concrete	21.04	Curb	5.03	5.02	25.23	59	Marginal	Low Priority
SW08431	N Woodburn AVE	5.1	228	1,156	Boulevard Walk	Concrete	41.64	Curb	5.48	5.06	27.77	72	Marginal	Low Priority
SW08463	N Woodburn AVE	4.8	140	679	Boulevard Walk	Concrete	27.83	Curb	5.05	4.83	24.39	61	Marginal	Low Priority
SW08423	N Woodburn AVE	4.2	143	607	Boulevard Walk	Concrete	28.92	Curb	4.96	4.23	20.98	69	Marginal	Low Priority
SW08422	N Woodburn AVE	4.3	202	864	Boulevard Walk	Concrete	38.50	Curb	5.25	4.28	22.45	75	Fair	Low Priority
SW10801	N Woodburn AVE	5.1	140	716	Boulevard Walk	Concrete	33.80	Curb	4.15	5.10	21.17	83	Fair	Low Priority
SW08433	N Woodburn AVE	4.8	199	955	Boulevard Walk	Concrete	42.83	Curb	4.65	4.80	22.29	80	Fair	Low Priority
SW08461	N Woodburn AVE	3.5	16	55	Boulevard Walk	Concrete	7.02	Curb	2.28	3.46	7.86	91	Good	Deferrable Priority
SW10800	N Woodburn AVE	4.6	134	615	Boulevard Walk	Concrete	24.89	Curb	5.39	4.58	24.72	92	Good	Deferrable Priority
SW07493	N Woodlawn AVE	10.1	40	400	Boulevard Walk	Concrete	4.47	Curb	8.84	10.12	89.40	67	Marginal	Low Priority
SW07228	N Woodlawn AVE	7.5	78	588	Mono Curb And Walk	Concrete	11.28	Curb	6.95	7.50	52.10	71	Marginal	Low Priority
SW07620	N Woodlawn AVE	7.2	130	943	Boulevard Walk	Concrete	19.06	Curb	6.83	7.24	49.48	74	Marginal	Low Priority
SW07250	N Woodlawn AVE	6.0	44	261	Boulevard Walk	Concrete	7.54	Curb	5.78	5.98	34.56	75	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07209	N Woodlawn AVE	9.5	173	1,641	Mono Curb And Walk	Concrete	17.05	Curb	10.16	9.47	96.20	76	Fair	Low Priority
SW07253	N Woodlawn AVE	5.8	45	261	Boulevard Walk	Concrete	8.16	Curb	5.49	5.83	32.00	77	Fair	Low Priority
SW07535	N Woodlawn AVE	10.0	219	2,196	Boulevard Walk	Concrete	25.31	Curb	8.67	10.01	86.77	80	Fair	Deferrable Priority
SW07261	N Woodlawn AVE	7.7	122	939	Mono Curb And Walk	Concrete	18.46	Curb	6.63	7.67	50.85	80	Fair	Low Priority
SW07012	N Woodlawn AVE	10.3	139	1,436	Boulevard Walk	Concrete	13.79	Curb	10.09	10.32	104.12	81	Fair	Deferrable Priority
SW07251	N Woodlawn AVE	8.2	80	660	Boulevard Walk	Concrete	12.22	Curb	6.55	8.25	54.00	81	Fair	Low Priority
SW07237	N Woodlawn AVE	6.1	141	866	Boulevard Walk	Concrete	17.47	Curb	8.09	6.12	49.55	82	Fair	Low Priority
SW07249	N Woodlawn AVE	6.2	235	1,459	Mono Curb And Walk	Concrete	40.05	Curb	5.87	6.21	36.43	83	Fair	Deferrable Priority
SW07534	N Woodlawn AVE	9.7	222	2,157	Boulevard Walk	Concrete	25.36	Curb	8.76	9.71	85.08	84	Fair	Deferrable Priority
SW00476	N Woodlawn AVE	5.4	71	383	Boulevard Walk	Concrete	16.08	Curb	4.41	5.40	23.81	84	Fair	Low Priority
SW07558	N Woodlawn AVE	7.6	286	2,161	Boulevard Walk	Concrete	50.96	Curb	5.61	7.56	42.40	85	Fair	Low Priority
SW07418	N Woodlawn AVE	5.8	148	854	Boulevard Walk	Concrete	25.76	Curb	5.73	5.79	33.17	85	Fair	Deferrable Priority
SW07539	N Woodlawn AVE	9.7	277	2,676	Boulevard Walk	Concrete	29.45	Curb	9.41	9.66	90.87	86	Fair	Low Priority
SW07011	N Woodlawn AVE	10.2	129	1,311	Boulevard Walk	Concrete	12.94	Curb	9.98	10.16	101.32	86	Fair	Deferrable Priority
SW07492	N Woodlawn AVE	9.5	69	657	Boulevard Walk	Concrete	8.24	Curb	8.39	9.50	79.70	87	Fair	Deferrable Priority
SW07010	N Woodlawn AVE	9.9	432	4,281	Boulevard Walk	Concrete	42.43	Curb	10.17	9.92	100.89	82	Fair	Low Priority
SW07422	N Woodlawn AVE	6.0	148	890	Boulevard Walk	Concrete	24.08	Curb	6.14	6.03	36.97	74	Marginal	Very Low Priority
SW07219	N Woodlawn AVE	5.2	302	1,573	Boulevard Walk	Concrete	63.15	Curb	4.78	5.21	24.91	88	Fair	Low Priority
SW07536	N Woodlawn AVE	9.9	287	2,835	Boulevard Walk	Concrete	30.11	Curb	9.54	9.87	94.16	89	Fair	Deferrable Priority
SW07557	N Woodlawn AVE	10.5	288	3,036	Boulevard Walk	Concrete	36.52	Curb	7.88	10.55	83.14	90	Fair	Very Low Priority
SW07244	N Woodlawn AVE	8.8	415	3,668	Boulevard Walk	Concrete	54.06	Curb	7.68	8.84	67.85	90	Good	Deferrable Priority
SW07198	N Woodlawn AVE	8.2	306	2,506	Boulevard Walk	Concrete	46.50	Curb	6.58	8.19	53.88	91	Good	Deferrable Priority
SW07252	N Woodlawn AVE	8.7	78	680	Mono Curb And Walk	Concrete	11.01	Curb	7.09	8.71	61.73	71	Marginal	Very Low Priority
SW07020	N Woodlawn AVE	9.1	747	6,768	Boulevard Walk	Concrete	85.56	Curb	8.73	9.06	79.10	87	Fair	Very Low Priority
SW00479	N Woodlawn AVE	9.8	40	392	Boulevard Walk	Pavers / Brick	9.97	Curb	4.00	9.83	39.33	93	Good	Deferrable Priority
SW07220	N Woodlawn AVE	9.6	283	2,705	Boulevard Walk	Concrete	54.08	Curb	5.22	9.58	50.01	84	Fair	Low Priority
SW00478	N Woodlawn AVE	9.8	283	2,786	Boulevard Walk	Concrete	28.83	Curb	9.81	9.85	96.62	95	Good	Deferrable Priority
SW00470	N Woodlawn AVE	5.4	155	841	Boulevard Walk	Concrete	34.67	Curb	4.47	5.42	24.25	96	Good	Deferrable Priority
SW00477	N Woodlawn AVE	5.5	83	460	Mono Curb And Walk	Concrete	18.91	Curb	4.41	5.52	24.32	96	Good	Deferrable Priority
SW07414	N Woodlawn AVE	9.8	335	3,289	Boulevard Walk	Concrete	37.44	Curb	8.95	9.82	87.85	98	Good	Deferrable Priority
SW07599	N Woodlawn AVE	8.7	64	557	Mono Curb And Walk	Concrete	9.18	Curb	6.98	8.69	60.69	100	Good	No Priority
SW05589	S Abby LN	4.0	110	439	Mono Curb And Walk	Concrete	21.99	Curb	5.00	4.00	19.98	27	Very Poor	Immediate Priority
SW05587	S Abby LN	3.8	112	423	Mono Curb And Walk	Concrete	25.01	Curb	4.46	3.79	16.91	45	Poor	Immediate Priority
SW05588	S Abby LN	3.7	12	45	Mono Curb And Walk	Concrete	2.37	Curb	5.08	3.71	18.85	45	Poor	Low Priority
SW05632	S Abby LN	3.7	286	1,060	Mono Curb And Walk	Concrete	56.26	Curb	5.08	3.71	18.85	29	Very Poor	Low Priority
SW05633	S Abby LN	4.0	212	849	Mono Curb And Walk	Concrete	45.26	Curb	4.67	4.02	18.77	30	Poor	Low Priority
SW05607	S Abby LN	4.0	175	696	Mono Curb And Walk	Concrete	36.39	Curb	4.81	3.98	19.12	70	Marginal	Low Priority
SW05592	S Abby LN	3.7	177	658	Mono Curb And Walk	Concrete	38.56	Curb	4.59	3.72	17.07	69	Marginal	Low Priority
SW06648	S Adams ST	5.2	92	477	Boulevard Walk	Concrete	14.10	Curb	6.54	5.17	33.83	59	Marginal	Low Priority
SW10394	S Adams ST	5.1	103	531	Boulevard Walk	Concrete	15.30	No Curb	6.75	5.14	34.70	67	Marginal	Low Priority
SW10363	S Adams ST	4.8	186	891	Boulevard Walk	Concrete	36.15	No Curb	5.15	4.79	24.66	76	Fair	Low Priority
SW10395	S Adams ST	4.3	125	544	Boulevard Walk	Concrete	24.29	No Curb	5.15	4.35	22.38	79	Fair	Low Priority
SW10387	S Adams ST	5.0	87	435	Boulevard Walk	Concrete	17.17	No Curb	5.09	4.98	25.35	79	Fair	Low Priority
SW10375	S Adams ST	4.9	192	937	Boulevard Walk	Concrete	47.41	No Curb	4.05	4.89	19.78	80	Fair	Low Priority
SW10308	S Adams ST	5.7	310	1,760	Mono Curb And Walk	Concrete	66.07	Curb	4.69	5.68	26.64	77	Fair	Low Priority
SW06583	S Adams ST	5.4	275	1,472	Boulevard Walk	Concrete	44.56	Curb	6.16	5.36	33.03	81	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10393	S Adams ST	10.1	114	1,147	Boulevard Walk	Concrete	16.05	No Curb	7.09	10.08	71.45	83	Fair	Deferrable Priority
SW03944	S Adams ST	5.1	204	1,042	Boulevard Walk	Concrete	41.01	Curb	4.99	5.10	25.41	83	Fair	Deferrable Priority
SW10392	S Adams ST	10.4	116	1,209	Boulevard Walk	Concrete	16.43	No Curb	7.09	10.38	73.62	83	Fair	Low Priority
SW06665	S Adams ST	5.0	23	117	Boulevard Walk	Concrete	2.81	No Curb	8.29	5.04	41.71	84	Fair	Deferrable Priority
SW10408	S Adams ST	5.0	63	315	Boulevard Walk	Concrete	11.78	No Curb	5.36	4.99	26.75	84	Fair	Deferrable Priority
SW10266	S Adams ST	4.0	375	1,503	Boulevard Walk	Concrete	76.25	No Curb	4.92	4.01	19.71	85	Fair	Low Priority
SW10406	S Adams ST	4.9	224	1,107	Boulevard Walk	Concrete	48.63	No Curb	4.60	4.95	22.76	85	Fair	Low Priority
SW10378	S Adams ST	5.1	77	389	Boulevard Walk	Concrete	15.58	No Curb	4.93	5.07	24.99	85	Fair	Low Priority
SW10342	S Adams ST	5.8	85	491	Mono Curb And Walk	Concrete	15.97	Curb	5.31	5.79	30.73	86	Fair	Low Priority
SW06661	S Adams ST	5.0	23	113	Boulevard Walk	Concrete	3.56	No Curb	6.38	4.97	31.72	86	Fair	Deferrable Priority
SW05135	S Adams ST	5.6	520	2,891	Boulevard Walk	Concrete	85.49	Curb	6.09	5.56	33.82	82	Fair	Low Priority
SW10404	S Adams ST	4.6	103	468	Boulevard Walk	Concrete	25.61	No Curb	4.01	4.56	18.27	87	Fair	Low Priority
SW10345	S Adams ST	5.0	53	264	Boulevard Walk	Concrete	10.83	Curb	4.92	4.96	24.40	87	Fair	Deferrable Priority
SW10302	S Adams ST	6.0	180	1,082	Mono Curb And Walk	Concrete	36.90	Curb	4.88	6.01	29.31	87	Fair	Deferrable Priority
SW10307	S Adams ST	6.0	81	489	Mono Curb And Walk	Concrete	12.81	Curb	6.34	6.02	38.20	87	Fair	Deferrable Priority
SW10376	S Adams ST	5.1	48	246	Boulevard Walk	Concrete	7.99	No Curb	6.02	5.12	30.78	65	Marginal	Very Low Priority
SW10407	S Adams ST	4.9	87	426	Boulevard Walk	Concrete	17.67	No Curb	4.91	4.91	24.10	89	Fair	Deferrable Priority
SW10317	S Adams ST	5.9	706	4,167	Mono Curb And Walk	Concrete	120.26	Curb	5.87	5.90	34.65	87	Fair	Low Priority
SW10344	S Adams ST	5.7	320	1,819	Mono Curb And Walk	Concrete	72.15	Curb	4.44	5.68	25.21	87	Fair	Low Priority
SW03945	S Adams ST	5.0	603	3,035	Boulevard Walk	Concrete	113.92	Curb	5.30	5.03	26.65	84	Fair	Low Priority
SW10405	S Adams ST	4.5	272	1,230	Mono Curb And Walk	Concrete	63.66	No Curb	4.27	4.52	19.33	90	Good	Low Priority
SW10409	S Adams ST	5.1	65	333	Boulevard Walk	Concrete	10.57	No Curb	6.18	5.10	31.50	91	Good	Deferrable Priority
SW10343	S Adams ST	6.1	99	599	Boulevard Walk	Concrete	15.69	Curb	6.29	6.07	38.19	94	Good	Deferrable Priority
SW03946	S Adams ST	5.0	225	1,134	Boulevard Walk	Concrete	41.94	Curb	5.36	5.05	27.03	89	Fair	Very Low Priority
SW10329	S Adams ST	5.7	196	1,118	Mono Curb And Walk	Concrete	32.83	Curb	5.96	5.71	34.06	100	Good	No Priority
SW10339	S Adams ST	5.7	26	150	Boulevard Walk	Concrete	4.66	Curb	5.67	5.68	32.15	100	Good	No Priority
SW10415	S Adams ST	7.2	10	74	Mono Curb And Walk	Concrete	1.37	Curb	7.54	7.16	53.93	100	Good	No Priority
SW10417	S Adams ST	7.2	7	47	Mono Curb And Walk	Concrete	0.86	Curb	7.54	7.16	53.93	100	Good	No Priority
SW05121	S Addisyn LN	4.9	64	315	Mono Curb And Walk	Concrete	12.60	Curb	5.10	4.91	25.04	62	Marginal	Low Priority
SW05129	S Addisyn LN	4.8	70	338	Boulevard Walk	Concrete	16.18	Curb	4.33	4.82	20.87	75	Fair	Low Priority
SW05136	S Addisyn LN	4.9	205	997	Boulevard Walk	Concrete	47.66	Curb	4.31	4.86	20.91	73	Marginal	Low Priority
SW05181	S Addisyn LN	5.1	131	662	Boulevard Walk	Concrete	23.67	Curb	5.52	5.06	27.96	75	Marginal	Low Priority
SW05132	S Addisyn LN	4.9	74	367	Boulevard Walk	Concrete	16.45	Curb	4.52	4.93	22.28	81	Fair	Deferrable Priority
SW05131	S Addisyn LN	4.9	338	1,672	Boulevard Walk	Concrete	63.94	Curb	5.29	4.95	26.16	81	Fair	Immediate Priority
SW05127	S Addisyn LN	4.5	89	403	Boulevard Walk	Concrete	21.84	Curb	4.06	4.55	18.44	85	Fair	Low Priority
SW05112	S Addisyn LN	4.8	72	344	Boulevard Walk	Concrete	15.76	Curb	4.57	4.77	21.80	85	Fair	Low Priority
SW05119	S Addisyn LN	4.9	176	869	Boulevard Walk	Concrete	29.32	Curb	5.99	4.95	29.65	88	Fair	Deferrable Priority
SW05113	S Addisyn LN	4.7	58	273	Boulevard Walk	Concrete	12.20	Curb	4.78	4.68	22.37	88	Fair	Deferrable Priority
SW03599	S Allen CT	3.9	54	212	Mono Curb And Walk	Concrete	12.09	Curb	4.47	3.92	17.50	64	Marginal	Very Low Priority
SW05818	S Allendale DR	4.5	281	1,278	Boulevard Walk	Concrete	54.10	Curb	5.20	4.54	23.62	48	Poor	Immediate Priority
SW05642	S Allendale DR	5.0	365	1,815	Boulevard Walk	Concrete	64.93	Curb	5.62	4.97	27.95	28	Very Poor	Immediate Priority
SW05598	S Allendale DR	4.8	174	829	Boulevard Walk	Concrete	41.63	Curb	4.18	4.77	19.90	53	Marginal	Immediate Priority
SW05860	S Allendale DR	4.6	309	1,416	Mono Curb And Walk	Concrete	48.79	Curb	6.34	4.58	29.03	44	Poor	Low Priority
SW05812	S Allendale DR	3.8	270	1,019	Mono Curb And Walk	Concrete	64.53	Curb	4.19	3.77	15.79	52	Marginal	Low Priority
SW05599	S Allendale DR	4.2	173	728	Boulevard Walk	Concrete	38.45	Curb	4.49	4.22	18.94	54	Marginal	Low Priority
SW05630	S Allendale DR	5.9	304	1,792	Boulevard Walk	Concrete	44.57	Curb	6.83	5.89	40.22	52	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05597	S Allendale DR	4.6	151	691	Boulevard Walk	Concrete	24.33	Curb	6.22	4.57	28.42	55	Marginal	Low Priority
SW05596	S Allendale DR	4.9	158	774	Boulevard Walk	Concrete	31.22	Curb	5.07	4.89	24.79	77	Fair	Low Priority
SW05629	S Allendale DR	4.0	294	1,183	Boulevard Walk	Concrete	81.74	Curb	3.59	4.03	14.48	68	Marginal	Low Priority
SW05648	S Allendale DR	4.6	319	1,478	Boulevard Walk	Concrete	63.45	Curb	5.04	4.63	23.30	75	Fair	Low Priority
SW05817	S Allendale DR	4.7	296	1,386	Boulevard Walk	Concrete	62.50	Curb	4.74	4.68	22.18	73	Marginal	Low Priority
SW03516	S Andrew CIR	4.4	524	2,300	Mono Curb And Walk	Concrete	103.29	Curb	5.07	4.39	22.27	50	Poor	Immediate Priority
SW03504	S Andrew CIR	4.7	134	637	Boulevard Walk	Concrete	29.90	Curb	4.49	4.74	21.29	56	Marginal	Low Priority
SW03481	S Andrew CIR	4.7	473	2,209	Boulevard Walk	Concrete	98.77	Curb	4.79	4.67	22.36	67	Marginal	Low Priority
SW03507	S Andrew CIR	4.8	331	1,588	Boulevard Walk	Concrete	63.03	Curb	5.26	4.79	25.19	77	Fair	Low Priority
SW03542	S Andrew CIR	5.0	381	1,901	Boulevard Walk	Concrete	71.80	Curb	5.30	4.99	26.47	71	Marginal	Low Priority
SW03515	S Andrew CIR	7.2	335	2,414	Boulevard Walk	Concrete	70.26	Curb	4.77	7.20	34.36	82	Fair	Low Priority
SW03506	S Andrew CIR	4.7	349	1,645	Boulevard Walk	Concrete	77.29	Curb	4.51	4.72	21.28	71	Marginal	Low Priority
SW03458	S Andrew CIR	5.1	353	1,783	Boulevard Walk	Concrete	64.94	Curb	5.44	5.05	27.46	76	Fair	Low Priority
SW03479	S Andrew CIR	4.8	131	633	Boulevard Walk	Concrete	33.42	Curb	3.92	4.83	18.93	84	Fair	Low Priority
SW03505	S Andrew CIR	4.9	128	625	Boulevard Walk	Concrete	22.60	Curb	5.65	4.89	27.67	61	Marginal	Very Low Priority
SW03546	S Andrew CIR	4.9	220	1,080	Boulevard Walk	Concrete	35.81	Curb	6.13	4.92	30.16	73	Marginal	Low Priority
SW03544	S Andrew CIR	5.1	505	2,596	Boulevard Walk	Concrete	88.47	Curb	5.71	5.14	29.34	86	Fair	Low Priority
SW03508	S Andrew CIR	7.7	108	828	Boulevard Walk	Concrete	22.04	Curb	4.91	7.66	37.57	94	Good	Deferrable Priority
SW03547	S Andrew CIR	5.0	309	1,533	Boulevard Walk	Concrete	59.55	Curb	5.18	4.97	25.74	79	Fair	Low Priority
SW02630	S Anita ST	4.9	182	890	Boulevard Walk	Concrete	35.36	No Curb	5.13	4.90	25.17	93	Good	Deferrable Priority
SW06180	S Anthony CT	3.9	155	598	Boulevard Walk	Concrete	29.00	Curb	5.34	3.86	20.62	73	Marginal	Low Priority
SW06182	S Anthony CT	3.9	154	599	Boulevard Walk	Concrete	30.82	Curb	4.99	3.90	19.44	62	Marginal	Low Priority
SW06024	S Arbor Ridge CT	4.9	184	898	Boulevard Walk	Concrete	37.43	Curb	4.92	4.88	23.99	85	Fair	Deferrable Priority
SW06025	S Arbor Ridge CT	5.5	190	1,042	Boulevard Walk	Concrete	35.67	Curb	5.32	5.50	29.22	77	Fair	Low Priority
SW06019	S Arbor Ridge CT	4.9	21	105	Boulevard Walk	Concrete	4.21	Curb	5.06	4.94	24.99	87	Fair	Deferrable Priority
SW05007	S Ashwood DR	3.9	288	1,132	Boulevard Walk	Concrete	57.59	Curb	5.00	3.93	19.66	47	Poor	Immediate Priority
SW05008	S Ashwood DR	3.9	480	1,882	Boulevard Walk	Concrete	94.22	Curb	5.09	3.92	19.98	73	Marginal	Low Priority
SW05009	S Ashwood DR	4.1	531	2,179	Boulevard Walk	Concrete	104.53	Curb	5.08	4.10	20.85	75	Marginal	Immediate Priority
SW04984	S Ashwood DR	4.1	721	2,927	Boulevard Walk	Concrete	131.88	Curb	5.47	4.06	22.20	65	Marginal	Low Priority
SW04982	S Ashwood DR	3.9	853	3,312	Boulevard Walk	Concrete	162.74	Curb	5.24	3.88	20.35	83	Fair	Low Priority
SW04959	S Ashwood DR	4.0	330	1,309	Boulevard Walk	Concrete	63.07	Curb	5.23	3.97	20.75	95	Good	Deferrable Priority
SW04285	S Atlee ST	4.6	109	503	Boulevard Walk	Concrete	22.79	Curb	4.78	4.62	22.06	37	Poor	Immediate Priority
SW04284	S Atlee ST	5.0	105	522	Boulevard Walk	Concrete	18.67	Curb	5.63	4.97	27.96	62	Marginal	Low Priority
SW04244	S Atlee ST	4.3	313	1,342	Boulevard Walk	Concrete	54.70	Curb	5.72	4.29	24.53	66	Marginal	Immediate Priority
SW04278	S Atlee ST	4.2	299	1,249	Boulevard Walk	Concrete	55.09	Curb	5.42	4.18	22.68	68	Marginal	Low Priority
SW04246	S Atlee ST	4.8	98	476	Boulevard Walk	Concrete	18.26	Curb	5.38	4.85	26.07	85	Fair	Low Priority
SW04283	S Atlee ST	4.7	93	440	Boulevard Walk	Concrete	18.32	Curb	5.09	4.73	24.04	62	Marginal	Low Priority
SW04511	S Auto Mall RD	5.5	96	525	Mono Curb And Walk	Concrete	18.13	Curb	5.28	5.49	28.97	42	Poor	Immediate Priority
SW04501	S Auto Mall RD	4.9	109	536	Mono Curb And Walk	Concrete	20.07	Curb	5.42	4.93	26.70	41	Poor	Immediate Priority
SW04500	S Auto Mall RD	4.8	96	462	Mono Curb And Walk	Concrete	19.56	Curb	4.93	4.79	23.61	50	Poor	Immediate Priority
SW04521	S Auto Mall RD	5.5	136	744	Mono Curb And Walk	Concrete	22.49	Curb	6.06	5.46	33.07	49	Poor	Immediate Priority
SW04510	S Auto Mall RD	5.2	19	99	Mono Curb And Walk	Concrete	3.69	Curb	5.10	5.24	26.76	52	Marginal	Low Priority
SW04508	S Auto Mall RD	4.4	85	377	Mono Curb And Walk	Concrete	18.50	Curb	4.61	4.42	20.37	61	Marginal	Low Priority
SW04502	S Auto Mall RD	5.2	212	1,102	Mono Curb And Walk	Concrete	36.44	Curb	5.81	5.20	30.25	45	Poor	Low Priority
SW04504	S Auto Mall RD	4.3	270	1,162	Mono Curb And Walk	Concrete	57.57	Curb	4.68	4.31	20.18	60	Marginal	Low Priority
SW04507	S Auto Mall RD	5.1	372	1,900	Mono Curb And Walk	Concrete	72.78	Curb	5.11	5.11	26.10	71	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04513	S Auto Mall RD	4.9	195	950	Mono Curb And Walk	Concrete	40.62	Curb	4.81	4.87	23.40	79	Fair	Low Priority
SW04512	S Auto Mall RD	5.0	116	576	Mono Curb And Walk	Concrete	19.88	Curb	5.84	4.96	29.00	87	Fair	Deferrable Priority
SW04509	S Auto Mall RD	5.0	74	372	Mono Curb And Walk	Concrete	14.59	Curb	5.06	5.04	25.50	91	Good	Deferrable Priority
SW04865	S Autumn CT	3.7	49	181	Boulevard Walk	Concrete	11.71	Curb	4.22	3.66	15.45	56	Marginal	Low Priority
SW04874	S Autumn CT	3.5	47	167	Boulevard Walk	Concrete	14.48	Curb	3.26	3.54	11.55	71	Marginal	Low Priority
SW04875	S Autumn LN	3.5	32	114	Boulevard Walk	Concrete	7.04	Curb	4.58	3.54	16.20	68	Marginal	Low Priority
SW04873	S Autumn LN	3.6	235	845	Boulevard Walk	Concrete	49.59	Curb	4.73	3.60	17.03	63	Marginal	Immediate Priority
SW04876	S Autumn LN	3.6	45	160	Boulevard Walk	Concrete	10.35	Curb	4.34	3.56	15.45	72	Marginal	Low Priority
SW04867	S Autumn LN	3.6	186	675	Boulevard Walk	Concrete	46.57	Curb	4.00	3.63	14.49	77	Fair	Very Low Priority
SW06388	S Azalea LN	3.9	78	304	Boulevard Walk	Concrete	15.06	Curb	5.18	3.89	20.16	40	Poor	Immediate Priority
SW06389	S Azalea LN	4.0	336	1,328	Mono Curb And Walk	Concrete	60.68	Curb	5.54	3.95	21.89	74	Marginal	Low Priority
SW06372	S Azalea LN	3.8	514	1,929	Mono Curb And Walk	Concrete	89.54	Curb	5.74	3.76	21.54	67	Marginal	Low Priority
SW05863	S Bainbridge DR	3.6	224	814	Boulevard Walk	Concrete	40.57	Curb	5.52	3.64	20.07	50	Marginal	Immediate Priority
SW05824	S Bainbridge DR	4.7	169	795	Boulevard Walk	Concrete	22.25	Curb	7.58	4.72	35.74	63	Marginal	Low Priority
SW05865	S Bainbridge DR	4.2	274	1,152	Boulevard Walk	Concrete	49.37	Curb	5.55	4.21	23.34	69	Marginal	Low Priority
SW05823	S Bainbridge DR	3.9	810	3,168	Boulevard Walk	Concrete	175.42	Curb	4.62	3.91	18.06	68	Marginal	Low Priority
SW05862	S Bainbridge DR	4.8	187	890	Mono Curb And Walk	Concrete	38.55	Curb	4.85	4.76	23.08	56	Marginal	Low Priority
SW05864	S Bainbridge DR	3.4	758	2,559	Boulevard Walk	Concrete	243.34	Curb	3.11	3.38	10.52	75	Fair	Low Priority
SW05856	S Bainbridge DR	4.7	328	1,545	Mono Curb And Walk	Concrete	66.57	Curb	4.92	4.71	23.21	80	Fair	Low Priority
SW05867	S Bainbridge DR	5.0	174	872	Mono Curb And Walk	Concrete	32.42	Curb	5.38	5.00	26.89	71	Marginal	Low Priority
SW05820	S Bainbridge DR	3.9	581	2,260	Boulevard Walk	Concrete	133.60	Curb	4.35	3.89	16.92	88	Fair	Low Priority
SW04172	S Baldwin DR	5.1	162	827	Boulevard Walk	Concrete	25.47	Curb	6.37	5.10	32.47	51	Marginal	Low Priority
SW04165	S Baldwin DR	7.3	136	985	Boulevard Walk	Concrete	25.52	Curb	5.31	7.27	38.60	64	Marginal	Low Priority
SW02769	S Ballantine RD	4.5	135	606	Mono Curb And Walk	Concrete	26.50	Curb	5.09	4.50	22.87	34	Poor	Immediate Priority
SW02773	S Ballantine RD	4.3	379	1,628	Mono Curb And Walk	Concrete	73.64	Curb	5.15	4.30	22.11	29	Very Poor	Immediate Priority
SW00676	S Ballantine RD	4.3	238	1,019	Mono Curb And Walk	Concrete	45.69	Curb	5.21	4.28	22.30	43	Poor	Low Priority
SW02819	S Ballantine RD	4.2	96	401	Mono Curb And Walk	Concrete	21.07	Curb	4.54	4.20	19.04	55	Marginal	Low Priority
SW02740	S Ballantine RD	4.7	135	629	Mono Curb And Walk	Concrete	26.50	Curb	5.08	4.67	23.73	67	Marginal	Low Priority
SW02781	S Ballantine RD	5.0	64	318	Mono Curb And Walk	Concrete	11.25	Curb	5.69	4.96	28.24	68	Marginal	Low Priority
SW02739	S Ballantine RD	4.7	137	643	Mono Curb And Walk	Concrete	26.13	Curb	5.23	4.70	24.60	53	Marginal	Low Priority
SW00666	S Ballantine RD	4.1	130	538	Mono Curb And Walk	Concrete	28.53	Curb	4.56	4.14	18.86	61	Marginal	Low Priority
SW02738	S Ballantine RD	4.4	134	584	Mono Curb And Walk	Concrete	24.36	Curb	5.49	4.36	23.96	79	Fair	Low Priority
SW02858	S Ballantine RD	4.2	192	801	Mono Curb And Walk	Concrete	49.16	Curb	3.90	4.18	16.30	71	Marginal	Low Priority
SW02770	S Ballantine RD	4.1	136	560	Mono Curb And Walk	Concrete	27.84	Curb	4.88	4.12	20.11	76	Fair	Low Priority
SW02737	S Ballantine RD	4.6	141	647	Mono Curb And Walk	Concrete	25.08	Curb	5.64	4.58	25.82	65	Marginal	Low Priority
SW00667	S Ballantine RD	4.8	246	1,172	Mono Curb And Walk	Concrete	43.23	Curb	5.68	4.77	27.11	67	Marginal	Low Priority
SW02779	S Ballantine RD	4.3	293	1,259	Mono Curb And Walk	Concrete	58.64	Curb	4.99	4.30	21.47	65	Marginal	Low Priority
SW02857	S Ballantine RD	4.2	41	173	Mono Curb And Walk	Concrete	8.66	Curb	4.71	4.23	19.94	61	Marginal	Very Low Priority
SW02785	S Ballantine RD	4.3	115	495	Mono Curb And Walk	Concrete	21.86	Curb	5.24	4.32	22.65	63	Marginal	Very Low Priority
SW02794	S Ballantine RD	4.4	93	412	Mono Curb And Walk	Concrete	19.46	Curb	4.77	4.43	21.15	88	Fair	Deferrable Priority
SW02836	S Ballantine RD	4.5	44	199	Mono Curb And Walk	Concrete	7.85	Curb	5.60	4.52	25.34	63	Marginal	Very Low Priority
SW02818	S Ballantine RD	4.4	102	453	Mono Curb And Walk	Concrete	22.12	Curb	4.62	4.43	20.49	90	Fair	Deferrable Priority
SW02859	S Ballantine RD	4.4	59	261	Mono Curb And Walk	Concrete	12.06	Curb	4.93	4.39	21.67	90	Good	Deferrable Priority
SW02783	S Ballantine RD	4.9	124	605	Mono Curb And Walk	Concrete	13.10	Curb	9.43	4.90	46.18	91	Good	Deferrable Priority
SW02782	S Ballantine RD	4.6	24	113	Mono Curb And Walk	Concrete	5.06	Curb	4.82	4.62	22.25	53	Marginal	Very Low Priority
SW06743	S Banta AVE	5.5	250	1,384	Boulevard Walk	Concrete	40.42	Curb	6.19	5.54	34.24	40	Poor	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06776	S Banta AVE	5.9	200	1,175	Boulevard Walk	Concrete	42.72	No Curb	4.69	5.86	27.50	86	Fair	Low Priority
SW10181	S Basswood DR	4.8	1384	6,694	Boulevard Walk	Concrete	301.24	Curb	4.59	4.84	22.22	36	Poor	Immediate Priority
SW10166	S Basswood DR	4.2	455	1,916	Boulevard Walk	Concrete	91.68	No Curb	4.96	4.22	20.90	48	Poor	Immediate Priority
SW10165	S Basswood DR	4.8	609	2,946	Boulevard Walk	Concrete	110.85	Curb	5.50	4.83	26.57	57	Marginal	Immediate Priority
SW10175	S Basswood DR	4.8	257	1,237	Boulevard Walk	Concrete	51.63	Curb	4.98	4.81	23.95	53	Marginal	Low Priority
SW10180	S Basswood DR	4.8	571	2,732	Boulevard Walk	Concrete	126.46	Curb	4.52	4.78	21.60	57	Marginal	Low Priority
SW10173	S Basswood DR	4.3	247	1,059	Boulevard Walk	Concrete	39.46	Curb	6.26	4.29	26.85	53	Marginal	Low Priority
SW10480	S Basswood DR	5.0	545	2,738	Boulevard Walk	Concrete	107.71	Curb	5.06	5.02	25.42	69	Marginal	Low Priority
SW10162	S Basswood DR	5.1	266	1,366	Boulevard Walk	Concrete	46.67	Curb	5.70	5.14	29.27	67	Marginal	Low Priority
SW10179	S Basswood DR	3.9	355	1,387	Mono Curb And Walk	Concrete	84.44	Curb	4.20	3.91	16.42	71	Marginal	Low Priority
SW10164	S Basswood DR	5.2	266	1,378	Boulevard Walk	Concrete	49.71	Curb	5.35	5.18	27.73	60	Marginal	Low Priority
SW10163	S Basswood DR	5.0	22	112	Boulevard Walk	Concrete	3.78	Curb	5.90	5.04	29.71	86	Fair	Deferrable Priority
SW10177	S Basswood DR	4.0	743	2,947	Boulevard Walk	Concrete	136.66	Curb	5.44	3.97	21.56	78	Fair	Immediate Priority
SW10178	S Basswood DR	3.6	185	669	Mono Curb And Walk	Concrete	51.91	Curb	3.57	3.61	12.89	88	Fair	Low Priority
SW10176	S Basswood DR	4.8	393	1,888	Boulevard Walk	Concrete	65.06	Curb	6.03	4.81	29.02	85	Fair	Low Priority
SW10471	S Basswood DR	4.4	200	888	Boulevard Walk	Concrete	43.65	Curb	4.58	4.44	20.33	95	Good	Deferrable Priority
SW10182	S Basswood DR	4.9	465	2,260	Boulevard Walk	Concrete	87.69	No Curb	5.31	4.86	25.78	93	Good	Very Low Priority
SW10174	S Basswood DR	4.0	36	141	Mono Curb And Walk	Concrete	6.90	Curb	5.15	3.96	20.39	100	Good	No Priority
SW03621	S Baytree LN	4.9	165	801	Mono Curb And Walk	Concrete	29.85	Curb	5.52	4.86	26.84	58	Marginal	Low Priority
SW04057	S Belhaven CT	4.9	297	1,458	Mono Curb And Walk	Concrete	55.02	Curb	5.40	4.91	26.50	41	Poor	Low Priority
SW04055	S Belhaven CT	4.6	265	1,222	Mono Curb And Walk	Concrete	58.52	Curb	4.54	4.60	20.88	79	Fair	Low Priority
SW06412	S Bent Tree DR	3.8	307	1,153	Boulevard Walk	Concrete	65.76	Curb	4.66	3.76	17.53	41	Poor	Immediate Priority
SW06404	S Bent Tree DR	4.1	232	940	Boulevard Walk	Concrete	40.84	Curb	5.68	4.05	23.01	70	Marginal	Immediate Priority
SW06392	S Bent Tree DR	4.1	589	2,440	Boulevard Walk	Concrete	111.12	Curb	5.30	4.14	21.96	68	Marginal	Low Priority
SW06390	S Bent Tree DR	3.8	35	133	Boulevard Walk	Concrete	8.49	Curb	4.12	3.81	15.70	77	Fair	Low Priority
SW06395	S Bent Tree DR	4.2	190	798	Boulevard Walk	Concrete	29.35	Curb	6.49	4.19	27.19	65	Marginal	Low Priority
SW06399	S Bent Tree DR	3.9	125	482	Boulevard Walk	Concrete	27.74	Curb	4.50	3.86	17.36	79	Fair	Low Priority
SW06396	S Bent Tree DR	3.8	271	1,028	Boulevard Walk	Concrete	60.55	Curb	4.47	3.80	16.98	86	Fair	Low Priority
SW06403	S Bent Tree DR	4.3	30	130	Boulevard Walk	Concrete	6.01	Curb	5.03	4.28	21.56	90	Good	Deferrable Priority
SW06397	S Bent Tree DR	3.7	94	347	Boulevard Walk	Concrete	18.33	Curb	5.15	3.68	18.94	93	Good	Deferrable Priority
SW06401	S Bent Tree DR	4.0	295	1,172	Boulevard Walk	Concrete	68.12	Curb	4.33	3.97	17.20	95	Good	Low Priority
SW06400	S Bent Tree DR	3.8	82	313	Boulevard Walk	Concrete	18.15	Curb	4.54	3.81	17.26	96	Good	Deferrable Priority
SW04361	S Bernard DR	5.5	391	2,137	Boulevard Walk	Concrete	63.52	Curb	6.15	5.47	33.64	71	Marginal	Low Priority
SW04354	S Bernard DR	4.9	400	1,966	Boulevard Walk	Concrete	74.09	Curb	5.40	4.91	26.54	79	Fair	Low Priority
SW04352	S Boulder CT	4.2	311	1,307	Boulevard Walk	Concrete	57.03	Curb	5.46	4.20	22.93	69	Marginal	Immediate Priority
SW04349	S Boulder CT	4.0	348	1,402	Boulevard Walk	Concrete	62.12	Curb	5.60	4.03	22.57	70	Marginal	Low Priority
SW05594	S Bradshire CT	4.6	149	681	Boulevard Walk	Concrete	27.51	Curb	5.43	4.55	24.74	82	Fair	Low Priority
SW05652	S Bradshire CT	5.1	271	1,372	Boulevard Walk	Concrete	44.40	Curb	6.11	5.06	30.91	64	Marginal	Low Priority
SW05604	S Bradshire CT	4.6	212	984	Boulevard Walk	Concrete	34.89	Curb	6.09	4.63	28.21	84	Fair	Low Priority
SW05631	S Bradshire CT	5.0	287	1,424	Boulevard Walk	Concrete	60.46	Curb	4.74	4.97	23.56	80	Fair	Low Priority
SW06223	S Brighton CRST	3.8	189	722	Boulevard Walk	Concrete	39.34	Curb	4.80	3.82	18.34	67	Marginal	Immediate Priority
SW06208	S Brighton CRST	4.0	232	919	Boulevard Walk	Concrete	48.10	Curb	4.82	3.97	19.11	63	Marginal	Low Priority
SW06221	S Brighton CRST	3.8	671	2,535	Boulevard Walk	Concrete	130.35	Curb	5.15	3.78	19.45	67	Marginal	Immediate Priority
SW06218	S Brighton CRST	4.0	201	802	Boulevard Walk	Concrete	54.84	Curb	3.67	3.99	14.62	83	Fair	Immediate Priority
SW06226	S Brighton CRST	3.8	228	877	Boulevard Walk	Concrete	53.18	Curb	4.30	3.84	16.49	78	Fair	Low Priority
SW06210	S Brighton CRST	3.6	705	2,531	Boulevard Walk	Concrete	146.74	Curb	4.81	3.59	17.25	73	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06207	S Brighton CRST	3.9	178	696	Boulevard Walk	Concrete	40.64	Curb	4.39	3.90	17.13	75	Marginal	Low Priority
SW06209	S Brighton CRST	3.9	216	847	Boulevard Walk	Concrete	44.34	Curb	4.88	3.91	19.10	87	Fair	Low Priority
SW05643	S Browning PL	3.9	440	1,720	Boulevard Walk	Concrete	89.28	Curb	4.93	3.91	19.26	71	Marginal	Immediate Priority
SW05650	S Browning PL	4.0	480	1,897	Boulevard Walk	Concrete	95.75	Curb	5.01	3.95	19.82	73	Marginal	Low Priority
SW06219	S Brumley CT	4.0	126	502	Boulevard Walk	Concrete	21.68	Curb	5.82	3.98	23.13	20	Very Poor	Immediate Priority
SW06217	S Brumley CT	4.1	129	528	Boulevard Walk	Concrete	29.28	Curb	4.39	4.10	18.03	50	Poor	Low Priority
SW04653	S Bryan ST	4.6	40	184	Boulevard Walk	Concrete	8.14	Curb	4.85	4.65	22.56	76	Fair	Low Priority
SW04651	S Bryan ST	7.4	85	629	Boulevard Walk	Asphalt	21.27	Curb	4.00	7.39	29.55	79	Fair	Low Priority
SW04640	S Bryan ST	4.3	128	552	Boulevard Walk	Concrete	28.51	Curb	4.48	4.33	19.37	85	Fair	Low Priority
SW04652	S Bryan ST	7.4	132	976	Boulevard Walk	Asphalt	33.11	No Curb	4.00	7.37	29.50	72	Marginal	Very Low Priority
SW04635	S Bryan ST	4.8	47	230	Boulevard Walk	Concrete	9.44	No Curb	5.02	4.85	24.32	93	Good	Deferrable Priority
SW10843	S Buckner ST	5.5	119	652	Boulevard Walk	Concrete	20.28	Curb	5.86	5.49	32.15	76	Fair	Low Priority
SW10842	S Buckner ST	5.5	119	656	Boulevard Walk	Concrete	19.45	Curb	6.14	5.49	33.71	88	Fair	Deferrable Priority
SW09555	S Buckner ST	4.6	118	549	Boulevard Walk	Concrete	19.04	Curb	6.22	4.64	28.85	96	Good	Deferrable Priority
SW10863	S Buckner ST	4.7	116	552	Boulevard Walk	Concrete	20.11	Curb	5.78	4.74	27.43	97	Good	Deferrable Priority
SW02259	S Buffstone CT	10.6	161	1,711	Mono Curb And Walk	Concrete	21.40	Curb	7.52	10.63	79.96	54	Marginal	Very Low Priority
SW02266	S Buffstone CT	8.9	144	1,281	Mono Curb And Walk	Concrete	22.27	Curb	6.47	8.89	57.51	59	Marginal	Very Low Priority
SW05498	S Burks CT	4.0	394	1,570	Mono Curb And Walk	Concrete	95.71	Curb	4.12	3.99	16.41	29	Very Poor	Immediate Priority
SW05490	S Burks CT	4.1	391	1,598	Mono Curb And Walk	Concrete	90.90	Curb	4.30	4.09	17.58	37	Poor	Immediate Priority
SW05485	S Burks CT	4.0	91	360	Mono Curb And Walk	Concrete	22.05	Curb	4.11	3.98	16.35	81	Fair	Low Priority
SW05496	S Burks CT	3.7	82	303	Mono Curb And Walk	Concrete	22.13	Curb	3.69	3.71	13.68	88	Fair	Deferrable Priority
SW05940	S Buttonwood LN	3.9	136	526	Boulevard Walk	Concrete	27.54	Curb	4.94	3.87	19.11	66	Marginal	Low Priority
SW05962	S Buttonwood LN	3.9	387	1,520	Boulevard Walk	Concrete	81.43	Curb	4.76	3.92	18.67	61	Marginal	Immediate Priority
SW05942	S Buttonwood LN	3.7	432	1,599	Boulevard Walk	Concrete	90.49	Curb	4.77	3.70	17.67	65	Marginal	Low Priority
SW06250	S Carleton CT	3.8	401	1,507	Boulevard Walk	Concrete	102.33	Curb	3.92	3.75	14.73	62	Marginal	Immediate Priority
SW06244	S Carleton CT	3.5	343	1,198	Boulevard Walk	Concrete	88.22	Curb	3.89	3.49	13.58	78	Fair	Low Priority
SW05024	S Cedarwood CIR	4.2	741	3,078	Boulevard Walk	Concrete	135.50	Curb	5.47	4.16	22.71	83	Fair	Immediate Priority
SW04954	S Cedarwood CIR	4.0	583	2,327	Boulevard Walk	Concrete	120.06	Curb	4.86	3.99	19.38	88	Fair	Low Priority
SW05026	S Cedarwood CIR	3.9	580	2,288	Boulevard Walk	Concrete	112.62	Curb	5.15	3.95	20.31	90	Good	Low Priority
SW04977	S Cedarwood CIR	4.2	583	2,475	Boulevard Walk	Concrete	105.04	Curb	5.55	4.25	23.56	88	Fair	Low Priority
SW04517	S Clarizz BLVD	4.5	169	756	Boulevard Walk	Concrete	30.32	Curb	5.57	4.48	24.92	55	Marginal	Immediate Priority
SW01293	S Clarizz BLVD	4.7	86	406	Boulevard Walk	Concrete	12.89	No Curb	6.69	4.71	31.50	60	Marginal	Low Priority
SW04515	S Clarizz BLVD	5.0	346	1,715	Boulevard Walk	Concrete	61.15	Curb	5.65	4.96	28.05	51	Marginal	Immediate Priority
SW01294	S Clarizz BLVD	5.3	193	1,016	Boulevard Walk	Concrete	42.92	No Curb	4.51	5.25	23.67	64	Marginal	Low Priority
SW03539	S Clarizz BLVD	4.7	73	345	Boulevard Walk	Concrete	12.63	Curb	5.76	4.75	27.34	53	Marginal	Low Priority
SW04523	S Clarizz BLVD	4.6	624	2,842	Boulevard Walk	Concrete	134.31	Curb	4.64	4.56	21.16	61	Marginal	Immediate Priority
SW04514	S Clarizz BLVD	5.0	516	2,559	Boulevard Walk	Concrete	104.56	Curb	4.94	4.96	24.47	73	Marginal	Low Priority
SW04519	S Clarizz BLVD	5.0	493	2,477	Boulevard Walk	Concrete	94.34	Curb	5.23	5.02	26.26	59	Marginal	Low Priority
SW04516	S Clarizz BLVD	4.9	476	2,307	Boulevard Walk	Concrete	95.37	Curb	4.99	4.85	24.19	64	Marginal	Immediate Priority
SW04445	S Clarizz BLVD	5.4	32	174	Boulevard Walk	Concrete	5.21	No Curb	6.14	5.44	33.40	84	Fair	Very Low Priority
SW03540	S Clarizz BLVD	5.0	172	862	Boulevard Walk	Concrete	35.29	Curb	4.86	5.02	24.41	74	Marginal	Low Priority
SW03478	S Clarizz BLVD	5.0	267	1,334	Boulevard Walk	Concrete	64.96	Curb	4.10	5.00	20.53	77	Fair	Low Priority
SW03541	S Clarizz BLVD	4.9	65	319	Mono Curb And Walk	Concrete	13.48	Curb	4.82	4.91	23.65	61	Marginal	Very Low Priority
SW03460	S Clarizz BLVD	4.7	351	1,635	Boulevard Walk	Concrete	51.32	Curb	6.84	4.66	31.86	80	Fair	Low Priority
SW03459	S Clarizz BLVD	5.6	129	717	Boulevard Walk	Concrete	20.95	Curb	6.15	5.56	34.22	76	Fair	Very Low Priority
SW04485	S Clarizz BLVD	6.2	234	1,456	Boulevard Walk	Concrete	45.12	Curb	5.19	6.22	32.28	98	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04444	S Clarizz BLVD	4.7	19	89	Stand Alone	Concrete	2.62	No Curb	7.27	4.66	33.87	100	Good	No Priority
SW04447	S Clarizz BLVD	5.9	8	45	Boulevard Walk	Concrete	0.76	No Curb	10.02	5.88	58.95	100	Good	No Priority
SW05002	S Claybridge DR	3.9	187	727	Boulevard Walk	Concrete	39.15	Curb	4.77	3.90	18.56	63	Marginal	Low Priority
SW04993	S Claybridge DR	4.2	369	1,555	Boulevard Walk	Concrete	62.87	Curb	5.87	4.22	24.72	62	Marginal	Low Priority
SW04994	S Claybridge DR	4.0	176	707	Boulevard Walk	Concrete	37.74	Curb	4.68	4.01	18.74	64	Marginal	Low Priority
SW04972	S Claybridge DR	3.8	333	1,258	Boulevard Walk	Concrete	74.38	Curb	4.48	3.77	16.91	65	Marginal	Low Priority
SW05004	S Claybridge DR	4.5	377	1,679	Boulevard Walk	Concrete	58.98	Curb	6.39	4.45	28.47	73	Marginal	Low Priority
SW04996	S Claybridge DR	3.9	406	1,576	Boulevard Walk	Concrete	96.01	Curb	4.23	3.89	16.42	64	Marginal	Low Priority
SW05003	S Claybridge DR	4.1	203	832	Boulevard Walk	Concrete	41.34	Curb	4.91	4.10	20.13	77	Fair	Low Priority
SW04953	S Claybridge DR	3.6	335	1,219	Boulevard Walk	Concrete	81.61	Curb	4.11	3.64	14.94	80	Fair	Low Priority
SW04973	S Claybridge DR	3.8	325	1,230	Boulevard Walk	Concrete	70.36	Curb	4.62	3.79	17.48	81	Fair	Immediate Priority
SW04974	S Claybridge DR	4.1	221	903	Boulevard Walk	Concrete	45.89	Curb	4.82	4.09	19.69	80	Fair	Low Priority
SW04955	S Claybridge DR	3.9	330	1,282	Boulevard Walk	Concrete	72.69	Curb	4.54	3.89	17.64	89	Fair	Low Priority
SW04999	S Claybridge DR	4.2	384	1,603	Boulevard Walk	Concrete	79.61	Curb	4.82	4.17	20.13	93	Good	Deferrable Priority
SW05032	S Claybridge DR	4.2	319	1,327	Boulevard Walk	Concrete	55.96	Curb	5.70	4.16	23.72	79	Fair	Low Priority
SW04956	S Claybridge DR	3.6	306	1,116	Boulevard Walk	Concrete	73.41	Curb	4.17	3.65	15.20	96	Good	Low Priority
SW00991	S Clifton AVE	4.7	385	1,794	Boulevard Walk	Concrete	78.77	Curb	4.88	4.66	22.78	67	Marginal	Immediate Priority
SW00998	S Clifton AVE	4.9	50	245	Boulevard Walk	Concrete	10.15	Curb	4.89	4.94	24.16	75	Marginal	Low Priority
SW04800	S Cobble Creek CIR	4.9	28	140	Mono Curb And Walk	Concrete	6.31	Curb	4.48	4.95	22.14	38	Poor	Immediate Priority
SW04801	S Cobble Creek CIR	4.7	44	205	Mono Curb And Walk	Concrete	8.48	Curb	5.15	4.69	24.18	34	Poor	Immediate Priority
SW04816	S Cobble Creek CIR	5.0	28	141	Boulevard Walk	Concrete	4.99	Curb	5.70	4.95	28.20	57	Marginal	Low Priority
SW04797	S Cobble Creek CIR	5.1	35	179	Boulevard Walk	Concrete	6.80	Curb	5.16	5.10	26.32	61	Marginal	Low Priority
SW04795	S Cobble Creek CIR	4.9	54	267	Boulevard Walk	Concrete	11.34	Curb	4.80	4.91	23.54	63	Marginal	Low Priority
SW04811	S Cobble Creek CIR	4.9	46	225	Mono Curb And Walk	Concrete	9.50	Curb	4.88	4.85	23.67	63	Marginal	Low Priority
SW04812	S Cobble Creek CIR	5.0	34	169	Boulevard Walk	Concrete	6.67	Curb	5.11	4.97	25.37	41	Poor	Low Priority
SW04810	S Cobble Creek CIR	4.8	47	228	Mono Curb And Walk	Concrete	9.77	Curb	4.82	4.84	23.31	63	Marginal	Low Priority
SW04807	S Cobble Creek CIR	5.0	41	208	Mono Curb And Walk	Concrete	9.08	Curb	4.55	5.03	22.91	64	Marginal	Low Priority
SW04817	S Cobble Creek CIR	4.7	40	187	Boulevard Walk	Concrete	8.20	Curb	4.83	4.73	22.80	76	Fair	Low Priority
SW04790	S Cobble Creek CIR	5.0	45	222	Boulevard Walk	Concrete	9.13	Curb	4.90	4.96	24.32	65	Marginal	Low Priority
SW04752	S Cobble Creek CIR	4.8	141	678	Boulevard Walk	Concrete	29.15	Curb	4.84	4.81	23.26	58	Marginal	Low Priority
SW04798	S Cobble Creek CIR	4.8	40	193	Mono Curb And Walk	Concrete	8.53	Curb	4.72	4.79	22.64	61	Marginal	Low Priority
SW04741	S Cobble Creek CIR	5.1	100	508	Boulevard Walk	Concrete	19.51	Curb	5.15	5.06	26.05	49	Poor	Low Priority
SW04792	S Cobble Creek CIR	4.9	71	345	Boulevard Walk	Concrete	14.37	Curb	4.92	4.88	23.98	72	Marginal	Low Priority
SW04806	S Cobble Creek CIR	4.9	36	175	Boulevard Walk	Concrete	8.12	Curb	4.40	4.91	21.59	84	Fair	Deferrable Priority
SW04805	S Cobble Creek CIR	4.9	71	351	Boulevard Walk	Concrete	16.96	Curb	4.19	4.93	20.68	75	Marginal	Low Priority
SW04815	S Cobble Creek CIR	4.9	40	197	Mono Curb And Walk	Concrete	7.97	Curb	5.08	4.88	24.76	60	Marginal	Very Low Priority
SW04813	S Cobble Creek CIR	4.9	41	197	Mono Curb And Walk	Concrete	7.47	Curb	5.42	4.87	26.39	86	Fair	Deferrable Priority
SW04793	S Cobble Creek CIR	5.1	37	186	Boulevard Walk	Concrete	7.00	Curb	5.24	5.06	26.53	86	Fair	Deferrable Priority
SW04791	S Cobble Creek CIR	4.9	39	191	Mono Curb And Walk	Concrete	7.83	Curb	4.94	4.94	24.37	87	Fair	Deferrable Priority
SW04814	S Cobble Creek CIR	4.9	22	105	Mono Curb And Walk	Concrete	3.95	Curb	5.46	4.87	26.59	87	Fair	Deferrable Priority
SW04796	S Cobble Creek CIR	5.0	43	212	Mono Curb And Walk	Concrete	8.57	Curb	5.00	4.95	24.78	87	Fair	Deferrable Priority
SW04794	S Cobble Creek CIR	4.9	43	208	Mono Curb And Walk	Concrete	9.11	Curb	4.69	4.88	22.89	88	Fair	Deferrable Priority
SW04809	S Cobble Creek CIR	4.8	74	356	Boulevard Walk	Concrete	14.65	Curb	5.02	4.84	24.29	88	Fair	Deferrable Priority
SW04799	S Cobble Creek CIR	4.9	258	1,263	Boulevard Walk	Concrete	53.33	Curb	4.83	4.90	23.68	85	Fair	Low Priority
SW04808	S Cobble Creek CIR	5.0	56	280	Boulevard Walk	Concrete	11.47	Curb	4.90	4.98	24.41	90	Fair	Deferrable Priority
SW04789	S Cobble Creek CIR	5.0	41	205	Mono Curb And Walk	Concrete	8.58	Curb	4.80	4.98	23.89	92	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04802	S Cobble Creek CIR	4.6	33	153	Boulevard Walk	Concrete	6.55	Curb	5.09	4.61	23.45	57	Marginal	Very Low Priority
SW04788	S Cobble Creek CIR	4.7	25	118	Boulevard Walk	Concrete	5.71	Curb	4.39	4.71	20.65	100	Good	No Priority
SW04803	S Cobble Creek CIR	4.9	35	171	Boulevard Walk	Concrete	6.62	Curb	5.30	4.86	25.77	100	Good	No Priority
SW04804	S Cobble Creek CIR	4.8	41	198	Mono Curb And Walk	Concrete	9.77	Curb	4.22	4.81	20.29	100	Good	No Priority
SW03480	S Coleman CT	5.2	15	76	Boulevard Walk	Concrete	3.02	Curb	4.85	5.15	24.98	47	Poor	Low Priority
SW03545	S Coleman CT	5.0	97	485	Boulevard Walk	Concrete	18.16	Curb	5.33	5.01	26.71	65	Marginal	Low Priority
SW03543	S Coleman CT	5.1	85	432	Boulevard Walk	Concrete	16.54	Curb	5.13	5.09	26.09	68	Marginal	Low Priority
SW03476	S Coleman CT	4.9	24	120	Boulevard Walk	Concrete	5.24	Curb	4.66	4.91	22.90	70	Marginal	Low Priority
SW00745	S College AVE	5.1	38	190	Boulevard Walk	Concrete	7.50	Curb	5.02	5.06	25.38	47	Poor	Low Priority
SW00266	S College AVE	14.3	134	1,918	Mono Curb And Walk	Pavers / Brick	33.61	Curb	4.00	14.27	57.07	67	Marginal	Low Priority
SW01954	S College AVE	4.9	98	479	Boulevard Walk	Concrete	18.69	Curb	5.25	4.88	25.64	63	Marginal	Low Priority
SW00766	S College AVE	5.3	70	370	Boulevard Walk	Concrete	12.67	Curb	5.49	5.33	29.22	48	Poor	Very Low Priority
SW00489	S College AVE	4.0	74	295	Mono Curb And Walk	Concrete	17.89	Curb	4.15	3.98	16.50	53	Marginal	Low Priority
SW01952	S College AVE	5.1	117	601	Boulevard Walk	Concrete	21.69	Curb	5.38	5.15	27.71	74	Marginal	Low Priority
SW00263	S College AVE	8.5	148	1,262	Mono Curb And Walk	Concrete	33.71	Curb	4.38	8.55	37.42	82	Fair	Low Priority
SW02050	S College AVE	4.2	137	571	Mono Curb And Walk	Concrete	29.48	Curb	4.65	4.16	19.36	82	Fair	Low Priority
SW00021	S College AVE	7.4	294	2,176	Boulevard Walk	Concrete	35.72	Curb	8.22	7.41	60.92	58	Marginal	Low Priority
SW01978	S College AVE	4.8	34	162	Boulevard Walk	Concrete	6.66	Curb	5.03	4.83	24.28	85	Fair	Deferrable Priority
SW00723	S College AVE	8.0	63	508	Boulevard Walk	Concrete	15.25	Curb	4.16	8.02	33.34	67	Marginal	Very Low Priority
SW02051	S College AVE	4.3	87	375	Mono Curb And Walk	Concrete	17.61	Curb	4.93	4.33	21.32	88	Fair	Deferrable Priority
SW01977	S College AVE	4.9	240	1,170	Boulevard Walk	Concrete	55.57	Curb	4.32	4.88	21.05	88	Fair	Low Priority
SW01974	S College AVE	4.7	42	198	Mono Curb And Walk	Concrete	9.66	Curb	4.34	4.72	20.49	88	Fair	Deferrable Priority
SW01979	S College AVE	4.6	126	576	Mono Curb And Walk	Concrete	29.30	Curb	4.31	4.56	19.65	67	Marginal	Very Low Priority
SW02088	S College AVE	4.4	48	212	Mono Curb And Walk	Concrete	9.98	Curb	4.79	4.45	21.28	89	Fair	Deferrable Priority
SW00725	S College AVE	7.8	87	673	Boulevard Walk	Concrete	10.98	Curb	7.89	7.77	61.30	89	Fair	Deferrable Priority
SW01951	S College AVE	4.8	68	328	Boulevard Walk	Concrete	14.09	Curb	4.81	4.84	23.30	90	Fair	Deferrable Priority
SW02090	S College AVE	4.4	174	765	Mono Curb And Walk	Concrete	33.96	Curb	5.12	4.40	22.53	83	Fair	Low Priority
SW00303	S College AVE	9.2	141	1,288	Mono Curb And Walk	Concrete	29.08	Curb	4.83	9.16	44.29	90	Fair	Deferrable Priority
SW00757	S College AVE	7.6	170	1,304	Boulevard Walk	Concrete	35.77	Curb	4.77	7.65	36.45	81	Fair	Very Low Priority
SW00722	S College AVE	8.6	89	763	Boulevard Walk	Concrete	18.43	Curb	4.83	8.58	41.41	90	Good	Deferrable Priority
SW00516	S College AVE	5.0	160	802	Mono Curb And Walk	Concrete	29.35	Curb	5.47	5.00	27.33	92	Good	Deferrable Priority
SW00490	S College AVE	4.7	80	380	Mono Curb And Walk	Concrete	11.68	Curb	6.87	4.74	32.58	69	Marginal	Very Low Priority
SW00224	S College AVE	9.9	295	2,930	Boulevard Walk	Concrete	59.73	Curb	4.93	9.94	49.05	82	Fair	Low Priority
SW00264	S College AVE	11.0	140	1,537	Mono Curb And Walk	Concrete	28.67	Curb	4.88	11.00	53.61	75	Fair	Very Low Priority
SW00304	S College AVE	8.7	276	2,385	Mono Curb And Walk	Concrete	53.22	Curb	5.18	8.65	44.80	69	Marginal	Very Low Priority
SW09426	S College AVE	7.8	181	1,417	Boulevard Walk	Concrete	33.08	Curb	5.48	7.82	42.83	94	Good	Deferrable Priority
SW00755	S College AVE	5.3	391	2,089	Boulevard Walk	Concrete	85.38	Curb	4.58	5.35	24.47	94	Good	Deferrable Priority
SW00738	S College AVE	7.0	257	1,793	Boulevard Walk	Concrete	47.12	Curb	5.46	6.97	38.06	87	Fair	Very Low Priority
SW07750	S College AVE	10.6	66	692	Boulevard Walk	Concrete	10.90	Curb	6.02	10.55	63.49	95	Good	Very Low Priority
SW01867	S College AVE	4.2	190	808	Boulevard Walk	Concrete	41.72	Curb	4.56	4.25	19.35	89	Fair	Very Low Priority
SW00724	S College AVE	11.0	8	83	Boulevard Walk	Concrete	1.19	Curb	6.35	11.04	70.16	100	Good	No Priority
SW00726	S College AVE	7.7	66	506	Boulevard Walk	Concrete	7.28	Curb	9.08	7.65	69.49	100	Good	No Priority
SW01949	S College AVE	5.1	52	267	Boulevard Walk	Concrete	6.85	Curb	7.65	5.10	39.00	100	Good	No Priority
SW02052	S College AVE	4.6	38	177	Mono Curb And Walk	Concrete	9.07	Curb	4.24	4.60	19.49	100	Good	No Priority
SW06082	S College Mall RD	6.7	114	757	Mono Curb And Walk	Concrete	18.35	Curb	6.20	6.66	41.25	52	Marginal	Immediate Priority
SW03527	S College Mall RD	5.8	184	1,069	Mono Curb And Walk	Concrete	31.53	Curb	5.85	5.80	33.90	65	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03474	S College Mall RD	6.4	437	2,802	Mono Curb And Walk	Concrete	65.34	Curb	6.68	6.42	42.88	62	Marginal	Immediate Priority
SW01307	S College Mall RD	6.0	79	474	Mono Curb And Walk	Concrete	13.83	Curb	5.69	6.02	34.26	53	Marginal	Low Priority
SW06128	S College Mall RD	4.9	231	1,141	Boulevard Walk	Concrete	45.55	Curb	5.07	4.94	25.04	74	Marginal	Immediate Priority
SW06033	S College Mall RD	5.0	70	348	Mono Curb And Walk	Concrete	12.97	Curb	5.40	4.96	26.81	56	Marginal	Low Priority
SW03463	S College Mall RD	4.4	561	2,491	Boulevard Walk	Concrete	107.39	Curb	5.22	4.44	23.20	60	Marginal	Low Priority
SW03473	S College Mall RD	6.0	554	3,343	Mono Curb And Walk	Concrete	88.94	Curb	6.23	6.03	37.59	68	Marginal	Low Priority
SW03502	S College Mall RD	4.9	384	1,885	Boulevard Walk	Concrete	71.39	Curb	5.38	4.90	26.40	71	Marginal	Low Priority
SW06126	S College Mall RD	6.0	680	4,073	Boulevard Walk	Concrete	109.63	Curb	6.21	5.99	37.15	76	Fair	Immediate Priority
SW06127	S College Mall RD	5.5	712	3,880	Boulevard Walk	Concrete	157.65	Curb	4.52	5.45	24.61	68	Marginal	Low Priority
SW06077	S College Mall RD	5.1	120	607	Mono Curb And Walk	Concrete	27.04	Curb	4.44	5.06	22.45	82	Fair	Low Priority
SW03470	S College Mall RD	5.3	78	413	Boulevard Walk	Concrete	14.46	Curb	5.38	5.31	28.59	67	Marginal	Very Low Priority
SW06036	S College Mall RD	6.2	240	1,492	Mono Curb And Walk	Concrete	45.30	Curb	5.30	6.21	32.93	77	Fair	Low Priority
SW03528	S College Mall RD	4.7	245	1,152	Boulevard Walk	Concrete	54.55	Curb	4.49	4.71	21.12	85	Fair	Low Priority
SW06079	S College Mall RD	6.5	53	343	Mono Curb And Walk	Concrete	9.23	Curb	5.74	6.49	37.20	67	Marginal	Very Low Priority
SW03529	S College Mall RD	5.1	190	959	Boulevard Walk	Concrete	39.01	Curb	4.87	5.05	24.59	89	Fair	Deferrable Priority
SW01306	S College Mall RD	6.1	73	445	Mono Curb And Walk	Concrete	11.76	Curb	6.18	6.12	37.83	90	Fair	Deferrable Priority
SW03471	S College Mall RD	4.5	383	1,714	Boulevard Walk	Concrete	98.71	Curb	3.88	4.47	17.36	82	Fair	Very Low Priority
SW06081	S College Mall RD	5.8	236	1,360	Mono Curb And Walk	Concrete	53.26	Curb	4.43	5.76	25.53	87	Fair	Low Priority
SW03464	S College Mall RD	4.6	38	171	Boulevard Walk	Concrete	7.48	Curb	5.04	4.55	22.92	92	Good	Deferrable Priority
SW06080	S College Mall RD	6.0	35	211	Boulevard Walk	Concrete	5.68	Curb	6.21	5.99	37.15	55	Marginal	Very Low Priority
SW06117	S College Mall RD	5.6	132	735	Mono Curb And Walk	Concrete	21.94	Curb	6.02	5.56	33.48	74	Marginal	Very Low Priority
SW03526	S College Mall RD	5.2	389	2,007	Boulevard Walk	Concrete	96.04	Curb	4.05	5.16	20.90	81	Fair	Low Priority
SW03462	S College Mall RD	6.4	112	721	Mono Curb And Walk	Concrete	19.40	Curb	5.79	6.42	37.18	93	Good	Deferrable Priority
SW06069	S College Mall RD	5.6	67	377	Mono Curb And Walk	Concrete	9.46	Curb	7.07	5.63	39.79	93	Good	Deferrable Priority
SW06132	S College Mall RD	5.6	104	581	Boulevard Walk	Concrete	20.66	Curb	5.05	5.58	28.14	94	Good	Deferrable Priority
SW06133	S College Mall RD	5.9	214	1,266	Mono Curb And Walk	Concrete	45.71	Curb	4.67	5.93	27.70	95	Good	Deferrable Priority
SW06078	S College Mall RD	5.8	117	680	Mono Curb And Walk	Concrete	21.37	Curb	5.47	5.82	31.82	100	Good	No Priority
SW06116	S College Mall RD	5.7	13	76	Mono Curb And Walk	Concrete	2.16	Curb	6.13	5.71	35.01	100	Good	No Priority
SW04877	S Coppertree DR	4.1	42	170	Boulevard Walk	Concrete	8.69	Curb	4.80	4.08	19.56	84	Fair	Deferrable Priority
SW04918	S Coppertree DR	3.9	40	157	Boulevard Walk	Concrete	7.69	Curb	5.20	3.94	20.47	86	Fair	Deferrable Priority
SW04919	S Coppertree DR	3.8	42	159	Boulevard Walk	Concrete	10.73	Curb	3.94	3.77	14.83	87	Fair	Deferrable Priority
SW04894	S Coppertree DR	5.3	37	197	Boulevard Walk	Concrete	5.25	Curb	7.10	5.28	37.47	100	Good	No Priority
SW06213	S Coriander CT	3.7	113	424	Boulevard Walk	Concrete	36.67	Curb	3.09	3.74	11.57	46	Poor	Immediate Priority
SW06215	S Coriander CT	3.7	154	572	Boulevard Walk	Concrete	36.26	Curb	4.24	3.72	15.77	70	Marginal	Low Priority
SW06203	S Coriander CT	3.8	361	1,369	Boulevard Walk	Concrete	80.32	Curb	4.49	3.80	17.04	71	Marginal	Low Priority
SW06201	S Coriander CT	3.7	376	1,377	Boulevard Walk	Concrete	97.55	Curb	3.85	3.67	14.12	80	Fair	Low Priority
SW10276	S Cory LN	3.9	106	415	Boulevard Walk	Concrete	28.64	Partial Curb	3.69	3.93	14.50	69	Marginal	Low Priority
SW10268	S Cory LN	3.9	121	469	Boulevard Walk	Concrete	29.68	No Curb	4.08	3.88	15.80	85	Fair	Low Priority
SW10411	S Cory LN	5.2	37	193	Boulevard Walk	Concrete	7.10	No Curb	5.19	5.25	27.21	91	Good	Deferrable Priority
SW03837	S Covey LN	3.6	52	186	Mono Curb And Walk	Concrete	11.42	Curb	4.52	3.61	16.30	49	Poor	Low Priority
SW03872	S Covey LN	3.7	137	502	Boulevard Walk	Concrete	30.46	Curb	4.50	3.66	16.48	79	Fair	Low Priority
SW03838	S Covey LN	3.6	235	848	Boulevard Walk	Concrete	48.59	No Curb	4.83	3.62	17.45	77	Fair	Low Priority
SW06504	S Creekside CT	3.9	118	457	Boulevard Walk	Concrete	26.16	Curb	4.51	3.87	17.47	95	Good	Deferrable Priority
SW06266	S Cricket KNL	3.8	317	1,210	Boulevard Walk	Concrete	62.74	Curb	5.05	3.82	19.29	55	Marginal	Immediate Priority
SW06236	S Cricket KNL	3.9	264	1,038	Boulevard Walk	Concrete	57.07	Curb	4.63	3.93	18.19	68	Marginal	Immediate Priority
SW06265	S Cricket KNL	4.0	250	1,002	Boulevard Walk	Concrete	50.51	Curb	4.94	4.02	19.84	61	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06238	S Cricket KNL	3.9	330	1,281	Boulevard Walk	Concrete	77.54	Curb	4.26	3.88	16.52	55	Marginal	Low Priority
SW10056	S Curry PIKE	4.9	210	1,030	Boulevard Walk	Concrete	37.64	No Curb	5.58	4.91	27.38	40	Poor	Immediate Priority
SW10058	S Curry PIKE	5.2	216	1,123	Boulevard Walk	Concrete	38.77	No Curb	5.57	5.20	28.97	49	Poor	Immediate Priority
SW10076	S Curry PIKE	3.8	44	167	Boulevard Walk	Concrete	9.63	No Curb	4.53	3.82	17.29	63	Marginal	Low Priority
SW10053	S Curry PIKE	4.9	234	1,152	Boulevard Walk	Concrete	38.15	No Curb	6.14	4.92	30.20	50	Poor	Low Priority
SW10052	S Curry PIKE	5.1	61	312	Boulevard Walk	Concrete	11.55	No Curb	5.28	5.12	27.00	54	Marginal	Low Priority
SW10051	S Curry PIKE	4.7	145	680	Boulevard Walk	Concrete	26.25	No Curb	5.53	4.69	25.89	84	Fair	Low Priority
SW10690	S Curry PIKE	5.8	59	344	Mono Curb And Walk	Concrete	11.87	Curb	5.00	5.80	29.00	87	Fair	Deferrable Priority
SW10689	S Curry PIKE	5.5	40	218	Mono Curb And Walk	Concrete	8.02	Curb	4.96	5.49	27.24	87	Fair	Deferrable Priority
SW10688	S Curry PIKE	4.9	86	417	Mono Curb And Walk	Concrete	16.50	Curb	5.20	4.86	25.25	89	Fair	Deferrable Priority
SW10083	S Curry PIKE	5.0	30	150	Boulevard Walk	Concrete	6.09	Curb	4.97	4.96	24.66	92	Good	Very Low Priority
SW10072	S Curry PIKE	5.0	260	1,299	Boulevard Walk	Concrete	48.74	No Curb	5.34	5.00	26.65	93	Good	Deferrable Priority
SW10074	S Curry PIKE	5.0	108	538	Boulevard Walk	Concrete	20.45	No Curb	5.26	5.00	26.29	97	Good	Deferrable Priority
SW10057	S Curry PIKE	5.0	211	1,056	Boulevard Walk	Concrete	43.56	Curb	4.85	5.00	24.24	98	Good	Deferrable Priority
SW04350	S Cutter CT	3.5	137	479	Boulevard Walk	Concrete	34.72	Curb	3.95	3.49	13.80	71	Marginal	Low Priority
SW04353	S Cutter CT	3.9	194	757	Boulevard Walk	Concrete	35.38	Curb	5.48	3.91	21.41	71	Marginal	Low Priority
SW05736	S Dale CT	3.9	832	3,277	Boulevard Walk	Concrete	155.13	Curb	5.36	3.94	21.12	55	Marginal	Immediate Priority
SW05735	S Dale CT	3.9	820	3,186	Boulevard Walk	Concrete	173.06	Curb	4.74	3.88	18.41	56	Marginal	Immediate Priority
SW05703	S Daniel CT	3.8	228	854	Boulevard Walk	Concrete	55.74	Curb	4.09	3.75	15.33	57	Marginal	Low Priority
SW05704	S Daniel CT	4.1	203	835	Boulevard Walk	Concrete	50.50	Curb	4.01	4.12	16.54	58	Marginal	Low Priority
SW05717	S Daniel ST	3.7	433	1,590	Boulevard Walk	Concrete	102.29	Curb	4.23	3.67	15.54	53	Marginal	Low Priority
SW05765	S Daniel ST	3.8	502	1,922	Boulevard Walk	Concrete	118.04	Curb	4.26	3.83	16.29	74	Marginal	Low Priority
SW09557	S Davisson ST	4.9	116	568	Mono Curb And Walk	Concrete	19.35	Curb	6.02	4.88	29.35	19	Very Poor	Low Priority
SW09559	S Davisson ST	5.0	117	585	Mono Curb And Walk	Concrete	21.05	Curb	5.57	4.99	27.78	57	Marginal	Low Priority
SW10841	S Davisson ST	4.5	135	610	Mono Curb And Walk	Concrete	38.46	Curb	3.50	4.53	15.87	59	Marginal	Low Priority
SW09566	S Davisson ST	4.0	121	487	Mono Curb And Walk	Concrete	31.25	Curb	3.86	4.04	15.59	71	Marginal	Low Priority
SW10840	S Davisson ST	4.4	119	526	Mono Curb And Walk	Concrete	26.17	Curb	4.55	4.41	20.09	81	Fair	Low Priority
SW09561	S Davisson ST	4.1	125	516	Mono Curb And Walk	Concrete	30.59	Curb	4.09	4.12	16.88	84	Fair	Low Priority
SW09560	S Davisson ST	4.9	120	584	Mono Curb And Walk	Concrete	22.39	Curb	5.36	4.87	26.08	72	Marginal	Very Low Priority
SW03931	S Deborah DR	5.2	233	1,213	Boulevard Walk	Concrete	35.62	Curb	6.54	5.21	34.06	71	Marginal	Low Priority
SW05137	S Delila Star DR	4.7	80	381	Boulevard Walk	Concrete	17.22	Curb	4.67	4.74	22.14	75	Fair	Low Priority
SW05207	S Delila Star DR	4.6	76	345	Boulevard Walk	Concrete	14.87	Curb	5.08	4.57	23.20	80	Fair	Low Priority
SW05118	S Delila Star DR	4.9	80	393	Boulevard Walk	Concrete	17.35	Curb	4.63	4.89	22.63	82	Fair	Low Priority
SW05133	S Delila Star DR	5.0	390	1,969	Mono Curb And Walk	Concrete	69.27	Curb	5.63	5.05	28.42	85	Fair	Low Priority
SW05124	S Delila Star DR	4.7	80	377	Boulevard Walk	Concrete	18.77	Curb	4.24	4.73	20.06	95	Good	Deferrable Priority
SW05176	S Delila Star DR	4.5	77	347	Boulevard Walk	Concrete	16.04	Curb	4.81	4.50	21.62	96	Good	Deferrable Priority
SW05182	S Delila Star DR	4.1	418	1,729	Boulevard Walk	Concrete	100.36	Curb	4.16	4.14	17.23	96	Good	Low Priority
SW05111	S Delila Star DR	5.0	76	383	Boulevard Walk	Concrete	14.89	Curb	5.13	5.01	25.70	100	Good	No Priority
SW00867	S Dorchester DR	4.9	110	542	Mono Curb And Walk	Concrete	20.38	Curb	5.38	4.94	26.57	43	Poor	Low Priority
SW00885	S Dorchester DR	3.7	62	228	Boulevard Walk	Concrete	13.40	Curb	4.63	3.68	17.03	69	Marginal	Low Priority
SW00853	S Dorchester DR	4.0	279	1,121	Mono Curb And Walk	Concrete	56.34	Curb	4.95	4.02	19.89	77	Fair	Immediate Priority
SW00886	S Dorchester DR	4.0	325	1,301	Mono Curb And Walk	Concrete	61.17	Curb	5.31	4.01	21.27	89	Fair	Low Priority
SW00620	S Dunn ST	6.2	69	428	Mono Curb And Walk	Concrete	15.37	Curb	4.46	6.23	27.82	14	Very Poor	Immediate Priority
SW00614	S Dunn ST	4.8	81	392	Boulevard Walk	Concrete	16.13	Curb	5.03	4.83	24.33	23	Very Poor	Immediate Priority
SW02385	S Dunn ST	5.0	136	680	Boulevard Walk	Concrete	25.15	Curb	5.40	5.01	27.04	26	Very Poor	Immediate Priority
SW03033	S Dunn ST	4.1	12	48	Boulevard Walk	Concrete	3.41	Curb	3.42	4.08	13.96	64	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03030	S Dunn ST	8.6	59	511	Mono Curb And Walk	Concrete	13.27	No Curb	4.46	8.65	38.53	56	Marginal	Low Priority
SW00606	S Dunn ST	5.8	157	912	Boulevard Walk	Concrete	28.56	Curb	5.48	5.82	31.91	35	Poor	Immediate Priority
SW02993	S Dunn ST	5.7	181	1,030	Boulevard Walk	Concrete	37.85	Curb	4.78	5.70	27.23	60	Marginal	Low Priority
SW02387	S Dunn ST	5.4	131	714	Boulevard Walk	Concrete	22.57	Curb	5.82	5.44	31.64	39	Poor	Immediate Priority
SW03034	S Dunn ST	7.4	60	447	Mono Curb And Walk	Concrete	13.37	No Curb	4.52	7.41	33.47	46	Poor	Low Priority
SW02995	S Dunn ST	4.1	183	754	Boulevard Walk	Concrete	52.53	Curb	3.48	4.13	14.35	63	Marginal	Low Priority
SW02404	S Dunn ST	5.3	139	733	Boulevard Walk	Concrete	25.11	Curb	5.54	5.28	29.21	47	Poor	Low Priority
SW10940	S Dunn ST	5.0	126	624	Mono Curb And Walk	Concrete	24.27	Curb	5.19	4.95	25.70	62	Marginal	Low Priority
SW03036	S Dunn ST	5.1	277	1,417	Boulevard Walk	Concrete	47.36	Curb	5.85	5.12	29.92	53	Marginal	Low Priority
SW02985	S Dunn ST	4.9	301	1,488	Boulevard Walk	Concrete	61.06	Curb	4.94	4.94	24.37	60	Marginal	Immediate Priority
SW02984	S Dunn ST	4.6	333	1,543	Boulevard Walk	Concrete	74.31	Curb	4.49	4.63	20.77	57	Marginal	Immediate Priority
SW00701	S Dunn ST	7.3	163	1,197	Mono Curb And Walk	Concrete	28.42	Curb	5.75	7.33	42.12	44	Poor	Low Priority
SW00571	S Dunn ST	5.4	189	1,012	Boulevard Walk	Concrete	31.15	Curb	6.06	5.37	32.49	61	Marginal	Low Priority
SW00659	S Dunn ST	5.2	38	196	Boulevard Walk	Concrete	6.24	Curb	6.05	5.19	31.41	80	Fair	Deferrable Priority
SW00590	S Dunn ST	4.3	135	582	Mono Curb And Walk	Concrete	27.65	Curb	4.87	4.32	21.03	70	Marginal	Low Priority
SW00623	S Dunn ST	5.8	224	1,301	Boulevard Walk	Concrete	26.87	Curb	8.32	5.82	48.41	64	Marginal	Low Priority
SW03029	S Dunn ST	8.3	11	93	Mono Curb And Walk	Concrete	2.65	Curb	4.20	8.34	35.00	83	Fair	Deferrable Priority
SW00613	S Dunn ST	5.2	157	822	Mono Curb And Walk	Concrete	28.22	Curb	5.57	5.24	29.14	75	Fair	Low Priority
SW00601	S Dunn ST	5.5	156	858	Mono Curb And Walk	Concrete	34.08	Curb	4.58	5.49	25.16	82	Fair	Low Priority
SW02991	S Dunn ST	4.7	334	1,583	Boulevard Walk	Concrete	75.40	Curb	4.43	4.74	20.99	79	Fair	Low Priority
SW03037	S Dunn ST	5.1	28	143	Mono Curb And Walk	Concrete	4.77	Curb	5.85	5.12	29.92	88	Fair	Deferrable Priority
SW00597	S Dunn ST	7.9	154	1,215	Mono Curb And Walk	Concrete	22.59	Curb	6.83	7.88	53.80	89	Fair	Deferrable Priority
SW00570	S Dunn ST	4.5	71	321	Boulevard Walk	Concrete	14.47	Curb	4.89	4.54	22.17	90	Fair	Deferrable Priority
SW02396	S Dunn ST	4.6	352	1,633	Boulevard Walk	Concrete	78.29	Curb	4.49	4.64	20.86	72	Marginal	Very Low Priority
SW00609	S Dunn ST	4.9	160	776	Boulevard Walk	Concrete	39.81	Curb	4.02	4.85	19.50	93	Good	Deferrable Priority
SW02388	S Dunn ST	5.6	66	374	Boulevard Walk	Concrete	12.12	Curb	5.47	5.64	30.88	94	Good	Deferrable Priority
SW00706	S Dunn ST	5.3	172	916	Mono Curb And Walk	Concrete	33.37	Curb	5.16	5.32	27.45	82	Fair	Very Low Priority
SW02389	S Dunn ST	5.1	123	633	Boulevard Walk	Concrete	24.76	Curb	4.98	5.13	25.57	97	Good	Deferrable Priority
SW03031	S Dunn ST	9.1	18	167	Mono Curb And Walk	Concrete	3.69	Curb	4.95	9.13	45.18	100	Good	No Priority
SW03032	S Dunn ST	8.6	10	86	Mono Curb And Walk	Concrete	2.10	Curb	4.78	8.57	40.92	100	Good	No Priority
SW05814	S Dunstan DR	4.9	362	1,765	Mono Curb And Walk	Concrete	63.89	Curb	5.67	4.87	27.62	56	Marginal	Immediate Priority
SW05819	S Dunstan DR	4.6	326	1,495	Mono Curb And Walk	Concrete	55.86	Curb	5.84	4.58	26.75	60	Marginal	Low Priority
SW01649	S Eagleson AVE	3.4	49	164	Mono Curb And Walk	Concrete	12.54	Curb	3.90	3.36	13.10	27	Very Poor	Low Priority
SW01646	S Eagleson AVE	3.8	80	308	Mono Curb And Walk	Concrete	16.95	Curb	4.74	3.83	18.16	41	Poor	Low Priority
SW01650	S Eagleson AVE	3.6	133	483	Mono Curb And Walk	Concrete	23.83	Curb	5.57	3.64	20.25	61	Marginal	Immediate Priority
SW01665	S Eagleson AVE	4.1	116	478	Mono Curb And Walk	Concrete	22.39	Curb	5.17	4.13	21.33	59	Marginal	Immediate Priority
SW00124	S Eagleson AVE	7.5	88	660	Mono Curb And Walk	Concrete	11.74	Curb	7.46	7.53	56.19	77	Fair	Low Priority
SW01648	S Eagleson AVE	4.8	49	237	Mono Curb And Walk	Concrete	9.35	Curb	5.23	4.84	25.32	78	Fair	Low Priority
SW00108	S Eagleson AVE	4.8	70	336	Mono Curb And Walk	Concrete	15.44	Curb	4.54	4.79	21.75	41	Poor	Low Priority
SW01669	S Eagleson AVE	4.4	122	540	Mono Curb And Walk	Concrete	23.05	Curb	5.28	4.45	23.45	81	Fair	Low Priority
SW00109	S Eagleson AVE	4.4	57	252	Mono Curb And Walk	Concrete	12.47	Curb	4.61	4.39	20.21	67	Marginal	Low Priority
SW01645	S Eagleson AVE	4.4	218	965	Mono Curb And Walk	Concrete	40.36	Curb	5.40	4.43	23.92	65	Marginal	Low Priority
SW01683	S Eagleson AVE	4.4	141	623	Mono Curb And Walk	Concrete	28.90	Curb	4.89	4.41	21.56	84	Fair	Low Priority
SW01666	S Eagleson AVE	4.4	111	485	Mono Curb And Walk	Concrete	22.79	Curb	4.87	4.37	21.26	66	Marginal	Low Priority
SW01675	S Eagleson AVE	4.4	134	591	Mono Curb And Walk	Concrete	27.39	Curb	4.89	4.41	21.56	86	Fair	Low Priority
SW00113	S Eagleson AVE	6.7	228	1,521	Mono Curb And Walk	Concrete	44.03	Curb	5.17	6.68	34.54	87	Fair	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00111	S Eagleson AVE	4.3	35	152	Mono Curb And Walk	Concrete	6.45	Curb	5.47	4.32	23.60	60	Marginal	Very Low Priority
SW00106	S Eagleson AVE	7.6	171	1,296	Boulevard Walk	Concrete	20.73	Curb	8.24	7.59	62.51	87	Fair	Deferrable Priority
SW00110	S Eagleson AVE	4.4	20	88	Mono Curb And Walk	Concrete	4.15	Curb	4.81	4.41	21.19	87	Fair	Deferrable Priority
SW01663	S Eagleson AVE	4.2	114	477	Mono Curb And Walk	Concrete	25.02	Curb	4.55	4.19	19.05	87	Fair	Deferrable Priority
SW00122	S Eagleson AVE	7.6	100	757	Boulevard Walk	Concrete	13.55	Curb	7.34	7.61	55.85	88	Fair	Deferrable Priority
SW01658	S Eagleson AVE	4.4	131	573	Mono Curb And Walk	Concrete	21.44	Curb	6.12	4.36	26.70	65	Marginal	Very Low Priority
SW01689	S Eagleson AVE	4.5	132	591	Mono Curb And Walk	Concrete	24.95	Curb	5.31	4.46	23.70	89	Fair	Deferrable Priority
SW00120	S Eagleson AVE	7.6	42	317	Mono Curb And Walk	Concrete	5.20	Curb	8.03	7.59	60.94	89	Fair	Deferrable Priority
SW01662	S Eagleson AVE	4.4	286	1,258	Mono Curb And Walk	Concrete	60.88	Curb	4.69	4.41	20.66	89	Fair	Low Priority
SW01674	S Eagleson AVE	4.4	132	583	Mono Curb And Walk	Concrete	27.02	Curb	4.89	4.41	21.56	89	Fair	Deferrable Priority
SW00121	S Eagleson AVE	7.5	173	1,308	Mono Curb And Walk	Concrete	22.78	Curb	7.61	7.55	57.41	90	Fair	Deferrable Priority
SW00102	S Eagleson AVE	6.5	380	2,460	Boulevard Walk	Concrete	60.56	Curb	6.27	6.48	40.62	90	Good	Deferrable Priority
SW00107	S Eagleson AVE	7.7	100	769	Boulevard Walk	Concrete	12.70	Curb	7.83	7.73	60.54	90	Good	Deferrable Priority
SW01664	S Eagleson AVE	4.0	116	464	Mono Curb And Walk	Concrete	25.74	Curb	4.50	4.01	18.04	91	Good	Deferrable Priority
SW01656	S Eagleson AVE	4.2	138	576	Mono Curb And Walk	Concrete	25.73	Curb	5.38	4.17	22.40	91	Good	Deferrable Priority
SW00123	S Eagleson AVE	7.8	328	2,564	Boulevard Walk	Concrete	45.25	Curb	7.24	7.83	56.67	92	Good	Deferrable Priority
SW01643	S Eagleson AVE	4.2	83	347	Mono Curb And Walk	Concrete	18.25	Curb	4.54	4.19	19.01	92	Good	Deferrable Priority
SW01652	S Eagleson AVE	4.2	48	204	Mono Curb And Walk	Concrete	10.21	Curb	4.75	4.21	19.98	94	Good	Deferrable Priority
SW01667	S Eagleson AVE	4.5	112	501	Mono Curb And Walk	Concrete	23.51	Curb	4.77	4.47	21.32	94	Good	Very Low Priority
SW01647	S Eagleson AVE	4.0	73	292	Mono Curb And Walk	Concrete	16.56	Curb	4.43	3.98	17.62	96	Good	Deferrable Priority
SW01644	S Eagleson AVE	4.3	223	969	Mono Curb And Walk	Concrete	36.83	Curb	6.06	4.35	26.32	85	Fair	Very Low Priority
SW00105	S Eagleson AVE	7.9	195	1,540	Boulevard Walk	Concrete	21.94	Curb	8.88	7.91	70.20	97	Good	Deferrable Priority
SW00112	S Eagleson AVE	6.0	27	161	Mono Curb And Walk	Pavers / Brick	6.76	Curb	4.00	5.97	23.88	100	Good	No Priority
SW00144	S Eagleson AVE	7.7	7	58	Mono Curb And Walk	Concrete	1.03	Curb	7.27	7.70	55.99	100	Good	No Priority
SW00145	S Eagleson AVE	7.7	8	63	Mono Curb And Walk	Concrete	1.12	Curb	7.27	7.70	55.99	100	Good	No Priority
SW00146	S Eagleson AVE	7.6	8	60	Boulevard Walk	Concrete	1.10	Curb	7.12	7.61	54.22	100	Good	No Priority
SW00147	S Eagleson AVE	7.6	14	106	Boulevard Walk	Concrete	1.95	Curb	7.12	7.61	54.22	100	Good	No Priority
SW00148	S Eagleson AVE	8.7	12	105	Mono Curb And Walk	Concrete	2.56	Curb	4.71	8.73	41.11	100	Good	No Priority
SW00149	S Eagleson AVE	8.7	7	60	Mono Curb And Walk	Concrete	1.46	Curb	4.71	8.73	41.11	100	Good	No Priority
SW02616	S Eastside DR	3.4	32	110	Mono Curb And Walk	Concrete	6.71	Curb	4.82	3.41	16.42	34	Poor	Immediate Priority
SW00972	S Eastside DR	3.5	387	1,367	Mono Curb And Walk	Concrete	62.25	Curb	6.22	3.53	21.97	33	Poor	Immediate Priority
SW02618	S Eastside DR	3.4	152	523	Mono Curb And Walk	Concrete	32.59	Curb	4.65	3.45	16.03	45	Poor	Immediate Priority
SW01002	S Eastside DR	3.6	218	789	Mono Curb And Walk	Concrete	38.59	Curb	5.66	3.61	20.43	43	Poor	Low Priority
SW02612	S Eastside DR	3.9	176	682	Mono Curb And Walk	Concrete	37.42	Curb	4.71	3.87	18.23	70	Marginal	Low Priority
SW02623	S Eastside DR	4.1	160	653	Mono Curb And Walk	Concrete	31.25	Curb	5.11	4.08	20.88	83	Fair	Low Priority
SW02617	S Eastside DR	3.4	52	176	Mono Curb And Walk	Concrete	10.74	Curb	4.82	3.41	16.42	86	Fair	Deferrable Priority
SW01001	S Eastside DR	3.7	130	488	Mono Curb And Walk	Concrete	24.73	Curb	5.27	3.74	19.73	61	Marginal	Low Priority
SW02613	S Eastside DR	4.5	45	203	Mono Curb And Walk	Concrete	9.14	Curb	4.95	4.50	22.26	88	Fair	Deferrable Priority
SW00947	S Eastside DR	3.6	82	294	Mono Curb And Walk	Concrete	13.19	Curb	6.19	3.60	22.30	91	Good	Deferrable Priority
SW02619	S Eastside DR	3.6	87	311	Mono Curb And Walk	Concrete	20.63	Curb	4.21	3.58	15.07	91	Good	Deferrable Priority
SW00965	S Eastside DR	3.0	397	1,202	Mono Curb And Walk	Concrete	101.59	Curb	3.91	3.03	11.84	92	Good	Low Priority
SW05826	S Eddington DR	4.0	290	1,163	Boulevard Walk	Concrete	55.93	Curb	5.18	4.02	20.79	50	Poor	Immediate Priority
SW05831	S Eddington DR	3.9	356	1,385	Boulevard Walk	Concrete	75.30	Curb	4.72	3.90	18.40	66	Marginal	Low Priority
SW07876	S Elm ST	4.5	316	1,416	Mono Curb And Walk	Concrete	59.54	Curb	5.32	4.47	23.78	79	Fair	Low Priority
SW03608	S Emilie CT	3.8	287	1,084	Mono Curb And Walk	Concrete	75.61	Curb	3.80	3.78	14.33	76	Fair	Low Priority
SW05821	S Essex CT	4.8	22	108	Boulevard Walk	Concrete	4.79	Curb	4.63	4.85	22.45	68	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09554	S Euclid AVE	3.8	17	62	Mono Curb And Walk	Concrete	3.05	Curb	5.45	3.75	20.46	1	Very Poor	Low Priority
SW09630	S Euclid AVE	4.4	161	717	Mono Curb And Walk	Stamped Concrete	31.37	Curb	5.14	4.45	22.86	29	Very Poor	Immediate Priority
SW09627	S Euclid AVE	4.3	29	123	Mono Curb And Walk	Stamped Concrete	4.89	Curb	5.84	4.31	25.20	14	Very Poor	Low Priority
SW09670	S Euclid AVE	4.3	25	106	Mono Curb And Walk	Stamped Concrete	4.20	Curb	5.84	4.31	25.20	21	Very Poor	Low Priority
SW09613	S Euclid AVE	4.2	145	614	Mono Curb And Walk	Stamped Concrete	23.65	Curb	6.14	4.23	25.97	25	Very Poor	Low Priority
SW09588	S Euclid AVE	3.7	117	429	Mono Curb And Walk	Stamped Concrete	28.77	Curb	4.08	3.66	14.92	58	Marginal	Low Priority
SW10846	S Euclid AVE	4.4	118	520	Mono Curb And Walk	Stamped Concrete	24.53	Curb	4.80	4.42	21.22	74	Marginal	Low Priority
SW10847	S Euclid AVE	3.4	111	377	Mono Curb And Walk	Stamped Concrete	27.23	Curb	4.08	3.39	13.84	83	Fair	Low Priority
SW09590	S Euclid AVE	4.2	121	503	Mono Curb And Walk	Concrete	24.06	Curb	5.03	4.15	20.90	75	Marginal	Low Priority
SW09669	S Euclid AVE	3.7	55	202	Mono Curb And Walk	Stamped Concrete	12.16	Curb	4.56	3.66	16.65	87	Fair	Deferrable Priority
SW09668	S Euclid AVE	3.4	164	557	Mono Curb And Walk	Concrete	39.30	Curb	4.17	3.39	14.16	79	Fair	Low Priority
SW09620	S Euclid AVE	3.9	163	629	Mono Curb And Walk	Concrete	26.57	Curb	6.14	3.86	23.68	77	Fair	Very Low Priority
SW09589	S Euclid AVE	4.2	130	538	Mono Curb And Walk	Stamped Concrete	25.74	Curb	5.03	4.15	20.90	91	Good	Very Low Priority
SW09626	S Euclid AVE	4.4	64	283	Mono Curb And Walk	Concrete	11.87	Curb	5.41	4.41	23.83	92	Good	Deferrable Priority
SW09607	S Euclid AVE	3.8	113	423	Mono Curb And Walk	Concrete	20.66	Curb	5.45	3.75	20.46	75	Fair	Very Low Priority
SW09587	S Euclid AVE	3.7	57	211	Mono Curb And Walk	Concrete	11.57	Curb	4.95	3.68	18.22	94	Good	Deferrable Priority
SW09617	S Euclid AVE	4.0	112	452	Mono Curb And Walk	Concrete	21.67	Curb	5.19	4.02	20.86	97	Good	Deferrable Priority
SW09553	S Euclid AVE	4.2	22	93	Mono Curb And Walk	Concrete	4.43	Curb	5.03	4.15	20.90	100	Good	No Priority
SW04074	S Eva Hill DR	5.0	251	1,247	Boulevard Walk	Concrete	39.13	Curb	6.43	4.96	31.87	84	Fair	Very Low Priority
SW02813	S Faculty AVE	4.9	62	305	Mono Curb And Walk	Concrete	12.79	Curb	4.85	4.92	23.87	75	Marginal	Low Priority
SW00675	S Faculty AVE	3.9	223	864	Mono Curb And Walk	Concrete	39.69	Curb	5.62	3.87	21.76	50	Poor	Low Priority
SW02812	S Faculty AVE	4.2	123	519	Mono Curb And Walk	Concrete	32.75	Curb	3.77	4.21	15.85	86	Fair	Low Priority
SW10198	S Fairfield DR	4.5	355	1,593	Mono Curb And Walk	Concrete	75.53	Curb	4.70	4.49	21.10	71	Marginal	Low Priority
SW10203	S Fairfield DR	4.9	23	110	Boulevard Walk	Concrete	4.98	No Curb	4.56	4.86	22.15	89	Fair	Deferrable Priority
SW10199	S Fairfield DR	4.1	29	121	Mono Curb And Walk	Concrete	6.11	Curb	4.82	4.12	19.84	100	Good	No Priority
SW04053	S Fairmount CT	4.2	372	1,557	Mono Curb And Walk	Concrete	65.82	Curb	5.65	4.18	23.65	47	Poor	Low Priority
SW04052	S Fairmount CT	4.3	386	1,656	Mono Curb And Walk	Concrete	89.50	Curb	4.31	4.29	18.50	65	Marginal	Low Priority
SW09572	S Fairview ST	4.7	114	540	Boulevard Walk	Stamped Concrete	23.48	Curb	4.86	4.73	22.99	22	Very Poor	Immediate Priority
SW09546	S Fairview ST	5.1	46	235	Boulevard Walk	Concrete	7.95	Curb	5.73	5.15	29.50	16	Very Poor	Immediate Priority
SW09635	S Fairview ST	4.7	116	549	Boulevard Walk	Concrete	23.89	Curb	4.86	4.73	22.99	26	Very Poor	Immediate Priority
SW01985	S Fairview ST	4.4	22	98	Mono Curb And Walk	Concrete	3.27	Curb	6.83	4.38	29.89	63	Marginal	Low Priority
SW09541	S Fairview ST	4.7	19	89	Boulevard Walk	Concrete	3.87	Curb	4.86	4.73	22.99	42	Poor	Low Priority
SW09542	S Fairview ST	4.7	117	552	Boulevard Walk	Stamped Concrete	24.01	Curb	4.86	4.73	22.99	63	Marginal	Low Priority
SW09543	S Fairview ST	4.7	113	534	Boulevard Walk	Stamped Concrete	23.23	Curb	4.86	4.73	22.99	67	Marginal	Low Priority
SW01904	S Fairview ST	5.8	303	1,762	Mono Curb And Walk	Concrete	50.12	Curb	6.05	5.82	35.16	75	Marginal	Low Priority
SW10763	S Fairview ST	4.6	82	373	Boulevard Walk	Stamped Concrete	14.86	Curb	5.49	4.57	25.07	64	Marginal	Low Priority
SW01900	S Fairview ST	5.6	286	1,597	Mono Curb And Walk	Concrete	73.16	Curb	3.92	5.57	21.82	62	Marginal	Low Priority
SW09548	S Fairview ST	4.6	123	563	Boulevard Walk	Stamped Concrete	22.45	Curb	5.49	4.57	25.07	79	Fair	Low Priority
SW09544	S Fairview ST	4.7	113	533	Boulevard Walk	Stamped Concrete	23.17	Curb	4.86	4.73	22.99	80	Fair	Low Priority
SW09636	S Fairview ST	5.1	117	605	Boulevard Walk	Concrete	21.16	Curb	5.55	5.15	28.57	83	Fair	Low Priority
SW01907	S Fairview ST	4.8	149	709	Mono Curb And Walk	Concrete	35.96	Curb	4.14	4.76	19.72	87	Fair	Low Priority
SW01897	S Fairview ST	4.2	33	141	Mono Curb And Walk	Concrete	7.08	Curb	4.68	4.25	19.88	62	Marginal	Very Low Priority
SW09667	S Fairview ST	5.0	50	250	Boulevard Walk	Concrete	9.86	Curb	5.11	4.97	25.38	90	Good	Deferrable Priority
SW06633	S Fairview ST	5.4	172	921	Boulevard Walk	Concrete	32.70	No Curb	5.25	5.36	28.15	74	Marginal	Very Low Priority
SW09547	S Fairview ST	4.6	80	364	Boulevard Walk	Stamped Concrete	14.50	Curb	5.49	4.57	25.07	93	Good	Deferrable Priority
SW06953	S Fairview ST	5.0	142	703	Mono Curb And Walk	Concrete	33.21	Curb	4.26	4.97	21.18	94	Good	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06634	S Fairview ST	4.9	181	880	Mono Curb And Walk	Concrete	28.34	Curb	6.40	4.85	31.05	95	Good	Very Low Priority
SW09540	S Fairview ST	4.6	83	380	Boulevard Walk	Stamped Concrete	15.14	Curb	5.49	4.57	25.07	95	Good	Deferrable Priority
SW06635	S Fairview ST	4.7	189	882	Boulevard Walk	Concrete	40.03	No Curb	4.73	4.66	22.04	97	Good	Deferrable Priority
SW06632	S Fairview ST	4.7	12	57	Boulevard Walk	Concrete	2.59	No Curb	4.73	4.66	22.04	100	Good	No Priority
SW04746	S Fenbrook CT	4.0	570	2,266	Boulevard Walk	Concrete	148.01	Curb	3.85	3.98	15.31	73	Marginal	Low Priority
SW04744	S Fenbrook CT	3.9	537	2,112	Boulevard Walk	Concrete	165.18	Curb	3.25	3.93	12.79	79	Fair	Low Priority
SW04730	S Fenbrook LN	5.1	97	495	Boulevard Walk	Concrete	17.18	Curb	5.63	5.12	28.83	40	Poor	Immediate Priority
SW04731	S Fenbrook LN	5.1	108	550	Mono Curb And Walk	Concrete	19.39	Curb	5.58	5.08	28.37	40	Poor	Low Priority
SW04724	S Fenbrook LN	5.0	252	1,268	Boulevard Walk	Concrete	46.10	Curb	5.47	5.03	27.51	66	Marginal	Low Priority
SW04749	S Fenbrook LN	4.9	205	1,002	Boulevard Walk	Concrete	36.77	Curb	5.57	4.90	27.25	68	Marginal	Immediate Priority
SW04726	S Fenbrook LN	4.8	337	1,633	Boulevard Walk	Concrete	53.93	Curb	6.25	4.85	30.29	68	Marginal	Low Priority
SW04750	S Fenbrook LN	4.8	337	1,615	Boulevard Walk	Concrete	73.70	Curb	4.57	4.80	21.91	69	Marginal	Low Priority
SW04748	S Fenbrook LN	4.8	311	1,488	Boulevard Walk	Concrete	53.40	Curb	5.83	4.78	27.87	67	Marginal	Immediate Priority
SW04725	S Fenbrook LN	4.8	76	367	Boulevard Walk	Concrete	14.59	Curb	5.23	4.81	25.17	84	Fair	Low Priority
SW04747	S Fenbrook LN	4.6	672	3,101	Boulevard Walk	Concrete	126.43	Curb	5.32	4.61	24.53	77	Fair	Immediate Priority
SW04745	S Fenbrook LN	5.3	190	1,005	Boulevard Walk	Concrete	44.58	Curb	4.27	5.28	22.54	93	Good	Deferrable Priority
SW02803	S Fess AVE	4.4	115	508	Mono Curb And Walk	Concrete	22.28	Curb	5.17	4.41	22.78	45	Poor	Low Priority
SW02874	S Fess AVE	5.0	143	710	Boulevard Walk	Concrete	30.49	Curb	4.68	4.98	23.29	59	Marginal	Low Priority
SW02838	S Fess AVE	4.5	75	339	Mono Curb And Walk	Concrete	14.12	Curb	5.28	4.54	23.98	70	Marginal	Low Priority
SW02863	S Fess AVE	5.1	140	720	Boulevard Walk	Concrete	24.14	Curb	5.79	5.15	29.81	51	Marginal	Immediate Priority
SW02839	S Fess AVE	4.3	62	265	Mono Curb And Walk	Concrete	11.41	Curb	5.41	4.29	23.19	75	Fair	Low Priority
SW00684	S Fess AVE	5.4	220	1,180	Mono Curb And Walk	Concrete	42.41	Curb	5.19	5.36	27.82	57	Marginal	Immediate Priority
SW02837	S Fess AVE	4.5	141	637	Boulevard Walk	Concrete	30.55	Curb	4.61	4.52	20.85	76	Fair	Low Priority
SW02869	S Fess AVE	4.5	140	625	Boulevard Walk	Concrete	40.16	Curb	3.48	4.47	15.56	61	Marginal	Immediate Priority
SW02871	S Fess AVE	4.9	144	698	Boulevard Walk	Concrete	31.93	Curb	4.50	4.86	21.87	78	Fair	Low Priority
SW02873	S Fess AVE	5.3	138	730	Boulevard Walk	Concrete	19.27	Curb	7.14	5.31	37.88	69	Marginal	Low Priority
SW02835	S Fess AVE	4.3	22	95	Mono Curb And Walk	Concrete	4.11	Curb	5.43	4.28	23.20	79	Fair	Deferrable Priority
SW00668	S Fess AVE	5.3	20	105	Mono Curb And Walk	Concrete	4.34	Curb	4.51	5.34	24.12	55	Marginal	Very Low Priority
SW02796	S Fess AVE	4.3	112	487	Mono Curb And Walk	Concrete	23.89	Curb	4.70	4.34	20.38	83	Fair	Low Priority
SW02834	S Fess AVE	4.7	20	93	Mono Curb And Walk	Concrete	4.03	Curb	4.94	4.66	23.03	87	Fair	Deferrable Priority
SW02884	S Fess AVE	4.8	150	717	Boulevard Walk	Concrete	30.09	Curb	5.00	4.77	23.84	69	Marginal	Low Priority
SW00669	S Fess AVE	5.4	158	844	Mono Curb And Walk	Concrete	31.53	Curb	5.01	5.35	26.78	88	Fair	Deferrable Priority
SW02672	S Fess AVE	5.3	509	2,715	Boulevard Walk	Concrete	66.33	Curb	7.67	5.34	40.93	89	Fair	Low Priority
SW00685	S Fess AVE	4.2	109	455	Mono Curb And Walk	Concrete	26.85	Curb	4.07	4.16	16.93	93	Good	Deferrable Priority
SW02867	S Fess AVE	4.8	54	258	Boulevard Walk	Concrete	11.08	Curb	4.88	4.76	23.24	94	Good	Deferrable Priority
SW02896	S Fess AVE	4.8	197	944	Boulevard Walk	Concrete	38.39	Curb	5.13	4.79	24.58	95	Good	Deferrable Priority
SW02681	S Fess AVE	4.7	322	1,521	Boulevard Walk	Concrete	71.07	Curb	4.53	4.73	21.40	95	Good	Deferrable Priority
SW02872	S Fess AVE	4.9	146	713	Boulevard Walk	Concrete	28.77	Curb	5.09	4.87	24.79	84	Fair	Very Low Priority
SW00672	S Fess AVE	5.5	118	655	Mono Curb And Walk	Concrete	21.63	Curb	5.47	5.54	30.29	97	Good	Deferrable Priority
SW02893	S Fess AVE	5.2	139	721	Boulevard Walk	Concrete	25.88	Curb	5.36	5.20	27.85	97	Good	Deferrable Priority
SW02866	S Fess AVE	4.3	127	542	Boulevard Walk	Concrete	26.90	Curb	4.71	4.28	20.16	97	Good	Deferrable Priority
SW02868	S Fess AVE	5.5	147	816	Boulevard Walk	Concrete	27.70	Curb	5.32	5.54	29.47	97	Good	Deferrable Priority
SW02684	S Fess AVE	4.6	186	863	Boulevard Walk	Concrete	39.94	Curb	4.65	4.65	21.61	98	Good	Deferrable Priority
SW02883	S Fess AVE	4.8	149	716	Boulevard Walk	Concrete	29.65	Curb	5.04	4.79	24.15	100	Good	No Priority
SW05120	S Flat Rock RD	4.8	194	921	Boulevard Walk	Concrete	42.57	Curb	4.55	4.75	21.63	78	Fair	Low Priority
SW05122	S Flat Rock RD	4.1	281	1,159	Boulevard Walk	Concrete	95.39	Curb	2.94	4.13	12.15	96	Good	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05745	S Forrester ST	4.1	135	552	Boulevard Walk	Concrete	27.53	Curb	4.90	4.09	20.05	66	Marginal	Immediate Priority
SW05706	S Forrester ST	3.9	291	1,138	Boulevard Walk	Concrete	62.45	Curb	4.67	3.91	18.22	58	Marginal	Immediate Priority
SW05773	S Forrester ST	4.3	424	1,806	Boulevard Walk	Concrete	69.26	Curb	6.12	4.26	26.08	59	Marginal	Immediate Priority
SW05733	S Forrester ST	3.7	141	516	Boulevard Walk	Concrete	30.81	Curb	4.57	3.66	16.75	63	Marginal	Low Priority
SW05743	S Forrester ST	3.8	281	1,071	Boulevard Walk	Concrete	50.01	Curb	5.62	3.81	21.42	69	Marginal	Low Priority
SW05700	S Forrester ST	3.9	156	609	Boulevard Walk	Concrete	36.87	Curb	4.24	3.89	16.51	73	Marginal	Low Priority
SW05701	S Forrester ST	3.9	180	706	Boulevard Walk	Concrete	43.99	Curb	4.10	3.91	16.06	70	Marginal	Low Priority
SW05750	S Forrester ST	3.4	297	1,022	Boulevard Walk	Concrete	93.83	Curb	3.17	3.44	10.89	68	Marginal	Immediate Priority
SW05751	S Forrester ST	4.1	300	1,223	Boulevard Walk	Concrete	62.40	Curb	4.81	4.08	19.60	66	Marginal	Immediate Priority
SW05754	S Forrester ST	3.7	377	1,387	Boulevard Walk	Concrete	108.79	Curb	3.46	3.68	12.75	70	Marginal	Immediate Priority
SW05753	S Forrester ST	3.9	258	1,018	Boulevard Walk	Concrete	66.99	Curb	3.86	3.94	15.20	82	Fair	Immediate Priority
SW05730	S Forrester ST	3.7	132	489	Mono Curb And Walk	Concrete	31.69	Curb	4.16	3.71	15.44	71	Marginal	Low Priority
SW05696	S Forrester ST	3.9	352	1,385	Boulevard Walk	Concrete	98.31	Curb	3.58	3.93	14.09	70	Marginal	Low Priority
SW05752	S Forrester ST	3.7	243	888	Boulevard Walk	Concrete	59.78	Curb	4.06	3.66	14.86	78	Fair	Low Priority
SW05740	S Forrester ST	3.9	219	844	Boulevard Walk	Concrete	45.97	Curb	4.76	3.85	18.35	74	Marginal	Low Priority
SW05728	S Forrester ST	4.0	454	1,805	Boulevard Walk	Concrete	77.59	Curb	5.85	3.98	23.26	80	Fair	Low Priority
SW05709	S Forrester ST	3.8	361	1,367	Boulevard Walk	Concrete	86.61	Curb	4.17	3.79	15.79	77	Fair	Low Priority
SW05729	S Forrester ST	3.2	282	899	Boulevard Walk	Concrete	74.10	Curb	3.81	3.19	12.13	87	Fair	Low Priority
SW05714	S Forrester ST	4.0	422	1,674	Boulevard Walk	Concrete	107.33	Curb	3.93	3.97	15.60	81	Fair	Low Priority
SW05731	S Forrester ST	3.8	96	365	Boulevard Walk	Concrete	19.04	Curb	5.04	3.81	19.19	93	Good	Deferrable Priority
SW05749	S Forrester ST	4.0	324	1,294	Boulevard Walk	Concrete	71.64	Curb	4.52	3.99	18.06	92	Good	Low Priority
SW10195	S Franklin RD	5.1	99	506	Boulevard Walk	Concrete	18.92	Curb	5.22	5.13	26.73	61	Marginal	Low Priority
SW10202	S Franklin RD	4.8	226	1,091	Boulevard Walk	Concrete	46.09	Curb	4.91	4.82	23.68	81	Fair	Low Priority
SW10193	S Franklin RD	4.9	141	686	Boulevard Walk	Concrete	30.32	Curb	4.66	4.86	22.63	80	Fair	Low Priority
SW10200	S Franklin RD	5.0	237	1,179	Boulevard Walk	Concrete	40.19	Curb	5.90	4.97	29.34	87	Fair	Low Priority
SW10194	S Franklin RD	5.1	120	607	Boulevard Walk	Concrete	23.86	Curb	5.03	5.06	25.43	88	Fair	Deferrable Priority
SW10201	S Franklin RD	4.6	179	826	Boulevard Walk	Concrete	40.04	Curb	4.47	4.62	20.64	71	Marginal	Low Priority
SW10219	S Franklin RD	4.9	147	717	Boulevard Walk	Concrete	30.50	Curb	4.80	4.89	23.49	89	Fair	Deferrable Priority
SW10192	S Franklin RD	4.7	102	485	Boulevard Walk	Concrete	21.37	Curb	4.79	4.74	22.69	81	Fair	Low Priority
SW10216	S Franklin RD	4.9	33	164	Boulevard Walk	Concrete	6.13	Curb	5.41	4.95	26.76	90	Good	Deferrable Priority
SW10190	S Franklin RD	4.9	35	172	Boulevard Walk	Concrete	6.26	Curb	5.59	4.93	27.55	90	Good	Deferrable Priority
SW10218	S Franklin RD	4.4	167	739	Boulevard Walk	Concrete	26.40	Curb	6.34	4.41	27.99	91	Good	Deferrable Priority
SW10217	S Franklin RD	5.0	505	2,500	Boulevard Walk	Concrete	88.85	Curb	5.68	4.95	28.13	86	Fair	Immediate Priority
SW10196	S Franklin RD	5.2	52	270	Boulevard Walk	Concrete	9.92	Curb	5.28	5.16	27.28	93	Good	Deferrable Priority
SW10191	S Franklin RD	4.7	542	2,551	Boulevard Walk	Concrete	103.13	Curb	5.26	4.70	24.74	96	Good	Deferrable Priority
SW10189	S Franklin RD	5.0	159	802	Boulevard Walk	Concrete	31.09	Curb	5.12	5.04	25.79	97	Good	Deferrable Priority
SW10705	S Gates DR	3.9	140	550	Boulevard Walk	Concrete	32.08	Curb	4.35	3.94	17.15	81	Fair	Low Priority
SW10704	S Gates DR	4.8	117	566	Boulevard Walk	Concrete	24.84	Curb	4.70	4.85	22.79	87	Fair	Deferrable Priority
SW06617	S Gatewood DR	4.3	213	908	Boulevard Walk	Concrete	36.02	Curb	5.92	4.26	25.20	76	Fair	Low Priority
SW06618	S Gatewood DR	3.7	211	769	Boulevard Walk	Concrete	45.07	Curb	4.68	3.65	17.07	78	Fair	Low Priority
SW06246	S Gentry CT	3.8	376	1,441	Boulevard Walk	Concrete	64.18	Curb	5.86	3.83	22.46	53	Marginal	Low Priority
SW06245	S Gentry CT	3.5	465	1,635	Boulevard Walk	Concrete	106.88	Curb	4.35	3.52	15.30	65	Marginal	Immediate Priority
SW00310	S Gentry ST	3.4	88	301	Mono Curb And Walk	Concrete	21.15	Curb	4.15	3.43	14.24	87	Fair	Deferrable Priority
SW00275	S Gentry ST	4.8	137	665	Boulevard Walk	Concrete	27.77	Curb	4.95	4.84	23.94	93	Good	Deferrable Priority
SW03343	S Georgetown RD	4.6	555	2,564	Boulevard Walk	Concrete	143.06	Curb	3.88	4.62	17.92	90	Fair	Very Low Priority
SW03342	S Georgetown RD	4.5	553	2,482	Boulevard Walk	Concrete	138.29	Curb	4.00	4.49	17.95	93	Good	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03121	S Grant ST	4.9	355	1,742	Mono Curb And Walk	Concrete	50.40	Curb	7.05	4.90	34.57	21	Very Poor	Immediate Priority
SW03140	S Grant ST	4.3	196	840	Mono Curb And Walk	Concrete	41.59	Curb	4.70	4.29	20.19	45	Poor	Immediate Priority
SW03003	S Grant ST	3.8	24	90	Mono Curb And Walk	Concrete	6.38	Curb	3.69	3.81	14.03	62	Marginal	Low Priority
SW00735	S Grant ST	3.6	138	501	Boulevard Walk	Concrete	32.34	Curb	4.28	3.62	15.49	23	Very Poor	Low Priority
SW03002	S Grant ST	3.8	19	73	Mono Curb And Walk	Concrete	5.23	Curb	3.69	3.81	14.03	63	Marginal	Low Priority
SW00005	S Grant ST	4.8	219	1,056	Boulevard Walk	Concrete	43.38	Curb	5.06	4.82	24.35	41	Poor	Immediate Priority
SW00737	S Grant ST	5.1	134	679	Mono Curb And Walk	Concrete	27.30	Curb	4.91	5.06	24.87	75	Marginal	Low Priority
SW03138	S Grant ST	4.2	146	609	Mono Curb And Walk	Concrete	28.84	Curb	5.07	4.17	21.13	77	Fair	Low Priority
SW00734	S Grant ST	4.4	99	439	Boulevard Walk	Concrete	19.08	Curb	5.20	4.43	23.03	74	Marginal	Low Priority
SW03118	S Grant ST	4.5	147	665	Mono Curb And Walk	Concrete	28.76	Curb	5.10	4.53	23.12	83	Fair	Low Priority
SW00500	S Grant ST	5.4	128	688	Boulevard Walk	Concrete	27.22	Curb	4.72	5.36	25.28	84	Fair	Low Priority
SW06928	S Grant ST	4.6	143	655	Mono Curb And Walk	Concrete	27.50	Curb	5.21	4.58	23.82	56	Marginal	Low Priority
SW01102	S Grant ST	5.7	43	247	Mono Curb And Walk	Concrete	8.16	Curb	5.32	5.68	30.26	87	Fair	Deferrable Priority
SW03117	S Grant ST	4.0	308	1,219	Mono Curb And Walk	Concrete	82.80	Curb	3.73	3.95	14.72	85	Fair	Low Priority
SW00004	S Grant ST	5.1	187	955	Boulevard Walk	Concrete	37.74	Curb	4.94	5.12	25.30	64	Marginal	Low Priority
SW00522	S Grant ST	9.4	144	1,355	Mono Curb And Walk	Concrete	28.21	Curb	5.10	9.42	48.03	90	Good	Deferrable Priority
SW00027	S Grant ST	4.9	192	949	Boulevard Walk	Concrete	36.35	Curb	5.28	4.94	26.10	75	Fair	Low Priority
SW00778	S Grant ST	3.4	27	92	Boulevard Walk	Concrete	6.99	Curb	3.91	3.37	13.19	91	Good	Deferrable Priority
SW00297	S Grant ST	5.0	141	712	Mono Curb And Walk	Concrete	27.83	Curb	5.07	5.05	25.57	79	Fair	Very Low Priority
SW00733	S Grant ST	4.5	205	913	Boulevard Walk	Concrete	45.49	Curb	4.50	4.46	20.08	92	Good	Low Priority
SW00028	S Grant ST	5.0	147	741	Boulevard Walk	Concrete	27.71	Curb	5.30	5.04	26.73	93	Good	Deferrable Priority
SW00274	S Grant ST	5.3	141	751	Mono Curb And Walk	Concrete	22.72	Curb	6.23	5.31	33.05	79	Fair	Very Low Priority
SW00498	S Grant ST	9.2	140	1,290	Mono Curb And Walk	Pavers / Brick	35.12	Curb	4.00	9.18	36.73	94	Good	Deferrable Priority
SW00779	S Grant ST	5.1	140	708	Mono Curb And Walk	Concrete	28.46	Curb	4.91	5.06	24.87	95	Good	Deferrable Priority
SW00272	S Grant ST	5.2	147	763	Mono Curb And Walk	Concrete	24.05	Curb	6.11	5.20	31.74	96	Good	Deferrable Priority
SW00512	S Grant ST	10.1	145	1,459	Mono Curb And Walk	Pavers / Brick	36.28	Curb	4.00	10.05	40.20	96	Good	Deferrable Priority
SW00311	S Grant ST	4.1	143	591	Mono Curb And Walk	Concrete	39.36	Curb	3.63	4.14	15.03	97	Good	Deferrable Priority
SW00777	S Grant ST	5.0	209	1,050	Mono Curb And Walk	Concrete	42.87	Curb	4.88	5.02	24.49	98	Good	Deferrable Priority
SW00007	S Grant ST	4.9	155	759	Boulevard Walk	Concrete	29.32	Curb	5.29	4.89	25.87	100	Good	No Priority
SW01104	S Grant ST	3.8	16	61	Mono Curb And Walk	Concrete	3.02	Curb	5.36	3.80	20.33	100	Good	No Priority
SW01106	S Grant ST	6.0	37	225	Mono Curb And Walk	Concrete	7.97	Curb	4.69	6.02	28.25	100	Good	No Priority
SW06252	S Graywell DR	4.1	262	1,078	Boulevard Walk	Concrete	46.53	Curb	5.63	4.12	23.17	62	Marginal	Immediate Priority
SW06243	S Graywell DR	3.7	638	2,359	Boulevard Walk	Concrete	139.23	Curb	4.58	3.70	16.95	65	Marginal	Immediate Priority
SW06230	S Graywell DR	3.7	163	604	Boulevard Walk	Concrete	37.17	Curb	4.38	3.71	16.25	61	Marginal	Low Priority
SW06227	S Graywell DR	3.8	140	534	Mono Curb And Walk	Concrete	28.88	Curb	4.86	3.81	18.49	76	Fair	Immediate Priority
SW06187	S Graywell DR	3.7	119	440	Boulevard Walk	Concrete	23.22	Curb	5.14	3.69	18.96	59	Marginal	Low Priority
SW06259	S Graywell DR	3.7	462	1,694	Boulevard Walk	Concrete	98.07	Curb	4.71	3.67	17.27	67	Marginal	Immediate Priority
SW06231	S Graywell DR	3.7	640	2,340	Boulevard Walk	Concrete	147.68	Curb	4.33	3.66	15.85	67	Marginal	Immediate Priority
SW06185	S Graywell DR	3.8	115	440	Boulevard Walk	Concrete	26.05	Curb	4.40	3.84	16.87	61	Marginal	Low Priority
SW06261	S Graywell DR	3.6	467	1,697	Boulevard Walk	Concrete	112.57	Curb	4.15	3.64	15.08	74	Marginal	Immediate Priority
SW06228	S Graywell DR	4.2	35	147	Mono Curb And Walk	Concrete	6.37	Curb	5.51	4.21	23.16	60	Marginal	Very Low Priority
SW06267	S Graywell DR	3.8	492	1,879	Boulevard Walk	Concrete	98.42	Curb	5.00	3.82	19.09	74	Marginal	Low Priority
SW06176	S Graywell DR	4.1	457	1,895	Boulevard Walk	Concrete	84.61	Curb	5.40	4.15	22.40	73	Marginal	Low Priority
SW03338	S Grovesnor PL	3.7	129	479	Boulevard Walk	Concrete	26.74	Curb	4.81	3.72	17.91	68	Marginal	Immediate Priority
SW03381	S Grovesnor PL	4.3	203	864	Boulevard Walk	Concrete	33.31	Curb	6.09	4.26	25.94	72	Marginal	Immediate Priority
SW03339	S Grovesnor PL	3.8	201	768	Boulevard Walk	Concrete	41.76	Curb	4.82	3.82	18.40	68	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03387	S Grovesnor PL	4.0	151	607	Boulevard Walk	Concrete	30.78	Curb	4.90	4.02	19.72	67	Marginal	Low Priority
SW03380	S Grovesnor PL	3.9	89	347	Boulevard Walk	Concrete	17.74	Curb	4.99	3.92	19.57	88	Fair	Deferrable Priority
SW03382	S Grovesnor PL	3.9	94	366	Boulevard Walk	Concrete	19.24	Curb	4.87	3.91	19.03	91	Good	Deferrable Priority
SW04365	S Harmony PL	3.7	241	885	Mono Curb And Walk	Concrete	61.01	Curb	3.95	3.67	14.51	65	Marginal	Immediate Priority
SW04363	S Harmony PL	4.1	157	638	Boulevard Walk	Concrete	29.23	Curb	5.36	4.07	21.84	60	Marginal	Low Priority
SW04077	S Hawksmoore DR	4.9	66	326	Boulevard Walk	Concrete	12.65	Curb	5.23	4.92	25.75	69	Marginal	Low Priority
SW04042	S Hawksmoore DR	5.1	350	1,787	Boulevard Walk	Concrete	74.41	Curb	4.71	5.10	24.02	60	Marginal	Low Priority
SW04061	S Hawksmoore DR	4.7	105	496	Boulevard Walk	Concrete	22.21	Curb	4.73	4.72	22.35	72	Marginal	Low Priority
SW04094	S Hawksmoore DR	4.9	407	1,978	Boulevard Walk	Concrete	75.50	Curb	5.39	4.87	26.20	77	Fair	Low Priority
SW04060	S Hawksmoore DR	4.1	104	433	Boulevard Walk	Concrete	24.83	Curb	4.20	4.15	17.43	76	Fair	Low Priority
SW04026	S Hawksmoore DR	4.8	106	508	Boulevard Walk	Concrete	19.11	Curb	5.53	4.81	26.59	74	Marginal	Low Priority
SW04040	S Hawksmoore DR	4.9	338	1,645	Boulevard Walk	Concrete	73.50	Curb	4.60	4.86	22.38	74	Marginal	Low Priority
SW04081	S Hawksmoore DR	4.9	107	520	Boulevard Walk	Concrete	21.39	Curb	5.01	4.85	24.29	91	Good	Deferrable Priority
SW04083	S Hawksmoore DR	4.8	388	1,848	Boulevard Walk	Concrete	72.93	Curb	5.31	4.77	25.34	92	Good	Low Priority
SW02815	S Hawthorne DR	4.5	96	433	Boulevard Walk	Concrete	19.93	Curb	4.82	4.50	21.71	45	Poor	Immediate Priority
SW02749	S Hawthorne DR	4.6	137	626	Mono Curb And Walk	Concrete	21.48	Curb	6.36	4.58	29.15	62	Marginal	Immediate Priority
SW02729	S Hawthorne DR	5.0	137	678	Mono Curb And Walk	Concrete	23.49	Curb	5.83	4.95	28.87	43	Poor	Low Priority
SW02855	S Hawthorne DR	4.3	189	805	Boulevard Walk	Concrete	48.25	Curb	3.91	4.26	16.69	64	Marginal	Immediate Priority
SW02793	S Hawthorne DR	5.1	95	489	Boulevard Walk	Concrete	14.76	Curb	6.46	5.13	33.14	44	Poor	Low Priority
SW02759	S Hawthorne DR	4.8	285	1,365	Mono Curb And Walk	Concrete	50.14	Curb	5.69	4.79	27.22	72	Marginal	Low Priority
SW01814	S Hawthorne DR	4.2	232	964	Mono Curb And Walk	Concrete	53.57	Curb	4.33	4.16	18.00	68	Marginal	Low Priority
SW02854	S Hawthorne DR	5.4	136	734	Boulevard Walk	Concrete	31.33	Curb	4.34	5.40	23.42	68	Marginal	Low Priority
SW00678	S Hawthorne DR	5.2	247	1,284	Boulevard Walk	Concrete	45.37	Curb	5.44	5.20	28.31	45	Poor	Low Priority
SW02744	S Hawthorne DR	5.2	138	712	Mono Curb And Walk	Concrete	26.96	Curb	5.11	5.17	26.41	76	Fair	Immediate Priority
SW02724	S Hawthorne DR	4.1	235	964	Mono Curb And Walk	Concrete	48.99	Curb	4.80	4.10	19.68	57	Marginal	Low Priority
SW02727	S Hawthorne DR	5.0	88	445	Mono Curb And Walk	Concrete	16.25	Curb	5.43	5.04	27.37	64	Marginal	Low Priority
SW02710	S Hawthorne DR	4.9	231	1,127	Mono Curb And Walk	Concrete	35.93	Curb	6.42	4.88	31.36	83	Fair	Low Priority
SW02792	S Hawthorne DR	4.7	102	479	Boulevard Walk	Concrete	23.13	Curb	4.42	4.68	20.70	83	Fair	Low Priority
SW06983	S Hawthorne DR	5.0	40	201	Boulevard Walk	Concrete	7.72	Curb	5.20	5.01	26.05	56	Marginal	Very Low Priority
SW00679	S Hawthorne DR	4.8	236	1,142	Boulevard Walk	Concrete	49.72	Curb	4.76	4.83	22.97	79	Fair	Low Priority
SW02766	S Hawthorne DR	4.7	318	1,497	Boulevard Walk	Concrete	73.88	Curb	4.31	4.70	20.26	73	Marginal	Low Priority
SW02762	S Hawthorne DR	4.3	53	224	Boulevard Walk	Concrete	9.97	Curb	5.27	4.27	22.50	69	Marginal	Very Low Priority
SW00698	S Hawthorne DR	4.9	134	658	Boulevard Walk	Concrete	28.34	Curb	4.74	4.91	23.23	73	Marginal	Very Low Priority
SW02774	S Hawthorne DR	4.1	381	1,552	Boulevard Walk	Concrete	88.27	Curb	4.32	4.07	17.59	71	Marginal	Low Priority
SW02741	S Hawthorne DR	5.3	81	432	Boulevard Walk	Concrete	15.14	Curb	5.38	5.31	28.55	95	Good	Deferrable Priority
SW03009	S Henderson ST	4.7	28	134	Boulevard Walk	Concrete	5.13	Curb	5.50	4.75	26.10	46	Poor	Low Priority
SW03010	S Henderson ST	4.7	15	69	Boulevard Walk	Concrete	2.65	Curb	5.50	4.75	26.10	47	Poor	Low Priority
SW05480	S Henderson ST	3.7	149	553	Boulevard Walk	Concrete	37.63	Curb	3.96	3.71	14.69	60	Marginal	Immediate Priority
SW02247	S Henderson ST	4.5	103	459	Boulevard Walk	Concrete	18.27	Curb	5.61	4.48	25.14	57	Marginal	Low Priority
SW03124	S Henderson ST	4.9	137	674	Mono Curb And Walk	Concrete	15.91	Curb	8.58	4.94	42.37	35	Poor	Low Priority
SW05450	S Henderson ST	4.5	288	1,294	Boulevard Walk	Concrete	60.96	Curb	4.73	4.49	21.22	49	Poor	Immediate Priority
SW02988	S Henderson ST	4.3	302	1,284	Mono Curb And Walk	Concrete	68.91	Curb	4.38	4.26	18.63	51	Marginal	Low Priority
SW05449	S Henderson ST	4.8	176	840	Boulevard Walk	Concrete	33.16	Curb	5.30	4.78	25.33	51	Marginal	Immediate Priority
SW03026	S Henderson ST	4.3	57	244	Mono Curb And Walk	Concrete	12.09	Curb	4.75	4.25	20.21	39	Poor	Low Priority
SW02248	S Henderson ST	4.5	157	709	Boulevard Walk	Concrete	29.91	Curb	5.24	4.53	23.72	40	Poor	Immediate Priority
SW02978	S Henderson ST	4.8	281	1,362	Boulevard Walk	Concrete	58.89	Curb	4.77	4.85	23.13	69	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02205	S Henderson ST	4.8	121	578	Mono Curb And Walk	Concrete	23.54	Curb	5.13	4.79	24.55	44	Poor	Low Priority
SW03013	S Henderson ST	4.7	48	226	Mono Curb And Walk	Concrete	8.67	Curb	5.50	4.75	26.10	60	Marginal	Low Priority
SW02399	S Henderson ST	5.1	305	1,553	Mono Curb And Walk	Concrete	57.86	Curb	5.27	5.09	26.84	51	Marginal	Low Priority
SW05481	S Henderson ST	4.8	283	1,349	Boulevard Walk	Concrete	42.91	Curb	6.59	4.77	31.44	63	Marginal	Low Priority
SW02262	S Henderson ST	4.3	316	1,362	Boulevard Walk	Concrete	58.97	Curb	5.36	4.31	23.10	48	Poor	Low Priority
SW03020	S Henderson ST	4.5	83	377	Boulevard Walk	Concrete	16.98	Curb	4.88	4.55	22.20	51	Marginal	Low Priority
SW03006	S Henderson ST	3.1	101	315	Mono Curb And Walk	Pavers / Brick	25.24	Curb	4.00	3.12	12.47	64	Marginal	Low Priority
SW03011	S Henderson ST	4.7	102	486	Mono Curb And Walk	Concrete	18.62	Curb	5.50	4.75	26.10	43	Poor	Low Priority
SW03025	S Henderson ST	2.9	52	149	Mono Curb And Walk	Pavers / Brick	13.06	Curb	4.00	2.86	11.42	46	Poor	Low Priority
SW05472	S Henderson ST	4.7	82	387	Mono Curb And Walk	Concrete	16.03	Curb	5.11	4.72	24.14	67	Marginal	Low Priority
SW03171	S Henderson ST	4.1	356	1,464	Mono Curb And Walk	Concrete	75.67	Curb	4.70	4.12	19.34	73	Marginal	Immediate Priority
SW02976	S Henderson ST	6.0	65	390	Boulevard Walk	Concrete	12.98	Curb	4.99	6.01	30.02	80	Fair	Low Priority
SW05473	S Henderson ST	4.8	127	602	Boulevard Walk	Concrete	23.22	Curb	5.45	4.76	25.94	72	Marginal	Low Priority
SW02393	S Henderson ST	4.4	134	585	Mono Curb And Walk	Concrete	25.20	Curb	5.34	4.35	23.22	58	Marginal	Low Priority
SW02987	S Henderson ST	3.8	317	1,215	Mono Curb And Walk	Concrete	72.14	Curb	4.40	3.83	16.84	58	Marginal	Low Priority
SW06335	S Henderson ST	4.4	859	3,754	Mono Curb And Walk	Concrete	167.87	Curb	5.12	4.37	22.36	65	Marginal	Low Priority
SW03019	S Henderson ST	5.8	246	1,436	Mono Curb And Walk	Concrete	41.41	Curb	5.94	5.84	34.68	68	Marginal	Low Priority
SW03043	S Henderson ST	11.4	21	236	Mono Curb And Walk	Concrete	4.25	Curb	4.86	11.43	55.50	54	Marginal	Very Low Priority
SW02986	S Henderson ST	4.5	290	1,300	Boulevard Walk	Concrete	70.44	Curb	4.12	4.48	18.45	78	Fair	Immediate Priority
SW02391	S Henderson ST	4.7	182	855	Mono Curb And Walk	Concrete	35.52	Curb	5.14	4.69	24.08	70	Marginal	Low Priority
SW06336	S Henderson ST	4.4	461	2,021	Boulevard Walk	Concrete	75.15	Curb	6.13	4.39	26.90	67	Marginal	Low Priority
SW03016	S Henderson ST	4.3	198	840	Mono Curb And Walk	Concrete	41.71	Curb	4.74	6.13	29.07	80	Fair	Low Priority
SW00700	S Henderson ST	4.6	29	135	Mono Curb And Walk	Pavers / Brick	7.30	Curb	4.00	4.62	18.47	59	Marginal	Very Low Priority
SW02402	S Henderson ST	4.1	132	544	Mono Curb And Walk	Concrete	28.13	Curb	4.68	4.13	19.33	78	Fair	Low Priority
SW00586	S Henderson ST	4.0	213	846	Mono Curb And Walk	Concrete	56.48	Curb	3.78	3.96	14.98	75	Fair	Low Priority
SW03170	S Henderson ST	4.5	161	727	Mono Curb And Walk	Concrete	34.17	Curb	4.71	4.52	21.28	84	Fair	Deferrable Priority
SW05471	S Henderson ST	4.8	167	802	Boulevard Walk	Concrete	33.31	No Curb	5.00	4.81	24.07	84	Fair	Low Priority
SW00582	S Henderson ST	4.6	125	577	Mono Curb And Walk	Pavers / Brick	31.22	Curb	4.00	4.62	18.48	85	Fair	Low Priority
SW02400	S Henderson ST	4.0	146	583	Mono Curb And Walk	Concrete	30.05	Curb	4.86	3.99	19.40	68	Marginal	Very Low Priority
SW03018	S Henderson ST	6.2	51	315	Boulevard Walk	Concrete	11.03	Curb	4.61	6.20	28.58	65	Marginal	Very Low Priority
SW03021	S Henderson ST	4.4	27	118	Mono Curb And Walk	Concrete	3.79	Curb	7.04	4.43	31.15	86	Fair	Deferrable Priority
SW00585	S Henderson ST	5.3	161	850	Boulevard Walk	Concrete	29.53	Curb	5.46	5.27	28.80	67	Marginal	Low Priority
SW03113	S Henderson ST	4.1	332	1,359	Mono Curb And Walk	Concrete	68.38	Curb	4.85	4.10	19.88	71	Marginal	Low Priority
SW03181	S Henderson ST	4.4	353	1,555	Mono Curb And Walk	Concrete	72.52	Curb	4.86	4.41	21.44	69	Marginal	Low Priority
SW03023	S Henderson ST	5.2	93	477	Mono Curb And Walk	Concrete	18.71	Curb	4.95	5.15	25.49	87	Fair	Low Priority
SW06378	S Henderson ST	4.7	800	3,721	Boulevard Walk	Concrete	175.73	Curb	4.55	4.65	21.18	69	Marginal	Immediate Priority
SW00577	S Henderson ST	5.1	77	396	Mono Curb And Walk	Concrete	14.67	Curb	5.27	5.12	26.99	88	Fair	Deferrable Priority
SW03143	S Henderson ST	4.4	205	910	Mono Curb And Walk	Concrete	40.25	Curb	5.09	4.44	22.61	69	Marginal	Low Priority
SW03017	S Henderson ST	11.4	24	278	Mono Curb And Walk	Concrete	5.01	Curb	4.86	11.43	55.50	89	Fair	Deferrable Priority
SW00588	S Henderson ST	5.8	95	551	Mono Curb And Walk	Concrete	15.78	Curb	6.05	5.78	34.94	89	Fair	Deferrable Priority
SW02067	S Henderson ST	4.3	488	2,104	Boulevard Walk	Concrete	135.47	Partial Curb	3.61	4.31	15.53	82	Fair	Immediate Priority
SW03014	S Henderson ST	4.9	61	301	Boulevard Walk	Concrete	10.70	Curb	5.72	4.91	28.10	89	Fair	Deferrable Priority
SW02663	S Henderson ST	4.1	148	612	Mono Curb And Walk	Concrete	29.00	Curb	5.12	4.13	21.12	68	Marginal	Very Low Priority
SW03015	S Henderson ST	5.2	137	708	Boulevard Walk	Concrete	27.72	Curb	4.95	5.16	25.55	90	Fair	Deferrable Priority
SW02117	S Henderson ST	11.0	37	412	Boulevard Walk	Asphalt	9.36	Curb	4.00	11.00	43.99	90	Fair	Deferrable Priority
SW02970	S Henderson ST	4.2	107	455	Mono Curb And Walk	Concrete	22.72	Curb	4.73	4.24	20.02	76	Fair	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06334	S Henderson ST	4.5	933	4,227	Boulevard Walk	Concrete	175.44	Curb	5.32	4.53	24.09	76	Fair	Immediate Priority
SW02095	S Henderson ST	4.9	165	802	Mono Curb And Walk	Concrete	33.73	Curb	4.89	4.87	23.78	80	Fair	Very Low Priority
SW02394	S Henderson ST	4.3	148	633	Mono Curb And Walk	Concrete	27.05	Curb	5.49	4.27	23.41	91	Good	Deferrable Priority
SW02398	S Henderson ST	6.7	199	1,341	Mono Curb And Walk	Concrete	37.80	Curb	5.27	6.73	35.48	72	Marginal	Very Low Priority
SW03024	S Henderson ST	5.2	64	332	Boulevard Walk	Concrete	15.34	Curb	4.20	5.16	21.64	92	Good	Deferrable Priority
SW06959	S Henderson ST	3.6	133	484	Mono Curb And Walk	Concrete	23.04	Curb	5.79	3.63	21.02	78	Fair	Very Low Priority
SW02386	S Henderson ST	6.9	89	615	Mono Curb And Walk	Concrete	18.39	Curb	4.84	6.91	33.43	92	Good	Deferrable Priority
SW02267	S Henderson ST	4.5	42	191	Mono Curb And Walk	Concrete	8.30	Curb	5.09	4.51	22.96	92	Good	Deferrable Priority
SW03022	S Henderson ST	5.0	48	243	Boulevard Walk	Concrete	9.75	Curb	4.96	5.02	24.91	93	Good	Deferrable Priority
SW02094	S Henderson ST	4.0	155	629	Mono Curb And Walk	Concrete	39.17	Curb	3.97	4.04	16.05	84	Fair	Very Low Priority
SW00583	S Henderson ST	4.6	77	358	Boulevard Walk	Concrete	19.15	Curb	4.04	4.63	18.69	77	Fair	Very Low Priority
SW05451	S Henderson ST	4.3	68	294	Boulevard Walk	Concrete	17.76	Curb	3.82	4.33	16.54	96	Good	Deferrable Priority
SW02392	S Henderson ST	9.0	133	1,194	Mono Curb And Walk	Concrete	24.80	Curb	5.37	8.97	48.17	100	Good	No Priority
SW02401	S Henderson ST	10.0	39	391	Mono Curb And Walk	Concrete	7.96	Curb	4.90	10.02	49.08	100	Good	No Priority
SW03012	S Henderson ST	4.7	14	66	Boulevard Walk	Concrete	2.51	Curb	5.50	4.75	26.10	100	Good	No Priority
SW03072	S Henderson ST	6.2	6	36	Mono Curb And Walk	Concrete	1.02	No Curb	5.67	6.19	35.12	100	Good	No Priority
SW06333	S Henderson ST	8.0	17	134	Stand Alone	Concrete	3.67	No Curb	4.57	7.99	36.52	100	Good	No Priority
SW06427	S Henderson ST	8.0	8	65	Boulevard Walk	Concrete	1.72	Curb	4.74	7.99	37.86	100	Good	No Priority
SW01283	S Heritage RD	5.0	416	2,065	Boulevard Walk	Concrete	82.66	No Curb	5.03	4.96	24.98	65	Marginal	Low Priority
SW10687	S Hickory DR	4.6	150	695	Mono Curb And Walk	Concrete	42.72	Curb	3.50	4.65	16.28	83	Fair	Low Priority
SW10686	S Hickory DR	4.6	311	1,415	Boulevard Walk	Concrete	73.87	Curb	4.21	4.56	19.16	94	Good	Low Priority
SW03326	S High ST	4.6	257	1,194	Boulevard Walk	Concrete	58.93	Curb	4.37	4.64	20.25	70	Marginal	Immediate Priority
SW03247	S High ST	4.2	368	1,552	Boulevard Walk	Concrete	75.71	Curb	4.86	4.22	20.50	70	Marginal	Low Priority
SW03393	S High ST	4.8	163	788	Mono Curb And Walk	Concrete	28.42	No Curb	5.73	4.84	27.73	75	Marginal	Low Priority
SW03242	S High ST	4.8	539	2,564	Boulevard Walk	Concrete	111.29	Curb	4.84	4.76	23.04	59	Marginal	Low Priority
SW03235	S High ST	4.0	243	983	Boulevard Walk	Concrete	53.37	Curb	4.55	4.05	18.43	69	Marginal	Low Priority
SW02597	S High ST	3.3	385	1,259	Mono Curb And Walk	Concrete	81.87	Curb	4.70	3.27	15.38	68	Marginal	Low Priority
SW01004	S High ST	4.3	194	831	Mono Curb And Walk	Concrete	38.87	Curb	5.00	4.28	21.39	66	Marginal	Low Priority
SW00862	S High ST	4.6	163	748	Mono Curb And Walk	Concrete	36.76	Curb	4.43	4.59	20.34	48	Poor	Low Priority
SW01011	S High ST	4.6	282	1,297	Mono Curb And Walk	Concrete	59.02	Curb	4.78	4.60	21.97	68	Marginal	Low Priority
SW03345	S High ST	4.8	321	1,545	Boulevard Walk	Concrete	64.98	Partial Curb	4.95	4.81	23.79	77	Fair	Low Priority
SW03394	S High ST	4.8	134	651	Boulevard Walk	Concrete	24.90	No Curb	5.40	4.84	26.13	71	Marginal	Low Priority
SW03390	S High ST	4.9	128	624	Boulevard Walk	Concrete	24.52	Curb	5.23	4.87	25.45	83	Fair	Low Priority
SW03276	S High ST	5.5	295	1,609	Boulevard Walk	Concrete	56.56	Curb	5.21	5.46	28.44	75	Fair	Low Priority
SW03237	S High ST	4.6	479	2,220	Mono Curb And Walk	Concrete	93.67	Curb	5.12	4.63	23.70	69	Marginal	Low Priority
SW00863	S High ST	5.2	197	1,026	Mono Curb And Walk	Concrete	32.81	Curb	6.02	5.20	31.27	77	Fair	Low Priority
SW01008	S High ST	3.3	176	585	Mono Curb And Walk	Concrete	34.00	Curb	5.18	3.33	17.22	78	Fair	Low Priority
SW00951	S High ST	3.5	112	398	Mono Curb And Walk	Concrete	24.61	Curb	4.57	3.54	16.16	87	Fair	Deferrable Priority
SW02600	S High ST	5.1	95	487	Mono Curb And Walk	Concrete	21.66	Curb	4.40	5.12	22.50	70	Marginal	Very Low Priority
SW01005	S High ST	4.4	592	2,610	Boulevard Walk	Concrete	115.50	Curb	5.12	4.41	22.59	72	Marginal	Immediate Priority
SW00864	S High ST	4.3	152	658	Mono Curb And Walk	Concrete	34.09	Curb	4.46	4.33	19.31	56	Marginal	Low Priority
SW03248	S High ST	4.6	244	1,116	Mono Curb And Walk	Concrete	49.48	Curb	4.94	4.57	22.56	72	Marginal	Low Priority
SW03395	S High ST	4.8	256	1,237	Boulevard Walk	Concrete	56.07	No Curb	4.57	4.83	22.07	85	Fair	Low Priority
SW01007	S High ST	4.2	393	1,667	Mono Curb And Walk	Concrete	80.60	Curb	4.87	4.25	20.68	81	Fair	Low Priority
SW00973	S High ST	4.9	179	882	Mono Curb And Walk	Concrete	37.48	Curb	4.78	4.93	23.53	83	Fair	Low Priority
SW02598	S High ST	4.2	426	1,806	Mono Curb And Walk	Concrete	89.75	Curb	4.75	4.23	20.12	82	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03239	S High ST	4.7	766	3,594	Mono Curb And Walk	Concrete	167.04	Curb	4.59	4.69	21.52	76	Fair	Low Priority
SW02599	S High ST	4.9	281	1,369	Mono Curb And Walk	Concrete	65.21	Curb	4.31	4.87	20.99	80	Fair	Very Low Priority
SW00981	S High ST	5.0	387	1,937	Mono Curb And Walk	Concrete	81.59	Curb	4.75	5.00	23.74	91	Good	Low Priority
SW00952	S High ST	4.7	176	824	Mono Curb And Walk	Concrete	39.12	Curb	4.49	4.69	21.07	77	Fair	Low Priority
SW01003	S High ST	4.7	189	893	Mono Curb And Walk	Concrete	41.59	Curb	4.55	4.72	21.46	82	Fair	Low Priority
SW02596	S High ST	4.1	493	2,027	Boulevard Walk	Concrete	114.77	No Curb	4.30	4.11	17.67	92	Good	Low Priority
SW00990	S High ST	4.7	96	452	Mono Curb And Walk	Concrete	21.46	Curb	4.46	4.73	21.07	95	Good	Deferrable Priority
SW01010	S High ST	4.8	126	608	Boulevard Walk	Concrete	31.08	Curb	4.07	4.81	19.58	84	Fair	Very Low Priority
SW01728	S Highland AVE	4.5	110	495	Mono Curb And Walk	Concrete	17.28	Curb	6.34	4.52	28.66	7	Very Poor	Low Priority
SW02731	S Highland AVE	4.5	132	586	Mono Curb And Walk	Concrete	26.37	Curb	4.99	4.45	22.21	27	Very Poor	Immediate Priority
SW02707	S Highland AVE	4.9	53	255	Mono Curb And Walk	Concrete	9.86	Curb	5.33	4.86	25.89	57	Marginal	Low Priority
SW01710	S Highland AVE	4.5	38	168	Mono Curb And Walk	Concrete	6.27	Curb	6.00	4.47	26.86	50	Poor	Low Priority
SW10885	S Highland AVE	6.2	40	248	Boulevard Walk	Asphalt	10.07	No Curb	4.00	6.16	24.63	47	Poor	Low Priority
SW03841	S Highland AVE	3.6	125	454	Boulevard Walk	Concrete	24.85	No Curb	5.03	3.63	18.27	64	Marginal	Low Priority
SW02709	S Highland AVE	4.3	110	470	Mono Curb And Walk	Concrete	21.67	Curb	5.10	4.26	21.72	71	Marginal	Low Priority
SW03816	S Highland AVE	3.5	502	1,749	Boulevard Walk	Concrete	123.38	Partial Curb	4.07	3.49	14.18	69	Marginal	Immediate Priority
SW01727	S Highland AVE	4.6	115	534	Mono Curb And Walk	Concrete	15.72	Curb	7.31	4.65	33.96	28	Very Poor	Low Priority
SW03805	S Highland AVE	3.9	513	1,999	Boulevard Walk	Concrete	128.83	No Curb	3.98	3.90	15.52	64	Marginal	Immediate Priority
SW01721	S Highland AVE	4.2	16	68	Mono Curb And Walk	Concrete	2.81	Curb	5.86	4.16	24.38	74	Marginal	Deferrable Priority
SW05603	S Highland AVE	4.7	304	1,429	Mono Curb And Walk	Concrete	61.92	Curb	4.91	4.70	23.08	65	Marginal	Immediate Priority
SW01696	S Highland AVE	4.2	85	359	Mono Curb And Walk	Concrete	13.62	Curb	6.21	4.24	26.33	45	Poor	Low Priority
SW01701	S Highland AVE	4.6	135	621	Mono Curb And Walk	Concrete	22.88	Curb	5.90	4.60	27.12	47	Poor	Low Priority
SW02277	S Highland AVE	3.9	191	748	Boulevard Walk	Concrete	40.32	Curb	4.74	3.92	18.56	59	Marginal	Low Priority
SW00132	S Highland AVE	5.2	16	81	Mono Curb And Walk	Concrete	2.57	Curb	6.05	5.23	31.64	47	Poor	Very Low Priority
SW02246	S Highland AVE	3.7	67	246	Boulevard Walk	Concrete	13.48	Curb	5.00	3.66	18.29	52	Marginal	Low Priority
SW00125	S Highland AVE	4.3	239	1,037	Mono Curb And Walk	Concrete	43.88	Curb	5.44	4.34	23.63	52	Marginal	Low Priority
SW01702	S Highland AVE	4.3	120	515	Mono Curb And Walk	Concrete	25.43	Curb	4.74	4.28	20.27	78	Fair	Immediate Priority
SW01729	S Highland AVE	4.5	115	519	Mono Curb And Walk	Concrete	19.10	Curb	6.02	4.51	27.15	66	Marginal	Low Priority
SW01711	S Highland AVE	4.1	87	353	Mono Curb And Walk	Concrete	16.78	Curb	5.17	4.07	21.05	51	Marginal	Low Priority
SW01722	S Highland AVE	4.4	112	492	Mono Curb And Walk	Concrete	16.14	Curb	6.94	4.40	30.50	52	Marginal	Low Priority
SW03807	S Highland AVE	7.5	200	1,490	Boulevard Walk	Asphalt	49.96	Curb	4.00	7.46	29.83	63	Marginal	Low Priority
SW02733	S Highland AVE	4.1	130	534	Mono Curb And Walk	Concrete	27.72	Curb	4.68	4.12	19.25	61	Marginal	Low Priority
SW01716	S Highland AVE	4.2	42	177	Mono Curb And Walk	Concrete	7.25	Curb	5.86	4.16	24.38	60	Marginal	Very Low Priority
SW02215	S Highland AVE	3.9	245	947	Boulevard Walk	Concrete	46.98	Curb	5.21	3.87	20.17	79	Fair	Low Priority
SW03849	S Highland AVE	4.2	173	734	Boulevard Walk	Concrete	30.46	Partial Curb	5.69	4.23	24.08	84	Fair	Low Priority
SW00127	S Highland AVE	5.3	162	865	Mono Curb And Walk	Concrete	25.10	Curb	6.45	5.35	34.48	68	Marginal	Very Low Priority
SW03848	S Highland AVE	3.9	141	551	Boulevard Walk	Concrete	37.40	Partial Curb	3.77	3.90	14.73	80	Fair	Low Priority
SW02732	S Highland AVE	4.5	132	596	Mono Curb And Walk	Concrete	27.65	Curb	4.76	4.53	21.56	87	Fair	Low Priority
SW01709	S Highland AVE	4.2	135	569	Mono Curb And Walk	Concrete	28.61	Curb	4.72	4.22	19.88	87	Fair	Deferrable Priority
SW06984	S Highland AVE	4.3	44	191	Mono Curb And Walk	Concrete	8.43	Curb	5.25	4.31	22.63	87	Fair	Deferrable Priority
SW01723	S Highland AVE	4.8	113	539	Mono Curb And Walk	Concrete	18.02	Curb	6.27	4.78	29.93	88	Fair	Deferrable Priority
SW03806	S Highland AVE	3.5	1274	4,506	Boulevard Walk	Concrete	283.71	Partial Curb	4.49	3.54	15.88	82	Fair	Immediate Priority
SW03845	S Highland AVE	3.8	158	603	Boulevard Walk	Concrete	42.16	Partial Curb	3.75	3.82	14.31	85	Fair	Low Priority
SW02734	S Highland AVE	3.8	157	604	Mono Curb And Walk	Concrete	35.29	Curb	4.46	3.84	17.12	90	Fair	Deferrable Priority
SW02207	S Highland AVE	4.1	133	545	Boulevard Walk	Concrete	24.83	Curb	5.34	4.11	21.93	84	Fair	Low Priority
SW03817	S Highland AVE	4.0	369	1,480	Boulevard Walk	Concrete	70.25	Partial Curb	5.25	4.02	21.07	87	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00131	S Highland AVE	4.2	29	124	Mono Curb And Walk	Concrete	5.30	Curb	5.53	4.25	23.47	54	Marginal	Very Low Priority
SW01703	S Highland AVE	4.5	88	397	Mono Curb And Walk	Concrete	16.33	Curb	5.38	4.52	24.34	92	Good	Deferrable Priority
SW03846	S Highland AVE	4.4	376	1,658	Mono Curb And Walk	Concrete	70.67	Curb	5.32	4.41	23.46	89	Fair	Low Priority
SW02208	S Highland AVE	3.9	152	591	Boulevard Walk	Concrete	31.97	Curb	4.74	3.90	18.49	94	Good	Very Low Priority
SW01708	S Highland AVE	4.2	46	192	Mono Curb And Walk	Concrete	9.23	Curb	4.93	4.22	20.80	62	Marginal	Very Low Priority
SW01724	S Highland AVE	4.7	36	170	Mono Curb And Walk	Concrete	5.66	Curb	6.40	4.70	30.07	100	Good	No Priority
SW11587	S Highland AVE	3.8	118	449	Boulevard Walk	Concrete	31.41	Partial Curb	3.75	3.82	14.31	100	Good	No Priority
SW06064	S Hillsdale DR	4.8	258	1,244	Boulevard Walk	Concrete	53.70	No Curb	4.81	4.82	23.16	44	Poor	Low Priority
SW06061	S Hillsdale DR	4.8	279	1,332	Boulevard Walk	Concrete	55.30	Partial Curb	5.05	4.77	24.08	78	Fair	Low Priority
SW06083	S Hillsdale DR	4.5	259	1,173	Boulevard Walk	Concrete	58.72	Partial Curb	4.41	4.53	19.98	81	Fair	Low Priority
SW06085	S Hillsdale DR	4.7	52	243	Boulevard Walk	Concrete	10.83	Curb	4.80	4.68	22.47	94	Good	Deferrable Priority
SW06062	S Hillsdale DR	4.7	21	98	Mono Curb And Walk	Concrete	4.38	Curb	4.80	4.68	22.47	100	Good	No Priority
SW02275	S Huntington DR	4.9	48	237	Boulevard Walk	Concrete	8.03	Curb	5.98	4.93	29.47	73	Marginal	Low Priority
SW02276	S Huntington DR	4.1	699	2,883	Mono Curb And Walk	Concrete	129.47	Curb	5.40	4.13	22.27	78	Fair	Low Priority
SW02213	S Huntington DR	4.0	409	1,623	Mono Curb And Walk	Concrete	81.41	Curb	5.02	3.97	19.94	87	Fair	Low Priority
SW02217	S Huntington DR	3.7	147	540	Mono Curb And Walk	Concrete	39.17	Curb	3.76	3.66	13.79	94	Good	Deferrable Priority
SW02283	S Huntington DR	5.7	179	1,022	Boulevard Walk	Concrete	31.15	Curb	5.74	5.72	32.80	95	Good	Deferrable Priority
SW11552	S Huntington DR	4.9	68	335	Other	Concrete	11.36	Curb	5.98	4.93	29.47	100	Good	No Priority
SW00605	S Indiana AVE	6.7	174	1,163	Boulevard Walk	Concrete	21.67	Curb	8.05	6.67	53.69	39	Poor	Immediate Priority
SW00573	S Indiana AVE	7.4	118	874	Mono Curb And Walk	Concrete	15.33	Curb	7.69	7.42	57.04	78	Fair	Low Priority
SW00572	S Indiana AVE	8.6	104	892	Boulevard Walk	Concrete	14.00	Curb	7.44	8.57	63.73	81	Fair	Low Priority
SW00616	S Indiana AVE	6.7	406	2,709	Boulevard Walk	Concrete	83.02	Curb	4.90	6.67	32.63	63	Marginal	Low Priority
SW00584	S Indiana AVE	5.5	158	870	Boulevard Walk	Concrete	26.14	Curb	6.03	5.52	33.28	66	Marginal	Low Priority
SW00624	S Indiana AVE	5.0	38	192	Boulevard Walk	Concrete	7.03	Curb	5.43	5.04	27.33	91	Good	Deferrable Priority
SW00603	S Indiana AVE	10.2	149	1,515	Mono Curb And Walk	Pavers / Brick	37.28	Curb	4.00	10.16	40.63	92	Good	Deferrable Priority
SW00579	S Indiana AVE	5.0	175	866	Boulevard Walk	Concrete	35.66	Curb	4.89	4.96	24.29	92	Good	Deferrable Priority
SW00595	S Indiana AVE	10.1	153	1,543	Mono Curb And Walk	Concrete	27.16	Curb	5.62	10.11	56.81	80	Fair	Very Low Priority
SW00580	S Indiana AVE	5.1	160	820	Boulevard Walk	Concrete	27.28	Curb	5.87	5.13	30.07	95	Good	Deferrable Priority
SW00576	S Indiana AVE	6.7	347	2,331	Boulevard Walk	Concrete	50.47	Curb	6.89	6.71	46.18	82	Fair	Very Low Priority
SW00615	S Indiana AVE	5.4	197	1,064	Boulevard Walk	Concrete	30.21	Curb	6.53	5.39	35.21	98	Good	Deferrable Priority
SW05140	S Isabel CT	4.2	555	2,313	Boulevard Walk	Concrete	108.06	Curb	5.14	4.17	21.40	94	Good	Low Priority
SW07975	S Jackson ST	5.5	306	1,665	Mono Curb And Walk	Stamped Concrete	64.89	Curb	4.71	5.45	25.66	25	Very Poor	Low Priority
SW09431	S Jackson ST	4.3	119	508	Mono Curb And Walk	Pavers / Brick	29.65	Curb	4.00	4.28	17.14	36	Poor	Low Priority
SW09412	S Jackson ST	4.0	137	544	Boulevard Walk	Pavers / Brick	34.24	Curb	4.00	3.98	15.90	50	Poor	Immediate Priority
SW09413	S Jackson ST	4.9	144	703	Boulevard Walk	Concrete	32.07	Curb	4.48	4.89	21.91	41	Poor	Immediate Priority
SW09439	S Jackson ST	4.1	110	456	Mono Curb And Walk	Pavers / Brick	27.56	Curb	4.00	4.14	16.55	65	Marginal	Low Priority
SW07979	S Jackson ST	4.8	195	940	Mono Curb And Walk	Concrete	30.02	Curb	6.50	4.82	31.32	52	Marginal	Low Priority
SW09432	S Jackson ST	4.9	75	367	Mono Curb And Walk	Concrete	12.73	Curb	5.91	4.88	28.86	52	Marginal	Low Priority
SW09403	S Jackson ST	4.4	60	263	Mono Curb And Walk	Pavers / Brick	15.01	Curb	4.00	4.38	17.52	63	Marginal	Low Priority
SW09411	S Jackson ST	4.3	135	579	Boulevard Walk	Pavers / Brick	33.68	Curb	4.00	4.30	17.19	72	Marginal	Low Priority
SW09459	S Jackson ST	4.9	41	202	Boulevard Walk	Concrete	9.23	Curb	4.48	4.89	21.91	62	Marginal	Low Priority
SW09460	S Jackson ST	4.3	116	500	Mono Curb And Walk	Concrete	21.83	Curb	5.31	4.31	22.88	80	Fair	Low Priority
SW09410	S Jackson ST	4.3	25	107	Boulevard Walk	Concrete	4.91	Curb	5.11	4.55	23.26	82	Fair	Deferrable Priority
SW09404	S Jackson ST	3.9	112	444	Mono Curb And Walk	Pavers / Brick	28.11	Curb	4.00	3.95	15.79	83	Fair	Low Priority
SW10860	S Jackson ST	4.5	136	606	Mono Curb And Walk	Concrete	24.72	Curb	5.50	4.46	24.51	84	Fair	Low Priority
SW09429	S Jackson ST	4.4	54	240	Mono Curb And Walk	Pavers / Brick	13.58	Curb	4.00	4.43	17.70	95	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05055	S Jalen CT	4.0	389	1,554	Boulevard Walk	Concrete	94.60	Curb	4.12	3.99	16.43	90	Good	Low Priority
SW03627	S Jamie LN	3.9	871	3,424	Boulevard Walk	Concrete	181.78	Curb	4.79	3.93	18.84	74	Marginal	Low Priority
SW03631	S Jamie LN	3.6	565	2,007	Boulevard Walk	Concrete	152.36	Curb	3.71	3.55	13.17	74	Marginal	Low Priority
SW03629	S Jamie LN	4.1	568	2,323	Boulevard Walk	Concrete	97.95	Curb	5.80	4.09	23.72	76	Fair	Low Priority
SW03628	S Jamie LN	3.9	809	3,188	Boulevard Walk	Concrete	195.56	Curb	4.14	3.94	16.30	70	Marginal	Low Priority
SW01618	S Jefferson ST	5.1	109	560	Boulevard Walk	Concrete	21.30	No Curb	5.13	5.13	26.30	77	Fair	Low Priority
SW01608	S Jefferson ST	4.4	93	412	Boulevard Walk	Concrete	26.47	Curb	3.53	4.41	15.57	89	Fair	Low Priority
SW03925	S Kegg RD	4.1	395	1,630	Boulevard Walk	Concrete	118.72	Curb	3.33	4.12	13.73	86	Fair	Low Priority
SW03924	S Kegg RD	4.6	234	1,073	Boulevard Walk	Concrete	50.06	Curb	4.67	4.59	21.44	89	Fair	Very Low Priority
SW03932	S Kegg RD	5.1	28	141	Stand Alone	Concrete	6.20	Curb	4.49	5.06	22.72	90	Good	Deferrable Priority
SW05493	S Kennedy DR	4.0	297	1,188	Boulevard Walk	Concrete	59.36	Curb	5.01	4.00	20.00	41	Poor	Immediate Priority
SW05494	S Kennedy DR	3.7	311	1,164	Boulevard Walk	Concrete	72.78	Curb	4.27	3.75	15.99	60	Marginal	Immediate Priority
SW05502	S Kennedy DR	3.9	481	1,875	Boulevard Walk	Concrete	121.93	Curb	3.94	3.90	15.38	58	Marginal	Immediate Priority
SW05492	S Kennedy DR	3.8	468	1,771	Boulevard Walk	Concrete	126.37	Curb	3.70	3.79	14.02	75	Fair	Immediate Priority
SW10171	S Kimble DR	5.6	28	159	Boulevard Walk	Concrete	5.38	No Curb	5.26	5.61	29.49	78	Fair	Very Low Priority
SW10170	S Kimble DR	5.8	61	354	Mono Curb And Walk	Concrete	11.32	Curb	5.36	5.84	31.27	90	Fair	Deferrable Priority
SW10206	S Kimble DR	4.7	54	257	Boulevard Walk	Concrete	9.02	Curb	6.03	4.72	28.44	100	Good	No Priority
SW05766	S Kings CT	4.2	481	2,037	Boulevard Walk	Concrete	84.61	Curb	5.69	4.23	24.07	60	Marginal	Immediate Priority
SW05727	S Kings CT	3.4	195	663	Boulevard Walk	Concrete	47.32	Curb	4.13	3.40	14.02	74	Marginal	Low Priority
SW05768	S Kings CT	3.8	408	1,547	Boulevard Walk	Concrete	85.84	Curb	4.76	3.79	18.02	78	Fair	Low Priority
SW05762	S Kings CT	3.8	227	856	Boulevard Walk	Concrete	68.08	Curb	3.34	3.77	12.57	78	Fair	Low Priority
SW05870	S Kingsbury AVE	4.5	672	3,004	Mono Curb And Walk	Concrete	149.40	Curb	4.50	4.47	20.10	71	Marginal	Immediate Priority
SW05851	S Kingsbury AVE	4.8	669	3,213	Mono Curb And Walk	Concrete	143.36	Curb	4.67	4.80	22.41	77	Fair	Low Priority
SW01299	S Kingston DR	5.2	80	416	Boulevard Walk	Concrete	14.66	No Curb	5.48	5.18	28.37	35	Poor	Immediate Priority
SW01393	S Kingston DR	3.9	87	335	Boulevard Walk	Concrete	17.99	Curb	4.82	3.86	18.62	58	Marginal	Immediate Priority
SW01428	S Kingston DR	5.0	34	167	Boulevard Walk	Concrete	7.15	Curb	4.71	4.97	23.40	72	Marginal	Low Priority
SW01296	S Kingston DR	4.0	25	101	Boulevard Walk	Concrete	6.56	No Curb	3.80	4.04	15.38	73	Marginal	Low Priority
SW01392	S Kingston DR	5.1	106	540	Boulevard Walk	Concrete	19.38	Curb	5.49	5.08	27.86	51	Marginal	Low Priority
SW04446	S Kingston DR	4.6	292	1,348	Boulevard Walk	Concrete	61.76	No Curb	4.73	4.61	21.82	65	Marginal	Low Priority
SW04486	S Kingston DR	4.8	225	1,085	Boulevard Walk	Concrete	23.10	Curb	9.73	4.83	46.98	70	Marginal	Low Priority
SW01397	S Kingston DR	4.4	112	490	Boulevard Walk	Concrete	26.54	Curb	4.23	4.37	18.47	71	Marginal	Low Priority
SW04487	S Kingston DR	4.8	124	597	Boulevard Walk	Concrete	26.28	Curb	4.72	4.82	22.71	69	Marginal	Low Priority
SW01391	S Kingston DR	5.7	496	2,822	Boulevard Walk	Concrete	87.74	Curb	5.65	5.69	32.16	75	Marginal	Immediate Priority
SW04489	S Kingston DR	4.9	207	1,017	Boulevard Walk	Concrete	36.64	Curb	5.65	4.92	27.76	70	Marginal	Low Priority
SW01300	S Kingston DR	8.4	74	619	Boulevard Walk	Concrete	11.19	No Curb	6.60	8.38	55.28	53	Marginal	Low Priority
SW01297	S Kingston DR	4.7	87	407	Boulevard Walk	Concrete	21.23	No Curb	4.08	4.70	19.16	76	Fair	Low Priority
SW04505	S Kingston DR	5.0	312	1,560	Mono Curb And Walk	Concrete	62.72	Curb	4.98	5.00	24.87	68	Marginal	Low Priority
SW01295	S Kingston DR	4.2	13	53	Boulevard Walk	Concrete	3.41	No Curb	3.73	4.17	15.55	85	Fair	Deferrable Priority
SW01394	S Kingston DR	5.1	186	951	Boulevard Walk	Concrete	54.71	Curb	3.41	5.10	17.38	87	Fair	Low Priority
SW01404	S Kingston DR	4.9	163	790	Boulevard Walk	Concrete	23.00	Curb	7.07	4.86	34.35	67	Marginal	Low Priority
SW01396	S Kingston DR	5.2	254	1,325	Boulevard Walk	Concrete	45.67	Curb	5.56	5.22	29.00	76	Fair	Low Priority
SW04506	S Kingston DR	5.0	141	711	Boulevard Walk	Concrete	25.37	Curb	5.57	5.03	28.02	89	Fair	Low Priority
SW01409	S Kingston DR	4.9	172	846	Boulevard Walk	Concrete	34.12	Curb	5.05	4.91	24.78	89	Fair	Low Priority
SW01410	S Kingston DR	5.2	39	202	Boulevard Walk	Concrete	7.33	Curb	5.29	5.22	27.63	91	Good	Deferrable Priority
SW01298	S Kingston DR	5.1	29	150	Boulevard Walk	Concrete	8.63	No Curb	3.41	5.10	17.38	93	Good	Deferrable Priority
SW04458	S Kingston DR	8.0	408	3,275	Boulevard Walk	Asphalt	102.04	Curb	4.00	8.03	32.10	95	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW04450	S Kingston DR	8.0	221	1,755	Boulevard Walk	Asphalt	55.15	Curb	4.00	7.96	31.83	98	Good	Deferrable Priority
SW04528	S Kingston DR	9.6	332	3,167	Mono Curb And Walk	Concrete	72.13	Curb	4.60	9.55	43.91	98	Good	Deferrable Priority
SW01395	S Kingston DR	4.9	10	47	Boulevard Walk	Concrete	1.90	Curb	5.07	4.87	24.71	100	Good	No Priority
SW04488	S Kingston DR	6.6	61	403	Boulevard Walk	Concrete	12.52	Curb	4.88	6.60	32.19	100	Good	No Priority
SW04529	S Kingston DR	9.0	259	2,330	Mono Curb And Walk	Concrete	62.05	Curb	4.17	9.00	37.56	100	Good	No Priority
SW10283	S Landmark AVE	5.0	83	416	Boulevard Walk	Concrete	19.19	Curb	4.34	5.00	21.67	35	Poor	Immediate Priority
SW10286	S Landmark AVE	4.9	81	398	Mono Curb And Walk	Concrete	15.21	Curb	5.33	4.91	26.15	49	Poor	Immediate Priority
SW10410	S Landmark AVE	4.2	102	425	Mono Curb And Walk	Concrete	22.99	Curb	4.44	4.16	18.48	71	Marginal	Immediate Priority
SW10373	S Landmark AVE	5.0	143	714	Boulevard Walk	Concrete	32.93	Curb	4.34	5.00	21.67	56	Marginal	Immediate Priority
SW10281	S Landmark AVE	5.2	104	543	Mono Curb And Walk	Concrete	16.17	Curb	6.43	5.23	33.61	75	Marginal	Low Priority
SW10374	S Landmark AVE	5.0	60	301	Boulevard Walk	Concrete	13.90	Curb	4.34	5.00	21.67	69	Marginal	Low Priority
SW10278	S Landmark AVE	5.4	79	426	Mono Curb And Walk	Concrete	12.29	Curb	6.46	5.37	34.66	79	Fair	Low Priority
SW10371	S Landmark AVE	5.0	99	496	Boulevard Walk	Concrete	22.88	Curb	4.34	5.00	21.67	70	Marginal	Low Priority
SW10280	S Landmark AVE	5.2	26	134	Mono Curb And Walk	Concrete	3.97	Curb	6.43	5.23	33.61	87	Fair	Deferrable Priority
SW10330	S Landmark AVE	6.0	29	175	Mono Curb And Walk	Concrete	4.41	Curb	6.57	6.04	39.66	88	Fair	Deferrable Priority
SW10284	S Landmark AVE	4.2	89	378	Mono Curb And Walk	Concrete	19.74	Curb	4.53	4.23	19.13	73	Marginal	Very Low Priority
SW10372	S Landmark AVE	5.0	49	244	Boulevard Walk	Concrete	11.26	Curb	4.34	5.00	21.67	90	Fair	Deferrable Priority
SW10282	S Landmark AVE	5.1	34	177	Mono Curb And Walk	Concrete	5.85	Curb	5.87	5.15	30.20	90	Fair	Deferrable Priority
SW10370	S Landmark AVE	5.0	403	2,013	Boulevard Walk	Concrete	92.90	Curb	4.34	5.00	21.67	84	Fair	Immediate Priority
SW10369	S Landmark AVE	5.0	168	841	Boulevard Walk	Concrete	38.80	Curb	4.34	5.00	21.67	78	Fair	Low Priority
SW10368	S Landmark AVE	5.0	128	642	Boulevard Walk	Concrete	29.62	Curb	4.34	5.00	21.67	73	Marginal	Very Low Priority
SW10399	S Landmark AVE	5.0	60	300	Boulevard Walk	Concrete	13.85	Curb	4.34	5.00	21.67	95	Good	Deferrable Priority
SW10279	S Landmark AVE	5.2	15	78	Mono Curb And Walk	Concrete	2.31	Curb	6.43	5.23	33.61	100	Good	No Priority
SW10285	S Landmark AVE	4.3	7	31	Mono Curb And Walk	Concrete	1.51	Curb	4.75	4.32	20.49	100	Good	No Priority
SW10328	S Landmark AVE	5.4	36	192	Mono Curb And Walk	Concrete	5.51	Curb	6.46	5.40	34.85	100	Good	No Priority
SW06610	S Larkspur LN	4.7	131	614	Boulevard Walk	Concrete	18.13	Curb	7.25	4.67	33.88	82	Fair	Low Priority
SW06603	S Larkspur LN	3.9	256	999	Boulevard Walk	Concrete	63.96	Curb	4.00	3.91	15.61	75	Fair	Low Priority
SW06606	S Larkspur LN	4.6	220	1,010	Boulevard Walk	Concrete	45.14	Curb	4.87	4.60	22.37	86	Fair	Deferrable Priority
SW06628	S Larkspur LN	4.1	186	772	Boulevard Walk	Concrete	33.58	Curb	5.55	4.14	22.99	90	Fair	Deferrable Priority
SW06629	S Larkspur LN	4.2	187	783	Boulevard Walk	Concrete	32.73	Curb	5.71	4.19	23.93	91	Good	Deferrable Priority
SW06621	S Larkspur LN	4.3	107	460	Boulevard Walk	Concrete	24.24	Curb	4.41	4.30	18.98	92	Good	Deferrable Priority
SW06604	S Larkspur LN	4.2	262	1,110	Boulevard Walk	Concrete	58.39	Curb	4.48	4.24	19.01	93	Good	Deferrable Priority
SW06647	S Larkspur LN	4.8	70	340	Boulevard Walk	Concrete	14.95	Curb	4.70	4.84	22.76	95	Good	Deferrable Priority
SW03651	S Laura WAY	3.8	776	2,968	Boulevard Walk	Concrete	150.88	Curb	5.14	3.83	19.67	54	Marginal	Immediate Priority
SW03649	S Laura WAY	4.0	504	1,996	Boulevard Walk	Concrete	104.20	Curb	4.84	3.96	19.16	76	Fair	Low Priority
SW03650	S Laura WAY	3.7	713	2,670	Boulevard Walk	Concrete	219.27	Curb	3.25	3.74	12.18	70	Marginal	Immediate Priority
SW03648	S Laura WAY	3.8	494	1,857	Boulevard Walk	Concrete	121.83	Curb	4.06	3.76	15.24	82	Fair	Low Priority
SW03646	S Laurel CT	4.0	1018	4,093	Boulevard Walk	Concrete	207.60	Curb	4.90	4.02	19.72	69	Marginal	Low Priority
SW06364	S Laurelwood CIR	4.0	110	445	Boulevard Walk	Concrete	20.76	Curb	5.32	4.03	21.43	50	Marginal	Low Priority
SW06365	S Laurelwood CIR	3.8	115	442	Boulevard Walk	Concrete	23.98	Curb	4.80	3.84	18.45	90	Good	Deferrable Priority
SW06402	S Laurelwood DR	3.8	93	359	Boulevard Walk	Concrete	17.33	Curb	5.39	3.84	20.69	71	Marginal	Low Priority
SW06343	S Laurelwood DR	4.1	191	782	Boulevard Walk	Concrete	32.82	Curb	5.83	4.09	23.83	62	Marginal	Immediate Priority
SW06410	S Laurelwood DR	3.9	165	641	Boulevard Walk	Concrete	31.15	Curb	5.29	3.89	20.59	70	Marginal	Low Priority
SW06373	S Laurelwood DR	4.0	399	1,580	Boulevard Walk	Concrete	82.38	Curb	4.84	3.96	19.18	78	Fair	Low Priority
SW10032	S Leonard Springs RD	3.5	311	1,089	Boulevard Walk	Concrete	71.12	Partial Curb	4.37	3.50	15.31	19	Very Poor	Immediate Priority
SW10048	S Leonard Springs RD	4.8	119	571	Mono Curb And Walk	Concrete	21.41	Curb	5.56	4.80	26.64	41	Poor	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10031	S Leonard Springs RD	4.5	130	588	Boulevard Walk	Concrete	19.91	Partial Curb	6.51	4.54	29.56	50	Poor	Low Priority
SW10033	S Leonard Springs RD	3.8	196	752	Boulevard Walk	Concrete	31.54	No Curb	6.21	3.84	23.85	79	Fair	Low Priority
SW10082	S Leonard Springs RD	3.6	30	107	Boulevard Walk	Concrete	6.66	No Curb	4.48	3.57	16.00	39	Poor	Low Priority
SW10026	S Leonard Springs RD	4.5	30	133	Boulevard Walk	Concrete	5.63	No Curb	5.25	4.48	23.53	52	Marginal	Very Low Priority
SW10040	S Leonard Springs RD	3.9	155	612	Boulevard Walk	Concrete	30.31	No Curb	5.12	3.95	20.19	64	Marginal	Low Priority
SW10037	S Leonard Springs RD	2.9	47	136	Boulevard Walk	Concrete	13.81	Partial Curb	3.38	2.91	9.83	64	Marginal	Low Priority
SW10042	S Leonard Springs RD	3.3	163	543	Boulevard Walk	Concrete	33.49	No Curb	4.87	3.33	16.22	83	Fair	Low Priority
SW10027	S Leonard Springs RD	3.4	90	301	Boulevard Walk	Concrete	20.57	Partial Curb	4.36	3.35	14.61	51	Marginal	Low Priority
SW10025	S Leonard Springs RD	4.7	29	138	Boulevard Walk	Concrete	4.03	No Curb	7.21	4.75	34.23	40	Poor	Very Low Priority
SW10050	S Leonard Springs RD	5.1	61	312	Boulevard Walk	Concrete	11.65	Curb	5.28	5.08	26.81	85	Fair	Deferrable Priority
SW10043	S Leonard Springs RD	3.3	348	1,158	Boulevard Walk	Concrete	71.41	No Curb	4.87	3.33	16.22	79	Fair	Low Priority
SW10039	S Leonard Springs RD	4.9	74	367	Mono Curb And Walk	Concrete	14.00	Curb	5.29	4.95	26.20	67	Marginal	Very Low Priority
SW10028	S Leonard Springs RD	3.5	108	382	Boulevard Walk	Concrete	21.61	No Curb	4.99	3.55	17.68	71	Marginal	Low Priority
SW10045	S Leonard Springs RD	4.3	170	734	Boulevard Walk	Concrete	29.58	Partial Curb	5.75	4.31	24.80	90	Fair	Deferrable Priority
SW10047	S Leonard Springs RD	4.6	120	558	Boulevard Walk	Concrete	21.06	Curb	5.70	4.65	26.49	91	Good	Deferrable Priority
SW09961	S Leonard Springs RD	5.1	81	412	Boulevard Walk	Concrete	15.38	No Curb	5.28	5.08	26.81	94	Good	Deferrable Priority
SW10044	S Leonard Springs RD	3.5	668	2,323	Boulevard Walk	Concrete	131.45	No Curb	5.08	3.48	17.67	91	Good	Very Low Priority
SW10041	S Leonard Springs RD	3.9	287	1,122	Boulevard Walk	Concrete	56.25	Partial Curb	5.10	3.91	19.94	96	Good	Deferrable Priority
SW10046	S Leonard Springs RD	4.6	8	39	Boulevard Walk	Concrete	1.47	Curb	5.70	4.65	26.49	100	Good	No Priority
SW10049	S Leonard Springs RD	5.1	11	55	Boulevard Walk	Concrete	2.04	Curb	5.28	5.08	26.81	100	Good	No Priority
SW10079	S Liberty DR	4.9	235	1,149	Boulevard Walk	Concrete	46.80	Curb	5.01	4.90	24.55	40	Poor	Immediate Priority
SW10024	S Liberty DR	4.8	106	513	Boulevard Walk	Concrete	22.08	Curb	4.80	4.83	23.21	41	Poor	Immediate Priority
SW10060	S Liberty DR	5.2	289	1,495	Boulevard Walk	Concrete	56.77	Curb	5.10	5.17	26.34	52	Marginal	Immediate Priority
SW10077	S Liberty DR	10.1	34	340	Boulevard Walk	Concrete	8.45	Curb	4.00	10.06	40.25	76	Fair	Low Priority
SW10714	S Liberty DR	4.9	200	987	Mono Curb And Walk	Concrete	46.40	Curb	4.31	4.93	21.28	78	Fair	Immediate Priority
SW10062	S Liberty DR	10.6	206	2,197	Boulevard Walk	Concrete	51.62	Curb	4.00	10.64	42.57	87	Fair	Deferrable Priority
SW10693	S Liberty DR	5.3	146	768	Boulevard Walk	Concrete	27.90	Curb	5.22	5.27	27.52	88	Fair	Deferrable Priority
SW10059	S Liberty DR	4.7	190	886	Mono Curb And Walk	Concrete	42.50	Curb	4.48	4.66	20.85	65	Marginal	Low Priority
SW10694	S Liberty DR	5.6	96	542	Mono Curb And Walk	Concrete	18.86	Curb	5.10	5.63	28.71	88	Fair	Deferrable Priority
SW10064	S Liberty DR	9.7	282	2,748	Boulevard Walk	Asphalt	70.50	Curb	4.00	9.74	38.98	89	Fair	Deferrable Priority
SW10061	S Liberty DR	10.1	68	684	Boulevard Walk	Concrete	16.97	Curb	4.00	10.08	40.33	89	Fair	Deferrable Priority
SW10067	S Liberty DR	9.7	223	2,172	Boulevard Walk	Asphalt	55.69	Curb	4.00	9.75	39.00	90	Fair	Deferrable Priority
SW10692	S Liberty DR	4.8	140	673	Mono Curb And Walk	Concrete	29.65	Curb	4.72	4.81	22.69	83	Fair	Low Priority
SW10063	S Liberty DR	9.8	161	1,577	Boulevard Walk	Asphalt	40.26	Curb	4.00	9.79	39.17	91	Good	Deferrable Priority
SW10065	S Liberty DR	9.2	517	4,760	Boulevard Walk	Asphalt	129.25	Curb	4.00	9.21	36.83	92	Good	Deferrable Priority
SW10695	S Liberty DR	4.7	279	1,308	Mono Curb And Walk	Concrete	52.51	Curb	5.32	4.68	24.92	93	Good	Deferrable Priority
SW10078	S Liberty DR	10.3	195	2,012	Boulevard Walk	Concrete	48.77	Curb	4.00	10.31	41.26	93	Good	Low Priority
SW10691	S Liberty DR	4.5	254	1,151	Mono Curb And Walk	Concrete	61.21	Curb	4.16	4.52	18.80	90	Good	Low Priority
SW10066	S Liberty DR	9.7	74	716	Boulevard Walk	Asphalt	18.38	Curb	4.00	9.74	38.95	96	Good	Deferrable Priority
SW10642	S Liberty DR	6.1	275	1,673	Boulevard Walk	Concrete	52.16	Curb	5.28	6.08	32.07	97	Good	Deferrable Priority
SW10068	S Liberty DR	10.3	263	2,710	Boulevard Walk	Asphalt	65.75	Curb	4.00	10.30	41.22	98	Good	Deferrable Priority
SW03135	S Lincoln ST	4.0	318	1,257	Mono Curb And Walk	Concrete	56.35	Curb	5.64	3.95	22.31	12	Very Poor	Immediate Priority
SW01125	S Lincoln ST	4.2	323	1,359	Mono Curb And Walk	Concrete	61.88	Curb	5.23	4.20	21.96	16	Very Poor	Immediate Priority
SW01086	S Lincoln ST	4.4	328	1,439	Mono Curb And Walk	Concrete	51.79	Curb	6.34	4.38	27.79	7	Very Poor	Immediate Priority
SW02069	S Lincoln ST	5.1	164	839	Mono Curb And Walk	Concrete	30.89	Curb	5.32	5.11	27.17	15	Very Poor	Immediate Priority
SW02104	S Lincoln ST	4.6	92	425	Mono Curb And Walk	Concrete	14.70	Curb	6.25	4.63	28.95	8	Very Poor	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02103	S Lincoln ST	4.9	43	209	Mono Curb And Walk	Concrete	6.55	Curb	6.51	4.90	31.90	1	Very Poor	Low Priority
SW02098	S Lincoln ST	4.3	110	472	Mono Curb And Walk	Concrete	19.09	Curb	5.78	4.28	24.72	11	Very Poor	Low Priority
SW02068	S Lincoln ST	4.2	161	681	Mono Curb And Walk	Concrete	32.51	Curb	4.96	4.23	20.95	15	Very Poor	Immediate Priority
SW02100	S Lincoln ST	4.3	106	455	Mono Curb And Walk	Concrete	16.53	Curb	6.43	4.28	27.52	18	Very Poor	Low Priority
SW02106	S Lincoln ST	4.4	217	944	Mono Curb And Walk	Concrete	43.53	Curb	4.97	4.36	21.68	33	Poor	Immediate Priority
SW03128	S Lincoln ST	4.3	182	787	Mono Curb And Walk	Concrete	27.45	Curb	6.62	4.33	28.66	20	Very Poor	Low Priority
SW01113	S Lincoln ST	4.4	293	1,281	Mono Curb And Walk	Concrete	58.28	Curb	5.02	4.38	21.98	27	Very Poor	Immediate Priority
SW03129	S Lincoln ST	4.0	123	487	Mono Curb And Walk	Concrete	21.03	Curb	5.84	3.97	23.18	23	Very Poor	Low Priority
SW00736	S Lincoln ST	4.5	127	563	Mono Curb And Walk	Concrete	25.41	Curb	4.98	4.45	22.15	22	Very Poor	Low Priority
SW01082	S Lincoln ST	4.4	324	1,440	Mono Curb And Walk	Concrete	47.80	Curb	6.78	4.44	30.12	30	Very Poor	Low Priority
SW03179	S Lincoln ST	3.8	27	101	Mono Curb And Walk	Concrete	4.59	Curb	5.83	3.78	22.02	55	Marginal	Low Priority
SW10943	S Lincoln ST	4.5	149	677	Mono Curb And Walk	Concrete	24.71	Curb	6.03	4.54	27.38	21	Very Poor	Low Priority
SW02096	S Lincoln ST	5.1	110	564	Mono Curb And Walk	Concrete	20.74	Curb	5.32	5.11	27.17	39	Poor	Low Priority
SW00718	S Lincoln ST	4.6	209	965	Mono Curb And Walk	Concrete	42.13	Curb	4.96	4.62	22.90	30	Poor	Low Priority
SW02097	S Lincoln ST	4.8	25	119	Mono Curb And Walk	Concrete	4.77	Curb	5.20	4.79	24.92	71	Marginal	Low Priority
SW02102	S Lincoln ST	4.4	30	133	Mono Curb And Walk	Concrete	5.93	Curb	5.05	4.44	22.42	72	Marginal	Low Priority
SW03177	S Lincoln ST	4.3	35	151	Mono Curb And Walk	Concrete	5.98	Curb	5.92	4.27	25.25	72	Marginal	Low Priority
SW02101	S Lincoln ST	4.3	32	135	Boulevard Walk	Concrete	4.85	Curb	6.53	4.28	27.91	72	Marginal	Low Priority
SW03104	S Lincoln ST	4.0	323	1,279	Mono Curb And Walk	Concrete	62.82	Curb	5.14	3.96	20.35	46	Poor	Immediate Priority
SW01089	S Lincoln ST	4.0	287	1,160	Mono Curb And Walk	Concrete	45.76	Curb	6.27	4.04	25.35	34	Poor	Low Priority
SW00781	S Lincoln ST	4.5	138	625	Mono Curb And Walk	Concrete	27.34	Curb	5.06	4.52	22.86	31	Poor	Low Priority
SW01078	S Lincoln ST	4.6	282	1,300	Mono Curb And Walk	Concrete	50.09	Curb	5.63	4.61	25.95	41	Poor	Low Priority
SW01088	S Lincoln ST	3.9	330	1,294	Mono Curb And Walk	Concrete	77.59	Curb	4.25	3.92	16.67	49	Poor	Immediate Priority
SW03150	S Lincoln ST	4.6	142	657	Mono Curb And Walk	Concrete	23.43	Curb	6.04	4.64	28.03	61	Marginal	Low Priority
SW06916	S Lincoln ST	4.5	149	669	Mono Curb And Walk	Concrete	31.62	Curb	4.71	4.49	21.16	41	Poor	Low Priority
SW03180	S Lincoln ST	3.9	260	1,002	Mono Curb And Walk	Concrete	56.88	Curb	4.57	3.86	17.62	49	Poor	Low Priority
SW03119	S Lincoln ST	4.6	197	905	Mono Curb And Walk	Concrete	33.13	Curb	5.95	4.59	27.31	56	Marginal	Low Priority
SW03149	S Lincoln ST	4.5	141	631	Mono Curb And Walk	Concrete	37.31	Curb	3.77	4.48	16.90	80	Fair	Low Priority
SW00717	S Lincoln ST	4.9	218	1,056	Mono Curb And Walk	Concrete	41.70	Curb	5.22	4.85	25.32	76	Fair	Low Priority
SW03173	S Lincoln ST	4.0	143	579	Mono Curb And Walk	Concrete	29.70	Curb	4.82	4.05	19.50	49	Poor	Low Priority
SW03144	S Lincoln ST	4.5	331	1,495	Mono Curb And Walk	Concrete	66.10	Curb	5.01	4.51	22.61	72	Marginal	Low Priority
SW06929	S Lincoln ST	4.2	54	230	Mono Curb And Walk	Concrete	12.85	Curb	4.21	4.24	17.88	61	Marginal	Low Priority
SW03174	S Lincoln ST	4.5	202	908	Mono Curb And Walk	Concrete	37.60	Curb	5.38	4.48	24.14	67	Marginal	Low Priority
SW03116	S Lincoln ST	3.8	129	488	Mono Curb And Walk	Concrete	23.80	Curb	5.40	3.79	20.50	60	Marginal	Low Priority
SW03134	S Lincoln ST	4.1	141	582	Mono Curb And Walk	Concrete	28.90	Curb	4.89	4.12	20.13	60	Marginal	Low Priority
SW03106	S Lincoln ST	4.9	34	167	Mono Curb And Walk	Concrete	6.58	Curb	5.23	4.86	25.39	61	Marginal	Very Low Priority
SW02099	S Lincoln ST	4.4	29	128	Mono Curb And Walk	Concrete	4.54	Curb	6.40	4.41	28.22	88	Fair	Deferrable Priority
SW02105	S Lincoln ST	3.9	42	161	Mono Curb And Walk	Concrete	9.29	Curb	4.47	3.87	17.27	88	Fair	Deferrable Priority
SW01111	S Lincoln ST	4.9	279	1,362	Mono Curb And Walk	Concrete	49.35	Curb	5.66	4.88	27.60	89	Fair	Deferrable Priority
SW00768	S Lincoln ST	4.6	141	649	Mono Curb And Walk	Concrete	27.27	Curb	5.16	4.61	23.78	83	Fair	Low Priority
SW00782	S Lincoln ST	4.8	87	417	Mono Curb And Walk	Concrete	17.86	Curb	4.88	4.79	23.37	65	Marginal	Very Low Priority
SW03178	S Lincoln ST	4.1	101	414	Mono Curb And Walk	Concrete	23.35	Curb	4.31	4.11	17.74	65	Marginal	Low Priority
SW00273	S Lincoln ST	6.4	152	977	Boulevard Walk	Concrete	25.03	Curb	6.08	6.43	39.05	77	Fair	Very Low Priority
SW00293	S Lincoln ST	6.3	149	931	Boulevard Walk	Pavers / Brick	37.24	Curb	4.00	6.25	25.02	91	Good	Deferrable Priority
SW00017	S Lincoln ST	4.8	192	929	Mono Curb And Walk	Concrete	32.20	Curb	5.97	4.83	28.84	91	Good	Deferrable Priority
SW00496	S Lincoln ST	5.2	230	1,184	Boulevard Walk	Concrete	44.77	Curb	5.14	5.15	26.46	92	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00271	S Lincoln ST	5.2	148	768	Boulevard Walk	Concrete	30.19	Curb	4.89	5.20	25.45	75	Marginal	Low Priority
SW00780	S Lincoln ST	4.8	43	210	Mono Curb And Walk	Concrete	8.54	Curb	5.08	4.84	24.60	92	Good	Deferrable Priority
SW00313	S Lincoln ST	6.8	146	995	Boulevard Walk	Pavers / Brick	36.52	Curb	4.00	6.81	27.25	96	Good	Deferrable Priority
SW00032	S Lincoln ST	5.1	227	1,154	Mono Curb And Walk	Concrete	39.24	Curb	5.79	5.08	29.40	96	Good	Deferrable Priority
SW03151	S Lincoln ST	4.2	191	800	Mono Curb And Walk	Concrete	32.49	Curb	5.88	4.19	24.63	80	Fair	Very Low Priority
SW00033	S Lincoln ST	5.7	153	880	Mono Curb And Walk	Concrete	29.35	Curb	5.22	5.74	29.97	98	Good	Deferrable Priority
SW00018	S Lincoln ST	5.9	443	2,594	Mono Curb And Walk	Concrete	105.72	Curb	4.19	5.86	24.54	95	Good	Low Priority
SW00009	S Lincoln ST	5.6	127	719	Mono Curb And Walk	Concrete	24.02	Curb	5.31	5.64	29.93	100	Good	No Priority
SW00521	S Lincoln ST	4.9	37	183	Boulevard Walk	Concrete	7.86	Curb	4.73	4.93	23.31	100	Good	No Priority
SW00523	S Lincoln ST	6.0	126	758	Mono Curb And Walk	Concrete	21.04	Curb	6.00	6.01	36.04	100	Good	No Priority
SW00524	S Lincoln ST	5.3	135	709	Boulevard Walk	Concrete	25.81	Curb	5.22	5.26	27.48	100	Good	No Priority
SW03402	S Locust CT	4.3	564	2,427	Mono Curb And Walk	Concrete	123.12	Curb	4.58	4.30	19.71	76	Fair	Low Priority
SW03403	S Locust CT	4.2	37	158	Boulevard Walk	Concrete	8.01	Curb	4.68	4.22	19.74	92	Good	Deferrable Priority
SW09443	S Madison ST	4.6	19	89	Boulevard Walk	Concrete	4.32	Curb	4.51	4.59	20.72	67	Marginal	Low Priority
SW09420	S Madison ST	4.9	137	673	Boulevard Walk	Concrete	27.93	Curb	4.89	4.93	24.10	53	Marginal	Low Priority
SW07744	S Madison ST	5.8	175	1,009	Boulevard Walk	Concrete	28.40	Curb	6.15	5.78	35.53	42	Poor	Low Priority
SW09442	S Madison ST	4.5	36	163	Boulevard Walk	Concrete	7.44	Curb	4.86	4.51	21.92	75	Marginal	Low Priority
SW09427	S Madison ST	6.0	221	1,333	Boulevard Walk	Concrete	34.98	Curb	6.31	6.04	38.11	57	Marginal	Immediate Priority
SW09441	S Madison ST	4.6	207	941	Mono Curb And Walk	Concrete	41.82	Curb	4.94	4.56	22.51	77	Fair	Low Priority
SW07738	S Madison ST	5.2	127	657	Boulevard Walk	Concrete	22.07	Curb	5.76	5.17	29.78	72	Marginal	Low Priority
SW01975	S Madison ST	5.3	56	296	Mono Curb And Walk	Concrete	8.54	Curb	6.55	5.30	34.70	79	Fair	Low Priority
SW08873	S Madison ST	6.0	318	1,904	Boulevard Walk	Concrete	49.41	Curb	6.43	6.00	38.53	76	Fair	Immediate Priority
SW04397	S Madison ST	5.2	41	214	Mono Curb And Walk	Concrete	7.32	Curb	5.66	5.16	29.21	86	Fair	Deferrable Priority
SW09419	S Madison ST	5.5	136	752	Boulevard Walk	Concrete	24.15	Curb	5.63	5.54	31.15	86	Fair	Low Priority
SW08871	S Madison ST	5.4	161	870	Boulevard Walk	Concrete	25.34	Curb	6.34	5.42	34.32	66	Marginal	Very Low Priority
SW07762	S Madison ST	5.3	26	137	Boulevard Walk	Concrete	4.76	Curb	5.47	5.27	28.81	88	Fair	Deferrable Priority
SW04634	S Madison ST	5.0	124	619	Boulevard Walk	Concrete	24.27	No Curb	5.11	4.99	25.49	88	Fair	Deferrable Priority
SW06937	S Madison ST	4.8	136	653	Mono Curb And Walk	Concrete	24.88	Curb	5.46	4.81	26.26	89	Fair	Deferrable Priority
SW09436	S Madison ST	6.0	74	445	Boulevard Walk	Concrete	11.68	Curb	6.31	6.04	38.11	66	Marginal	Very Low Priority
SW09417	S Madison ST	4.5	24	109	Boulevard Walk	Concrete	3.97	Curb	6.08	4.50	27.38	50	Poor	Very Low Priority
SW04391	S Madison ST	4.1	211	872	Mono Curb And Walk	Concrete	51.80	Curb	4.07	4.14	16.84	84	Fair	Very Low Priority
SW07739	S Madison ST	5.2	146	753	Boulevard Walk	Concrete	27.84	Curb	5.23	5.17	27.04	90	Good	Deferrable Priority
SW04396	S Madison ST	5.1	369	1,892	Mono Curb And Walk	Concrete	74.81	Curb	4.93	5.13	25.29	91	Good	Deferrable Priority
SW09418	S Madison ST	5.4	136	738	Boulevard Walk	Concrete	19.23	Curb	7.10	5.41	38.36	72	Marginal	Very Low Priority
SW04395	S Madison ST	4.5	137	617	Mono Curb And Walk	Concrete	27.72	Curb	4.94	4.50	22.27	91	Good	Deferrable Priority
SW04633	S Madison ST	4.9	111	547	Boulevard Walk	Concrete	21.16	No Curb	5.24	4.94	25.87	91	Good	Deferrable Priority
SW04398	S Madison ST	4.1	318	1,311	Mono Curb And Walk	Concrete	85.04	Curb	3.74	4.12	15.41	86	Fair	Low Priority
SW09449	S Madison ST	5.2	123	637	Boulevard Walk	Concrete	22.91	Curb	5.36	5.19	27.80	92	Good	Deferrable Priority
SW09415	S Madison ST	4.4	136	597	Boulevard Walk	Concrete	24.32	Curb	5.58	4.40	24.57	93	Good	Very Low Priority
SW04390	S Madison ST	4.4	130	578	Mono Curb And Walk	Concrete	26.36	Curb	4.94	4.44	21.91	93	Good	Deferrable Priority
SW04392	S Madison ST	4.3	385	1,672	Mono Curb And Walk	Concrete	90.97	Curb	4.23	4.35	18.38	91	Good	Low Priority
SW09425	S Madison ST	5.0	294	1,467	Boulevard Walk	Concrete	56.81	Curb	5.18	4.98	25.83	93	Good	Low Priority
SW04631	S Madison ST	4.9	55	271	Boulevard Walk	Concrete	9.94	No Curb	5.53	4.93	27.28	93	Good	Deferrable Priority
SW09455	S Madison ST	4.5	126	571	Boulevard Walk	Concrete	24.43	Curb	5.15	4.54	23.37	94	Good	Very Low Priority
SW04388	S Madison ST	4.9	144	698	Mono Curb And Walk	Concrete	26.21	Curb	5.49	4.85	26.63	95	Good	Deferrable Priority
SW09428	S Madison ST	5.2	313	1,632	Boulevard Walk	Concrete	58.32	Curb	5.37	5.21	27.99	95	Good	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07754	S Madison ST	5.4	145	782	Boulevard Walk	Concrete	29.98	Curb	4.84	5.39	26.08	95	Good	Deferrable Priority
SW06933	S Madison ST	4.4	134	582	Mono Curb And Walk	Concrete	28.27	Curb	4.73	4.36	20.60	95	Good	Deferrable Priority
SW10856	S Madison ST	5.4	152	824	Boulevard Walk	Concrete	30.73	Curb	4.94	5.43	26.83	82	Fair	Very Low Priority
SW01937	S Madison ST	5.5	60	330	Mono Curb And Walk	Concrete	12.75	Curb	4.73	5.47	25.87	100	Good	No Priority
SW10760	S Maple ST	3.7	116	429	Mono Curb And Walk	Stamped Concrete	17.62	Curb	6.58	3.70	24.34	36	Poor	Low Priority
SW09550	S Maple ST	3.7	121	447	Mono Curb And Walk	Stamped Concrete	18.38	Curb	6.58	3.70	24.34	48	Poor	Low Priority
SW09567	S Maple ST	3.8	114	437	Mono Curb And Walk	Stamped Concrete	17.41	Curb	6.58	3.82	25.11	58	Marginal	Low Priority
SW10879	S Maple ST	4.6	102	463	Mono Curb And Walk	Concrete	21.08	Curb	4.82	4.56	21.97	65	Marginal	Low Priority
SW10762	S Maple ST	4.2	121	504	Mono Curb And Walk	Stamped Concrete	18.33	Curb	6.58	4.18	27.47	60	Marginal	Low Priority
SW10878	S Maple ST	4.7	106	492	Mono Curb And Walk	Concrete	21.37	Curb	4.95	4.65	23.04	74	Marginal	Low Priority
SW07933	S Maple ST	4.1	112	452	Mono Curb And Walk	Concrete	28.64	Curb	3.90	4.05	15.79	76	Fair	Low Priority
SW10877	S Maple ST	4.8	103	499	Mono Curb And Walk	Concrete	20.19	Curb	5.12	4.83	24.72	79	Fair	Low Priority
SW07936	S Maple ST	4.8	453	2,164	Mono Curb And Walk	Concrete	117.73	Curb	3.85	4.77	18.38	76	Fair	Low Priority
SW10759	S Maple ST	4.5	135	608	Mono Curb And Walk	Concrete	27.22	Curb	4.95	4.51	22.33	78	Fair	Low Priority
SW07879	S Maple ST	5.5	138	763	Mono Curb And Walk	Concrete	25.85	Curb	5.33	5.54	29.51	89	Fair	Deferrable Priority
SW09640	S Maple ST	4.5	35	159	Mono Curb And Walk	Concrete	6.20	Curb	5.68	4.51	25.61	90	Good	Deferrable Priority
SW09629	S Maple ST	5.0	163	810	Mono Curb And Walk	Concrete	31.14	Curb	5.24	4.97	26.00	90	Good	Deferrable Priority
SW09642	S Maple ST	3.8	153	583	Mono Curb And Walk	Concrete	23.52	Curb	6.49	3.81	24.77	92	Good	Very Low Priority
SW09552	S Maple ST	4.2	507	2,144	Mono Curb And Walk	Concrete	104.80	Curb	4.84	4.23	20.46	93	Good	Low Priority
SW09625	S Maple ST	4.4	118	520	Mono Curb And Walk	Concrete	23.50	Curb	5.01	4.42	22.13	94	Good	Very Low Priority
SW09639	S Maple ST	4.2	55	234	Mono Curb And Walk	Concrete	9.06	Curb	6.09	4.24	25.81	62	Marginal	Very Low Priority
SW09632	S Maple ST	4.2	94	399	Mono Curb And Walk	Concrete	13.60	Curb	6.92	4.24	29.31	95	Good	Deferrable Priority
SW09551	S Maple ST	4.2	18	75	Mono Curb And Walk	Concrete	3.73	Curb	4.81	4.19	20.13	100	Good	No Priority
SW09570	S Maple ST	3.7	46	169	Mono Curb And Walk	Stamped Concrete	6.95	Curb	6.58	3.70	24.34	100	Good	No Priority
SW06184	S Maria CT	4.0	141	564	Boulevard Walk	Concrete	26.46	Curb	5.34	3.99	21.33	70	Marginal	Low Priority
SW06258	S Maria CT	4.1	137	565	Boulevard Walk	Concrete	26.67	Curb	5.13	4.13	21.19	91	Good	Deferrable Priority
SW10035	S Market PL	4.4	28	124	Boulevard Walk	Concrete	4.22	Curb	6.71	4.39	29.44	19	Very Poor	Low Priority
SW10036	S Market PL	3.9	136	527	Boulevard Walk	Concrete	27.96	Curb	4.88	3.87	18.86	53	Marginal	Immediate Priority
SW05149	S Maston CT	4.9	468	2,269	Boulevard Walk	Concrete	92.41	Curb	5.06	4.85	24.55	86	Fair	Low Priority
SW05145	S Maston CT	5.2	381	1,972	Boulevard Walk	Concrete	66.43	Curb	5.74	5.17	29.69	90	Fair	Low Priority
SW03833	S Maxwell ST	3.8	90	344	Boulevard Walk	Concrete	19.02	Partial Curb	4.74	3.82	18.06	61	Marginal	Low Priority
SW03769	S Maxwell ST	4.1	151	613	Boulevard Walk	Concrete	30.31	No Curb	4.97	4.07	20.22	65	Marginal	Low Priority
SW00866	S Maxwell ST	3.9	118	456	Mono Curb And Walk	Concrete	31.76	Curb	3.70	3.88	14.37	69	Marginal	Low Priority
SW03834	S Maxwell ST	3.6	276	989	Boulevard Walk	Concrete	71.98	Partial Curb	3.83	3.59	13.75	80	Fair	Low Priority
SW03836	S Maxwell ST	3.9	226	889	Boulevard Walk	Concrete	70.58	No Curb	3.20	3.94	12.59	85	Fair	Low Priority
SW03813	S Maxwell ST	5.0	526	2,626	Boulevard Walk	Concrete	104.04	No Curb	5.06	4.99	25.24	85	Fair	Low Priority
SW03835	S Maxwell ST	4.5	260	1,162	Boulevard Walk	Concrete	62.93	No Curb	4.13	4.47	18.46	98	Good	Deferrable Priority
SW04239	S Mccartney LN	4.7	384	1,804	Mono Curb And Walk	Concrete	65.66	Curb	5.84	4.70	27.48	74	Marginal	Low Priority
SW04238	S Mccartney LN	4.1	370	1,508	Mono Curb And Walk	Concrete	79.48	Curb	4.65	4.08	18.98	71	Marginal	Low Priority
SW03912	S McIntire DR	4.5	259	1,156	Boulevard Walk	Concrete	49.30	Curb	5.25	4.47	23.44	43	Poor	Immediate Priority
SW03909	S McIntire DR	4.4	123	545	Mono Curb And Walk	Concrete	26.15	Curb	4.70	4.44	20.86	60	Marginal	Low Priority
SW03913	S McIntire DR	4.9	41	203	Boulevard Walk	Concrete	8.29	Curb	5.00	4.90	24.48	72	Marginal	Low Priority
SW03914	S McIntire DR	4.9	174	843	Boulevard Walk	Concrete	36.74	Curb	4.72	4.86	22.96	79	Fair	Low Priority
SW03910	S McIntire DR	4.6	157	728	Boulevard Walk	Concrete	33.35	Curb	4.70	4.65	21.84	85	Fair	Low Priority
SW03893	S McIntire DR	4.9	51	248	Boulevard Walk	Concrete	10.29	Curb	4.96	4.87	24.13	86	Fair	Deferrable Priority
SW01311	S Meadowbrook DR	4.6	59	272	Boulevard Walk	Concrete	12.27	No Curb	4.84	4.59	22.20	49	Poor	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01310	S Meadowbrook DR	4.8	132	635	Boulevard Walk	Concrete	27.30	No Curb	4.83	4.82	23.24	89	Fair	Deferrable Priority
SW05937	S Mill Stone CT	4.7	363	1,703	Boulevard Walk	Concrete	70.78	Curb	5.13	4.69	24.07	51	Marginal	Immediate Priority
SW05933	S Mill Stone CT	4.9	358	1,744	Boulevard Walk	Concrete	67.69	Curb	5.28	4.88	25.77	75	Fair	Low Priority
SW05936	S Mill Stone CT	5.1	309	1,584	Boulevard Walk	Concrete	59.20	Curb	5.23	5.12	26.76	83	Fair	Low Priority
SW05929	S Mill Stone CT	4.7	378	1,782	Boulevard Walk	Concrete	92.98	Curb	4.07	4.71	19.17	87	Fair	Low Priority
SW05934	S Mill Stone WAY	4.6	449	2,054	Boulevard Walk	Concrete	87.33	Curb	5.15	4.57	23.52	64	Marginal	Low Priority
SW05935	S Mill Stone WAY	4.6	722	3,322	Boulevard Walk	Concrete	163.93	Curb	4.41	4.60	20.26	70	Marginal	Low Priority
SW05928	S Mill Stone WAY	5.2	265	1,373	Boulevard Walk	Concrete	49.02	Curb	5.40	5.19	28.01	82	Fair	Low Priority
SW04630	S Milton DR	5.1	119	612	Boulevard Walk	Concrete	21.33	No Curb	5.58	5.15	28.70	89	Fair	Deferrable Priority
SW00983	S Mitchell ST	4.4	390	1,721	Mono Curb And Walk	Concrete	96.01	No Curb	4.07	4.41	17.92	44	Poor	Low Priority
SW00966	S Mitchell ST	4.0	162	651	Mono Curb And Walk	Concrete	46.38	No Curb	3.48	4.03	14.05	69	Marginal	Low Priority
SW01734	S Mitchell ST	4.6	41	190	Boulevard Walk	Concrete	8.74	No Curb	4.71	4.61	21.72	47	Poor	Low Priority
SW00967	S Mitchell ST	4.3	190	815	Mono Curb And Walk	Concrete	39.83	Curb	4.78	4.28	20.45	51	Marginal	Low Priority
SW00884	S Mitchell ST	4.2	27	111	Boulevard Walk	Concrete	6.73	Curb	3.95	4.19	16.55	85	Fair	Deferrable Priority
SW00883	S Mitchell ST	4.9	343	1,679	Boulevard Walk	Concrete	84.19	Curb	4.08	4.89	19.94	83	Fair	Low Priority
SW00869	S Mitchell ST	4.4	667	2,925	Boulevard Walk	Concrete	160.98	Curb	4.14	4.39	18.17	98	Good	Deferrable Priority
SW01135	S Monon DR	3.9	153	597	Mono Curb And Walk	Concrete	37.54	No Curb	4.07	3.91	15.91	63	Marginal	Low Priority
SW01067	S Monon DR	3.6	258	928	Mono Curb And Walk	Concrete	55.53	Curb	4.64	3.60	16.72	76	Fair	Low Priority
SW01069	S Monon DR	4.8	267	1,294	Mono Curb And Walk	Concrete	38.35	Curb	6.97	4.84	33.75	94	Good	Very Low Priority
SW04075	S Montclair AVE	4.4	495	2,180	Boulevard Walk	Concrete	111.78	Curb	4.43	4.40	19.50	69	Marginal	Immediate Priority
SW04047	S Montclair AVE	4.0	458	1,818	Boulevard Walk	Concrete	127.10	Curb	3.60	3.97	14.30	67	Marginal	Immediate Priority
SW03279	S Montclair AVE	4.2	108	449	Boulevard Walk	Concrete	20.00	Curb	5.39	4.17	22.45	77	Fair	Low Priority
SW04049	S Montclair AVE	4.8	129	626	Boulevard Walk	Concrete	20.23	Curb	6.38	4.85	30.92	69	Marginal	Low Priority
SW04051	S Montclair AVE	4.2	120	502	Boulevard Walk	Concrete	25.43	Curb	4.70	4.19	19.73	66	Marginal	Low Priority
SW04050	S Montclair AVE	4.6	119	548	Boulevard Walk	Concrete	14.79	Curb	8.04	4.61	37.06	83	Fair	Low Priority
SW03280	S Montclair AVE	4.1	377	1,556	Boulevard Walk	Concrete	93.04	Curb	4.05	4.13	16.72	87	Fair	Low Priority
SW04088	S Montclair AVE	4.5	314	1,421	Boulevard Walk	Concrete	62.23	Curb	5.04	4.53	22.84	70	Marginal	Low Priority
SW04048	S Montclair AVE	4.3	269	1,164	Boulevard Walk	Concrete	69.15	Curb	3.89	4.33	16.83	85	Fair	Immediate Priority
SW01284	S Morningside DR	5.4	335	1,821	Boulevard Walk	Concrete	54.51	No Curb	6.14	5.44	33.40	71	Marginal	Low Priority
SW07746	S Morton ST	3.3	74	246	Boulevard Walk	Concrete	13.77	Curb	5.35	3.34	17.88	50	Marginal	Low Priority
SW07757	S Morton ST	4.1	91	376	Mono Curb And Walk	Concrete	16.54	Curb	5.49	4.14	22.74	79	Fair	Low Priority
SW01940	S Morton ST	5.4	30	158	Mono Curb And Walk	Concrete	4.79	No Curb	6.16	5.37	33.07	50	Poor	Very Low Priority
SW09450	S Morton ST	5.1	68	345	Boulevard Walk	Concrete	12.18	No Curb	5.55	5.10	28.33	64	Marginal	Low Priority
SW07745	S Morton ST	4.1	29	118	Mono Curb And Walk	Concrete	5.12	Curb	5.57	4.14	23.04	89	Fair	Deferrable Priority
SW07743	S Morton ST	4.3	31	136	Boulevard Walk	Concrete	5.19	Curb	6.05	4.32	26.16	89	Fair	Deferrable Priority
SW02110	S Morton ST	9.9	768	7,635	Boulevard Walk	Concrete	135.29	No Curb	5.68	9.94	56.43	78	Fair	Very Low Priority
SW01939	S Morton ST	4.7	128	603	Mono Curb And Walk	Concrete	28.06	No Curb	4.55	4.73	21.49	69	Marginal	Very Low Priority
SW00756	S Morton ST	4.8	80	383	Mono Curb And Walk	Concrete	14.61	Curb	5.49	4.77	26.19	95	Good	Deferrable Priority
SW02111	S Morton ST	10.9	635	6,904	Boulevard Walk	Concrete	158.86	No Curb	4.00	10.87	43.46	95	Good	Deferrable Priority
SW02048	S Morton ST	4.9	205	996	Boulevard Walk	Concrete	43.38	Curb	4.73	4.86	22.96	98	Good	Deferrable Priority
SW00720	S Morton ST	4.3	31	133	Mono Curb And Walk	Concrete	5.64	Curb	5.53	4.26	23.55	100	Good	No Priority
SW00721	S Morton ST	5.7	191	1,093	Boulevard Walk	Concrete	30.47	Curb	6.28	5.72	35.88	100	Good	No Priority
SW02093	S Morton ST	5.4	51	278	Boulevard Walk	Concrete	7.70	Curb	6.64	5.43	36.07	100	Good	No Priority
SW07747	S Morton ST	6.0	272	1,635	Boulevard Walk	Concrete	46.91	Curb	5.80	6.01	34.84	100	Good	No Priority
SW07761	S Morton ST	6.9	15	104	Mono Curb And Walk	Pavers / Brick	3.78	Curb	4.00	6.91	27.64	100	Good	No Priority
SW05712	S Mulberry LN	3.9	209	814	Boulevard Walk	Concrete	46.37	Curb	4.50	3.90	17.56	50	Poor	Immediate Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05723	S Mulberry LN	3.5	259	910	Boulevard Walk	Concrete	63.70	Curb	4.07	3.51	14.28	55	Marginal	Immediate Priority
SW05759	S Mulberry LN	4.0	259	1,029	Boulevard Walk	Concrete	64.00	Curb	4.04	3.98	16.09	52	Marginal	Low Priority
SW05718	S Mulberry LN	4.0	231	919	Boulevard Walk	Concrete	55.54	Curb	4.15	3.99	16.55	64	Marginal	Low Priority
SW10183	S Muller PKWY	5.3	65	348	Boulevard Walk	Concrete	14.02	Partial Curb	4.66	5.32	24.80	47	Poor	Low Priority
SW10129	S Muller PKWY	5.3	36	193	Boulevard Walk	Concrete	7.80	No Curb	4.66	5.32	24.80	92	Good	Deferrable Priority
SW10128	S Muller PKWY	4.2	29	121	Boulevard Walk	Concrete	6.69	No Curb	4.34	4.17	18.06	100	Good	No Priority
SW00880	S Nancy ST	6.1	223	1,348	Mono Curb And Walk	Concrete	36.67	Curb	6.07	6.05	36.76	89	Fair	Low Priority
SW00879	S Nancy ST	5.9	361	2,141	Mono Curb And Walk	Concrete	59.55	Curb	6.07	5.93	35.96	84	Fair	Low Priority
SW03747	S Nota DR	4.6	316	1,467	Boulevard Walk	Concrete	62.20	Curb	5.08	4.65	23.59	54	Marginal	Immediate Priority
SW03725	S Nota DR	5.0	408	2,052	Boulevard Walk	Concrete	86.54	Curb	4.71	5.03	23.72	65	Marginal	Immediate Priority
SW03748	S Nota DR	4.5	285	1,297	Boulevard Walk	Concrete	62.93	Curb	4.53	4.55	20.62	61	Marginal	Low Priority
SW03727	S Nota DR	4.9	478	2,342	Boulevard Walk	Concrete	100.55	Curb	4.75	4.90	23.29	85	Fair	Low Priority
SW10481	S Oakdale DR	4.8	231	1,112	Boulevard Walk	Concrete	54.56	Curb	4.24	4.81	20.39	89	Fair	Low Priority
SW10496	S Oakdale DR	4.8	287	1,380	Boulevard Walk	Concrete	56.76	Curb	5.06	4.81	24.32	97	Good	Deferrable Priority
SW10473	S Oakdale DR	5.0	217	1,076	Boulevard Walk	Concrete	40.64	Curb	5.34	4.96	26.47	98	Good	Deferrable Priority
SW10474	S Oakdale DR	4.9	55	270	Boulevard Walk	Concrete	12.10	Curb	4.52	4.92	22.27	100	Good	No Priority
SW06469	S Olcott BLVD	4.1	178	736	Mono Curb And Walk	Concrete	31.56	Curb	5.63	4.14	23.33	63	Marginal	Low Priority
SW05770	S Olcott BLVD	4.0	187	747	Boulevard Walk	Concrete	36.84	Curb	5.07	4.00	20.28	63	Marginal	Immediate Priority
SW06471	S Olcott BLVD	3.8	180	684	Boulevard Walk	Concrete	35.36	Curb	5.10	3.79	19.34	66	Marginal	Low Priority
SW06530	S Olcott BLVD	3.7	290	1,079	Boulevard Walk	Concrete	61.81	Curb	4.69	3.73	17.46	64	Marginal	Low Priority
SW06476	S Olcott BLVD	3.8	149	559	Boulevard Walk	Concrete	30.53	Curb	4.87	3.76	18.32	80	Fair	Low Priority
SW06524	S Olcott BLVD	3.9	125	490	Boulevard Walk	Concrete	23.15	Curb	5.41	3.92	21.18	72	Marginal	Low Priority
SW06466	S Olcott BLVD	3.9	53	208	Boulevard Walk	Concrete	10.40	Curb	5.10	3.93	20.03	43	Poor	Low Priority
SW06522	S Olcott BLVD	3.7	154	575	Boulevard Walk	Concrete	39.18	Curb	3.94	3.72	14.67	82	Fair	Low Priority
SW05774	S Olcott BLVD	3.8	208	784	Boulevard Walk	Concrete	45.09	Curb	4.62	3.76	17.40	72	Marginal	Low Priority
SW05726	S Olcott BLVD	3.8	690	2,620	Boulevard Walk	Concrete	138.62	Curb	4.98	3.80	18.90	72	Marginal	Immediate Priority
SW06492	S Olcott BLVD	4.9	301	1,464	Boulevard Walk	Concrete	43.82	Curb	6.88	4.86	33.41	61	Marginal	Low Priority
SW05763	S Olcott BLVD	3.9	398	1,568	Boulevard Walk	Concrete	74.68	Curb	5.33	3.94	20.99	71	Marginal	Immediate Priority
SW06531	S Olcott BLVD	3.9	185	723	Boulevard Walk	Concrete	39.33	Curb	4.70	3.91	18.39	58	Marginal	Low Priority
SW06514	S Olcott BLVD	4.0	505	2,016	Boulevard Walk	Concrete	112.73	Curb	4.48	3.99	17.88	80	Fair	Immediate Priority
SW06517	S Olcott BLVD	4.0	418	1,664	Boulevard Walk	Concrete	86.62	Curb	4.82	3.98	19.21	77	Fair	Immediate Priority
SW06468	S Olcott BLVD	4.2	91	385	Boulevard Walk	Concrete	16.80	Curb	5.43	4.21	22.90	86	Fair	Deferrable Priority
SW06493	S Olcott BLVD	3.7	311	1,151	Boulevard Walk	Concrete	78.07	Curb	3.99	3.70	14.74	77	Fair	Immediate Priority
SW05772	S Olcott BLVD	3.9	748	2,952	Boulevard Walk	Concrete	156.40	Curb	4.79	3.94	18.87	70	Marginal	Low Priority
SW06470	S Olcott BLVD	4.4	188	832	Mono Curb And Walk	Concrete	32.89	Curb	5.72	4.42	25.30	77	Fair	Low Priority
SW06523	S Olcott BLVD	3.2	159	513	Boulevard Walk	Concrete	56.77	Curb	2.79	3.24	9.03	88	Fair	Deferrable Priority
SW06503	S Olcott BLVD	3.7	348	1,285	Boulevard Walk	Concrete	83.00	Curb	4.20	3.69	15.48	82	Fair	Low Priority
SW06515	S Olcott BLVD	3.8	323	1,234	Boulevard Walk	Concrete	72.89	Curb	4.43	3.82	16.93	79	Fair	Low Priority
SW06516	S Olcott BLVD	3.6	464	1,661	Boulevard Walk	Concrete	122.77	Curb	3.78	3.58	13.53	80	Fair	Immediate Priority
SW06529	S Olcott BLVD	4.1	307	1,249	Boulevard Walk	Concrete	50.03	Curb	6.13	4.07	24.97	84	Fair	Very Low Priority
SW06526	S Olcott BLVD	4.0	394	1,576	Boulevard Walk	Concrete	71.94	Curb	5.47	4.01	21.91	90	Fair	Low Priority
SW06488	S Olcott BLVD	5.0	127	641	Boulevard Walk	Concrete	16.69	Curb	7.61	5.05	38.40	96	Good	Deferrable Priority
SW05767	S Olcott BLVD	4.5	438	1,978	Boulevard Walk	Concrete	85.22	Curb	5.15	4.51	23.21	93	Good	Very Low Priority
SW06527	S Olcott BLVD	3.9	127	498	Boulevard Walk	Concrete	24.98	Curb	5.09	3.92	19.95	84	Fair	Very Low Priority
SW03855	S Olde Mill CT	3.8	233	888	Boulevard Walk	Concrete	52.05	Curb	4.48	3.81	17.07	84	Fair	Low Priority
SW03856	S Olde Mill CT	4.0	120	485	Boulevard Walk	Concrete	22.88	Curb	5.25	4.04	21.20	88	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03858	S Olde Mill CT	4.1	135	556	Boulevard Walk	Concrete	31.03	Curb	4.34	4.13	17.91	94	Good	Deferrable Priority
SW03820	S Olde Mill CT	4.0	296	1,193	Boulevard Walk	Concrete	75.42	Curb	3.92	4.04	15.81	94	Good	Deferrable Priority
SW03821	S Olde Mill DR	3.8	549	2,084	Boulevard Walk	Concrete	111.71	Curb	4.92	3.79	18.65	60	Marginal	Low Priority
SW03822	S Olde Mill DR	4.1	649	2,683	Boulevard Walk	Concrete	116.43	Curb	5.58	4.13	23.04	63	Marginal	Low Priority
SW03844	S Olive ST	4.9	118	573	Mono Curb And Walk	Concrete	25.33	Curb	4.66	4.85	22.62	75	Marginal	Low Priority
SW03831	S Olive ST	5.1	78	399	Mono Curb And Walk	Concrete	19.65	Curb	3.95	5.14	20.29	82	Fair	Low Priority
SW03814	S Olive ST	4.8	149	710	Boulevard Walk	Concrete	30.63	No Curb	4.85	4.78	23.19	79	Fair	Low Priority
SW03842	S Olive ST	4.6	150	694	Boulevard Walk	Concrete	29.43	Curb	5.08	4.64	23.57	93	Good	Deferrable Priority
SW03274	S Oxford DR	3.8	100	378	Boulevard Walk	Concrete	17.28	Curb	5.78	3.78	21.88	70	Marginal	Low Priority
SW03358	S Paiges WAY	4.6	70	322	Boulevard Walk	Concrete	15.05	Curb	4.63	4.62	21.42	85	Fair	Deferrable Priority
SW03346	S Paiges WAY	4.6	106	489	Boulevard Walk	Concrete	22.82	Curb	4.63	4.63	21.44	100	Good	No Priority
SW01127	S Palmer AVE	3.7	308	1,128	Boulevard Walk	Concrete	67.26	Curb	4.58	3.66	16.76	33	Poor	Immediate Priority
SW01103	S Palmer AVE	3.8	67	254	Boulevard Walk	Concrete	16.47	Curb	4.06	3.80	15.41	61	Marginal	Low Priority
SW01109	S Palmer AVE	3.2	24	79	Mono Curb And Walk	Concrete	5.05	Curb	4.83	3.25	15.68	72	Marginal	Low Priority
SW01108	S Palmer AVE	3.7	164	606	Stand Alone	Concrete	40.15	Curb	4.09	3.69	15.09	70	Marginal	Low Priority
SW01137	S Palmer AVE	4.2	334	1,392	Mono Curb And Walk	Concrete	61.73	Curb	5.41	4.17	22.55	71	Marginal	Low Priority
SW01110	S Palmer AVE	3.8	260	985	Stand Alone	Concrete	72.77	Curb	3.58	3.79	13.54	75	Marginal	Low Priority
SW02255	S Park AVE	3.3	86	279	Mono Curb And Walk	Concrete	24.98	Curb	3.42	3.26	11.17	70	Marginal	Low Priority
SW03053	S Park AVE	3.9	293	1,139	Boulevard Walk	Concrete	53.10	Curb	5.53	3.88	21.45	51	Marginal	Low Priority
SW02797	S Park AVE	4.4	42	185	Mono Curb And Walk	Concrete	9.76	Curb	4.34	4.37	18.98	50	Marginal	Low Priority
SW02887	S Park AVE	4.7	60	283	Mono Curb And Walk	Concrete	10.98	Curb	5.46	4.72	25.77	42	Poor	Low Priority
SW02879	S Park AVE	4.8	137	651	Mono Curb And Walk	Concrete	24.77	Curb	5.53	4.75	26.28	65	Marginal	Low Priority
SW02253	S Park AVE	4.5	95	426	Mono Curb And Walk	Concrete	16.55	Curb	5.74	4.48	25.74	75	Marginal	Low Priority
SW02254	S Park AVE	3.9	164	641	Mono Curb And Walk	Concrete	31.76	Curb	5.15	3.92	20.18	76	Fair	Low Priority
SW02787	S Park AVE	4.6	314	1,449	Mono Curb And Walk	Concrete	46.39	Curb	6.77	4.61	31.23	67	Marginal	Immediate Priority
SW06963	S Park AVE	4.3	131	561	Mono Curb And Walk	Concrete	21.49	Curb	6.10	4.29	26.12	71	Marginal	Low Priority
SW02798	S Park AVE	4.2	83	350	Mono Curb And Walk	Concrete	19.03	Curb	4.37	4.21	18.38	61	Marginal	Low Priority
SW02842	S Park AVE	4.9	181	890	Mono Curb And Walk	Pavers / Brick	45.26	Curb	4.00	4.92	19.67	66	Marginal	Low Priority
SW02261	S Park AVE	4.0	427	1,727	Mono Curb And Walk	Concrete	75.63	Curb	5.65	4.04	22.83	78	Fair	Low Priority
SW02686	S Park AVE	4.4	312	1,377	Mono Curb And Walk	Concrete	50.46	Curb	6.18	4.42	27.28	63	Marginal	Low Priority
SW02786	S Park AVE	4.8	199	965	Mono Curb And Walk	Concrete	34.85	Curb	5.72	4.84	27.69	75	Fair	Low Priority
SW06966	S Park AVE	4.5	66	300	Mono Curb And Walk	Concrete	13.34	Curb	4.97	4.52	22.48	86	Fair	Deferrable Priority
SW02886	S Park AVE	3.9	145	570	Mono Curb And Walk	Concrete	34.08	Curb	4.26	3.93	16.71	81	Fair	Low Priority
SW06972	S Park AVE	4.7	136	635	Mono Curb And Walk	Concrete	28.92	Curb	4.72	4.65	21.94	87	Fair	Deferrable Priority
SW02841	S Park AVE	4.6	25	112	Mono Curb And Walk	Concrete	4.23	Curb	5.81	4.58	26.58	87	Fair	Deferrable Priority
SW06965	S Park AVE	4.5	84	375	Mono Curb And Walk	Concrete	14.45	Curb	5.83	4.45	25.95	88	Fair	Deferrable Priority
SW06964	S Park AVE	4.7	134	625	Mono Curb And Walk	Concrete	30.86	Curb	4.33	4.67	20.24	89	Fair	Deferrable Priority
SW06973	S Park AVE	4.6	137	632	Mono Curb And Walk	Concrete	26.39	Curb	5.18	4.63	23.97	89	Fair	Deferrable Priority
SW02805	S Park AVE	4.4	108	470	Mono Curb And Walk	Pavers / Brick	26.92	Curb	4.00	4.37	17.47	89	Fair	Low Priority
SW02902	S Park AVE	4.9	59	289	Mono Curb And Walk	Concrete	11.05	Curb	5.38	4.87	26.20	89	Fair	Deferrable Priority
SW02844	S Park AVE	4.0	135	540	Mono Curb And Walk	Pavers / Brick	33.78	Curb	4.00	4.00	15.99	89	Fair	Deferrable Priority
SW02903	S Park AVE	4.7	159	751	Mono Curb And Walk	Concrete	31.33	Curb	5.08	4.72	23.96	91	Good	Deferrable Priority
SW02908	S Park AVE	4.6	196	907	Mono Curb And Walk	Concrete	41.74	Curb	4.70	4.63	21.74	91	Good	Very Low Priority
SW02895	S Park AVE	4.4	193	847	Mono Curb And Walk	Concrete	34.95	Curb	5.53	4.38	24.23	89	Fair	Low Priority
SW02901	S Park AVE	4.3	148	629	Mono Curb And Walk	Concrete	30.45	Curb	4.86	4.25	20.67	94	Good	Deferrable Priority
SW02658	S Park AVE	4.3	200	864	Mono Curb And Walk	Concrete	39.63	Curb	5.05	4.31	21.80	87	Fair	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06791	S Park Ridge RD	4.7	76	355	Boulevard Walk	Concrete	11.84	No Curb	6.38	4.70	30.01	63	Marginal	Immediate Priority
SW06790	S Park Ridge RD	4.2	195	825	Boulevard Walk	Concrete	43.68	No Curb	4.45	4.24	18.89	56	Marginal	Low Priority
SW06836	S Park Ridge RD	4.8	51	245	Boulevard Walk	Concrete	10.39	Curb	4.88	4.84	23.61	67	Marginal	Low Priority
SW06873	S Park Ridge RD	4.8	191	926	Boulevard Walk	Concrete	38.66	No Curb	4.94	4.85	23.95	71	Marginal	Low Priority
SW06847	S Park Ridge RD	4.7	161	753	Mono Curb And Walk	Concrete	34.80	Curb	4.62	4.68	21.64	65	Marginal	Low Priority
SW06188	S Park Ridge RD	3.9	310	1,223	Boulevard Walk	Concrete	61.07	Curb	5.07	3.95	20.03	77	Fair	Low Priority
SW06859	S Park Ridge RD	4.5	83	376	Boulevard Walk	Concrete	17.67	Curb	4.71	4.52	21.28	85	Fair	Low Priority
SW06861	S Park Ridge RD	3.9	533	2,087	Boulevard Walk	Concrete	107.47	Curb	4.96	3.92	19.42	83	Fair	Low Priority
SW06786	S Park Ridge RD	5.2	328	1,708	Boulevard Walk	Concrete	62.99	No Curb	5.21	5.20	27.11	84	Fair	Low Priority
SW06858	S Park Ridge RD	4.8	181	870	Boulevard Walk	Concrete	37.79	Curb	4.79	4.81	23.02	90	Good	Deferrable Priority
SW06797	S Park Ridge RD	4.2	45	188	Boulevard Walk	Concrete	12.75	No Curb	3.51	4.20	14.73	92	Good	Deferrable Priority
SW06798	S Park Ridge RD	4.8	42	199	Boulevard Walk	Concrete	9.30	No Curb	4.48	4.77	21.35	93	Good	Deferrable Priority
SW06864	S Park Ridge RD	4.5	502	2,260	Boulevard Walk	Concrete	102.64	Curb	4.89	4.51	22.02	94	Good	Low Priority
SW06216	S Park Ridge RD	4.0	317	1,270	Boulevard Walk	Concrete	63.65	Curb	4.98	4.01	19.96	90	Fair	Low Priority
SW06848	S Park Ridge RD	4.6	562	2,591	Boulevard Walk	Concrete	136.55	Curb	4.11	4.61	18.97	89	Fair	Very Low Priority
SW06860	S Park Ridge RD	4.6	349	1,590	Boulevard Walk	Concrete	76.27	Curb	4.58	4.56	20.85	95	Good	Deferrable Priority
SW06865	S Park Ridge RD	4.8	323	1,534	Boulevard Walk	Concrete	70.54	Curb	4.58	4.75	21.74	96	Good	Low Priority
SW06852	S Park Ridge RD	4.9	189	920	Boulevard Walk	Concrete	46.53	Curb	4.05	4.88	19.77	97	Good	Deferrable Priority
SW06868	S Park Ridge RD	4.6	204	948	Boulevard Walk	Concrete	46.79	Curb	4.37	4.64	20.26	98	Good	Deferrable Priority
SW10682	S Parkway DR	5.0	708	3,515	Boulevard Walk	Concrete	141.03	Curb	5.02	4.97	24.92	68	Marginal	Immediate Priority
SW10678	S Parkway DR	5.0	713	3,568	Mono Curb And Walk	Concrete	157.16	Curb	4.54	5.01	22.70	71	Marginal	Low Priority
SW06642	S Patterson DR	6.0	270	1,626	Mono Curb And Walk	Concrete	37.90	Curb	7.13	6.02	42.90	39	Poor	Immediate Priority
SW06643	S Patterson DR	5.5	287	1,586	Boulevard Walk	Concrete	51.39	Curb	5.58	5.53	30.86	42	Poor	Immediate Priority
SW10400	S Patterson DR	4.8	220	1,056	Boulevard Walk	Concrete	45.07	Curb	4.89	4.80	23.43	71	Marginal	Immediate Priority
SW06641	S Patterson DR	6.0	127	766	Mono Curb And Walk	Concrete	17.86	Curb	7.13	6.02	42.90	62	Marginal	Low Priority
SW10401	S Patterson DR	4.8	66	317	Mono Curb And Walk	Concrete	15.98	Curb	4.14	4.79	19.84	71	Marginal	Low Priority
SW10356	S Patterson DR	5.2	23	121	Mono Curb And Walk	Concrete	4.67	Curb	4.97	5.21	25.89	81	Fair	Deferrable Priority
SW06591	S Patterson DR	4.4	484	2,143	Mono Curb And Walk	Concrete	117.82	Curb	4.10	4.43	18.19	74	Marginal	Low Priority
SW10749	S Patterson DR	5.1	1534	7,895	Mono Curb And Walk	Concrete	353.77	Curb	4.34	5.15	22.32	57	Marginal	Immediate Priority
SW10389	S Patterson DR	4.7	32	148	Boulevard Walk	Concrete	6.20	Curb	5.14	4.66	23.93	53	Marginal	Very Low Priority
SW10380	S Patterson DR	5.1	30	153	Boulevard Walk	Concrete	6.27	Curb	4.80	5.07	24.34	85	Fair	Deferrable Priority
SW10360	S Patterson DR	5.3	51	270	Boulevard Walk	Concrete	10.42	Curb	4.85	5.35	25.93	86	Fair	Deferrable Priority
SW06644	S Patterson DR	5.1	82	419	Mono Curb And Walk	Concrete	20.52	Curb	4.02	5.08	20.41	87	Fair	Deferrable Priority
SW10311	S Patterson DR	9.2	55	507	Boulevard Walk	Concrete	10.52	Curb	5.22	9.24	48.23	89	Fair	Deferrable Priority
SW10388	S Patterson DR	5.0	429	2,134	Boulevard Walk	Concrete	75.55	Curb	5.68	4.97	28.25	89	Fair	Deferrable Priority
SW10386	S Patterson DR	5.4	420	2,280	Boulevard Walk	Concrete	70.83	Curb	5.93	5.43	32.18	86	Fair	Low Priority
SW10359	S Patterson DR	8.2	148	1,222	Mono Curb And Walk	Concrete	21.37	Curb	6.94	8.25	57.21	91	Good	Deferrable Priority
SW10748	S Patterson DR	6.0	60	358	Mono Curb And Walk	Concrete	11.53	Curb	5.21	5.97	31.08	91	Good	Deferrable Priority
SW10413	S Patterson DR	5.2	229	1,198	Mono Curb And Walk	Concrete	56.63	Curb	4.05	5.22	21.16	92	Good	Deferrable Priority
SW10310	S Patterson DR	8.5	80	679	Boulevard Walk	Concrete	16.05	Curb	4.98	8.50	42.33	92	Good	Deferrable Priority
SW10747	S Patterson DR	7.8	174	1,367	Boulevard Walk	Concrete	19.73	No Curb	8.84	7.84	69.29	93	Good	Deferrable Priority
SW10750	S Patterson DR	5.3	119	629	Mono Curb And Walk	Concrete	20.57	Curb	5.80	5.27	30.56	94	Good	Deferrable Priority
SW10314	S Patterson DR	5.9	71	415	Boulevard Walk	Concrete	10.66	Curb	6.65	5.86	38.91	94	Good	Deferrable Priority
SW10381	S Patterson DR	10.1	412	4,173	Mono Curb And Walk	Concrete	85.32	Curb	4.83	10.12	48.91	95	Good	Deferrable Priority
SW10355	S Patterson DR	5.8	200	1,165	Mono Curb And Walk	Concrete	30.13	Curb	6.64	5.83	38.67	95	Good	Deferrable Priority
SW10312	S Patterson DR	6.5	182	1,187	Mono Curb And Walk	Concrete	34.34	Curb	5.29	6.54	34.58	84	Fair	Very Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10313	S Patterson DR	7.9	54	423	Boulevard Walk	Concrete	9.74	Curb	5.52	7.86	43.42	100	Good	No Priority
SW10353	S Patterson DR	5.3	28	148	Stand Alone	Concrete	5.21	No Curb	5.40	5.26	28.39	100	Good	No Priority
SW10357	S Patterson DR	5.8	41	237	Mono Curb And Walk	Concrete	7.53	Curb	5.40	5.82	31.46	100	Good	No Priority
SW10358	S Patterson DR	6.7	67	451	Boulevard Walk	Concrete	11.65	Curb	5.78	6.69	38.68	100	Good	No Priority
SW10414	S Patterson DR	6.3	30	192	Boulevard Walk	Concrete	5.64	Curb	5.37	6.34	34.05	100	Good	No Priority
SW11562	S Patterson DR	8.4	17	142	Boulevard Walk	Concrete	1.69	No Curb	10.00	8.42	84.17	100	Good	No Priority
SW05161	S Peoples CT	3.9	206	798	Boulevard Walk	Concrete	46.76	Curb	4.40	3.88	17.08	77	Fair	Low Priority
SW05165	S Peoples CT	3.8	206	775	Boulevard Walk	Concrete	47.75	Curb	4.32	3.76	16.24	79	Fair	Low Priority
SW01376	S Pete Ellis DR	4.6	69	316	Boulevard Walk	Concrete	14.29	Curb	4.86	4.55	22.12	33	Poor	Immediate Priority
SW01286	S Pete Ellis DR	6.2	51	314	Mono Curb And Walk	Concrete	9.15	No Curb	5.55	6.18	34.33	55	Marginal	Immediate Priority
SW01320	S Pete Ellis DR	3.8	41	156	Mono Curb And Walk	Concrete	12.40	Curb	3.28	3.82	12.55	58	Marginal	Immediate Priority
SW01401	S Pete Ellis DR	4.9	212	1,044	Boulevard Walk	Concrete	45.84	Curb	4.63	4.91	22.77	54	Marginal	Immediate Priority
SW01379	S Pete Ellis DR	4.8	48	228	Boulevard Walk	Concrete	10.19	Curb	4.70	4.76	22.40	62	Marginal	Low Priority
SW01381	S Pete Ellis DR	4.4	154	681	Boulevard Walk	Concrete	33.76	Curb	4.55	4.43	20.17	61	Marginal	Low Priority
SW01303	S Pete Ellis DR	4.2	93	392	Mono Curb And Walk	Concrete	23.78	Curb	3.93	4.20	16.50	66	Marginal	Low Priority
SW01321	S Pete Ellis DR	3.9	121	470	Mono Curb And Walk	Concrete	23.28	Curb	5.20	3.88	20.19	78	Fair	Low Priority
SW01388	S Pete Ellis DR	4.7	137	650	Boulevard Walk	Concrete	31.04	Curb	4.42	4.74	20.92	69	Marginal	Low Priority
SW01301	S Pete Ellis DR	5.3	295	1,562	Mono Curb And Walk	Concrete	58.14	Curb	5.07	5.30	26.87	67	Marginal	Low Priority
SW01282	S Pete Ellis DR	5.1	101	514	Mono Curb And Walk	Concrete	26.35	Curb	3.84	5.08	19.51	75	Marginal	Low Priority
SW01382	S Pete Ellis DR	4.8	210	999	Mono Curb And Walk	Concrete	44.67	Curb	4.70	4.76	22.36	65	Marginal	Low Priority
SW01285	S Pete Ellis DR	5.5	53	290	Boulevard Walk	Concrete	8.59	No Curb	6.14	5.50	33.78	58	Marginal	Very Low Priority
SW01380	S Pete Ellis DR	4.7	131	612	Boulevard Walk	Concrete	26.87	Curb	4.88	4.67	22.77	89	Fair	Deferrable Priority
SW01387	S Pete Ellis DR	5.8	29	169	Mono Curb And Walk	Concrete	5.48	Curb	5.30	5.82	30.85	89	Fair	Deferrable Priority
SW01386	S Pete Ellis DR	7.3	40	290	Boulevard Walk	Concrete	7.19	Curb	5.53	7.30	40.32	91	Good	Deferrable Priority
SW01374	S Pete Ellis DR	4.6	266	1,222	Mono Curb And Walk	Concrete	51.23	Curb	5.20	4.59	23.85	76	Fair	Very Low Priority
SW01302	S Pete Ellis DR	4.2	236	997	Mono Curb And Walk	Concrete	46.15	Curb	5.12	4.22	21.60	86	Fair	Very Low Priority
SW01385	S Pete Ellis DR	9.8	112	1,097	Boulevard Walk	Concrete	13.64	Curb	8.22	9.78	80.39	95	Good	Deferrable Priority
SW01278	S Pete Ellis DR	4.6	14	65	Mono Curb And Walk	Concrete	2.91	Curb	4.86	4.58	22.30	100	Good	No Priority
SW01280	S Pete Ellis DR	9.6	93	893	Boulevard Walk	Concrete	9.94	No Curb	9.36	9.60	89.84	100	Good	No Priority
SW01281	S Pete Ellis DR	9.5	54	509	Boulevard Walk	Concrete	5.79	No Curb	9.29	9.47	87.98	100	Good	No Priority
SW01287	S Pete Ellis DR	9.7	101	983	Boulevard Walk	Concrete	11.55	No Curb	8.76	9.71	85.06	100	Good	No Priority
SW01383	S Pete Ellis DR	4.6	152	695	Boulevard Walk	Concrete	31.16	Curb	4.86	4.58	22.30	100	Good	No Priority
SW01384	S Pete Ellis DR	9.8	22	213	Boulevard Walk	Concrete	2.66	Curb	8.19	9.76	79.95	100	Good	No Priority
SW05572	S Piccadilly ST	4.5	110	493	Boulevard Walk	Concrete	24.30	Curb	4.52	4.49	20.30	44	Poor	Low Priority
SW05573	S Piccadilly ST	3.4	213	729	Boulevard Walk	Concrete	55.94	Curb	3.81	3.42	13.03	65	Marginal	Low Priority
SW05574	S Piccadilly ST	4.7	131	615	Mono Curb And Walk	Concrete	29.70	Curb	4.40	4.71	20.71	69	Marginal	Low Priority
SW05571	S Piccadilly ST	5.2	118	617	Mono Curb And Walk	Concrete	20.89	Curb	5.65	5.22	29.53	81	Fair	Deferrable Priority
SW05626	S Piccadilly ST	4.8	124	601	Mono Curb And Walk	Concrete	26.93	Curb	4.61	4.84	22.31	76	Fair	Low Priority
SW05622	S Piccadilly ST	4.8	35	170	Boulevard Walk	Concrete	3.84	Curb	9.21	4.83	44.45	86	Fair	Deferrable Priority
SW05653	S Piccadilly ST	4.7	134	627	Boulevard Walk	Concrete	27.89	Curb	4.82	4.67	22.48	74	Marginal	Low Priority
SW05621	S Piccadilly ST	5.3	12	65	Mono Curb And Walk	Concrete	2.12	Curb	5.81	5.31	30.86	100	Good	No Priority
SW06749	S Pine Meadows DR	3.9	863	3,338	Boulevard Walk	Concrete	186.27	Curb	4.63	3.87	17.92	65	Marginal	Immediate Priority
SW06746	S Pine Meadows DR	3.7	787	2,916	Boulevard Walk	Concrete	173.65	Curb	4.53	3.71	16.79	89	Fair	Low Priority
SW06745	S Pinehurst DR	3.8	843	3,230	Boulevard Walk	Concrete	220.89	Curb	3.82	3.83	14.62	72	Marginal	Immediate Priority
SW06760	S Pinehurst DR	3.9	173	672	Boulevard Walk	Concrete	35.88	Curb	4.83	3.88	18.72	82	Fair	Immediate Priority
SW06759	S Pinehurst DR	3.9	53	207	Boulevard Walk	Concrete	13.17	Curb	4.00	3.94	15.74	86	Fair	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06758	S Pinehurst DR	4.0	89	352	Mono Curb And Walk	Concrete	23.50	Curb	3.77	3.97	14.97	86	Fair	Deferrable Priority
SW06741	S Pinehurst DR	4.2	743	3,124	Boulevard Walk	Concrete	162.03	Curb	4.59	4.20	19.28	88	Fair	Low Priority
SW05163	S Quarry CT	4.6	75	346	Boulevard Walk	Concrete	15.71	Curb	4.78	4.61	22.00	87	Fair	Deferrable Priority
SW05162	S Quarry CT	4.9	61	299	Boulevard Walk	Concrete	12.39	Curb	4.92	4.91	24.14	73	Marginal	Very Low Priority
SW04029	S Ramsey DR	4.6	318	1,464	Boulevard Walk	Concrete	55.31	Curb	5.75	4.60	26.47	59	Marginal	Low Priority
SW04038	S Ramsey DR	4.7	311	1,449	Boulevard Walk	Concrete	73.43	Curb	4.24	4.65	19.73	66	Marginal	Low Priority
SW04064	S Ramsey DR	5.7	124	705	Boulevard Walk	Concrete	22.33	Curb	5.55	5.68	31.57	69	Marginal	Low Priority
SW04065	S Ramsey DR	5.0	132	662	Boulevard Walk	Concrete	27.52	Curb	4.81	5.00	24.06	61	Marginal	Low Priority
SW04093	S Ramsey DR	4.7	166	780	Boulevard Walk	Concrete	37.19	Curb	4.46	4.70	20.96	61	Marginal	Low Priority
SW04080	S Ramsey DR	4.8	275	1,329	Boulevard Walk	Concrete	58.21	Curb	4.72	4.84	22.84	84	Fair	Low Priority
SW04066	S Ramsey DR	4.6	106	492	Boulevard Walk	Concrete	23.94	Curb	4.44	4.63	20.56	90	Good	Deferrable Priority
SW04087	S Ramsey DR	4.9	262	1,284	Boulevard Walk	Concrete	59.71	Curb	4.38	4.91	21.51	89	Fair	Low Priority
SW04079	S Ramsey DR	4.7	235	1,104	Boulevard Walk	Concrete	57.95	Curb	4.06	4.70	19.05	90	Fair	Low Priority
SW04086	S Ramsey DR	5.0	914	4,560	Boulevard Walk	Concrete	176.79	Curb	5.17	4.99	25.79	83	Fair	Low Priority
SW04017	S Ramsey DR	5.7	150	862	Boulevard Walk	Concrete	27.42	Curb	5.48	5.74	31.45	95	Good	Deferrable Priority
SW04059	S Ramsey DR	4.8	107	519	Boulevard Walk	Concrete	22.20	Curb	4.82	4.85	23.39	97	Good	Deferrable Priority
SW10493	S Ransom LN	3.8	123	467	Mono Curb And Walk	Concrete	22.31	No Curb	5.52	3.80	20.95	69	Marginal	Low Priority
SW10495	S Ransom LN	4.3	50	216	Mono Curb And Walk	Concrete	10.48	Curb	4.75	4.34	20.60	94	Good	Deferrable Priority
SW03737	S Rechter CT	4.8	181	872	Boulevard Walk	Concrete	46.04	Curb	3.94	4.81	18.95	66	Marginal	Low Priority
SW03721	S Rechter CT	4.5	201	915	Boulevard Walk	Concrete	47.68	Curb	4.22	4.54	19.19	78	Fair	Low Priority
SW03746	S Rechter PL	4.7	210	976	Boulevard Walk	Concrete	43.38	Curb	4.83	4.66	22.50	55	Marginal	Immediate Priority
SW03743	S Rechter PL	4.6	207	944	Boulevard Walk	Concrete	43.08	Curb	4.80	4.56	21.90	55	Marginal	Low Priority
SW04107	S Reisner RD	4.8	346	1,650	Boulevard Walk	Concrete	73.55	No Curb	4.70	4.77	22.44	69	Marginal	Low Priority
SW04037	S Renwick BLVD	5.4	38	203	Boulevard Walk	Concrete	5.83	Curb	6.47	5.38	34.80	49	Poor	Low Priority
SW04084	S Renwick BLVD	4.8	335	1,590	Boulevard Walk	Concrete	77.88	Curb	4.30	4.75	20.42	67	Marginal	Low Priority
SW04036	S Renwick BLVD	6.0	171	1,034	Mono Curb And Walk	Concrete	20.82	Curb	8.23	6.03	49.67	58	Marginal	Very Low Priority
SW04035	S Renwick BLVD	5.1	56	281	Boulevard Walk	Concrete	10.43	Curb	5.33	5.05	26.90	59	Marginal	Very Low Priority
SW04018	S Renwick BLVD	5.1	200	1,011	Boulevard Walk	Concrete	35.81	Curb	5.58	5.06	28.24	55	Marginal	Low Priority
SW04069	S Renwick BLVD	5.0	302	1,506	Boulevard Walk	Concrete	67.38	Curb	4.48	4.99	22.35	73	Marginal	Low Priority
SW03251	S Renwick BLVD	4.9	242	1,178	Boulevard Walk	Concrete	50.89	Curb	4.75	4.87	23.14	74	Marginal	Low Priority
SW04070	S Renwick BLVD	5.1	302	1,543	Boulevard Walk	Concrete	56.62	Curb	5.34	5.11	27.25	74	Marginal	Low Priority
SW04034	S Renwick BLVD	5.0	31	154	Boulevard Walk	Concrete	5.44	Curb	5.62	5.02	28.21	83	Fair	Deferrable Priority
SW04082	S Renwick BLVD	4.3	305	1,319	Boulevard Walk	Concrete	71.55	Curb	4.26	4.33	18.43	74	Marginal	Immediate Priority
SW04098	S Renwick BLVD	5.0	327	1,622	Boulevard Walk	Concrete	64.73	Curb	5.05	4.97	25.05	81	Fair	Low Priority
SW03259	S Renwick BLVD	6.7	82	547	Mono Curb And Walk	Concrete	13.60	Curb	6.02	6.69	40.25	87	Fair	Deferrable Priority
SW04072	S Renwick BLVD	4.7	292	1,382	Boulevard Walk	Concrete	58.96	Curb	4.95	4.73	23.44	70	Marginal	Low Priority
SW04019	S Renwick BLVD	4.9	217	1,067	Boulevard Walk	Concrete	45.20	Curb	4.80	4.92	23.60	72	Marginal	Low Priority
SW04031	S Renwick BLVD	5.9	154	903	Mono Curb And Walk	Concrete	21.17	Curb	7.27	5.87	42.64	65	Marginal	Very Low Priority
SW04030	S Renwick BLVD	5.6	79	438	Boulevard Walk	Concrete	11.59	Curb	6.80	5.56	37.80	69	Marginal	Very Low Priority
SW04071	S Renwick BLVD	4.7	293	1,381	Boulevard Walk	Concrete	55.00	Curb	5.32	4.72	25.11	87	Fair	Low Priority
SW04033	S Renwick BLVD	4.9	35	173	Boulevard Walk	Concrete	6.88	Curb	5.10	4.93	25.16	91	Good	Deferrable Priority
SW03260	S Renwick BLVD	4.6	278	1,291	Boulevard Walk	Concrete	63.32	Curb	4.39	4.64	20.39	83	Fair	Low Priority
SW04032	S Renwick BLVD	5.4	194	1,052	Boulevard Walk	Concrete	30.20	Curb	6.42	5.43	34.85	92	Good	Deferrable Priority
SW03289	S Renwick BLVD	13.4	8	113	Boulevard Walk	Concrete	0.96	Curb	8.81	13.41	118.15	100	Good	No Priority
SW05746	S Robins BOW	3.6	221	787	Boulevard Walk	Concrete	56.12	Curb	3.94	3.56	14.03	53	Marginal	Immediate Priority
SW05742	S Robins BOW	5.0	175	881	Mono Curb And Walk	Concrete	31.16	Curb	5.62	5.03	28.27	62	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05777	S Robins BOW	3.8	33	123	Boulevard Walk	Concrete	9.01	Curb	3.63	3.76	13.66	62	Marginal	Low Priority
SW05741	S Robins BOW	4.3	722	3,126	Boulevard Walk	Concrete	129.69	Curb	5.57	4.33	24.10	71	Marginal	Immediate Priority
SW05748	S Robins BOW	3.7	174	649	Boulevard Walk	Concrete	39.80	Curb	4.36	3.74	16.30	63	Marginal	Low Priority
SW05747	S Robins BOW	3.7	887	3,297	Boulevard Walk	Concrete	186.49	Curb	4.76	3.72	17.68	73	Marginal	Immediate Priority
SW05738	S Robins BOW	3.9	177	689	Boulevard Walk	Concrete	39.47	Curb	4.49	3.88	17.45	83	Fair	Low Priority
SW05778	S Robins BOW	5.2	44	230	Mono Curb And Walk	Concrete	7.71	Curb	5.71	5.22	29.79	92	Good	Deferrable Priority
SW04306	S Rockport RD	4.1	54	223	Boulevard Walk	Concrete	14.03	Curb	3.86	4.12	15.90	29	Very Poor	Low Priority
SW04369	S Rockport RD	5.6	229	1,274	Boulevard Walk	Concrete	38.01	Curb	6.02	5.57	33.52	38	Poor	Low Priority
SW06740	S Rockport RD	5.1	914	4,682	Boulevard Walk	Concrete	228.23	Curb	4.01	5.12	20.51	65	Marginal	Immediate Priority
SW06770	S Rockport RD	4.6	297	1,369	Boulevard Walk	Concrete	65.95	Partial Curb	4.51	4.61	20.76	75	Marginal	Low Priority
SW06734	S Rockport RD	5.6	329	1,832	Boulevard Walk	Concrete	71.92	Curb	4.58	5.57	25.47	83	Fair	Low Priority
SW06768	S Rockport RD	5.3	844	4,447	Boulevard Walk	Concrete	188.26	Partial Curb	4.48	5.27	23.62	80	Fair	Low Priority
SW04367	S Rockport RD	6.2	253	1,577	Mono Curb And Walk	Concrete	42.50	Curb	5.94	6.24	37.10	76	Fair	Low Priority
SW06757	S Rockport RD	5.0	134	663	Boulevard Walk	Concrete	25.97	Curb	5.15	4.96	25.51	85	Fair	Deferrable Priority
SW06739	S Rockport RD	3.8	56	213	Boulevard Walk	Concrete	19.60	Curb	2.88	3.77	10.86	86	Fair	Low Priority
SW04403	S Rockport RD	6.2	80	498	Mono Curb And Walk	Concrete	13.42	Curb	5.94	6.24	37.10	88	Fair	Deferrable Priority
SW04405	S Rockport RD	5.7	210	1,196	Mono Curb And Walk	Concrete	40.62	Curb	5.17	5.70	29.46	80	Fair	Low Priority
SW04368	S Rockport RD	4.2	88	370	Mono Curb And Walk	Concrete	14.28	Curb	6.19	4.18	25.87	88	Fair	Deferrable Priority
SW06735	S Rockport RD	5.6	258	1,435	Boulevard Walk	Concrete	52.46	Curb	4.92	5.56	27.35	89	Fair	Low Priority
SW04404	S Rockport RD	6.3	326	2,070	Mono Curb And Walk	Concrete	47.56	Curb	6.86	6.34	43.53	81	Fair	Very Low Priority
SW06775	S Rockport RD	7.9	264	2,090	Boulevard Walk	Concrete	52.19	Curb	5.06	7.91	40.04	65	Marginal	Very Low Priority
SW06738	S Rockport RD	5.1	451	2,281	Boulevard Walk	Concrete	77.74	Curb	5.80	5.06	29.34	91	Good	Low Priority
SW04407	S Rockport RD	5.0	167	829	Boulevard Walk	Concrete	31.82	Curb	5.23	4.98	26.05	86	Fair	Very Low Priority
SW06765	S Rockport RD	5.7	47	264	Boulevard Walk	Concrete	9.45	Curb	4.94	5.66	27.97	100	Good	No Priority
SW06783	S Rockport RD	7.6	10	76	Boulevard Walk	Concrete	2.05	Curb	4.87	7.58	36.89	100	Good	No Priority
SW06784	S Rockport RD	8.5	15	131	Mono Curb And Walk	Concrete	2.57	Curb	5.94	8.55	50.72	100	Good	No Priority
SW04231	S Rocky Cliff CT	3.1	74	227	Mono Curb And Walk	Concrete	14.36	Curb	5.14	3.08	15.80	54	Marginal	Low Priority
SW04297	S Rocky Cliff CT	4.1	69	282	Boulevard Walk	Concrete	13.44	Curb	5.11	4.12	21.01	55	Marginal	Low Priority
SW08840	S Rogers ST	4.6	50	234	Boulevard Walk	Concrete	9.68	Curb	5.21	4.64	24.15	47	Poor	Immediate Priority
SW09448	S Rogers ST	4.6	124	575	Boulevard Walk	Concrete	22.07	Curb	5.60	4.65	26.05	32	Poor	Immediate Priority
SW09421	S Rogers ST	4.8	134	647	Boulevard Walk	Concrete	29.83	Curb	4.50	4.82	21.70	66	Marginal	Immediate Priority
SW04377	S Rogers ST	4.9	31	153	Boulevard Walk	Concrete	6.49	Curb	4.85	4.87	23.64	54	Marginal	Low Priority
SW07740	S Rogers ST	4.2	44	183	Boulevard Walk	Concrete	9.27	Curb	4.73	4.17	19.73	58	Marginal	Low Priority
SW01947	S Rogers ST	4.4	133	585	Mono Curb And Walk	Concrete	27.13	Curb	4.92	4.39	21.58	48	Poor	Low Priority
SW09452	S Rogers ST	4.4	122	538	Boulevard Walk	Concrete	27.68	Curb	4.39	4.42	19.43	67	Marginal	Low Priority
SW09433	S Rogers ST	5.0	134	670	Boulevard Walk	Concrete	26.82	Curb	5.01	4.99	24.97	68	Marginal	Low Priority
SW09409	S Rogers ST	4.4	149	657	Boulevard Walk	Concrete	27.99	Curb	5.32	4.42	23.49	64	Marginal	Low Priority
SW07741	S Rogers ST	4.6	95	438	Boulevard Walk	Concrete	20.93	Curb	4.56	4.58	20.91	75	Fair	Low Priority
SW04642	S Rogers ST	5.3	36	193	Boulevard Walk	Concrete	6.89	Curb	5.25	5.34	28.02	58	Marginal	Low Priority
SW07755	S Rogers ST	5.1	161	813	Boulevard Walk	Concrete	30.89	Curb	5.20	5.06	26.30	76	Fair	Low Priority
SW09408	S Rogers ST	4.5	139	622	Boulevard Walk	Concrete	33.56	Curb	4.14	4.48	18.53	67	Marginal	Low Priority
SW06650	S Rogers ST	5.0	238	1,183	Mono Curb And Walk	Concrete	55.73	Curb	4.26	4.98	21.23	78	Fair	Low Priority
SW07736	S Rogers ST	4.8	144	694	Boulevard Walk	Concrete	28.76	Curb	5.01	4.82	24.13	78	Fair	Low Priority
SW01946	S Rogers ST	4.2	21	89	Mono Curb And Walk	Concrete	4.00	Curb	5.27	4.21	22.20	79	Fair	Deferrable Priority
SW04645	S Rogers ST	4.9	138	674	Mono Curb And Walk	Concrete	25.45	Curb	5.42	4.89	26.50	71	Marginal	Low Priority
SW07753	S Rogers ST	4.8	143	684	Boulevard Walk	Concrete	25.93	Curb	5.51	4.79	26.38	80	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08885	S Rogers ST	5.4	324	1,740	Boulevard Walk	Concrete	42.59	Curb	7.61	5.37	40.86	72	Marginal	Low Priority
SW01959	S Rogers ST	4.7	158	746	Mono Curb And Walk	Concrete	33.39	Curb	4.73	4.73	22.34	82	Fair	Low Priority
SW01971	S Rogers ST	3.6	115	419	Mono Curb And Walk	Concrete	32.74	Curb	3.53	3.63	12.81	82	Fair	Low Priority
SW04646	S Rogers ST	4.4	61	266	Mono Curb And Walk	Concrete	15.30	Curb	3.97	4.37	17.36	82	Fair	Low Priority
SW10881	S Rogers ST	4.1	122	503	Mono Curb And Walk	Concrete	31.82	Curb	3.83	4.13	15.80	83	Fair	Low Priority
SW01966	S Rogers ST	3.9	146	573	Mono Curb And Walk	Concrete	29.91	Curb	4.87	3.93	19.14	73	Marginal	Low Priority
SW04378	S Rogers ST	4.7	73	344	Boulevard Walk	Concrete	15.81	Curb	4.64	4.69	21.75	71	Marginal	Low Priority
SW01931	S Rogers ST	4.1	115	466	Mono Curb And Walk	Concrete	28.42	Curb	4.03	4.07	16.41	84	Fair	Deferrable Priority
SW01962	S Rogers ST	3.9	281	1,083	Mono Curb And Walk	Concrete	57.33	Curb	4.91	3.85	18.90	63	Marginal	Low Priority
SW04385	S Rogers ST	4.1	135	553	Mono Curb And Walk	Concrete	36.26	Curb	3.72	4.10	15.24	80	Fair	Low Priority
SW04621	S Rogers ST	5.1	90	458	Boulevard Walk	Concrete	17.01	Curb	5.31	5.07	26.94	85	Fair	Low Priority
SW09406	S Rogers ST	4.5	143	647	Boulevard Walk	Concrete	32.38	Curb	4.41	4.54	19.99	85	Fair	Low Priority
SW06943	S Rogers ST	4.3	140	606	Mono Curb And Walk	Concrete	29.35	Curb	4.76	4.34	20.64	85	Fair	Low Priority
SW04383	S Rogers ST	4.0	131	526	Mono Curb And Walk	Concrete	36.12	Curb	3.62	4.02	14.55	77	Fair	Low Priority
SW04623	S Rogers ST	4.9	152	751	Boulevard Walk	Concrete	27.66	Curb	5.50	4.93	27.15	86	Fair	Low Priority
SW02445	S Rogers ST	4.9	299	1,472	Mono Curb And Walk	Concrete	62.15	Curb	4.82	4.92	23.69	76	Fair	Immediate Priority
SW04410	S Rogers ST	4.7	81	379	Boulevard Walk	Concrete	20.38	Partial Curb	3.99	4.66	18.61	79	Fair	Low Priority
SW06941	S Rogers ST	3.7	62	229	Mono Curb And Walk	Concrete	15.92	Curb	3.92	3.67	14.36	86	Fair	Deferrable Priority
SW04386	S Rogers ST	3.9	61	238	Mono Curb And Walk	Concrete	15.56	Curb	3.89	3.94	15.31	87	Fair	Deferrable Priority
SW09423	S Rogers ST	4.5	141	630	Boulevard Walk	Concrete	28.98	Curb	4.87	4.47	21.73	81	Fair	Low Priority
SW09422	S Rogers ST	4.7	137	640	Boulevard Walk	Concrete	33.10	Curb	4.13	4.68	19.35	82	Fair	Low Priority
SW01960	S Rogers ST	4.5	349	1,586	Boulevard Walk	Concrete	68.87	Curb	5.06	4.55	23.02	70	Marginal	Low Priority
SW01932	S Rogers ST	3.7	261	960	Mono Curb And Walk	Concrete	50.30	Curb	5.18	3.69	19.09	87	Fair	Low Priority
SW04374	S Rogers ST	4.1	89	365	Mono Curb And Walk	Concrete	23.11	Curb	3.83	4.12	15.80	88	Fair	Low Priority
SW04647	S Rogers ST	5.9	134	784	Boulevard Walk	Concrete	26.98	Curb	4.95	5.87	29.08	88	Fair	Deferrable Priority
SW01912	S Rogers ST	4.2	358	1,496	Mono Curb And Walk	Concrete	83.01	Curb	4.32	4.18	18.02	80	Fair	Low Priority
SW06651	S Rogers ST	4.5	224	1,000	Mono Curb And Walk	Concrete	39.35	Curb	5.70	4.46	25.42	79	Fair	Low Priority
SW01968	S Rogers ST	4.1	194	794	Mono Curb And Walk	Concrete	44.59	Curb	4.36	4.09	17.81	89	Fair	Deferrable Priority
SW08841	S Rogers ST	4.7	53	247	Boulevard Walk	Concrete	9.86	Curb	5.34	4.69	25.03	89	Fair	Deferrable Priority
SW09405	S Rogers ST	4.4	22	98	Boulevard Walk	Concrete	5.08	Curb	4.38	4.42	19.34	89	Fair	Deferrable Priority
SW08886	S Rogers ST	5.3	304	1,600	Mono Curb And Walk	Concrete	48.17	Curb	6.32	5.26	33.21	78	Fair	Low Priority
SW02444	S Rogers ST	8.3	43	351	Boulevard Walk	Pavers / Brick	10.63	Curb	4.00	8.27	33.06	91	Good	Deferrable Priority
SW04402	S Rogers ST	4.9	65	318	Boulevard Walk	Concrete	13.44	Curb	4.85	4.87	23.64	91	Good	Deferrable Priority
SW04641	S Rogers ST	4.9	383	1,871	Boulevard Walk	Concrete	93.03	Curb	4.12	4.89	20.11	88	Fair	Low Priority
SW04626	S Rogers ST	5.2	401	2,077	Boulevard Walk	Concrete	72.00	Curb	5.57	5.18	28.85	92	Good	Low Priority
SW04384	S Rogers ST	4.0	137	549	Mono Curb And Walk	Concrete	37.74	Curb	3.62	4.02	14.55	92	Good	Low Priority
SW04639	S Rogers ST	7.3	234	1,697	Mono Curb And Walk	Concrete	50.33	Curb	4.64	7.27	33.72	78	Fair	Very Low Priority
SW04387	S Rogers ST	4.6	151	702	Mono Curb And Walk	Concrete	37.62	Curb	4.02	4.64	18.66	73	Marginal	Very Low Priority
SW01936	S Rogers ST	4.7	272	1,283	Mono Curb And Walk	Concrete	45.70	Curb	5.95	4.72	28.06	92	Good	Deferrable Priority
SW04393	S Rogers ST	4.9	137	664	Mono Curb And Walk	Concrete	28.00	Curb	4.89	4.85	23.71	93	Good	Deferrable Priority
SW06942	S Rogers ST	3.6	114	415	Mono Curb And Walk	Concrete	33.65	Curb	3.38	3.65	12.32	93	Good	Deferrable Priority
SW02446	S Rogers ST	6.9	55	379	Boulevard Walk	Pavers / Brick	13.72	Curb	4.00	6.91	27.65	93	Good	Deferrable Priority
SW04382	S Rogers ST	4.1	201	827	Mono Curb And Walk	Concrete	52.55	Curb	3.83	4.12	15.75	93	Good	Low Priority
SW04409	S Rogers ST	4.5	228	1,022	Boulevard Walk	Concrete	52.90	Partial Curb	4.32	4.47	19.31	84	Fair	Low Priority
SW04401	S Rogers ST	4.8	253	1,224	Boulevard Walk	Concrete	45.24	Partial Curb	5.59	4.84	27.05	88	Fair	Low Priority
SW08870	S Rogers ST	4.7	152	712	Boulevard Walk	Concrete	34.14	Curb	4.45	4.69	20.87	73	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09532	S Rogers ST	5.8	151	880	Boulevard Walk	Concrete	21.92	Curb	6.90	5.82	40.17	94	Good	Deferrable Priority
SW04622	S Rogers ST	5.0	84	418	Boulevard Walk	Concrete	16.85	Curb	4.97	4.99	24.81	94	Good	Deferrable Priority
SW01969	S Rogers ST	4.9	312	1,531	Mono Curb And Walk	Concrete	54.28	Curb	5.74	4.91	28.21	82	Fair	Very Low Priority
SW04620	S Rogers ST	4.9	101	498	Boulevard Walk	Concrete	18.36	Curb	5.51	4.92	27.14	95	Good	Deferrable Priority
SW10855	S Rogers ST	4.3	150	649	Boulevard Walk	Concrete	26.98	Curb	5.54	4.34	24.05	95	Good	Deferrable Priority
SW09407	S Rogers ST	4.5	139	622	Boulevard Walk	Concrete	33.91	Curb	4.10	4.47	18.34	95	Good	Deferrable Priority
SW04644	S Rogers ST	4.4	239	1,041	Boulevard Walk	Concrete	75.95	Curb	3.15	4.35	13.70	96	Good	Low Priority
SW04624	S Rogers ST	4.6	466	2,163	Boulevard Walk	Concrete	93.39	Curb	4.99	4.65	23.16	95	Good	Low Priority
SW04400	S Rogers ST	4.9	207	1,006	Boulevard Walk	Concrete	41.23	Curb	5.01	4.87	24.39	97	Good	Deferrable Priority
SW04399	S Rogers ST	4.9	340	1,657	Boulevard Walk	Concrete	70.09	Curb	4.85	4.87	23.64	97	Good	Deferrable Priority
SW04627	S Rogers ST	4.4	482	2,104	Boulevard Walk	Concrete	131.33	Curb	3.67	4.37	16.02	97	Good	Low Priority
SW04625	S Rogers ST	4.6	209	966	Boulevard Walk	Concrete	47.28	Curb	4.42	4.62	20.42	98	Good	Deferrable Priority
SW01990	S Rogers ST	5.2	7	38	Mono Curb And Walk	Concrete	1.36	Curb	5.37	5.19	27.87	100	Good	No Priority
SW04426	S Rogers ST	4.9	83	405	Boulevard Walk	Concrete	16.78	Curb	4.96	4.87	24.13	100	Good	No Priority
SW04643	S Rogers ST	5.3	76	399	Mono Curb And Walk	Concrete	14.10	Curb	5.38	5.26	28.29	100	Good	No Priority
SW08839	S Rogers ST	4.8	89	429	Boulevard Walk	Concrete	10.60	Curb	8.43	4.79	40.43	100	Good	No Priority
SW09661	S Rogers ST	5.8	100	574	Boulevard Walk	Concrete	16.27	Curb	6.12	5.77	35.28	100	Good	No Priority
SW09662	S Rogers ST	5.3	24	125	Mono Curb And Walk	Concrete	3.63	Curb	6.51	5.29	34.41	100	Good	No Priority
SW10857	S Rogers ST	4.6	45	209	Boulevard Walk	Concrete	7.54	Curb	6.03	4.61	27.76	100	Good	No Priority
SW04891	S Rolling Oak DR	3.9	999	3,846	Boulevard Walk	Concrete	254.09	Curb	3.93	3.85	15.14	81	Fair	Immediate Priority
SW04889	S Rolling Oak DR	4.1	923	3,770	Boulevard Walk	Concrete	178.47	Curb	5.17	4.09	21.12	82	Fair	Low Priority
SW06622	S Rolling Rock DR	4.2	234	980	Boulevard Walk	Concrete	43.53	Curb	5.37	4.19	22.52	88	Fair	Low Priority
SW06627	S Rolling Rock DR	3.9	208	814	Boulevard Walk	Concrete	42.81	Curb	4.85	3.92	19.00	89	Fair	Deferrable Priority
SW06194	S Romans CT	3.9	223	859	Boulevard Walk	Concrete	50.43	Curb	4.41	3.86	17.03	76	Fair	Low Priority
SW06193	S Romans CT	3.7	185	690	Boulevard Walk	Concrete	37.62	Curb	4.93	3.72	18.34	79	Fair	Low Priority
SW04763	S Romans WAY	4.6	95	440	Boulevard Walk	Concrete	21.43	Curb	4.44	4.63	20.54	77	Fair	Low Priority
SW04764	S Romans WAY	4.6	472	2,160	Boulevard Walk	Concrete	113.77	Curb	4.15	4.58	18.98	68	Marginal	Low Priority
SW04762	S Romans WAY	3.9	751	2,937	Boulevard Walk	Concrete	214.28	Curb	3.51	3.91	13.71	77	Fair	Immediate Priority
SW06206	S Romans WAY	4.0	1019	4,107	Boulevard Walk	Concrete	209.04	Curb	4.88	4.03	19.65	70	Marginal	Low Priority
SW06205	S Romans WAY	3.9	954	3,724	Boulevard Walk	Concrete	309.26	Curb	3.09	3.90	12.04	86	Fair	Low Priority
SW04761	S Romans WAY	4.7	183	864	Boulevard Walk	Concrete	41.94	Curb	4.36	4.72	20.59	90	Fair	Deferrable Priority
SW04686	S Romans WAY	5.2	22	111	Boulevard Walk	Concrete	4.47	Curb	4.84	5.16	24.93	100	Good	No Priority
SW04687	S Romans WAY	3.9	18	70	Boulevard Walk	Concrete	5.19	Curb	3.47	3.90	13.54	100	Good	No Priority
SW01616	S Roosevelt ST	4.8	204	988	Boulevard Walk	Concrete	46.82	Curb	4.36	4.84	21.10	67	Marginal	Low Priority
SW01607	S Roosevelt ST	5.3	51	270	Boulevard Walk	Concrete	9.04	Curb	5.66	5.28	29.84	85	Fair	Deferrable Priority
SW01606	S Roosevelt ST	4.8	398	1,923	Boulevard Walk	Concrete	91.16	Curb	4.36	4.84	21.10	82	Fair	Low Priority
SW00997	S Rose AVE	4.4	92	402	Mono Curb And Walk	Concrete	23.55	Curb	3.90	4.38	17.08	97	Good	Deferrable Priority
SW04223	S Roundhill CT	3.6	368	1,321	Boulevard Walk	Concrete	74.23	Curb	4.95	3.59	17.79	45	Poor	Low Priority
SW04225	S Roundhill CT	3.6	95	344	Mono Curb And Walk	Concrete	20.31	Curb	4.69	3.61	16.93	62	Marginal	Low Priority
SW04227	S Roundhill CT	3.9	84	329	Mono Curb And Walk	Concrete	20.00	Curb	4.19	3.93	16.46	48	Poor	Low Priority
SW04226	S Roundhill CT	3.7	440	1,635	Boulevard Walk	Concrete	109.49	Curb	4.02	3.72	14.93	66	Marginal	Low Priority
SW05854	S Roxbury CIR	3.9	462	1,798	Boulevard Walk	Concrete	91.71	Curb	5.04	3.89	19.61	66	Marginal	Low Priority
SW05844	S Roxbury CIR	3.7	451	1,668	Boulevard Walk	Concrete	96.76	Curb	4.66	3.70	17.24	70	Marginal	Low Priority
SW05054	S Samuel LN	4.7	168	793	Boulevard Walk	Concrete	40.82	Curb	4.12	4.71	19.42	76	Fair	Low Priority
SW05071	S Samuel LN	4.5	303	1,369	Boulevard Walk	Concrete	74.03	Curb	4.10	4.51	18.50	88	Fair	Low Priority
SW05191	S Samuel LN	4.9	284	1,403	Mono Curb And Walk	Concrete	47.71	Curb	5.95	4.94	29.40	90	Good	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05189	S Samuel LN	4.7	177	835	Boulevard Walk	Concrete	35.24	Curb	5.02	4.72	23.69	96	Good	Deferrable Priority
SW05958	S Sare RD	4.9	605	2,949	Boulevard Walk	Concrete	93.42	Curb	6.48	4.87	31.57	42	Poor	Immediate Priority
SW04242	S Sare RD	3.5	87	308	Boulevard Walk	Concrete	16.98	Partial Curb	5.12	3.54	18.13	64	Marginal	Low Priority
SW04262	S Sare RD	4.0	89	357	Boulevard Walk	Concrete	17.01	Curb	5.24	4.01	21.01	60	Marginal	Low Priority
SW04261	S Sare RD	3.9	650	2,566	Boulevard Walk	Concrete	128.90	Curb	5.04	3.95	19.91	57	Marginal	Low Priority
SW04269	S Sare RD	4.4	319	1,408	Boulevard Walk	Concrete	56.36	Curb	5.67	4.41	24.99	64	Marginal	Low Priority
SW05924	S Sare RD	4.6	255	1,166	Boulevard Walk	Concrete	53.49	Curb	4.77	4.57	21.79	66	Marginal	Low Priority
SW04265	S Sare RD	3.9	82	322	Boulevard Walk	Concrete	16.97	Curb	4.85	3.92	18.97	82	Fair	Low Priority
SW04241	S Sare RD	5.4	1189	6,396	Boulevard Walk	Concrete	176.51	Curb	6.74	5.38	36.23	66	Marginal	Low Priority
SW05925	S Sare RD	4.0	511	2,037	Boulevard Walk	Concrete	125.03	Curb	4.09	3.98	16.29	70	Marginal	Low Priority
SW05927	S Sare RD	4.3	199	857	Boulevard Walk	Concrete	44.01	Curb	4.51	4.31	19.46	75	Marginal	Low Priority
SW05954	S Sare RD	4.2	146	609	Boulevard Walk	Concrete	37.23	Curb	3.93	4.16	16.36	76	Fair	Low Priority
SW05932	S Sare RD	4.8	355	1,689	Boulevard Walk	Concrete	72.44	Curb	4.91	4.75	23.32	81	Fair	Low Priority
SW03518	S Sare RD	5.2	46	238	Boulevard Walk	Concrete	7.81	Curb	5.85	5.22	30.51	87	Fair	Deferrable Priority
SW03520	S Sare RD	5.2	186	962	Mono Curb And Walk	Concrete	32.58	Curb	5.70	5.18	29.52	71	Marginal	Low Priority
SW05919	S Sare RD	5.0	208	1,043	Boulevard Walk	Concrete	31.38	Curb	6.62	5.02	33.25	71	Marginal	Low Priority
SW05965	S Sare RD	4.8	751	3,623	Boulevard Walk	Concrete	154.68	Curb	4.86	4.82	23.42	88	Fair	Deferrable Priority
SW05955	S Sare RD	4.8	346	1,668	Boulevard Walk	Concrete	67.72	Curb	5.11	4.82	24.63	83	Fair	Low Priority
SW05930	S Sare RD	4.1	156	642	Boulevard Walk	Concrete	41.77	Curb	3.73	4.12	15.36	88	Fair	Low Priority
SW05926	S Sare RD	4.4	152	666	Boulevard Walk	Concrete	31.90	Curb	4.78	4.37	20.86	83	Fair	Low Priority
SW05946	S Sare RD	4.1	86	356	Boulevard Walk	Concrete	23.20	Curb	3.73	4.12	15.36	90	Fair	Deferrable Priority
SW05947	S Sare RD	4.1	577	2,380	Boulevard Walk	Concrete	154.93	Curb	3.73	4.12	15.36	85	Fair	Low Priority
SW05931	S Sare RD	4.8	423	2,039	Boulevard Walk	Concrete	84.69	Curb	5.00	4.81	24.07	85	Fair	Low Priority
SW03519	S Sare RD	5.0	407	2,046	Boulevard Walk	Concrete	81.72	Curb	4.98	5.03	25.03	89	Fair	Low Priority
SW04266	S Sare RD	4.0	237	958	Boulevard Walk	Concrete	55.07	Curb	4.30	4.05	17.39	81	Fair	Low Priority
SW05923	S Sare RD	4.5	410	1,851	Boulevard Walk	Concrete	72.59	Curb	5.64	4.52	25.49	89	Fair	Low Priority
SW05945	S Sare RD	5.2	912	4,759	Boulevard Walk	Concrete	186.39	Curb	4.90	5.22	25.53	89	Fair	Low Priority
SW04291	S Sare RD	3.5	307	1,062	Boulevard Walk	Concrete	60.01	Curb	5.12	3.46	17.69	90	Fair	Low Priority
SW05949	S Sare RD	4.1	519	2,144	Boulevard Walk	Concrete	134.98	Curb	3.84	4.13	15.88	90	Fair	Low Priority
SW05948	S Sare RD	4.1	984	4,053	Boulevard Walk	Concrete	263.81	Curb	3.73	4.12	15.36	94	Good	Low Priority
SW05966	S Sare RD	4.2	430	1,791	Boulevard Walk	Concrete	109.47	Curb	3.93	4.16	16.36	90	Good	Low Priority
SW04292	S Sare RD	6.3	5	29	Boulevard Walk	Concrete	0.64	Curb	7.20	6.31	45.44	100	Good	No Priority
SW04293	S Sare RD	9.3	10	94	Mono Curb And Walk	Concrete	1.04	Curb	9.69	9.32	90.25	100	Good	No Priority
SW04274	S Shadow Grove CT	5.0	342	1,724	Boulevard Walk	Concrete	67.02	Curb	5.11	5.04	25.73	76	Fair	Low Priority
SW04233	S Shadow Grove CT	4.8	325	1,563	Boulevard Walk	Concrete	66.10	Curb	4.92	4.81	23.65	89	Fair	Very Low Priority
SW03661	S Sherbrooke DR	4.0	103	417	Mono Curb And Walk	Concrete	19.59	Curb	5.28	4.03	21.29	64	Marginal	Low Priority
SW01738	S Sheridan DR	4.8	94	454	Boulevard Walk	Concrete	16.05	Curb	5.85	4.84	28.29	84	Fair	Low Priority
SW01739	S Sheridan DR	4.8	196	953	Boulevard Walk	Concrete	32.05	Curb	6.13	4.85	29.73	67	Marginal	Low Priority
SW01714	S Sheridan DR	4.3	306	1,300	Boulevard Walk	Concrete	57.08	Curb	5.35	4.25	22.77	78	Fair	Low Priority
SW01713	S Sheridan DR	4.0	384	1,529	Boulevard Walk	Concrete	76.79	Curb	5.00	3.98	19.91	84	Fair	Low Priority
SW01797	S Sheridan DR	4.8	122	583	Boulevard Walk	Concrete	25.43	Curb	4.81	4.77	22.92	90	Good	Deferrable Priority
SW01736	S Sheridan DR	4.6	332	1,520	Mono Curb And Walk	Concrete	57.55	Curb	5.76	4.58	26.42	84	Fair	Low Priority
SW01737	S Sheridan DR	4.5	80	363	Boulevard Walk	Concrete	13.79	Curb	5.82	4.52	26.34	72	Marginal	Very Low Priority
SW06507	S Silver Creek DR	3.8	296	1,124	Boulevard Walk	Concrete	63.23	Curb	4.68	3.79	17.77	62	Marginal	Immediate Priority
SW06496	S Silver Creek DR	4.1	383	1,559	Boulevard Walk	Concrete	66.66	Curb	5.75	4.07	23.38	69	Marginal	Low Priority
SW06521	S Silver Creek DR	4.4	397	1,766	Boulevard Walk	Concrete	83.05	Curb	4.78	4.45	21.26	56	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06505	S Silver Creek DR	4.0	260	1,039	Boulevard Walk	Concrete	41.16	Curb	6.33	3.99	25.24	63	Marginal	Immediate Priority
SW06509	S Silver Creek DR	3.9	339	1,312	Boulevard Walk	Concrete	72.21	Curb	4.69	3.87	18.16	70	Marginal	Low Priority
SW06520	S Silver Creek DR	3.8	355	1,338	Boulevard Walk	Concrete	88.95	Curb	3.99	3.77	15.04	75	Marginal	Immediate Priority
SW04185	S Smith RD	3.5	29	101	Boulevard Walk	Concrete	7.63	Curb	3.75	3.53	13.21	51	Marginal	Low Priority
SW04163	S Smith RD	4.9	337	1,658	Boulevard Walk	Concrete	72.58	Curb	4.65	4.91	22.84	46	Poor	Immediate Priority
SW04183	S Smith RD	3.9	536	2,092	Boulevard Walk	Concrete	111.79	Partial Curb	4.80	3.90	18.71	62	Marginal	Immediate Priority
SW04758	S Smith RD	5.7	230	1,302	Boulevard Walk	Concrete	35.12	Curb	6.54	5.67	37.06	60	Marginal	Low Priority
SW04184	S Smith RD	3.8	71	270	Mono Curb And Walk	Concrete	15.42	Curb	4.62	3.79	17.50	63	Marginal	Low Priority
SW06827	S Smith RD	5.1	92	464	Stand Alone	Concrete	18.10	No Curb	5.06	5.07	25.65	63	Marginal	Low Priority
SW04175	S Smith RD	4.9	339	1,652	Mono Curb And Walk	Concrete	67.37	Curb	5.03	4.88	24.52	66	Marginal	Immediate Priority
SW04173	S Smith RD	5.1	137	691	Mono Curb And Walk	Concrete	22.70	Curb	6.02	5.06	30.44	76	Fair	Low Priority
SW06872	S Smith RD	5.1	262	1,348	Boulevard Walk	Concrete	47.67	No Curb	5.50	5.14	28.28	72	Marginal	Low Priority
SW01288	S Smith RD	5.0	370	1,839	Mono Curb And Walk	Concrete	65.06	Curb	5.69	4.97	28.26	70	Marginal	Immediate Priority
SW01420	S Smith RD	6.1	664	4,082	Boulevard Walk	Concrete	95.64	Curb	6.94	6.15	42.68	73	Marginal	Immediate Priority
SW06148	S Smith RD	4.6	525	2,420	Boulevard Walk	Concrete	123.62	Curb	4.25	4.61	19.58	77	Fair	Low Priority
SW04759	S Smith RD	4.8	390	1,863	Boulevard Walk	Concrete	82.11	Curb	4.75	4.78	22.69	85	Fair	Low Priority
SW01411	S Smith RD	5.1	69	355	Boulevard Walk	Concrete	13.58	Curb	5.10	5.13	26.13	88	Fair	Deferrable Priority
SW04732	S Smith RD	3.6	287	1,041	Boulevard Walk	Concrete	66.05	Curb	4.35	3.63	15.77	81	Fair	Low Priority
SW04182	S Smith RD	3.9	607	2,368	Boulevard Walk	Concrete	133.85	Partial Curb	4.54	3.90	17.69	79	Fair	Low Priority
SW01418	S Smith RD	5.2	208	1,072	Boulevard Walk	Concrete	45.69	Curb	4.54	5.16	23.46	84	Fair	Low Priority
SW01419	S Smith RD	4.9	51	251	Boulevard Walk	Concrete	10.71	Curb	4.79	4.90	23.47	89	Fair	Deferrable Priority
SW01423	S Smith RD	4.8	117	565	Mono Curb And Walk	Concrete	22.50	Curb	5.20	4.82	25.09	90	Fair	Deferrable Priority
SW01413	S Smith RD	4.9	47	230	Boulevard Walk	Concrete	9.74	Curb	4.82	4.91	23.63	93	Good	Deferrable Priority
SW01422	S Smith RD	4.4	42	184	Mono Curb And Walk	Concrete	9.82	Curb	4.27	4.40	18.76	100	Good	No Priority
SW04174	S Smith RD	7.9	64	502	Mono Curb And Walk	Concrete	8.01	Curb	7.94	7.89	62.65	100	Good	No Priority
SW05951	S Southern Oaks CT	3.9	93	366	Boulevard Walk	Concrete	19.27	Curb	4.83	3.93	18.99	66	Marginal	Low Priority
SW05952	S Southern Oaks CT	3.8	91	348	Boulevard Walk	Concrete	19.74	Curb	4.62	3.82	17.64	80	Fair	Low Priority
SW05025	S Southern Oaks DR	3.6	140	504	Boulevard Walk	Concrete	33.44	Curb	4.18	3.61	15.06	79	Fair	Low Priority
SW04962	S Southern Oaks DR	4.0	223	899	Boulevard Walk	Concrete	48.65	Curb	4.58	4.03	18.49	86	Fair	Low Priority
SW05950	S Southern Oaks DR	4.0	208	837	Boulevard Walk	Concrete	41.85	Curb	4.97	4.02	20.01	79	Fair	Low Priority
SW05030	S Southern Oaks DR	3.8	921	3,546	Boulevard Walk	Concrete	197.72	Curb	4.66	3.85	17.93	91	Good	Low Priority
SW05028	S Southern Oaks DR	4.1	89	365	Boulevard Walk	Concrete	16.76	Curb	5.32	4.09	21.78	92	Good	Deferrable Priority
SW05031	S Southern Oaks DR	4.1	884	3,605	Boulevard Walk	Concrete	175.62	Curb	5.03	4.08	20.53	90	Fair	Low Priority
SW05953	S Southern Oaks DR	3.7	205	765	Boulevard Walk	Concrete	49.93	Curb	4.11	3.73	15.31	93	Good	Deferrable Priority
SW04963	S Southern Oaks DR	3.4	157	536	Boulevard Walk	Concrete	36.24	Curb	4.34	3.41	14.78	98	Good	Deferrable Priority
SW06733	S Southern Pines CT	4.0	51	203	Boulevard Walk	Concrete	9.58	Curb	5.35	3.96	21.20	24	Very Poor	Immediate Priority
SW06729	S Southern Pines CT	4.1	61	252	Boulevard Walk	Concrete	12.50	Curb	4.92	4.11	20.18	27	Very Poor	Immediate Priority
SW06725	S Southern Pines CT	3.9	143	557	Boulevard Walk	Concrete	30.15	Curb	4.75	3.89	18.49	58	Marginal	Low Priority
SW06727	S Southern Pines CT	4.2	30	124	Boulevard Walk	Concrete	5.07	Curb	5.90	4.16	24.54	69	Marginal	Low Priority
SW06730	S Southern Pines CT	3.9	56	214	Boulevard Walk	Concrete	12.31	Curb	4.52	3.85	17.41	61	Marginal	Low Priority
SW06737	S Southern Pines CT	4.2	279	1,171	Boulevard Walk	Concrete	49.36	Curb	5.65	4.20	23.72	66	Marginal	Low Priority
SW06732	S Southern Ridge CT	3.9	48	188	Boulevard Walk	Concrete	7.82	Curb	6.17	3.90	24.07	50	Marginal	Low Priority
SW06731	S Southern Ridge CT	3.8	95	360	Boulevard Walk	Concrete	20.25	Curb	4.67	3.81	17.79	44	Poor	Low Priority
SW05868	S Sowder SQ	4.8	414	1,996	Mono Curb And Walk	Concrete	82.27	Curb	5.04	4.82	24.26	30	Very Poor	Immediate Priority
SW05861	S Sowder SQ	4.8	294	1,396	Mono Curb And Walk	Concrete	58.43	Curb	5.03	4.75	23.90	67	Marginal	Low Priority
SW05866	S Sowder SQ	4.0	494	1,963	Boulevard Walk	Concrete	98.39	Curb	5.02	3.98	19.95	70	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05841	S Sowder SQ	4.8	558	2,702	Boulevard Walk	Concrete	115.30	Curb	4.84	4.84	23.43	66	Marginal	Immediate Priority
SW05846	S Sowder SQ	4.9	566	2,788	Mono Curb And Walk	Concrete	104.01	Curb	5.44	4.92	26.80	75	Marginal	Low Priority
SW05869	S Sowder SQ	4.8	644	3,076	Mono Curb And Walk	Concrete	123.26	Curb	5.22	4.78	24.96	83	Fair	Low Priority
SW04916	S Spicewood LN	3.7	980	3,611	Boulevard Walk	Concrete	228.38	Curb	4.29	3.69	15.81	58	Marginal	Low Priority
SW04907	S Spicewood LN	4.1	839	3,403	Boulevard Walk	Concrete	148.59	Curb	5.65	4.05	22.90	54	Marginal	Low Priority
SW04914	S Spicewood LN	3.6	139	506	Boulevard Walk	Concrete	28.08	Curb	4.94	3.65	18.01	61	Marginal	Low Priority
SW04234	S Spicewood LN	4.3	394	1,680	Boulevard Walk	Concrete	82.57	Curb	4.78	4.26	20.35	67	Marginal	Low Priority
SW04288	S Spicewood LN	4.7	428	2,022	Boulevard Walk	Concrete	96.50	Curb	4.43	4.73	20.95	78	Fair	Low Priority
SW04913	S Spicewood LN	4.1	90	370	Boulevard Walk	Concrete	20.27	Curb	4.42	4.12	18.24	82	Fair	Low Priority
SW04908	S Spicewood LN	3.7	145	545	Boulevard Walk	Concrete	32.71	Curb	4.45	3.74	16.65	72	Marginal	Low Priority
SW04905	S Spicewood LN	3.8	170	640	Boulevard Walk	Concrete	33.39	Curb	5.10	3.76	19.17	64	Marginal	Low Priority
SW04902	S Spicewood LN	3.7	133	485	Boulevard Walk	Concrete	28.38	Curb	4.68	3.65	17.07	68	Marginal	Low Priority
SW04906	S Spicewood LN	3.8	35	135	Boulevard Walk	Concrete	8.22	Curb	4.32	3.79	16.37	100	Good	No Priority
SW04912	S Spicewood LN	3.7	81	299	Boulevard Walk	Concrete	19.21	Curb	4.22	3.69	15.58	100	Good	No Priority
SW03389	S Stratford DR	5.0	316	1,580	Boulevard Walk	Concrete	62.10	Curb	5.09	5.00	25.45	75	Fair	Low Priority
SW03332	S Stratford DR	5.1	317	1,616	Boulevard Walk	Concrete	55.87	Curb	5.67	5.10	28.92	78	Fair	Low Priority
SW03370	S Stratford DR	4.4	68	298	Boulevard Walk	Concrete	15.74	Curb	4.32	4.38	18.91	81	Fair	Deferrable Priority
SW03364	S Stratford DR	3.7	287	1,058	Boulevard Walk	Concrete	76.02	Curb	3.77	3.69	13.92	81	Fair	Low Priority
SW03366	S Stratford DR	3.7	275	1,018	Boulevard Walk	Concrete	65.09	Curb	4.23	3.70	15.64	87	Fair	Low Priority
SW03354	S Stratford DR	5.0	302	1,505	Boulevard Walk	Concrete	60.07	Curb	5.03	4.98	25.05	93	Good	Low Priority
SW03347	S Stratford DR	4.6	72	334	Boulevard Walk	Concrete	16.05	Curb	4.49	4.63	20.80	94	Good	Deferrable Priority
SW03333	S Stratford DR	4.1	296	1,229	Boulevard Walk	Concrete	54.42	Curb	5.44	4.15	22.58	78	Fair	Low Priority
SW06561	S Strong DR	4.9	217	1,057	Boulevard Walk	Concrete	44.44	Curb	4.88	4.88	23.79	81	Fair	Low Priority
SW06590	S Strong DR	4.7	780	3,667	Boulevard Walk	Concrete	156.71	Curb	4.98	4.70	23.40	81	Fair	Low Priority
SW06588	S Strong DR	4.9	57	282	Boulevard Walk	Concrete	10.84	Curb	5.27	4.94	26.05	87	Fair	Deferrable Priority
SW06589	S Strong DR	4.9	236	1,145	Boulevard Walk	Concrete	48.17	Curb	4.89	4.86	23.78	89	Fair	Low Priority
SW06659	S Strong DR	6.8	817	5,552	Boulevard Walk	Concrete	167.22	Curb	4.89	6.79	33.20	88	Fair	Low Priority
SW06584	S Strong DR	4.8	848	4,077	Boulevard Walk	Concrete	178.64	Curb	4.75	4.81	22.82	85	Fair	Low Priority
SW03046	S Stull AVE	5.3	112	588	Mono Curb And Walk	Concrete	27.01	Curb	4.14	5.26	21.78	59	Marginal	Low Priority
SW03069	S Stull AVE	4.8	23	112	Mono Curb And Walk	Concrete	4.82	Curb	4.82	4.82	23.24	68	Marginal	Low Priority
SW03061	S Stull AVE	4.6	51	235	Mono Curb And Walk	Concrete	8.44	Curb	6.10	4.57	27.86	61	Marginal	Low Priority
SW03070	S Stull AVE	4.6	86	398	Mono Curb And Walk	Concrete	18.07	Curb	4.75	4.65	22.05	75	Marginal	Low Priority
SW02687	S Stull AVE	4.7	513	2,435	Mono Curb And Walk	Concrete	90.67	Curb	5.66	4.75	26.86	66	Marginal	Immediate Priority
SW02683	S Stull AVE	4.7	512	2,385	Mono Curb And Walk	Stamped Concrete	98.55	Curb	5.20	4.66	24.20	79	Fair	Low Priority
SW03812	S Summerwood CT	3.9	111	432	Mono Curb And Walk	Concrete	21.95	Curb	5.08	3.88	19.69	74	Marginal	Low Priority
SW05174	S Sunflower DR	5.5	246	1,346	Boulevard Walk	Concrete	40.06	Curb	6.15	5.47	33.60	71	Marginal	Low Priority
SW05063	S Sunflower DR	5.4	200	1,083	Boulevard Walk	Concrete	48.80	Curb	4.11	5.41	22.20	76	Fair	Low Priority
SW05064	S Sunflower DR	4.8	203	977	Boulevard Walk	Concrete	41.07	Curb	4.95	4.80	23.79	78	Fair	Low Priority
SW05175	S Sunflower DR	4.9	298	1,450	Boulevard Walk	Concrete	52.54	Curb	5.67	4.87	27.59	83	Fair	Low Priority
SW00996	S Swain AVE	4.7	237	1,107	Mono Curb And Walk	Concrete	56.43	Curb	4.21	4.66	19.62	89	Fair	Deferrable Priority
SW00985	S Swain AVE	5.4	137	739	Mono Curb And Walk	Concrete	23.06	Curb	5.96	5.38	32.06	69	Marginal	Very Low Priority
SW00087	S Swain AVE	4.6	155	715	Mono Curb And Walk	Concrete	35.39	Curb	4.37	4.62	20.22	96	Good	Deferrable Priority
SW00968	S Swain AVE	5.8	16	91	Mono Curb And Walk	Concrete	2.48	Curb	6.29	5.83	36.67	100	Good	No Priority
SW06362	S Sweetbriar CIR	3.9	162	637	Boulevard Walk	Concrete	30.30	Curb	5.35	3.93	21.03	64	Marginal	Low Priority
SW06354	S Sweetbriar CIR	4.0	717	2,856	Boulevard Walk	Concrete	137.21	Curb	5.23	3.98	20.82	71	Marginal	Immediate Priority
SW06353	S Sweetbriar CIR	3.8	585	2,224	Boulevard Walk	Concrete	128.26	Curb	4.56	3.80	17.34	69	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06361	S Sweetbriar CIR	4.1	189	777	Boulevard Walk	Concrete	35.25	Curb	5.37	4.11	22.05	73	Marginal	Low Priority
SW06339	S Sweetbriar CT	3.9	161	632	Boulevard Walk	Concrete	34.89	Curb	4.61	3.92	18.10	63	Marginal	Low Priority
SW06340	S Sweetbriar CT	4.1	159	651	Boulevard Walk	Concrete	25.36	Curb	6.27	4.10	25.66	56	Marginal	Low Priority
SW06338	S Sweetbriar CT	3.6	101	367	Boulevard Walk	Concrete	27.23	Curb	3.71	3.63	13.46	60	Marginal	Low Priority
SW06359	S Sweetbriar CT	4.1	490	1,990	Boulevard Walk	Concrete	88.05	Curb	5.57	4.06	22.60	67	Marginal	Low Priority
SW06355	S Sweetbriar CT	4.1	96	389	Boulevard Walk	Concrete	18.39	Curb	5.21	4.06	21.18	88	Fair	Deferrable Priority
SW06363	S Sweetbriar CT	3.7	525	1,952	Boulevard Walk	Concrete	123.75	Curb	4.24	3.72	15.78	79	Fair	Low Priority
SW06360	S Sweetbriar DR	3.8	430	1,629	Boulevard Walk	Concrete	86.13	Curb	5.00	3.79	18.92	61	Marginal	Immediate Priority
SW06352	S Sweetbriar DR	3.8	413	1,570	Boulevard Walk	Concrete	82.38	Curb	5.01	3.81	19.05	76	Fair	Immediate Priority
SW06356	S Sweetbriar DR	3.9	87	344	Boulevard Walk	Concrete	16.03	Curb	5.45	3.94	21.45	70	Marginal	Very Low Priority
SW06357	S Sweetbriar DR	4.1	68	274	Boulevard Walk	Concrete	11.53	Curb	5.87	4.06	23.81	88	Fair	Deferrable Priority
SW03271	S Sycamore CT	3.7	542	2,031	Boulevard Walk	Concrete	154.81	Curb	3.50	3.75	13.12	77	Fair	Low Priority
SW03270	S Sycamore CT	3.6	540	1,966	Boulevard Walk	Concrete	115.82	Curb	4.66	3.64	16.98	76	Fair	Low Priority
SW03241	S Sycamore CT	4.1	276	1,119	Boulevard Walk	Concrete	61.95	Curb	4.45	4.06	18.06	83	Fair	Low Priority
SW03245	S Sycamore CT	3.9	141	550	Boulevard Walk	Concrete	33.64	Curb	4.20	3.89	16.36	88	Fair	Deferrable Priority
SW05154	S Terra CT	4.1	62	255	Boulevard Walk	Concrete	11.75	Curb	5.30	4.09	21.65	79	Fair	Low Priority
SW04886	S The Stands DR	3.9	380	1,483	Boulevard Walk	Concrete	68.18	Curb	5.57	3.90	21.76	62	Marginal	Immediate Priority
SW05017	S The Stands DR	3.8	165	627	Boulevard Walk	Concrete	34.45	Curb	4.79	3.80	18.20	53	Marginal	Low Priority
SW04910	S The Stands DR	4.0	115	457	Boulevard Walk	Concrete	22.64	Curb	5.08	3.97	20.17	78	Fair	Low Priority
SW05015	S The Stands DR	4.1	315	1,288	Boulevard Walk	Concrete	59.36	Curb	5.31	4.09	21.71	67	Marginal	Immediate Priority
SW05018	S The Stands DR	3.6	124	443	Boulevard Walk	Concrete	24.14	Curb	5.12	3.58	18.34	79	Fair	Low Priority
SW05012	S The Stands DR	3.4	762	2,624	Boulevard Walk	Concrete	246.39	Curb	3.09	3.44	10.65	76	Fair	Low Priority
SW04917	S The Stands DR	3.7	98	368	Boulevard Walk	Concrete	24.21	Curb	4.07	3.74	15.19	81	Fair	Low Priority
SW04892	S The Stands DR	3.9	139	542	Boulevard Walk	Concrete	24.90	Curb	5.57	3.90	21.76	72	Marginal	Low Priority
SW05013	S The Stands DR	3.8	825	3,097	Boulevard Walk	Concrete	152.57	Curb	5.41	3.75	20.30	77	Fair	Low Priority
SW04870	S The Stands DR	3.9	100	389	Boulevard Walk	Concrete	21.32	Curb	4.71	3.88	18.27	78	Fair	Low Priority
SW04869	S The Stands DR	3.7	222	829	Boulevard Walk	Concrete	54.56	Curb	4.07	3.74	15.19	88	Fair	Low Priority
SW04899	S The Stands DR	3.7	21	77	Boulevard Walk	Concrete	5.05	Curb	4.07	3.74	15.19	89	Fair	Deferrable Priority
SW04880	S The Stands DR	3.8	144	542	Boulevard Walk	Concrete	31.19	Curb	4.62	3.77	17.39	89	Fair	Deferrable Priority
SW04897	S The Stands DR	4.1	205	835	Boulevard Walk	Concrete	39.89	Curb	5.15	4.07	20.94	90	Fair	Deferrable Priority
SW04968	S The Stands DR	4.1	255	1,037	Boulevard Walk	Concrete	44.50	Curb	5.72	4.07	23.31	90	Good	Low Priority
SW04887	S The Stands DR	3.7	330	1,217	Boulevard Walk	Concrete	77.31	Curb	4.27	3.68	15.74	86	Fair	Immediate Priority
SW04909	S The Stands DR	3.7	212	791	Boulevard Walk	Concrete	52.09	Curb	4.07	3.74	15.19	91	Good	Deferrable Priority
SW04882	S The Stands DR	3.7	305	1,138	Boulevard Walk	Concrete	74.94	Curb	4.07	3.74	15.19	82	Fair	Low Priority
SW04911	S The Stands DR	3.8	215	822	Boulevard Walk	Concrete	49.55	Curb	4.33	3.83	16.59	80	Fair	Low Priority
SW04881	S The Stands DR	3.8	145	545	Boulevard Walk	Concrete	31.59	Curb	4.58	3.77	17.24	92	Good	Deferrable Priority
SW04985	S The Stands DR	3.9	102	396	Boulevard Walk	Concrete	21.44	Curb	4.74	3.90	18.47	93	Good	Deferrable Priority
SW04896	S The Stands DR	3.7	423	1,579	Boulevard Walk	Concrete	103.93	Curb	4.07	3.74	15.19	89	Fair	Low Priority
SW04988	S The Stands DR	4.0	111	445	Boulevard Walk	Concrete	21.60	Curb	5.15	4.01	20.63	95	Good	Deferrable Priority
SW04895	S The Stands DR	3.9	352	1,361	Boulevard Walk	Concrete	82.35	Curb	4.28	3.86	16.52	92	Good	Low Priority
SW04890	S The Stands DR	3.6	392	1,407	Boulevard Walk	Concrete	95.92	Curb	4.09	3.59	14.67	96	Good	Very Low Priority
SW04898	S The Stands DR	3.7	259	963	Boulevard Walk	Concrete	63.74	Curb	4.06	3.72	15.10	97	Good	Deferrable Priority
SW10485	S Timothy CT	3.8	180	688	Boulevard Walk	Concrete	39.33	Curb	4.57	3.83	17.48	52	Marginal	Low Priority
SW10487	S Timothy CT	3.9	27	105	Boulevard Walk	Concrete	4.78	Curb	5.64	3.91	22.06	68	Marginal	Low Priority
SW10490	S Timothy CT	4.2	206	860	Boulevard Walk	Concrete	36.52	Curb	5.65	4.17	23.56	71	Marginal	Low Priority
SW10483	S Timothy CT	4.1	43	179	Boulevard Walk	Concrete	8.22	Curb	5.25	4.15	21.76	73	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05808	S Tremont WAY	5.1	155	789	Mono Curb And Walk	Concrete	28.95	Curb	5.36	5.09	27.26	78	Fair	Low Priority
SW05816	S Tremont WAY	4.9	192	943	Mono Curb And Walk	Concrete	38.54	Curb	4.99	4.90	24.47	65	Marginal	Low Priority
SW05838	S Tudor LN	4.5	522	2,351	Boulevard Walk	Concrete	106.43	Curb	4.90	4.50	22.09	69	Marginal	Low Priority
SW05837	S Tudor LN	4.2	512	2,139	Boulevard Walk	Concrete	107.02	Curb	4.78	4.18	19.98	84	Fair	Low Priority
SW05152	S Twin Oaks VLY	4.2	113	478	Boulevard Walk	Concrete	20.04	Curb	5.63	4.24	23.86	50	Poor	Immediate Priority
SW05172	S Twin Oaks VLY	3.7	114	423	Boulevard Walk	Concrete	30.45	Curb	3.76	3.70	13.89	76	Fair	Low Priority
SW05156	S Twin Oaks VLY	4.1	207	840	Boulevard Walk	Concrete	46.52	Curb	4.45	4.06	18.05	67	Marginal	Low Priority
SW05171	S Twin Oaks VLY	4.1	88	358	Boulevard Walk	Concrete	19.83	Curb	4.45	4.06	18.05	93	Good	Deferrable Priority
SW01611	S Union ST	5.2	182	940	Mono Curb And Walk	Concrete	32.44	Curb	5.61	5.16	28.97	42	Poor	Immediate Priority
SW00895	S Union ST	4.4	178	775	No Curb And Walk	Concrete	37.82	No Curb	4.70	4.36	20.48	66	Marginal	Low Priority
SW00949	S Union ST	5.1	84	435	Mono Curb And Walk	Concrete	16.89	Curb	5.00	5.15	25.76	79	Fair	Low Priority
SW00975	S Union ST	4.3	300	1,286	Mono Curb And Walk	Concrete	60.99	Curb	4.92	4.29	21.08	79	Fair	Low Priority
SW06991	S Union ST	4.6	134	616	Mono Curb And Walk	Concrete	35.32	Curb	3.78	4.61	17.44	56	Marginal	Low Priority
SW01612	S Union ST	4.8	214	1,018	Mono Curb And Walk	Concrete	45.03	Curb	4.76	4.75	22.60	79	Fair	Immediate Priority
SW00950	S Union ST	5.3	174	923	Mono Curb And Walk	Concrete	34.87	Curb	4.99	5.31	26.46	88	Fair	Deferrable Priority
SW00977	S Union ST	5.3	111	584	Mono Curb And Walk	Concrete	20.43	Curb	5.42	5.28	28.60	73	Marginal	Very Low Priority
SW03253	S Valley Forge RD	4.2	164	691	Boulevard Walk	Concrete	27.64	Curb	5.93	4.22	24.99	62	Marginal	Low Priority
SW03252	S Valley Forge RD	3.4	118	403	Boulevard Walk	Concrete	32.24	Curb	3.66	3.42	12.49	71	Marginal	Low Priority
SW10720	S Village CT	4.0	535	2,142	Mono Curb And Walk	Concrete	126.07	Curb	4.25	4.00	16.99	82	Fair	Low Priority
SW10672	S Village CT	4.1	534	2,167	Mono Curb And Walk	Concrete	123.39	Curb	4.33	4.06	17.57	83	Fair	Low Priority
SW09651	S Walker ST	4.4	337	1,495	Mono Curb And Walk	Concrete	68.96	Curb	4.88	4.44	21.68	27	Very Poor	Immediate Priority
SW09648	S Walker ST	4.0	39	154	Boulevard Walk	Concrete	7.79	Curb	5.01	3.96	19.81	55	Marginal	Low Priority
SW02442	S Walker ST	4.5	137	610	Mono Curb And Walk	Concrete	20.23	No Curb	6.76	4.47	30.18	60	Marginal	Low Priority
SW02441	S Walker ST	4.4	114	504	Mono Curb And Walk	Concrete	18.09	Curb	6.31	4.42	27.89	62	Marginal	Low Priority
SW09649	S Walker ST	3.6	59	210	Mono Curb And Walk	Concrete	13.72	Curb	4.29	3.56	15.28	66	Marginal	Low Priority
SW10864	S Walker ST	4.1	117	482	Mono Curb And Walk	Concrete	30.87	Curb	3.80	4.10	15.61	55	Marginal	Low Priority
SW02438	S Walker ST	3.3	246	819	Boulevard Walk	Concrete	56.33	Curb	4.36	3.33	14.54	73	Marginal	Immediate Priority
SW02440	S Walker ST	3.4	85	289	Mono Curb And Walk	Concrete	20.75	Curb	4.12	3.39	13.95	62	Marginal	Low Priority
SW10865	S Walker ST	4.3	101	435	Mono Curb And Walk	Concrete	22.11	Curb	4.56	4.32	19.68	63	Marginal	Low Priority
SW02439	S Walker ST	3.4	31	105	Boulevard Walk	Concrete	7.79	Curb	3.95	3.40	13.43	83	Fair	Deferrable Priority
SW01877	S Walker ST	2.8	73	204	Boulevard Walk	Concrete	32.74	Curb	2.24	2.78	6.23	85	Fair	Low Priority
SW09558	S Walker ST	5.2	27	140	Mono Curb And Walk	Concrete	4.93	Curb	5.44	5.21	28.33	89	Fair	Deferrable Priority
SW09602	S Walker ST	4.6	108	501	Mono Curb And Walk	Concrete	20.00	Curb	5.40	4.64	25.05	89	Fair	Deferrable Priority
SW10839	S Walker ST	4.6	122	559	Mono Curb And Walk	Concrete	24.08	Curb	5.09	4.57	23.22	90	Fair	Very Low Priority
SW09647	S Walker ST	3.8	158	605	Mono Curb And Walk	Concrete	33.04	Curb	4.78	3.84	18.32	80	Fair	Very Low Priority
SW09569	S Walker ST	3.8	116	442	Mono Curb And Walk	Concrete	34.36	Curb	3.39	3.80	12.87	92	Good	Deferrable Priority
SW09609	S Walker ST	4.6	117	535	Mono Curb And Walk	Concrete	22.65	Curb	5.15	4.58	23.60	68	Marginal	Very Low Priority
SW09618	S Walker ST	4.6	150	688	Mono Curb And Walk	Concrete	31.66	Curb	4.75	4.58	21.74	94	Good	Deferrable Priority
SW09592	S Walker ST	4.9	153	745	Boulevard Walk	Concrete	31.50	Curb	4.86	4.87	23.65	94	Good	Deferrable Priority
SW09593	S Walker ST	5.4	182	976	Boulevard Walk	Concrete	31.26	Curb	5.83	5.35	31.21	98	Good	Deferrable Priority
SW05263	S Walnut ST	3.1	16	51	Mono Curb And Walk	Concrete	5.56	Curb	2.91	3.13	9.10	46	Poor	Immediate Priority
SW05275	S Walnut ST	5.0	69	344	Mono Curb And Walk	Concrete	11.64	Curb	5.97	4.95	29.56	26	Very Poor	Immediate Priority
SW05277	S Walnut ST	5.0	51	256	Mono Curb And Walk	Concrete	11.65	Curb	4.41	4.99	21.98	52	Marginal	Low Priority
SW05301	S Walnut ST	5.4	32	170	Mono Curb And Walk	Concrete	4.18	Curb	7.55	5.39	40.67	54	Marginal	Low Priority
SW05358	S Walnut ST	9.2	34	313	Mono Curb And Walk	Concrete	5.34	Curb	6.41	9.15	58.63	70	Marginal	Low Priority
SW05302	S Walnut ST	5.3	15	80	Mono Curb And Walk	Concrete	2.62	Curb	5.73	5.32	30.47	41	Poor	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02059	S Walnut ST	4.3	89	380	Mono Curb And Walk	Concrete	17.46	Curb	5.09	4.28	21.75	62	Marginal	Low Priority
SW05245	S Walnut ST	4.6	374	1,712	Boulevard Walk	Concrete	92.35	Partial Curb	4.05	4.57	18.53	67	Marginal	Low Priority
SW05444	S Walnut ST	4.8	41	193	Boulevard Walk	Concrete	9.12	Curb	4.45	4.76	21.18	73	Marginal	Low Priority
SW05453	S Walnut ST	4.8	56	267	Mono Curb And Walk	Concrete	10.97	Curb	5.07	4.81	24.37	73	Marginal	Low Priority
SW05328	S Walnut ST	5.0	43	214	Mono Curb And Walk	Concrete	7.80	Curb	5.45	5.04	27.45	39	Poor	Low Priority
SW00750	S Walnut ST	5.4	62	338	Boulevard Walk	Concrete	13.35	Curb	4.65	5.44	25.33	75	Fair	Low Priority
SW02065	S Walnut ST	4.0	46	185	Mono Curb And Walk	Concrete	10.72	Curb	4.33	3.99	17.27	53	Marginal	Low Priority
SW02055	S Walnut ST	5.0	52	259	Mono Curb And Walk	Concrete	8.30	Curb	6.27	4.98	31.25	64	Marginal	Low Priority
SW05299	S Walnut ST	4.8	373	1,777	Mono Curb And Walk	Concrete	72.13	Curb	5.17	4.76	24.64	66	Marginal	Immediate Priority
SW05325	S Walnut ST	4.7	171	803	Boulevard Walk	Concrete	29.38	Curb	5.84	4.69	27.34	76	Fair	Immediate Priority
SW01123	S Walnut ST	4.4	149	656	Mono Curb And Walk	Concrete	28.52	Curb	5.23	4.40	23.02	66	Marginal	Low Priority
SW00267	S Walnut ST	9.6	144	1,387	Mono Curb And Walk	Concrete	26.86	Curb	5.35	9.65	51.64	71	Marginal	Low Priority
SW05319	S Walnut ST	5.1	215	1,106	Mono Curb And Walk	Concrete	35.94	Curb	5.99	5.14	30.77	69	Marginal	Low Priority
SW05273	S Walnut ST	4.1	123	507	Mono Curb And Walk	Concrete	25.91	Curb	4.77	4.11	19.57	77	Fair	Low Priority
SW01121	S Walnut ST	3.9	211	821	Mono Curb And Walk	Concrete	50.45	Curb	4.18	3.89	16.27	66	Marginal	Immediate Priority
SW05475	S Walnut ST	4.8	36	171	Mono Curb And Walk	Concrete	7.94	Curb	4.48	4.81	21.56	45	Poor	Low Priority
SW01098	S Walnut ST	3.9	30	115	Mono Curb And Walk	Concrete	7.18	Curb	4.14	3.86	15.98	77	Fair	Very Low Priority
SW05298	S Walnut ST	4.5	100	456	Mono Curb And Walk	Concrete	18.72	Curb	5.35	4.55	24.34	53	Marginal	Low Priority
SW05316	S Walnut ST	4.6	238	1,090	Mono Curb And Walk	Concrete	48.19	Curb	4.94	4.58	22.61	74	Marginal	Low Priority
SW01119	S Walnut ST	5.0	54	270	Mono Curb And Walk	Concrete	11.01	Curb	4.88	5.02	24.51	50	Poor	Low Priority
SW05338	S Walnut ST	7.4	257	1,897	Boulevard Walk	Asphalt	64.13	No Curb	4.00	7.40	29.58	62	Marginal	Low Priority
SW05274	S Walnut ST	4.4	113	495	Mono Curb And Walk	Concrete	16.18	Curb	7.01	4.36	30.57	79	Fair	Low Priority
SW05306	S Walnut ST	4.8	51	242	Mono Curb And Walk	Concrete	10.23	Curb	4.95	4.77	23.62	79	Fair	Low Priority
SW05360	S Walnut ST	8.7	299	2,594	Boulevard Walk	Asphalt	74.85	Partial Curb	4.00	8.67	34.66	63	Marginal	Low Priority
SW05295	S Walnut ST	5.0	59	294	Mono Curb And Walk	Concrete	15.92	Curb	3.68	5.02	18.49	59	Marginal	Low Priority
SW02058	S Walnut ST	4.4	72	319	Mono Curb And Walk	Concrete	14.15	Curb	5.12	4.41	22.57	69	Marginal	Low Priority
SW05304	S Walnut ST	5.1	23	116	Mono Curb And Walk	Concrete	4.75	Curb	4.79	5.08	24.37	49	Poor	Very Low Priority
SW00276	S Walnut ST	10.1	157	1,585	Mono Curb And Walk	Concrete	28.50	Curb	5.50	10.12	55.63	53	Marginal	Low Priority
SW05288	S Walnut ST	4.6	48	218	Mono Curb And Walk	Concrete	7.73	Curb	6.15	4.58	28.18	34	Poor	Low Priority
SW05341	S Walnut ST	5.0	254	1,275	Boulevard Walk	Concrete	50.11	Curb	5.07	5.02	25.44	70	Marginal	Low Priority
SW00739	S Walnut ST	5.1	73	372	Boulevard Walk	Concrete	14.90	Curb	4.88	5.11	24.97	80	Fair	Low Priority
SW05270	S Walnut ST	4.0	61	246	Mono Curb And Walk	Concrete	14.99	Curb	4.06	4.04	16.39	80	Fair	Low Priority
SW05314	S Walnut ST	4.0	189	761	Boulevard Walk	Concrete	36.51	Curb	5.17	4.04	20.86	76	Fair	Low Priority
SW03161	S Walnut ST	3.6	116	421	Mono Curb And Walk	Concrete	20.80	Curb	5.56	3.64	20.24	80	Fair	Low Priority
SW05261	S Walnut ST	3.8	69	264	Boulevard Walk	Concrete	16.41	No Curb	4.23	3.80	16.07	49	Poor	Low Priority
SW05383	S Walnut ST	4.6	50	231	Mono Curb And Walk	Concrete	9.42	Curb	5.33	4.59	24.47	52	Marginal	Very Low Priority
SW01065	S Walnut ST	4.4	160	705	Mono Curb And Walk	Concrete	32.30	Curb	4.96	4.40	21.83	63	Marginal	Low Priority
SW05334	S Walnut ST	5.0	148	741	Boulevard Walk	Concrete	23.60	No Curb	6.28	5.00	31.41	82	Fair	Low Priority
SW05327	S Walnut ST	4.5	92	412	Mono Curb And Walk	Concrete	19.00	Curb	4.84	4.48	21.70	67	Marginal	Low Priority
SW05366	S Walnut ST	8.5	223	1,908	Boulevard Walk	Asphalt	55.87	Curb	4.00	8.54	34.16	69	Marginal	Low Priority
SW05326	S Walnut ST	4.7	862	4,081	Boulevard Walk	Concrete	182.03	Curb	4.74	4.74	22.42	75	Marginal	Low Priority
SW05318	S Walnut ST	5.0	315	1,577	Boulevard Walk	Concrete	64.62	Curb	4.87	5.01	24.40	73	Marginal	Low Priority
SW05323	S Walnut ST	4.5	772	3,478	Boulevard Walk	Concrete	153.84	Curb	5.02	4.51	22.61	82	Fair	Low Priority
SW05330	S Walnut ST	3.9	77	303	Boulevard Walk	Concrete	17.62	No Curb	4.37	3.93	17.18	61	Marginal	Low Priority
SW03107	S Walnut ST	3.8	130	498	Mono Curb And Walk	Concrete	35.08	Curb	3.72	3.82	14.21	85	Fair	Low Priority
SW05248	S Walnut ST	3.7	56	209	Mono Curb And Walk	Concrete	14.45	Curb	3.87	3.75	14.50	67	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05342	S Walnut ST	4.7	210	998	Boulevard Walk	Concrete	45.85	Curb	4.58	4.75	21.76	80	Fair	Low Priority
SW05329	S Walnut ST	4.9	130	634	Boulevard Walk	Concrete	26.89	No Curb	4.84	4.87	23.56	78	Fair	Low Priority
SW05452	S Walnut ST	4.8	248	1,197	Mono Curb And Walk	Concrete	49.58	Curb	5.01	4.82	24.14	70	Marginal	Low Priority
SW05269	S Walnut ST	4.5	171	768	Mono Curb And Walk	Concrete	33.77	Curb	5.07	4.49	22.74	66	Marginal	Low Priority
SW05463	S Walnut ST	4.9	337	1,649	Boulevard Walk	Concrete	82.70	Curb	4.08	4.89	19.95	81	Fair	Immediate Priority
SW05363	S Walnut ST	5.2	284	1,483	Boulevard Walk	Concrete	49.58	No Curb	5.73	5.22	29.92	86	Fair	Low Priority
SW06887	S Walnut ST	4.0	120	480	Mono Curb And Walk	Concrete	33.45	Curb	3.58	4.01	14.36	86	Fair	Low Priority
SW05244	S Walnut ST	4.8	645	3,100	Boulevard Walk	Concrete	185.06	Curb	3.48	4.81	16.75	81	Fair	Immediate Priority
SW00186	S Walnut ST	7.9	335	2,631	Mono Curb And Walk	Pavers / Brick	83.73	Curb	4.00	7.86	31.42	86	Fair	Low Priority
SW05353	S Walnut ST	4.8	106	505	Boulevard Walk	Concrete	22.33	Curb	4.73	4.78	22.60	79	Fair	Low Priority
SW05367	S Walnut ST	8.8	286	2,518	Boulevard Walk	Asphalt	71.43	Curb	4.00	8.81	35.26	86	Fair	Low Priority
SW01118	S Walnut ST	4.8	43	208	Mono Curb And Walk	Concrete	8.97	Curb	4.83	4.81	23.24	62	Marginal	Very Low Priority
SW05260	S Walnut ST	4.7	257	1,215	Mono Curb And Walk	Concrete	43.08	Curb	5.97	4.73	28.20	71	Marginal	Low Priority
SW05313	S Walnut ST	4.7	52	245	Mono Curb And Walk	Concrete	11.99	Curb	4.31	4.74	20.44	64	Marginal	Very Low Priority
SW01133	S Walnut ST	4.4	228	1,010	Mono Curb And Walk	Concrete	41.22	Curb	5.53	4.43	24.51	83	Fair	Low Priority
SW05294	S Walnut ST	4.5	23	102	Mono Curb And Walk	Concrete	4.03	Curb	5.60	4.50	25.19	87	Fair	Deferrable Priority
SW05250	S Walnut ST	3.6	75	268	Mono Curb And Walk	Concrete	20.61	Curb	3.63	3.58	13.03	87	Fair	Deferrable Priority
SW05290	S Walnut ST	3.7	174	640	Mono Curb And Walk	Concrete	58.12	Curb	2.99	3.69	11.01	87	Fair	Deferrable Priority
SW05267	S Walnut ST	4.0	113	455	Mono Curb And Walk	Concrete	29.97	Curb	3.79	4.02	15.20	87	Fair	Deferrable Priority
SW01144	S Walnut ST	3.9	229	897	Mono Curb And Walk	Concrete	49.67	Curb	4.62	3.91	18.06	72	Marginal	Low Priority
SW05264	S Walnut ST	3.6	75	269	Mono Curb And Walk	Concrete	21.86	Curb	3.41	3.61	12.32	88	Fair	Deferrable Priority
SW06919	S Walnut ST	3.5	67	236	Mono Curb And Walk	Concrete	21.96	Curb	3.06	3.51	10.74	88	Fair	Deferrable Priority
SW02063	S Walnut ST	4.7	52	246	Mono Curb And Walk	Concrete	8.82	Curb	5.94	4.70	27.92	88	Fair	Deferrable Priority
SW05271	S Walnut ST	4.1	54	224	Mono Curb And Walk	Concrete	13.26	Curb	4.08	4.13	16.86	88	Fair	Deferrable Priority
SW05321	S Walnut ST	5.1	158	811	Mono Curb And Walk	Concrete	26.53	Curb	5.96	5.13	30.58	88	Fair	Deferrable Priority
SW01099	S Walnut ST	3.8	90	345	Mono Curb And Walk	Concrete	22.44	Curb	4.01	3.84	15.39	88	Fair	Deferrable Priority
SW02053	S Walnut ST	4.0	63	250	Mono Curb And Walk	Concrete	13.56	Curb	4.64	3.98	18.47	88	Fair	Deferrable Priority
SW03126	S Walnut ST	4.4	179	789	Mono Curb And Walk	Concrete	36.30	Curb	4.92	4.42	21.73	88	Fair	Deferrable Priority
SW05256	S Walnut ST	4.3	234	1,015	Mono Curb And Walk	Concrete	48.54	Curb	4.83	4.33	20.90	84	Fair	Low Priority
SW05324	S Walnut ST	4.8	60	290	Mono Curb And Walk	Concrete	12.70	Curb	4.74	4.82	22.85	64	Marginal	Very Low Priority
SW05292	S Walnut ST	5.0	26	129	Mono Curb And Walk	Concrete	4.66	Curb	5.60	4.96	27.78	88	Fair	Deferrable Priority
SW00525	S Walnut ST	5.4	219	1,171	Mono Curb And Walk	Concrete	35.04	Curb	6.24	5.36	33.41	88	Fair	Deferrable Priority
SW02077	S Walnut ST	4.3	317	1,356	Mono Curb And Walk	Concrete	65.96	Curb	4.80	4.28	20.55	85	Fair	Low Priority
SW05305	S Walnut ST	5.0	20	100	Mono Curb And Walk	Concrete	3.31	Curb	6.10	4.97	30.32	47	Poor	Very Low Priority
SW00749	S Walnut ST	5.2	115	594	Boulevard Walk	Concrete	23.73	Curb	4.85	5.17	25.05	88	Fair	Deferrable Priority
SW05312	S Walnut ST	4.5	178	797	Boulevard Walk	Concrete	38.26	Curb	4.65	4.48	20.83	88	Fair	Deferrable Priority
SW02080	S Walnut ST	4.3	128	553	Mono Curb And Walk	Concrete	26.03	Curb	4.90	4.33	21.24	88	Fair	Deferrable Priority
SW05291	S Walnut ST	4.7	59	278	Mono Curb And Walk	Concrete	12.24	Curb	4.84	4.69	22.68	88	Fair	Deferrable Priority
SW05272	S Walnut ST	4.2	20	83	Mono Curb And Walk	Concrete	4.80	Curb	4.09	4.20	17.18	88	Fair	Deferrable Priority
SW01066	S Walnut ST	4.1	65	267	Mono Curb And Walk	Concrete	14.84	Curb	4.35	4.14	18.02	89	Fair	Deferrable Priority
SW02086	S Walnut ST	4.3	159	684	Mono Curb And Walk	Concrete	30.07	Curb	5.30	4.30	22.75	89	Fair	Deferrable Priority
SW00743	S Walnut ST	5.8	16	96	Boulevard Walk	Concrete	3.55	Curb	4.63	5.84	27.07	48	Poor	Very Low Priority
SW01136	S Walnut ST	4.1	98	397	Mono Curb And Walk	Concrete	20.17	Curb	4.83	4.07	19.68	89	Fair	Deferrable Priority
SW05249	S Walnut ST	3.7	20	73	Mono Curb And Walk	Concrete	5.05	Curb	3.87	3.75	14.50	89	Fair	Deferrable Priority
SW05339	S Walnut ST	7.4	154	1,134	Mono Curb And Walk	Concrete	38.47	Curb	4.00	7.37	29.49	63	Marginal	Very Low Priority
SW02049	S Walnut ST	4.4	200	881	Mono Curb And Walk	Concrete	38.68	Curb	5.17	4.41	22.77	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02056	S Walnut ST	4.5	51	228	Mono Curb And Walk	Concrete	10.42	Curb	4.90	4.47	21.93	89	Fair	Deferrable Priority
SW02064	S Walnut ST	4.5	84	374	Mono Curb And Walk	Concrete	15.69	Curb	5.32	4.48	23.83	89	Fair	Deferrable Priority
SW05322	S Walnut ST	4.4	52	231	Mono Curb And Walk	Concrete	10.36	Curb	5.01	4.44	22.25	89	Fair	Deferrable Priority
SW00527	S Walnut ST	7.5	153	1,152	Mono Curb And Walk	Concrete	15.77	Curb	9.70	7.54	73.06	89	Fair	Deferrable Priority
SW05474	S Walnut ST	4.8	953	4,602	Boulevard Walk	Concrete	206.11	Partial Curb	4.63	4.83	22.33	80	Fair	Low Priority
SW03159	S Walnut ST	5.3	188	1,000	Mono Curb And Walk	Concrete	38.68	Curb	4.87	5.31	25.86	89	Fair	Deferrable Priority
SW05307	S Walnut ST	4.6	234	1,085	Boulevard Walk	Concrete	53.85	Curb	4.35	4.64	20.14	89	Fair	Low Priority
SW05258	S Walnut ST	4.1	240	983	Mono Curb And Walk	Concrete	46.67	Curb	5.13	4.10	21.06	73	Marginal	Low Priority
SW05300	S Walnut ST	5.0	29	147	Boulevard Walk	Concrete	5.76	Curb	5.09	5.04	25.62	90	Fair	Deferrable Priority
SW02079	S Walnut ST	4.3	152	653	Mono Curb And Walk	Concrete	32.71	Curb	4.66	4.28	19.96	90	Fair	Deferrable Priority
SW05296	S Walnut ST	5.1	23	115	Mono Curb And Walk	Concrete	4.24	Curb	5.35	5.08	27.18	51	Marginal	Very Low Priority
SW05297	S Walnut ST	4.1	63	260	Mono Curb And Walk	Concrete	11.79	Curb	5.35	4.12	22.06	90	Fair	Deferrable Priority
SW02078	S Walnut ST	4.4	146	636	Mono Curb And Walk	Concrete	29.53	Curb	4.95	4.35	21.53	90	Fair	Deferrable Priority
SW02066	S Walnut ST	3.8	31	115	Mono Curb And Walk	Concrete	6.02	Curb	5.08	3.78	19.16	90	Good	Deferrable Priority
SW00528	S Walnut ST	7.4	58	431	Mono Curb And Walk	Concrete	6.18	Curb	9.37	7.44	69.70	90	Good	Deferrable Priority
SW03160	S Walnut ST	4.1	324	1,332	Mono Curb And Walk	Concrete	63.90	Curb	5.08	4.11	20.85	85	Fair	Low Priority
SW01092	S Walnut ST	4.4	180	790	Mono Curb And Walk	Concrete	29.43	Curb	6.11	4.39	26.83	77	Fair	Very Low Priority
SW05382	S Walnut ST	5.2	31	160	Boulevard Walk	Concrete	7.23	Curb	4.25	5.22	22.19	91	Good	Deferrable Priority
SW02054	S Walnut ST	4.2	40	168	Mono Curb And Walk	Concrete	7.46	Curb	5.39	4.17	22.49	92	Good	Deferrable Priority
SW01068	S Walnut ST	4.1	101	413	Mono Curb And Walk	Concrete	22.69	Curb	4.44	4.10	18.20	92	Good	Deferrable Priority
SW05303	S Walnut ST	4.5	28	124	Mono Curb And Walk	Concrete	7.77	Curb	3.58	4.46	15.97	92	Good	Deferrable Priority
SW00773	S Walnut ST	6.7	100	668	Boulevard Walk	Concrete	17.14	Curb	5.85	6.67	38.98	92	Good	Deferrable Priority
SW05278	S Walnut ST	5.0	454	2,293	Boulevard Walk	Concrete	83.78	Curb	5.42	5.05	27.37	80	Fair	Low Priority
SW05309	S Walnut ST	3.9	157	614	Boulevard Walk	Concrete	42.68	Curb	3.68	3.91	14.38	93	Good	Low Priority
SW00761	S Walnut ST	7.1	218	1,554	Boulevard Walk	Concrete	31.37	Curb	6.95	7.13	49.55	79	Fair	Very Low Priority
SW05361	S Walnut ST	9.3	267	2,490	Boulevard Walk	Concrete	28.75	No Curb	9.29	9.32	86.61	93	Good	Deferrable Priority
SW05332	S Walnut ST	4.9	82	405	Mono Curb And Walk	Concrete	21.00	No Curb	3.91	4.93	19.29	93	Good	Deferrable Priority
SW02060	S Walnut ST	4.3	45	191	Mono Curb And Walk	Concrete	9.92	Curb	4.50	4.29	19.30	93	Good	Deferrable Priority
SW05259	S Walnut ST	3.7	39	146	Mono Curb And Walk	Concrete	10.08	Curb	3.87	3.75	14.50	93	Good	Deferrable Priority
SW00695	S Walnut ST	11.3	132	1,488	Mono Curb And Walk	Concrete	22.71	Curb	5.82	11.26	65.50	94	Good	Deferrable Priority
SW03157	S Walnut ST	4.8	111	531	Mono Curb And Walk	Concrete	30.22	Curb	3.67	4.79	17.57	94	Good	Deferrable Priority
SW00774	S Walnut ST	5.0	113	568	Boulevard Walk	Concrete	20.99	Curb	5.39	5.02	27.08	94	Good	Deferrable Priority
SW05311	S Walnut ST	5.0	371	1,847	Boulevard Walk	Concrete	72.99	Curb	5.08	4.98	25.31	94	Good	Low Priority
SW00746	S Walnut ST	5.1	145	739	Boulevard Walk	Concrete	22.07	Curb	6.55	5.12	33.50	94	Good	Deferrable Priority
SW00744	S Walnut ST	5.9	61	356	Boulevard Walk	Concrete	11.24	Curb	5.39	5.88	31.68	94	Good	Deferrable Priority
SW05266	S Walnut ST	8.4	128	1,070	Boulevard Walk	Concrete	11.59	Curb	11.01	8.38	92.31	94	Good	Deferrable Priority
SW05276	S Walnut ST	4.8	65	316	Mono Curb And Walk	Concrete	11.60	Curb	5.63	4.84	27.26	94	Good	Deferrable Priority
SW06920	S Walnut ST	4.8	118	567	Mono Curb And Walk	Concrete	23.97	Curb	4.93	4.80	23.67	94	Good	Deferrable Priority
SW02076	S Walnut ST	4.6	127	578	Mono Curb And Walk	Concrete	24.39	Curb	5.20	4.56	23.70	94	Good	Deferrable Priority
SW00022	S Walnut ST	7.3	316	2,303	Mono Curb And Walk	Concrete	38.21	Curb	8.27	7.29	60.28	95	Good	Deferrable Priority
SW05352	S Walnut ST	5.3	150	790	Boulevard Walk	Concrete	29.03	No Curb	5.18	5.26	27.23	95	Good	Deferrable Priority
SW05345	S Walnut ST	5.3	149	787	Boulevard Walk	Concrete	27.01	Curb	5.53	5.27	29.15	95	Good	Deferrable Priority
SW00505	S Walnut ST	6.7	365	2,435	Boulevard Walk	Concrete	72.41	Curb	5.04	6.67	33.63	92	Good	Low Priority
SW00025	S Walnut ST	8.2	162	1,320	Boulevard Walk	Concrete	27.60	Curb	5.87	8.15	47.82	95	Good	Deferrable Priority
SW05340	S Walnut ST	7.4	140	1,029	Mono Curb And Walk	Concrete	34.89	Curb	4.00	7.37	29.49	78	Fair	Very Low Priority
SW00513	S Walnut ST	7.9	138	1,092	Boulevard Walk	Concrete	26.88	Curb	5.13	7.92	40.63	73	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02057	S Walnut ST	3.6	189	688	Mono Curb And Walk	Concrete	53.92	Curb	3.50	3.64	12.76	95	Good	Deferrable Priority
SW05331	S Walnut ST	4.6	96	441	Boulevard Walk	Concrete	19.65	No Curb	4.87	4.60	22.43	95	Good	Very Low Priority
SW00507	S Walnut ST	9.0	92	823	Boulevard Walk	Concrete	19.82	Curb	4.63	8.97	41.51	77	Fair	Very Low Priority
SW05293	S Walnut ST	4.6	89	409	Mono Curb And Walk	Concrete	16.01	Curb	5.57	4.59	25.53	96	Good	Deferrable Priority
SW05265	S Walnut ST	5.1	89	453	Boulevard Walk	Concrete	16.76	Curb	5.29	5.11	27.03	96	Good	Deferrable Priority
SW05365	S Walnut ST	9.2	354	3,275	Boulevard Walk	Concrete	68.53	Curb	5.17	9.24	47.79	84	Fair	Low Priority
SW05384	S Walnut ST	6.0	121	733	Boulevard Walk	Concrete	17.36	Curb	6.99	6.04	42.19	96	Good	Deferrable Priority
SW00747	S Walnut ST	4.7	200	934	Boulevard Walk	Concrete	35.33	Curb	5.67	4.66	26.43	96	Good	Deferrable Priority
SW00518	S Walnut ST	5.0	300	1,489	Mono Curb And Walk	Concrete	53.68	Curb	5.59	4.96	27.75	97	Good	Very Low Priority
SW00526	S Walnut ST	6.7	170	1,138	Mono Curb And Walk	Concrete	22.13	Curb	7.69	6.69	51.42	97	Good	Deferrable Priority
SW05310	S Walnut ST	4.8	376	1,789	Boulevard Walk	Concrete	81.05	Curb	4.63	4.77	22.08	98	Good	Deferrable Priority
SW00529	S Walnut ST	6.0	20	117	Boulevard Walk	Concrete	4.05	Curb	4.84	5.98	28.95	100	Good	No Priority
SW00740	S Walnut ST	5.9	28	166	Mono Curb And Walk	Concrete	6.47	Curb	4.36	5.88	25.60	100	Good	No Priority
SW00741	S Walnut ST	6.4	58	367	Boulevard Walk	Concrete	11.49	Curb	5.01	6.37	31.92	100	Good	No Priority
SW00742	S Walnut ST	5.7	15	89	Boulevard Walk	Concrete	3.19	Curb	4.85	5.73	27.81	100	Good	No Priority
SW00748	S Walnut ST	4.6	25	114	Boulevard Walk	Concrete	4.69	Curb	5.28	4.59	24.24	100	Good	No Priority
SW00759	S Walnut ST	7.0	172	1,209	Boulevard Walk	Concrete	25.17	Curb	6.84	7.02	48.03	100	Good	No Priority
SW00771	S Walnut ST	4.7	29	136	Boulevard Walk	Concrete	5.47	Curb	5.27	4.74	24.96	100	Good	No Priority
SW01091	S Walnut ST	4.1	8	34	Mono Curb And Walk	Concrete	1.72	Curb	4.89	4.08	19.97	100	Good	No Priority
SW05262	S Walnut ST	4.4	17	75	Mono Curb And Walk	Concrete	3.37	Curb	5.01	4.44	22.25	100	Good	No Priority
SW05268	S Walnut ST	4.4	18	81	Mono Curb And Walk	Concrete	4.16	Curb	4.41	4.42	19.48	100	Good	No Priority
SW05308	S Walnut ST	4.1	27	108	Stand Alone	Concrete	6.12	No Curb	4.33	4.08	17.68	100	Good	No Priority
SW05333	S Walnut ST	4.9	46	225	Boulevard Walk	Concrete	12.21	No Curb	3.80	4.86	18.45	100	Good	No Priority
SW05344	S Walnut ST	5.0	132	662	Boulevard Walk	Concrete	24.24	Curb	5.44	5.02	27.32	100	Good	No Priority
SW05350	S Walnut ST	5.0	114	570	Boulevard Walk	Concrete	24.91	Curb	4.58	4.99	22.88	100	Good	No Priority
SW05351	S Walnut ST	5.2	93	484	Mono Curb And Walk	Concrete	23.03	Curb	4.04	5.21	21.02	100	Good	No Priority
SW05362	S Walnut ST	9.3	80	746	Boulevard Walk	Concrete	8.60	No Curb	9.29	9.33	86.73	100	Good	No Priority
SW05478	S Walnut Street PIKE	4.9	323	1,595	Boulevard Walk	Concrete	54.99	Curb	5.88	4.93	29.02	55	Marginal	Low Priority
SW05477	S Walnut Street PIKE	4.3	141	603	Boulevard Walk	Concrete	28.64	Curb	4.92	4.28	21.05	53	Marginal	Low Priority
SW05460	S Walnut Street PIKE	5.1	165	837	Boulevard Walk	Concrete	31.54	No Curb	5.24	5.07	26.55	69	Marginal	Low Priority
SW05500	S Walnut Street PIKE	4.1	245	1,010	Boulevard Walk	Concrete	63.78	No Curb	3.84	4.13	15.84	57	Marginal	Immediate Priority
SW03591	S Walnut Street PIKE	4.1	572	2,352	Boulevard Walk	Concrete	133.19	No Curb	4.29	4.11	17.66	63	Marginal	Immediate Priority
SW05287	S Walnut Street PIKE	4.0	59	232	Boulevard Walk	Concrete	17.95	No Curb	3.27	3.95	12.93	71	Marginal	Low Priority
SW05457	S Walnut Street PIKE	5.2	157	817	Boulevard Walk	Concrete	28.34	Partial Curb	5.55	5.20	28.81	68	Marginal	Low Priority
SW05483	S Walnut Street PIKE	3.9	1037	4,050	Boulevard Walk	Concrete	221.63	No Curb	4.68	3.91	18.27	69	Marginal	Immediate Priority
SW05479	S Walnut Street PIKE	4.3	360	1,559	Boulevard Walk	Concrete	83.41	Partial Curb	4.31	4.34	18.69	65	Marginal	Low Priority
SW05458	S Walnut Street PIKE	5.0	201	1,003	Boulevard Walk	Concrete	38.52	No Curb	5.22	4.99	26.05	76	Fair	Low Priority
SW05315	S Walnut Street PIKE	4.7	299	1,419	Mono Curb And Walk	Concrete	50.51	Curb	5.92	4.75	28.10	76	Fair	Low Priority
SW03590	S Walnut Street PIKE	4.9	586	2,901	Boulevard Walk	Concrete	110.97	No Curb	5.29	4.95	26.14	66	Marginal	Immediate Priority
SW05512	S Walnut Street PIKE	4.2	12	49	Mono Curb And Walk	Concrete	3.64	Curb	3.24	4.18	13.57	78	Fair	Deferrable Priority
SW05465	S Walnut Street PIKE	5.3	178	942	Boulevard Walk	Concrete	30.91	No Curb	5.76	5.29	30.47	79	Fair	Low Priority
SW05470	S Walnut Street PIKE	5.0	50	249	Boulevard Walk	Concrete	9.80	Partial Curb	5.12	4.96	25.38	79	Fair	Low Priority
SW05381	S Walnut Street PIKE	4.7	202	950	Mono Curb And Walk	Concrete	34.31	Curb	5.88	4.71	27.70	70	Marginal	Low Priority
SW05482	S Walnut Street PIKE	3.7	618	2,278	Boulevard Walk	Concrete	140.87	No Curb	4.38	3.69	16.17	65	Marginal	Immediate Priority
SW05443	S Walnut Street PIKE	4.1	547	2,216	Boulevard Walk	Concrete	113.79	No Curb	4.81	4.05	19.48	68	Marginal	Low Priority
SW05476	S Walnut Street PIKE	5.1	500	2,569	Boulevard Walk	Concrete	94.24	No Curb	5.30	5.14	27.25	85	Fair	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05317	S Walnut Street PIKE	3.8	158	603	Boulevard Walk	Concrete	31.51	Curb	5.02	3.81	19.12	87	Fair	Low Priority
SW05286	S Walnut Street PIKE	3.7	95	348	Boulevard Walk	Concrete	34.20	No Curb	2.78	3.66	10.18	79	Fair	Very Low Priority
SW05501	S Walnut Street PIKE	4.6	455	2,077	Boulevard Walk	Concrete	100.99	No Curb	4.51	4.57	20.57	86	Fair	Low Priority
SW05284	S Walnut Street PIKE	4.5	132	592	Boulevard Walk	Concrete	30.00	No Curb	4.40	4.49	19.72	74	Marginal	Very Low Priority
SW05285	S Walnut Street PIKE	4.5	87	392	Boulevard Walk	Concrete	20.19	No Curb	4.33	4.48	19.40	93	Good	Deferrable Priority
SW05320	S Walnut Street PIKE	4.0	71	281	Boulevard Walk	Concrete	15.63	Curb	4.55	3.96	18.00	96	Good	Deferrable Priority
SW05507	S Walnut Street PIKE	4.7	45	211	Boulevard Walk	Concrete	8.61	No Curb	5.18	4.74	24.56	100	Good	No Priority
SW05513	S Walnut Street PIKE	4.8	7	32	Mono Curb And Walk	Concrete	2.03	Curb	3.35	4.77	15.95	100	Good	No Priority
SW05514	S Walnut Street PIKE	4.2	6	23	Mono Curb And Walk	Concrete	1.71	Curb	3.24	4.18	13.57	100	Good	No Priority
SW03136	S Washington ST	4.5	142	635	Boulevard Walk	Concrete	28.09	Curb	5.07	4.46	22.61	19	Very Poor	Immediate Priority
SW02081	S Washington ST	5.1	139	702	Boulevard Walk	Concrete	26.40	Curb	5.26	5.06	26.60	48	Poor	Immediate Priority
SW03154	S Washington ST	4.6	534	2,453	Boulevard Walk	Concrete	116.95	Curb	4.57	4.59	20.98	38	Poor	Immediate Priority
SW00269	S Washington ST	6.2	61	381	Mono Curb And Walk	Concrete	9.97	Curb	6.13	6.24	38.26	41	Poor	Low Priority
SW06889	S Washington ST	4.6	145	676	Mono Curb And Walk	Concrete	28.03	Curb	5.19	4.65	24.12	75	Fair	Low Priority
SW02084	S Washington ST	4.4	170	744	Mono Curb And Walk	Concrete	30.91	Curb	5.51	4.37	24.07	79	Fair	Low Priority
SW00291	S Washington ST	5.0	97	487	Boulevard Walk	Concrete	20.20	Curb	4.80	5.03	24.11	69	Marginal	Low Priority
SW03103	S Washington ST	4.5	689	3,082	Boulevard Walk	Concrete	159.52	Curb	4.32	4.47	19.32	67	Marginal	Immediate Priority
SW02061	S Washington ST	5.6	170	956	Mono Curb And Walk	Concrete	31.48	Curb	5.39	5.64	30.36	72	Marginal	Low Priority
SW06896	S Washington ST	4.4	147	641	Mono Curb And Walk	Concrete	26.66	Curb	5.51	4.37	24.07	73	Marginal	Low Priority
SW06888	S Washington ST	5.3	142	747	Mono Curb And Walk	Concrete	32.42	Curb	4.37	5.27	23.02	82	Fair	Deferrable Priority
SW03131	S Washington ST	4.4	191	847	Boulevard Walk	Pavers / Brick	47.78	Curb	4.00	4.43	17.72	77	Fair	Low Priority
SW00776	S Washington ST	4.4	15	66	Mono Curb And Walk	Concrete	3.02	Curb	4.92	4.42	21.72	84	Fair	Deferrable Priority
SW03127	S Washington ST	4.4	127	560	Boulevard Walk	Pavers / Brick	31.75	Curb	4.00	4.41	17.65	85	Fair	Low Priority
SW00270	S Washington ST	10.0	147	1,464	Mono Curb And Walk	Concrete	23.37	Curb	6.28	9.98	62.65	45	Poor	Low Priority
SW00775	S Washington ST	4.5	42	190	Boulevard Walk	Concrete	7.40	Curb	5.72	4.48	25.61	86	Fair	Deferrable Priority
SW02071	S Washington ST	4.3	142	609	Boulevard Walk	Pavers / Brick	35.40	Curb	4.00	4.30	17.20	86	Fair	Low Priority
SW00784	S Washington ST	4.8	82	397	Mono Curb And Walk	Concrete	16.36	Curb	5.01	4.85	24.27	69	Marginal	Very Low Priority
SW03169	S Washington ST	3.9	138	544	Boulevard Walk	Concrete	27.21	Curb	5.07	3.94	19.98	66	Marginal	Low Priority
SW00024	S Washington ST	5.3	181	960	Mono Curb And Walk	Concrete	29.40	Curb	6.16	5.30	32.65	87	Fair	Deferrable Priority
SW00023	S Washington ST	5.2	130	676	Mono Curb And Walk	Concrete	25.47	Curb	5.09	5.21	26.54	87	Fair	Deferrable Priority
SW01130	S Washington ST	4.1	315	1,298	Mono Curb And Walk	Concrete	69.90	Curb	4.50	4.12	18.57	71	Marginal	Low Priority
SW00298	S Washington ST	8.3	136	1,131	Mono Curb And Walk	Concrete	25.50	Curb	5.32	8.34	44.36	68	Marginal	Low Priority
SW03162	S Washington ST	4.1	119	494	Boulevard Walk	Pavers / Brick	29.75	Curb	4.00	4.15	16.60	88	Fair	Low Priority
SW00504	S Washington ST	5.1	441	2,249	Mono Curb And Walk	Concrete	76.46	Curb	5.76	5.10	29.42	64	Marginal	Very Low Priority
SW03133	S Washington ST	4.2	146	610	Boulevard Walk	Pavers / Brick	36.50	Curb	4.00	4.18	16.71	83	Fair	Low Priority
SW00763	S Washington ST	4.3	165	716	Boulevard Walk	Concrete	31.91	Curb	5.18	4.33	22.44	69	Marginal	Very Low Priority
SW01084	S Washington ST	4.4	326	1,419	Mono Curb And Walk	Concrete	64.91	Curb	5.02	4.35	21.86	77	Fair	Immediate Priority
SW01115	S Washington ST	6.0	136	818	Mono Curb And Walk	Concrete	22.40	Curb	6.05	6.04	36.52	90	Fair	Deferrable Priority
SW03115	S Washington ST	4.5	122	550	Boulevard Walk	Pavers / Brick	30.53	Curb	4.00	4.51	18.02	90	Good	Deferrable Priority
SW01077	S Washington ST	3.6	279	994	Mono Curb And Walk	Concrete	90.98	Curb	3.07	3.56	10.93	90	Good	Low Priority
SW01117	S Washington ST	5.5	295	1,611	Mono Curb And Walk	Concrete	55.91	Curb	5.28	5.46	28.82	90	Good	Low Priority
SW03114	S Washington ST	4.4	193	844	Boulevard Walk	Pavers / Brick	48.34	Curb	4.00	4.37	17.46	91	Good	Deferrable Priority
SW02070	S Washington ST	4.6	144	664	Boulevard Walk	Pavers / Brick	36.05	Curb	4.00	4.60	18.41	91	Good	Very Low Priority
SW03165	S Washington ST	4.3	128	549	Boulevard Walk	Pavers / Brick	31.92	Curb	4.00	4.30	17.20	86	Fair	Low Priority
SW02072	S Washington ST	4.3	140	597	Boulevard Walk	Pavers / Brick	34.95	Curb	4.00	4.27	17.08	91	Good	Deferrable Priority
SW01096	S Washington ST	5.7	317	1,796	Mono Curb And Walk	Concrete	47.87	Curb	6.62	5.67	37.51	70	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03152	S Washington ST	4.2	195	820	Boulevard Walk	Pavers / Brick	48.81	Curb	4.00	4.20	16.81	88	Fair	Low Priority
SW03122	S Washington ST	4.2	192	810	Boulevard Walk	Pavers / Brick	47.89	Curb	4.00	4.23	16.91	92	Good	Low Priority
SW03105	S Washington ST	5.0	148	740	Boulevard Walk	Concrete	28.67	Curb	5.17	4.99	25.80	93	Good	Deferrable Priority
SW00508	S Washington ST	9.5	92	872	Mono Curb And Walk	Concrete	14.73	Curb	6.22	9.51	59.18	93	Good	Deferrable Priority
SW00503	S Washington ST	5.3	43	230	Mono Curb And Walk	Concrete	7.83	Curb	5.54	5.30	29.38	60	Marginal	Very Low Priority
SW00511	S Washington ST	5.8	375	2,191	Mono Curb And Walk	Concrete	68.33	Curb	5.49	5.85	32.07	82	Fair	Very Low Priority
SW06894	S Washington ST	5.6	130	731	Mono Curb And Walk	Concrete	23.73	Curb	5.49	5.61	30.79	81	Fair	Very Low Priority
SW00495	S Washington ST	5.3	75	402	Mono Curb And Walk	Concrete	14.78	Curb	5.10	5.33	27.20	95	Good	Deferrable Priority
SW03172	S Washington ST	4.9	142	695	Boulevard Walk	Concrete	24.68	Curb	5.76	4.89	28.15	82	Fair	Very Low Priority
SW00277	S Washington ST	7.1	164	1,165	Boulevard Walk	Concrete	23.57	No Curb	6.98	7.09	49.42	96	Good	Deferrable Priority
SW00494	S Washington ST	6.6	186	1,225	Mono Curb And Walk	Concrete	35.70	Curb	5.20	6.59	34.30	84	Fair	Very Low Priority
SW01095	S Washington ST	5.6	325	1,813	Mono Curb And Walk	Concrete	63.08	Curb	5.16	5.57	28.73	88	Fair	Low Priority
SW00515	S Washington ST	7.8	145	1,128	Mono Curb And Walk	Concrete	20.45	Curb	7.07	7.80	55.14	97	Good	Deferrable Priority
SW06895	S Washington ST	5.6	139	782	Mono Curb And Walk	Concrete	25.57	Curb	5.43	5.64	30.60	84	Fair	Very Low Priority
SW01085	S Washington ST	4.2	295	1,241	Mono Curb And Walk	Concrete	61.31	Curb	4.81	4.21	20.23	91	Good	Very Low Priority
SW00732	S Washington ST	3.9	258	1,013	Mono Curb And Walk	Concrete	78.75	Curb	3.28	3.93	12.87	98	Good	Deferrable Priority
SW00493	S Washington ST	6.0	151	912	Mono Curb And Walk	Concrete	26.32	Curb	5.73	6.05	34.63	100	Good	No Priority
SW00509	S Washington ST	9.5	9	81	Mono Curb And Walk	Concrete	1.38	Curb	6.22	9.51	59.18	100	Good	No Priority
SW00510	S Washington ST	9.5	11	100	Mono Curb And Walk	Concrete	1.69	Curb	6.22	9.51	59.18	100	Good	No Priority
SW02222	S Weatherstone LN	4.9	613	3,014	Boulevard Walk	Concrete	123.92	Curb	4.95	4.91	24.32	58	Marginal	Immediate Priority
SW02235	S Weatherstone LN	5.0	444	2,225	Boulevard Walk	Concrete	83.97	Curb	5.29	5.01	26.50	60	Marginal	Immediate Priority
SW02231	S Weatherstone LN	4.9	206	1,006	Boulevard Walk	Concrete	42.71	Curb	4.83	4.88	23.57	60	Marginal	Low Priority
SW02232	S Weatherstone LN	5.1	281	1,423	Boulevard Walk	Concrete	53.87	Curb	5.22	5.06	26.42	48	Poor	Low Priority
SW02227	S Weatherstone LN	4.6	175	808	Boulevard Walk	Concrete	26.74	Curb	6.55	4.61	30.23	69	Marginal	Low Priority
SW02236	S Weatherstone LN	4.6	187	851	Boulevard Walk	Concrete	37.73	Curb	4.95	4.55	22.54	60	Marginal	Low Priority
SW02240	S Weatherstone LN	4.9	77	380	Boulevard Walk	Concrete	14.55	Curb	5.32	4.91	26.11	83	Fair	Low Priority
SW02226	S Weatherstone LN	4.9	288	1,403	Boulevard Walk	Concrete	47.19	Curb	6.10	4.87	29.73	69	Marginal	Low Priority
SW02241	S Weatherstone LN	5.2	22	116	Boulevard Walk	Concrete	4.05	Curb	5.47	5.24	28.68	87	Fair	Deferrable Priority
SW02233	S Weatherstone LN	4.8	92	439	Boulevard Walk	Concrete	18.82	Curb	4.88	4.78	23.33	87	Fair	Low Priority
SW02224	S Weatherstone LN	5.2	36	187	Boulevard Walk	Concrete	6.51	Curb	5.47	5.24	28.68	91	Good	Deferrable Priority
SW02238	S Weatherstone LN	4.3	917	3,896	Boulevard Walk	Concrete	231.91	Curb	3.95	4.25	16.80	89	Fair	Low Priority
SW02221	S Weatherstone LN	5.2	44	233	Boulevard Walk	Concrete	8.12	Curb	5.47	5.24	28.68	92	Good	Deferrable Priority
SW02225	S Weatherstone LN	5.2	91	477	Boulevard Walk	Concrete	16.65	Curb	5.47	5.24	28.68	94	Good	Deferrable Priority
SW02237	S Weatherstone LN	6.7	183	1,229	Boulevard Walk	Asphalt	45.82	Curb	4.00	6.71	26.83	100	Good	No Priority
SW03940	S Weimer RD	9.7	343	3,308	Boulevard Walk	Concrete	85.65	Partial Curb	4.00	9.66	38.62	89	Fair	Deferrable Priority
SW05835	S Wellington DR	4.0	409	1,617	Boulevard Walk	Concrete	79.66	Curb	5.13	3.96	20.30	37	Poor	Immediate Priority
SW05829	S Wellington DR	3.5	566	2,002	Boulevard Walk	Concrete	125.09	Curb	4.53	3.53	16.00	52	Marginal	Immediate Priority
SW06613	S West Pointe CT	4.0	125	498	Boulevard Walk	Concrete	28.54	Curb	4.40	3.97	17.45	87	Fair	Low Priority
SW06612	S West Pointe CT	3.8	162	618	Boulevard Walk	Concrete	44.19	Curb	3.66	3.82	13.98	89	Fair	Low Priority
SW06623	S Westhill CT	3.8	223	836	Boulevard Walk	Concrete	48.99	Curb	4.55	3.75	17.07	86	Fair	Low Priority
SW06625	S Westhill CT	3.6	218	778	Boulevard Walk	Concrete	54.82	Curb	3.97	3.57	14.20	96	Good	Low Priority
SW05624	S Westminster WAY	5.1	214	1,098	Mono Curb And Walk	Concrete	36.04	Curb	5.93	5.14	30.46	19	Very Poor	Low Priority
SW05585	S Westminster WAY	4.7	180	845	Mono Curb And Walk	Concrete	40.43	Curb	4.45	4.70	20.91	30	Poor	Low Priority
SW05601	S Westminster WAY	5.0	180	889	Mono Curb And Walk	Concrete	30.66	Curb	5.86	4.95	28.99	49	Poor	Low Priority
SW05654	S Westminster WAY	4.8	134	638	Boulevard Walk	Concrete	29.02	Curb	4.61	4.77	21.99	45	Poor	Immediate Priority
SW05602	S Westminster WAY	5.1	122	628	Mono Curb And Walk	Concrete	23.48	Curb	5.20	5.14	26.76	39	Poor	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05636	S Westminster WAY	5.1	141	717	Mono Curb And Walk	Concrete	26.35	Curb	5.36	5.07	27.19	50	Marginal	Low Priority
SW05581	S Westminster WAY	5.0	167	835	Mono Curb And Walk	Concrete	33.08	Curb	5.06	4.99	25.24	50	Poor	Low Priority
SW05635	S Westminster WAY	4.8	64	305	Mono Curb And Walk	Concrete	13.21	Curb	4.82	4.79	23.10	57	Marginal	Low Priority
SW05623	S Westminster WAY	4.9	155	762	Mono Curb And Walk	Concrete	31.18	Curb	4.97	4.91	24.44	63	Marginal	Low Priority
SW05871	S Westminster WAY	5.0	519	2,597	Mono Curb And Walk	Concrete	88.50	Curb	5.86	5.01	29.34	60	Marginal	Low Priority
SW05620	S Westminster WAY	4.6	122	563	Mono Curb And Walk	Concrete	23.94	Curb	5.10	4.61	23.49	76	Fair	Low Priority
SW05638	S Westminster WAY	4.9	167	817	Mono Curb And Walk	Concrete	33.19	Curb	5.02	4.90	24.60	64	Marginal	Low Priority
SW05628	S Westminster WAY	4.7	142	674	Mono Curb And Walk	Concrete	30.92	Curb	4.59	4.75	21.79	61	Marginal	Low Priority
SW05637	S Westminster WAY	4.7	241	1,136	Mono Curb And Walk	Concrete	49.75	Curb	4.85	4.71	22.83	68	Marginal	Low Priority
SW05625	S Westminster WAY	5.0	88	439	Mono Curb And Walk	Concrete	17.37	Curb	5.09	4.96	25.26	61	Marginal	Very Low Priority
SW05627	S Westminster WAY	5.0	132	658	Mono Curb And Walk	Concrete	25.89	Curb	5.09	5.00	25.43	61	Marginal	Low Priority
SW05809	S Westminster WAY	4.8	510	2,470	Mono Curb And Walk	Concrete	102.17	Curb	4.99	4.84	24.17	75	Fair	Low Priority
SW05634	S Westminster WAY	5.3	135	712	Mono Curb And Walk	Concrete	26.49	Curb	5.10	5.27	26.88	73	Marginal	Very Low Priority
SW10301	S Westplex AVE	3.5	61	213	Mono Curb And Walk	Concrete	15.52	Curb	3.96	3.47	13.75	63	Marginal	Low Priority
SW10323	S Westplex AVE	5.9	52	306	Mono Curb And Walk	Concrete	10.11	Curb	5.10	5.93	30.27	41	Poor	Low Priority
SW10303	S Westplex AVE	5.0	307	1,531	Mono Curb And Walk	Concrete	57.17	Curb	5.36	5.00	26.78	62	Marginal	Low Priority
SW10296	S Westplex AVE	5.0	104	519	Mono Curb And Walk	Concrete	19.39	Curb	5.34	5.01	26.78	73	Marginal	Low Priority
SW10297	S Westplex AVE	4.3	54	234	Mono Curb And Walk	Concrete	9.88	Curb	5.51	4.30	23.72	74	Marginal	Low Priority
SW10354	S Westplex AVE	5.3	150	800	Boulevard Walk	Concrete	23.70	Partial Curb	6.32	5.34	33.75	69	Marginal	Low Priority
SW10299	S Westplex AVE	3.2	82	264	Mono Curb And Walk	Concrete	21.06	Curb	3.92	3.21	12.55	56	Marginal	Low Priority
SW10335	S Westplex AVE	5.2	332	1,738	Boulevard Walk	Concrete	55.61	Partial Curb	5.97	5.23	31.26	86	Fair	Low Priority
SW10300	S Westplex AVE	3.7	72	268	Boulevard Walk	Concrete	15.73	Curb	4.56	3.73	17.03	69	Marginal	Very Low Priority
SW10340	S Westplex AVE	5.3	128	677	Boulevard Walk	Concrete	22.99	Partial Curb	5.57	5.29	29.45	90	Fair	Deferrable Priority
SW10304	S Westplex AVE	3.8	98	373	Mono Curb And Walk	Concrete	18.64	Curb	5.25	3.81	20.02	93	Good	Deferrable Priority
SW10334	S Westplex AVE	4.8	31	147	Boulevard Walk	Concrete	5.91	Curb	5.17	4.81	24.83	100	Good	No Priority
SW10680	S Westwood DR	4.5	196	889	Boulevard Walk	Concrete	28.15	Curb	6.96	4.54	31.58	66	Marginal	Low Priority
SW10666	S Westwood DR	4.5	272	1,238	Boulevard Walk	Concrete	47.79	Curb	5.70	4.55	25.89	74	Marginal	Immediate Priority
SW10718	S Westwood DR	4.6	714	3,283	Boulevard Walk	Concrete	146.42	Curb	4.88	4.60	22.42	78	Fair	Immediate Priority
SW10670	S Westwood DR	4.8	711	3,417	Boulevard Walk	Concrete	113.58	Curb	6.26	4.80	30.08	88	Fair	Immediate Priority
SW10667	S Westwood DR	4.9	643	3,142	Boulevard Walk	Concrete	102.32	Curb	6.29	4.89	30.71	89	Fair	Low Priority
SW10683	S Westwood DR	4.9	726	3,541	Boulevard Walk	Concrete	130.13	Curb	5.58	4.88	27.21	84	Fair	Low Priority
SW03374	S Wexley RD	4.9	259	1,261	Boulevard Walk	Concrete	53.11	Curb	4.87	4.87	23.75	84	Fair	Low Priority
SW03376	S Wexley RD	4.5	616	2,751	Boulevard Walk	Concrete	122.57	Curb	5.02	4.47	22.44	90	Fair	Deferrable Priority
SW03348	S Wexley RD	5.0	278	1,384	Boulevard Walk	Concrete	56.16	Curb	4.96	4.97	24.64	85	Fair	Low Priority
SW03377	S Wexley RD	5.4	683	3,709	Mono Curb And Walk	Concrete	116.23	Curb	5.88	5.43	31.91	79	Fair	Low Priority
SW06371	S White Tail RUN	4.0	243	968	Mono Curb And Walk	Concrete	41.76	Curb	5.83	3.98	23.18	62	Marginal	Low Priority
SW06383	S White Tail RUN	4.1	116	473	Boulevard Walk	Concrete	23.85	Curb	4.86	4.08	19.85	90	Fair	Low Priority
SW06384	S White Tail RUN	3.9	144	568	Mono Curb And Walk	Concrete	26.59	Curb	5.42	3.94	21.36	69	Marginal	Very Low Priority
SW06253	S Whitley DR	3.9	495	1,934	Boulevard Walk	Concrete	112.97	Curb	4.38	3.91	17.12	79	Fair	Low Priority
SW06256	S Whitley DR	3.9	454	1,778	Boulevard Walk	Concrete	88.39	Curb	5.14	3.91	20.12	73	Marginal	Low Priority
SW03268	S Williams CT	3.6	401	1,460	Boulevard Walk	Concrete	82.50	Curb	4.86	3.64	17.70	30	Poor	Immediate Priority
SW03269	S Williams CT	3.8	400	1,524	Boulevard Walk	Concrete	102.17	Curb	3.92	3.81	14.92	70	Marginal	Low Priority
SW03375	S Wilton DR	4.8	232	1,116	Boulevard Walk	Concrete	46.88	Curb	4.95	4.81	23.80	60	Marginal	Immediate Priority
SW03359	S Wilton DR	4.9	321	1,567	Boulevard Walk	Concrete	66.64	Curb	4.82	4.88	23.52	74	Marginal	Immediate Priority
SW03351	S Wilton DR	5.1	281	1,429	Boulevard Walk	Concrete	54.78	Curb	5.13	5.09	26.09	82	Fair	Immediate Priority
SW03327	S Wilton DR	5.0	193	965	Boulevard Walk	Concrete	29.50	Curb	6.53	5.01	32.72	93	Good	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03755	S Winfield RD	4.3	224	970	Boulevard Walk	Concrete	48.31	Curb	4.64	4.32	20.07	50	Marginal	Immediate Priority
SW03751	S Winfield RD	4.8	98	473	Mono Curb And Walk	Concrete	19.12	Curb	5.12	4.83	24.72	51	Marginal	Immediate Priority
SW03754	S Winfield RD	3.6	195	713	Boulevard Walk	Concrete	40.47	Curb	4.83	3.65	17.61	37	Poor	Low Priority
SW03740	S Winfield RD	4.7	178	842	Boulevard Walk	Concrete	38.67	No Curb	4.60	4.74	21.77	48	Poor	Low Priority
SW03255	S Winfield RD	3.6	306	1,113	Boulevard Walk	Concrete	69.37	Curb	4.41	3.64	16.05	69	Marginal	Immediate Priority
SW03741	S Winfield RD	4.8	221	1,056	Mono Curb And Walk	Concrete	40.87	Curb	5.42	4.77	25.84	62	Marginal	Low Priority
SW03263	S Winfield RD	4.7	119	556	Mono Curb And Walk	Concrete	27.93	Curb	4.26	4.68	19.91	85	Fair	Low Priority
SW03264	S Winfield RD	6.0	61	365	Mono Curb And Walk	Concrete	12.22	Curb	5.00	5.97	29.85	86	Fair	Deferrable Priority
SW03753	S Winfield RD	5.3	159	841	Mono Curb And Walk	Concrete	37.48	Curb	4.24	5.30	22.45	87	Fair	Low Priority
SW03257	S Winfield RD	6.7	51	343	Mono Curb And Walk	Concrete	8.52	Curb	6.02	6.69	40.25	89	Fair	Deferrable Priority
SW04736	S Wingfield DR	4.1	104	427	Boulevard Walk	Concrete	19.29	Curb	5.37	4.12	22.12	79	Fair	Low Priority
SW04734	S Wingfield DR	3.8	312	1,188	Boulevard Walk	Concrete	64.85	Curb	4.81	3.81	18.33	60	Marginal	Low Priority
SW04739	S Wingfield DR	3.9	111	430	Boulevard Walk	Concrete	23.35	Curb	4.77	3.86	18.42	78	Fair	Low Priority
SW04737	S Wingfield DR	3.7	178	661	Boulevard Walk	Concrete	41.85	Curb	4.25	3.72	15.79	76	Fair	Low Priority
SW06616	S Winridge CT	3.7	181	672	Boulevard Walk	Concrete	41.98	Curb	4.30	3.73	16.02	60	Marginal	Low Priority
SW06615	S Winridge CT	3.8	183	696	Boulevard Walk	Concrete	39.82	Curb	4.58	3.81	17.47	83	Fair	Low Priority
SW05617	S Winslow Farm DR	4.1	68	279	Mono Curb And Walk	Concrete	12.62	Curb	5.40	4.10	22.14	70	Marginal	Low Priority
SW05618	S Winslow Farm DR	3.9	96	377	Boulevard Walk	Concrete	19.88	Curb	4.83	3.92	18.94	62	Marginal	Low Priority
SW05616	S Winslow Farm DR	3.9	85	335	Boulevard Walk	Concrete	21.29	Curb	3.99	3.94	15.72	89	Fair	Low Priority
SW05619	S Winslow Farm DR	3.8	91	342	Mono Curb And Walk	Concrete	17.76	Curb	5.11	3.76	19.23	71	Marginal	Very Low Priority
SW05614	S Winslow Farm DR	3.8	293	1,114	Boulevard Walk	Concrete	49.95	Curb	5.87	3.80	22.30	63	Marginal	Low Priority
SW05615	S Winslow Farm DR	4.3	301	1,291	Boulevard Walk	Concrete	52.16	Curb	5.77	4.29	24.75	87	Fair	Very Low Priority
SW03730	S Woodbine CT	4.3	251	1,067	Boulevard Walk	Concrete	48.61	Curb	5.17	4.87	25.15	47	Poor	Immediate Priority
SW03726	S Woodbine CT	4.9	253	1,230	Boulevard Walk	Concrete	53.89	Curb	4.69	4.86	22.82	61	Marginal	Immediate Priority
SW02799	S Woodlawn AVE	5.7	100	571	Mono Curb And Walk	Concrete	17.93	Curb	5.58	5.71	31.87	8	Very Poor	Immediate Priority
SW02717	S Woodlawn AVE	4.6	101	470	Mono Curb And Walk	Concrete	14.83	Curb	6.84	4.63	31.72	14	Very Poor	Immediate Priority
SW02747	S Woodlawn AVE	4.9	135	664	Mono Curb And Walk	Concrete	24.22	Curb	5.58	4.91	27.41	56	Marginal	Low Priority
SW02746	S Woodlawn AVE	4.6	138	638	Mono Curb And Walk	Concrete	24.60	Curb	5.63	4.61	25.93	60	Marginal	Low Priority
SW03063	S Woodlawn AVE	4.5	177	791	Mono Curb And Walk	Concrete	37.09	Curb	4.78	4.46	21.34	47	Poor	Low Priority
SW02851	S Woodlawn AVE	5.3	31	166	Mono Curb And Walk	Concrete	6.07	Curb	5.18	5.28	27.36	60	Marginal	Low Priority
SW02659	S Woodlawn AVE	4.1	252	1,023	Mono Curb And Walk	Concrete	42.21	Curb	5.98	4.06	24.25	71	Marginal	Immediate Priority
SW02698	S Woodlawn AVE	5.0	134	675	Mono Curb And Walk	Concrete	18.68	Curb	7.16	5.05	36.12	79	Fair	Low Priority
SW03065	S Woodlawn AVE	4.6	245	1,127	Mono Curb And Walk	Concrete	50.05	Curb	4.89	4.61	22.53	80	Fair	Low Priority
SW02712	S Woodlawn AVE	4.4	110	481	Mono Curb And Walk	Concrete	16.85	Curb	6.52	4.38	28.54	55	Marginal	Low Priority
SW02767	S Woodlawn AVE	4.2	137	571	Mono Curb And Walk	Concrete	29.41	Curb	4.66	4.17	19.43	57	Marginal	Low Priority
SW02720	S Woodlawn AVE	4.5	119	530	Mono Curb And Walk	Concrete	22.12	Curb	5.37	4.46	23.95	64	Marginal	Low Priority
SW02688	S Woodlawn AVE	4.4	238	1,048	Mono Curb And Walk	Concrete	46.60	Curb	5.10	4.41	22.50	75	Fair	Immediate Priority
SW01817	S Woodlawn AVE	4.2	21	88	Mono Curb And Walk	Concrete	6.13	Curb	3.39	4.23	14.33	85	Fair	Deferrable Priority
SW02848	S Woodlawn AVE	4.7	23	108	Mono Curb And Walk	Concrete	6.73	Curb	3.41	4.71	16.03	86	Fair	Deferrable Priority
SW00674	S Woodlawn AVE	4.8	98	468	Mono Curb And Walk	Concrete	18.64	Curb	5.25	4.79	25.13	62	Marginal	Very Low Priority
SW02703	S Woodlawn AVE	4.6	151	695	Mono Curb And Walk	Concrete	32.64	Curb	4.63	4.60	21.30	88	Fair	Deferrable Priority
SW03067	S Woodlawn AVE	4.1	68	281	Mono Curb And Walk	Concrete	20.37	Curb	3.35	4.12	13.78	67	Marginal	Very Low Priority
SW02808	S Woodlawn AVE	4.4	103	455	Mono Curb And Walk	Concrete	24.77	Curb	4.15	4.43	18.36	66	Marginal	Very Low Priority
SW03066	S Woodlawn AVE	4.5	281	1,259	Mono Curb And Walk	Concrete	52.62	Curb	5.34	4.48	23.92	58	Marginal	Low Priority
SW02692	S Woodlawn AVE	4.0	144	578	Mono Curb And Walk	Concrete	28.45	Curb	5.06	4.02	20.32	74	Marginal	Very Low Priority
SW00682	S Woodlawn AVE	4.6	181	830	Mono Curb And Walk	Concrete	37.07	Curb	4.88	4.59	22.40	77	Fair	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02693	S Woodlawn AVE	3.8	86	328	Mono Curb And Walk	Concrete	19.90	Curb	4.30	3.84	16.51	71	Marginal	Very Low Priority
SW03064	S Woodlawn AVE	4.6	357	1,653	Mono Curb And Walk	Concrete	84.92	Curb	4.21	4.63	19.47	70	Marginal	Low Priority
SW02704	S Woodlawn AVE	4.9	43	209	Boulevard Walk	Concrete	11.78	Curb	3.61	4.92	17.78	90	Fair	Deferrable Priority
SW02849	S Woodlawn AVE	4.1	145	592	Mono Curb And Walk	Concrete	26.48	Curb	5.46	4.09	22.34	91	Good	Deferrable Priority
SW02763	S Woodlawn AVE	4.3	122	525	Mono Curb And Walk	Concrete	24.82	Curb	4.90	4.31	21.13	75	Marginal	Very Low Priority
SW02852	S Woodlawn AVE	4.0	133	539	Mono Curb And Walk	Concrete	25.14	Curb	5.31	4.04	21.46	78	Fair	Very Low Priority
SW02690	S Woodlawn AVE	4.6	224	1,035	Mono Curb And Walk	Concrete	41.02	Curb	5.45	4.63	25.23	73	Marginal	Very Low Priority
SW02722	S Woodlawn AVE	4.6	96	440	Mono Curb And Walk	Concrete	16.90	Curb	5.69	4.58	26.06	92	Good	Deferrable Priority
SW02757	S Woodlawn AVE	4.3	248	1,076	Mono Curb And Walk	Concrete	48.57	Curb	5.10	4.34	22.15	93	Good	Deferrable Priority
SW00671	S Woodlawn AVE	3.4	230	780	Mono Curb And Walk	Concrete	69.91	Curb	3.29	3.40	11.16	93	Good	Deferrable Priority
SW02697	S Woodlawn AVE	4.6	48	218	Mono Curb And Walk	Concrete	10.49	Curb	4.54	4.58	20.80	94	Good	Deferrable Priority
SW02764	S Woodlawn AVE	4.5	85	381	Mono Curb And Walk	Concrete	16.72	Curb	5.09	4.48	22.77	94	Good	Deferrable Priority
SW01796	S Woodlawn AVE	4.2	114	474	Mono Curb And Walk	Concrete	25.19	Curb	4.53	4.15	18.80	79	Fair	Very Low Priority
SW02809	S Woodlawn AVE	5.7	70	398	Mono Curb And Walk	Concrete	15.23	Curb	4.60	5.69	26.15	95	Good	Deferrable Priority
SW00670	S Woodlawn AVE	6.6	13	88	Mono Curb And Walk	Concrete	2.45	Curb	5.45	6.61	36.03	100	Good	No Priority
SW01798	S Woodlawn AVE	7.2	34	243	Boulevard Walk	Concrete	5.15	Curb	6.55	7.20	47.17	100	Good	No Priority
SW02756	S Woodlawn AVE	4.2	39	166	Mono Curb And Walk	Concrete	8.30	Curb	4.70	4.25	19.98	100	Good	No Priority
SW02801	S Woodlawn AVE	5.0	45	224	Mono Curb And Walk	Concrete	8.30	Curb	5.37	5.03	27.05	100	Good	No Priority
SW03632	S Woods Edge BND	3.9	501	1,969	Boulevard Walk	Concrete	95.27	Curb	5.26	3.93	20.67	68	Marginal	Immediate Priority
SW03601	S Woods Edge BND	3.5	639	2,259	Boulevard Walk	Concrete	125.44	Curb	5.09	3.54	18.01	64	Marginal	Immediate Priority
SW03633	S Woods Edge BND	3.7	237	877	Boulevard Walk	Concrete	45.23	Curb	5.24	3.70	19.38	64	Marginal	Low Priority
SW03602	S Woods Edge BND	3.9	212	835	Boulevard Walk	Concrete	44.11	Curb	4.81	3.94	18.92	84	Fair	Low Priority
SW06073	S Woodscrest DR	4.4	97	429	Boulevard Walk	Concrete	21.48	Curb	4.53	4.40	19.96	66	Marginal	Immediate Priority
SW06130	S Woodscrest DR	4.1	67	276	Mono Curb And Walk	Concrete	12.24	Curb	5.50	4.10	22.55	52	Marginal	Low Priority
SW03731	S Woodscrest DR	5.4	454	2,448	Boulevard Walk	Concrete	79.72	Curb	5.69	5.39	30.71	55	Marginal	Low Priority
SW06092	S Woodscrest DR	4.8	224	1,063	Mono Curb And Walk	Concrete	48.44	Curb	4.62	4.75	21.95	72	Marginal	Low Priority
SW06108	S Woodscrest DR	4.3	57	248	Mono Curb And Walk	Concrete	13.64	Curb	4.21	4.32	18.19	57	Marginal	Very Low Priority
SW06068	S Woodscrest DR	4.6	51	236	Boulevard Walk	Concrete	13.68	Curb	3.76	4.59	17.23	86	Fair	Deferrable Priority
SW06131	S Woodscrest DR	4.6	97	445	Boulevard Walk	Concrete	16.18	Curb	6.01	4.57	27.50	87	Fair	Deferrable Priority
SW06093	S Woodscrest DR	4.8	185	887	Boulevard Walk	Concrete	41.03	Curb	4.50	4.80	21.61	91	Good	Deferrable Priority
SW03718	S Woodscrest DR	4.6	432	1,985	Boulevard Walk	Concrete	94.87	Curb	4.55	4.60	20.92	92	Good	Low Priority
SW06067	S Woodscrest DR	4.4	47	207	Mono Curb And Walk	Concrete	9.86	Curb	4.77	4.40	20.99	64	Marginal	Very Low Priority
SW06105	S Woodscrest DR	4.6	73	333	Boulevard Walk	Concrete	20.48	Curb	3.56	4.56	16.24	95	Good	Deferrable Priority
SW06065	S Woodscrest DR	4.5	264	1,193	Mono Curb And Walk	Concrete	45.12	Curb	5.85	4.52	26.44	70	Marginal	Very Low Priority
SW06106	S Woodscrest DR	4.5	77	341	Mono Curb And Walk	Concrete	15.96	Curb	4.80	4.45	21.35	71	Marginal	Very Low Priority
SW06107	S Woodscrest DR	4.6	31	144	Mono Curb And Walk	Concrete	7.03	Curb	4.47	4.59	20.47	100	Good	No Priority
SW10730	S Woodside DR	5.7	39	222	Boulevard Walk	Concrete	7.86	Curb	4.93	5.73	28.25	60	Marginal	Low Priority
SW10663	S Woodside DR	5.7	96	552	Boulevard Walk	Concrete	17.64	Curb	5.47	5.73	31.31	56	Marginal	Low Priority
SW10658	S Woodside DR	5.0	321	1,608	Boulevard Walk	Concrete	61.59	Curb	5.21	5.01	26.12	83	Fair	Immediate Priority
SW10659	S Woodside DR	5.7	299	1,713	Boulevard Walk	Concrete	44.07	Curb	6.79	5.73	38.86	64	Marginal	Low Priority
SW10661	S Woodside DR	5.7	444	2,542	Boulevard Walk	Concrete	65.41	Curb	6.79	5.73	38.86	78	Fair	Low Priority
SW10729	S Woodside DR	5.7	43	247	Boulevard Walk	Concrete	6.35	Curb	6.79	5.73	38.86	90	Good	Deferrable Priority
SW10664	S Woodside DR	5.1	347	1,784	Boulevard Walk	Concrete	70.35	Curb	4.93	5.15	25.36	95	Good	Deferrable Priority
SW10660	S Woodside DR	4.9	77	377	Boulevard Walk	Concrete	15.64	Curb	4.93	4.90	24.13	100	Good	No Priority
SW10662	S Woodside DR	5.7	83	474	Boulevard Walk	Concrete	12.20	Curb	6.79	5.73	38.86	100	Good	No Priority
SW10172	S Wynnendale DR	13.3	29	384	Mono Curb And Walk	Concrete	4.56	Curb	6.35	13.27	84.22	100	Good	No Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05580	S Xavier CT	4.7	316	1,501	Boulevard Walk	Concrete	79.79	Curb	3.96	4.75	18.81	51	Marginal	Immediate Priority
SW05579	S Xavier CT	4.0	199	796	Boulevard Walk	Concrete	37.75	Curb	5.27	4.00	21.08	60	Marginal	Immediate Priority
SW05568	S Xavier CT	4.3	197	840	Boulevard Walk	Concrete	43.26	Curb	4.56	4.26	19.42	61	Marginal	Immediate Priority
SW10214	S Yancy LN	4.5	90	407	Mono Curb And Walk	Concrete	17.99	Curb	5.03	4.50	22.64	88	Fair	Deferrable Priority
SW10213	S Yancy LN	4.9	49	240	Mono Curb And Walk	Concrete	10.13	Curb	4.84	4.89	23.68	90	Good	Deferrable Priority
SW10215	S Yancy LN	5.5	8	43	Mono Curb And Walk	Concrete	1.66	Curb	4.76	5.45	25.94	100	Good	No Priority
SW05159	S Zona CT	4.7	59	277	Boulevard Walk	Concrete	12.77	Curb	4.58	4.73	21.67	24	Very Poor	Low Priority
SW05157	S Zona CT	4.0	227	910	Boulevard Walk	Concrete	51.40	Curb	4.42	4.01	17.71	73	Marginal	Low Priority
SW05167	S Zona CT	3.8	260	987	Boulevard Walk	Concrete	56.29	Curb	4.61	3.80	17.53	79	Fair	Low Priority
SW05160	S Zona CT	3.7	82	302	Boulevard Walk	Concrete	19.01	Curb	4.32	3.67	15.88	83	Fair	Low Priority
SW08122	W 10th ST	5.6	105	592	Mono Curb And Walk	Concrete	20.84	Curb	5.05	5.63	28.42	31	Poor	Immediate Priority
SW08121	W 10th ST	5.1	128	650	Boulevard Walk	Concrete	24.84	Curb	5.16	5.07	26.19	42	Poor	Immediate Priority
SW08132	W 10th ST	4.7	231	1,076	Boulevard Walk	Concrete	48.97	Curb	4.72	4.66	21.97	60	Marginal	Low Priority
SW08042	W 10th ST	5.1	436	2,220	Boulevard Walk	Concrete	78.97	No Curb	5.52	5.10	28.11	81	Fair	Low Priority
SW07295	W 10th ST	5.8	32	185	Mono Curb And Walk	Concrete	6.52	Curb	4.87	5.84	28.41	58	Marginal	Very Low Priority
SW07292	W 10th ST	5.7	158	903	Mono Curb And Walk	Concrete	33.35	Curb	4.74	5.72	27.07	81	Fair	Low Priority
SW07296	W 10th ST	5.5	163	899	Mono Curb And Walk	Concrete	31.70	Curb	5.15	5.50	28.34	71	Marginal	Low Priority
SW08123	W 10th ST	4.7	139	647	Mono Curb And Walk	Concrete	32.75	Curb	4.23	4.67	19.75	76	Fair	Low Priority
SW07289	W 10th ST	6.7	155	1,032	Mono Curb And Walk	Concrete	33.31	Curb	4.65	6.67	30.99	68	Marginal	Low Priority
SW07288	W 10th ST	9.6	152	1,462	Mono Curb And Walk	Concrete	30.89	Curb	4.93	9.61	47.33	74	Marginal	Low Priority
SW07313	W 10th ST	5.7	108	612	Mono Curb And Walk	Concrete	19.35	Curb	5.58	5.67	31.63	86	Fair	Low Priority
SW08133	W 10th ST	5.2	126	660	Mono Curb And Walk	Concrete	27.07	Curb	4.65	5.24	24.37	80	Fair	Low Priority
SW08039	W 10th ST	5.1	477	2,415	Boulevard Walk	Concrete	76.75	No Curb	6.21	5.07	31.46	85	Fair	Low Priority
SW08054	W 10th ST	4.4	235	1,029	Boulevard Walk	Concrete	50.96	Curb	4.61	4.38	20.19	84	Fair	Low Priority
SW07300	W 10th ST	5.9	150	890	Mono Curb And Walk	Concrete	27.89	Curb	5.36	5.95	31.89	75	Fair	Very Low Priority
SW08055	W 10th ST	5.4	227	1,227	Boulevard Walk	Concrete	37.52	No Curb	6.04	5.41	32.69	88	Fair	Deferrable Priority
SW07610	W 10th ST	4.4	141	626	Mono Curb And Walk	Concrete	38.82	Curb	3.64	4.43	16.12	88	Fair	Low Priority
SW08057	W 10th ST	4.8	68	331	Boulevard Walk	Concrete	12.63	No Curb	5.42	4.85	26.25	89	Fair	Deferrable Priority
SW07609	W 10th ST	5.9	132	780	Mono Curb And Walk	Concrete	20.92	Curb	6.29	5.93	37.27	89	Fair	Deferrable Priority
SW08158	W 10th ST	6.3	336	2,105	Mono Curb And Walk	Concrete	58.41	Curb	5.76	6.26	36.04	82	Fair	Very Low Priority
SW08112	W 10th ST	4.9	127	621	Mono Curb And Walk	Concrete	20.76	Curb	6.10	4.90	29.92	94	Good	Deferrable Priority
SW08181	W 10th ST	6.9	402	2,796	Boulevard Walk	Concrete	77.45	Curb	5.20	6.95	36.10	91	Good	Low Priority
SW08182	W 10th ST	7.3	349	2,550	Mono Curb And Walk	Concrete	60.89	Curb	5.73	7.31	41.87	89	Fair	Very Low Priority
SW08159	W 10th ST	8.3	142	1,175	Mono Curb And Walk	Concrete	29.08	Curb	4.89	8.26	40.41	98	Good	Deferrable Priority
SW08157	W 10th ST	12.0	147	1,758	Boulevard Walk	Pavers / Brick	36.64	Curb	4.00	12.00	47.98	98	Good	Deferrable Priority
SW08183	W 10th ST	14.6	30	439	Boulevard Walk	Concrete	5.52	Curb	5.43	14.64	79.57	100	Good	No Priority
SW08267	W 11th ST	6.2	276	1,720	Mono Curb And Walk	Concrete	41.30	Curb	6.69	6.23	41.64	25	Very Poor	Immediate Priority
SW08115	W 11th ST	4.5	97	434	Mono Curb And Walk	Concrete	16.64	Curb	5.82	4.48	26.08	43	Poor	Low Priority
SW08116	W 11th ST	4.5	183	825	Mono Curb And Walk	Concrete	31.74	Curb	5.77	4.51	26.00	60	Marginal	Immediate Priority
SW08167	W 11th ST	5.4	306	1,656	Mono Curb And Walk	Concrete	54.65	Curb	5.60	5.42	30.30	36	Poor	Immediate Priority
SW08074	W 11th ST	4.0	90	360	Mono Curb And Walk	Concrete	21.35	Curb	4.23	3.99	16.88	60	Marginal	Low Priority
SW08109	W 11th ST	4.4	86	383	Boulevard Walk	Concrete	14.65	Curb	5.88	4.45	26.14	72	Marginal	Low Priority
SW08171	W 11th ST	4.6	180	835	Mono Curb And Walk	Concrete	34.92	Curb	5.16	4.63	23.90	47	Poor	Low Priority
SW10767	W 11th ST	4.6	94	431	Mono Curb And Walk	Concrete	16.61	Curb	5.68	4.57	25.93	74	Marginal	Low Priority
SW07304	W 11th ST	7.8	133	1,045	Mono Curb And Walk	Concrete	29.73	Curb	4.48	7.84	35.16	54	Marginal	Low Priority
SW09829	W 11th ST	4.6	383	1,767	Boulevard Walk	Concrete	83.94	Curb	4.56	4.62	21.05	67	Marginal	Immediate Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08044	W 11th ST	5.0	64	320	Boulevard Walk	Concrete	10.80	Curb	5.93	5.01	29.69	65	Marginal	Low Priority
SW08292	W 11th ST	6.6	122	811	Mono Curb And Walk	Concrete	12.33	Curb	9.89	6.65	65.77	76	Fair	Low Priority
SW08166	W 11th ST	6.2	337	2,080	Mono Curb And Walk	Concrete	59.45	Curb	5.67	6.17	34.98	57	Marginal	Low Priority
SW08168	W 11th ST	5.5	103	560	Mono Curb And Walk	Concrete	19.50	Curb	5.26	5.46	28.74	66	Marginal	Low Priority
SW08291	W 11th ST	6.2	95	591	Mono Curb And Walk	Concrete	17.71	Curb	5.38	6.21	33.39	55	Marginal	Low Priority
SW08058	W 11th ST	4.6	314	1,453	Mono Curb And Walk	Concrete	58.19	Curb	5.40	4.62	24.97	79	Fair	Low Priority
SW08059	W 11th ST	4.3	140	594	Mono Curb And Walk	Concrete	25.31	Curb	5.53	4.56	25.17	80	Fair	Low Priority
SW10769	W 11th ST	5.9	80	474	Mono Curb And Walk	Concrete	14.22	Curb	5.63	5.92	33.33	81	Fair	Low Priority
SW08047	W 11th ST	6.9	76	526	Boulevard Walk	Concrete	14.01	Curb	5.46	6.89	37.58	83	Fair	Low Priority
SW08072	W 11th ST	4.5	490	2,205	Mono Curb And Walk	Concrete	126.23	Curb	3.88	4.50	17.47	77	Fair	Low Priority
SW08043	W 11th ST	4.9	220	1,066	Boulevard Walk	Concrete	36.00	Curb	6.10	4.85	29.60	78	Fair	Low Priority
SW10764	W 11th ST	4.4	103	451	Mono Curb And Walk	Concrete	21.30	Curb	4.84	4.38	21.16	76	Fair	Low Priority
SW09085	W 11th ST	5.4	160	870	Boulevard Walk	Concrete	24.59	Curb	6.51	5.44	35.38	79	Fair	Low Priority
SW09059	W 11th ST	5.0	274	1,384	Boulevard Walk	Concrete	54.07	Curb	5.07	5.05	25.60	71	Marginal	Low Priority
SW08060	W 11th ST	4.3	70	302	Mono Curb And Walk	Concrete	14.64	Curb	4.80	4.29	20.62	87	Fair	Deferrable Priority
SW08107	W 11th ST	4.1	453	1,872	Mono Curb And Walk	Concrete	102.30	Curb	4.43	4.13	18.30	84	Fair	Low Priority
SW07298	W 11th ST	6.9	138	947	Mono Curb And Walk	Concrete	29.82	Curb	4.62	6.87	31.75	82	Fair	Low Priority
SW08108	W 11th ST	4.0	284	1,135	Mono Curb And Walk	Concrete	57.65	Curb	4.92	4.00	19.69	82	Fair	Low Priority
SW08293	W 11th ST	5.3	86	453	Mono Curb And Walk	Concrete	17.47	Curb	4.93	5.26	25.91	62	Marginal	Very Low Priority
SW09062	W 11th ST	5.3	79	419	Boulevard Walk	Concrete	14.17	Curb	5.56	5.33	29.60	67	Marginal	Very Low Priority
SW07279	W 11th ST	5.7	135	770	Mono Curb And Walk	Concrete	23.03	Curb	5.86	5.71	33.42	74	Marginal	Low Priority
SW08265	W 11th ST	6.2	126	783	Mono Curb And Walk	Concrete	13.79	Curb	9.10	6.24	56.76	70	Marginal	Very Low Priority
SW07267	W 11th ST	4.4	81	355	Mono Curb And Walk	Concrete	22.02	Curb	3.70	4.37	16.14	89	Fair	Deferrable Priority
SW08165	W 11th ST	5.8	549	3,204	Mono Curb And Walk	Concrete	108.63	Curb	5.05	5.84	29.49	82	Fair	Low Priority
SW08045	W 11th ST	4.9	80	392	Boulevard Walk	Concrete	15.26	Curb	5.26	4.89	25.71	91	Good	Deferrable Priority
SW09084	W 11th ST	4.6	108	492	Mono Curb And Walk	Concrete	30.59	Curb	3.53	4.56	16.10	91	Good	Low Priority
SW08148	W 11th ST	6.7	92	610	Mono Curb And Walk	Concrete	18.15	Curb	5.05	6.66	33.63	92	Good	Deferrable Priority
SW09061	W 11th ST	4.9	251	1,228	Boulevard Walk	Concrete	49.08	Curb	5.11	4.89	25.02	88	Fair	Low Priority
SW08164	W 11th ST	5.7	550	3,118	Mono Curb And Walk	Concrete	102.16	Curb	5.38	5.67	30.52	77	Fair	Low Priority
SW08170	W 11th ST	5.9	94	558	Mono Curb And Walk	Concrete	16.80	Curb	5.59	5.94	33.22	67	Marginal	Very Low Priority
SW09060	W 11th ST	4.9	113	548	Boulevard Walk	Concrete	21.98	Curb	5.13	4.86	24.92	78	Fair	Very Low Priority
SW08118	W 11th ST	4.3	137	586	Mono Curb And Walk	Concrete	28.82	Curb	4.76	4.27	20.35	93	Good	Deferrable Priority
SW08061	W 11th ST	4.4	49	216	Mono Curb And Walk	Concrete	10.26	Curb	4.76	4.42	21.05	94	Good	Deferrable Priority
SW08119	W 11th ST	4.0	277	1,119	Mono Curb And Walk	Concrete	71.49	Curb	3.87	4.04	15.65	94	Good	Deferrable Priority
SW09833	W 11th ST	4.8	197	941	Boulevard Walk	Concrete	42.64	No Curb	4.63	4.77	22.08	94	Good	Deferrable Priority
SW07268	W 11th ST	7.0	179	1,257	Mono Curb And Walk	Concrete	51.34	Curb	3.49	7.02	24.48	92	Good	Low Priority
SW07322	W 11th ST	5.9	283	1,672	Mono Curb And Walk	Concrete	40.88	Curb	6.93	5.90	40.91	78	Fair	Very Low Priority
SW08149	W 11th ST	6.1	84	517	Mono Curb And Walk	Concrete	16.39	Curb	5.13	6.15	31.52	96	Good	Deferrable Priority
SW08172	W 11th ST	5.9	207	1,221	Mono Curb And Walk	Concrete	35.56	Curb	5.82	5.90	34.33	80	Fair	Very Low Priority
SW08048	W 11th ST	4.3	130	564	Mono Curb And Walk	Concrete	31.74	Curb	4.10	4.33	17.77	97	Good	Deferrable Priority
SW07271	W 11th ST	5.0	21	105	Boulevard Walk	Concrete	3.97	Curb	5.26	5.02	26.40	100	Good	No Priority
SW07272	W 11th ST	5.2	82	429	Boulevard Walk	Concrete	16.01	Curb	5.11	5.24	26.77	100	Good	No Priority
SW08046	W 11th ST	5.4	42	231	Boulevard Walk	Concrete	8.18	Curb	5.19	5.43	28.17	100	Good	No Priority
SW08062	W 11th ST	4.2	117	492	Mono Curb And Walk	Concrete	27.59	Curb	4.24	4.21	17.83	100	Good	No Priority
SW08137	W 11th ST	5.2	147	766	Boulevard Walk	Concrete	26.91	Curb	5.45	5.23	28.48	100	Good	No Priority
SW09083	W 11th ST	8.2	23	190	Mono Curb And Walk	Concrete	2.05	Curb	11.23	8.24	92.51	100	Good	No Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08331	W 12th ST	4.6	76	348	Boulevard Walk	Concrete	14.81	Curb	5.11	4.60	23.52	21	Very Poor	Immediate Priority
SW08332	W 12th ST	4.3	126	537	Boulevard Walk	Concrete	25.76	Curb	4.88	4.27	20.86	13	Very Poor	Immediate Priority
SW08235	W 12th ST	4.3	123	527	Boulevard Walk	Concrete	27.60	Curb	4.46	4.29	19.11	38	Poor	Immediate Priority
SW08238	W 12th ST	4.8	117	558	Boulevard Walk	Concrete	22.95	Curb	5.09	4.78	24.32	34	Poor	Immediate Priority
SW08236	W 12th ST	5.1	129	654	Boulevard Walk	Concrete	34.47	Curb	3.76	5.05	18.97	40	Poor	Low Priority
SW08297	W 12th ST	4.6	129	589	Boulevard Walk	Concrete	25.27	Curb	5.09	4.58	23.29	59	Marginal	Low Priority
SW08266	W 12th ST	4.4	125	548	Boulevard Walk	Concrete	29.47	Curb	4.26	4.37	18.60	73	Marginal	Low Priority
SW08299	W 12th ST	4.8	128	618	Boulevard Walk	Concrete	24.48	Curb	5.24	4.82	25.24	80	Fair	Low Priority
SW09057	W 12th ST	4.7	139	659	Boulevard Walk	Concrete	26.81	No Curb	5.18	4.74	24.58	80	Fair	Low Priority
SW09069	W 12th ST	5.1	349	1,780	Boulevard Walk	Concrete	68.20	Curb	5.12	5.10	26.09	73	Marginal	Low Priority
SW09121	W 12th ST	4.9	82	407	Boulevard Walk	Concrete	14.82	Curb	5.56	4.94	27.47	84	Fair	Deferrable Priority
SW08184	W 12th ST	4.7	244	1,134	Boulevard Walk	Concrete	46.27	Curb	5.26	4.65	24.50	79	Fair	Low Priority
SW08151	W 12th ST	5.0	208	1,033	Boulevard Walk	Concrete	33.01	Curb	6.29	4.97	31.30	86	Fair	Low Priority
SW09071	W 12th ST	5.0	207	1,025	Boulevard Walk	Concrete	41.28	Curb	5.00	4.96	24.82	90	Fair	Deferrable Priority
SW09102	W 12th ST	4.5	245	1,095	Boulevard Walk	Concrete	54.00	Curb	4.54	4.47	20.28	80	Fair	Low Priority
SW09122	W 12th ST	4.6	243	1,108	Boulevard Walk	Concrete	46.43	Curb	5.23	4.57	23.87	93	Good	Deferrable Priority
SW09074	W 12th ST	5.1	187	952	Boulevard Walk	Concrete	30.19	Curb	6.20	5.08	31.53	93	Good	Deferrable Priority
SW09101	W 12th ST	4.5	48	216	Boulevard Walk	Concrete	10.52	Curb	4.58	4.49	20.57	94	Good	Deferrable Priority
SW09105	W 12th ST	4.8	288	1,379	Boulevard Walk	Concrete	58.57	Curb	4.93	4.78	23.55	95	Good	Deferrable Priority
SW09098	W 12th ST	4.9	222	1,090	Boulevard Walk	Concrete	44.84	Curb	4.94	4.92	24.32	97	Good	Deferrable Priority
SW09063	W 12th ST	5.0	115	576	Boulevard Walk	Concrete	23.51	No Curb	4.91	4.99	24.51	97	Good	Deferrable Priority
SW09104	W 12th ST	4.9	360	1,754	Boulevard Walk	Concrete	63.14	Curb	5.70	4.87	27.78	93	Good	Very Low Priority
SW08302	W 13th ST	4.4	127	551	Boulevard Walk	Concrete	29.00	Curb	4.37	4.35	19.01	31	Poor	Immediate Priority
SW08233	W 13th ST	4.3	127	544	Mono Curb And Walk	Concrete	30.45	Curb	4.17	4.28	17.86	60	Marginal	Low Priority
SW08232	W 13th ST	4.4	125	549	Mono Curb And Walk	Concrete	25.26	Curb	4.96	4.38	21.72	75	Fair	Low Priority
SW08237	W 13th ST	4.3	130	556	Mono Curb And Walk	Concrete	27.44	Curb	4.72	4.30	20.27	77	Fair	Low Priority
SW08330	W 13th ST	4.4	115	502	Mono Curb And Walk	Concrete	21.91	Curb	5.25	4.37	22.92	83	Fair	Low Priority
SW08322	W 13th ST	5.1	232	1,178	Boulevard Walk	Concrete	35.50	Curb	6.52	5.09	33.17	84	Fair	Low Priority
SW09070	W 13th ST	4.9	241	1,186	Boulevard Walk	Concrete	46.78	Curb	5.15	4.92	25.35	88	Fair	Deferrable Priority
SW08334	W 13th ST	4.0	151	596	Mono Curb And Walk	Concrete	38.19	Curb	3.94	3.96	15.60	74	Marginal	Low Priority
SW09119	W 13th ST	5.1	664	3,369	Boulevard Walk	Concrete	125.98	Curb	5.27	5.07	26.74	86	Fair	Very Low Priority
SW09112	W 13th ST	5.3	955	5,094	Boulevard Walk	Concrete	166.47	Curb	5.74	5.33	30.60	76	Fair	Low Priority
SW08234	W 13th ST	4.5	124	553	Mono Curb And Walk	Concrete	22.60	Curb	5.50	4.45	24.49	92	Good	Deferrable Priority
SW10792	W 13th ST	4.4	80	350	Mono Curb And Walk	Concrete	16.83	Curb	4.72	4.40	20.76	92	Good	Deferrable Priority
SW08324	W 13th ST	4.6	308	1,409	Mono Curb And Walk	Concrete	53.08	Curb	5.81	4.57	26.54	93	Good	Very Low Priority
SW08335	W 13th ST	4.0	129	511	Mono Curb And Walk	Concrete	25.17	Curb	5.14	3.95	20.31	95	Good	Deferrable Priority
SW08346	W 13th ST	4.3	134	572	Mono Curb And Walk	Concrete	28.67	Curb	4.66	4.28	19.95	95	Good	Very Low Priority
SW08320	W 13th ST	4.6	124	571	Mono Curb And Walk	Concrete	23.24	Curb	5.35	4.60	24.58	100	Good	No Priority
SW09094	W 14th ST	5.8	455	2,616	Mono Curb And Walk	Concrete	71.76	Curb	6.33	5.76	36.45	45	Poor	Low Priority
SW09082	W 14th ST	4.0	337	1,365	Mono Curb And Walk	Concrete	101.66	Curb	3.32	4.05	13.42	58	Marginal	Immediate Priority
SW10751	W 14th ST	5.2	28	147	Mono Curb And Walk	Concrete	5.85	Curb	4.80	5.22	25.05	71	Marginal	Low Priority
SW09226	W 14th ST	4.6	143	653	Boulevard Walk	Concrete	31.83	Partial Curb	4.50	4.56	20.53	68	Marginal	Low Priority
SW09110	W 14th ST	5.2	101	527	Boulevard Walk	Concrete	21.07	Curb	4.80	5.21	25.03	76	Fair	Low Priority
SW07359	W 14th ST	3.7	300	1,123	Boulevard Walk	Concrete	88.89	Curb	3.37	3.75	12.63	76	Fair	Low Priority
SW09093	W 14th ST	5.3	136	715	Mono Curb And Walk	Concrete	25.68	Curb	5.29	5.26	27.86	59	Marginal	Low Priority
SW07325	W 14th ST	4.2	307	1,288	Boulevard Walk	Concrete	64.40	Curb	4.77	4.20	20.00	69	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09229	W 14th ST	5.7	109	627	Boulevard Walk	Concrete	19.36	Curb	5.64	5.74	32.38	88	Fair	Deferrable Priority
SW09091	W 14th ST	5.4	136	738	Mono Curb And Walk	Concrete	25.79	Curb	5.26	5.44	28.61	89	Fair	Deferrable Priority
SW08464	W 14th ST	4.8	302	1,458	Boulevard Walk	Concrete	60.04	Curb	5.02	4.84	24.29	82	Fair	Low Priority
SW08470	W 14th ST	4.6	188	873	Boulevard Walk	Concrete	40.36	Curb	4.66	4.64	21.62	93	Good	Deferrable Priority
SW08469	W 14th ST	4.9	256	1,256	Boulevard Walk	Concrete	51.78	Curb	4.95	4.90	24.25	93	Good	Deferrable Priority
SW09130	W 14th ST	5.3	138	735	Mono Curb And Walk	Concrete	28.52	Curb	4.84	5.32	25.77	95	Good	Deferrable Priority
SW09125	W 15th ST	5.1	74	380	Mono Curb And Walk	Concrete	14.30	Curb	5.19	5.11	26.54	50	Poor	Low Priority
SW09205	W 15th ST	4.5	85	383	Boulevard Walk	Concrete	16.81	No Curb	5.07	4.49	22.79	41	Poor	Low Priority
SW09215	W 15th ST	4.3	53	228	Boulevard Walk	Concrete	13.46	Curb	3.94	4.31	16.96	67	Marginal	Low Priority
SW09174	W 15th ST	4.5	39	176	Boulevard Walk	Concrete	7.71	Partial Curb	5.07	4.49	22.79	68	Marginal	Low Priority
SW09126	W 15th ST	5.1	75	382	Mono Curb And Walk	Concrete	14.99	Curb	5.03	5.06	25.46	71	Marginal	Low Priority
SW09218	W 15th ST	5.2	31	163	Mono Curb And Walk	Concrete	5.88	No Curb	5.29	5.24	27.74	49	Poor	Low Priority
SW08450	W 15th ST	6.1	76	462	Boulevard Walk	Concrete	13.58	Curb	5.57	6.11	34.03	53	Marginal	Low Priority
SW09219	W 15th ST	5.8	89	519	Mono Curb And Walk	Concrete	15.90	Curb	5.61	5.82	32.64	59	Marginal	Low Priority
SW09108	W 15th ST	5.0	92	458	Boulevard Walk	Concrete	19.83	No Curb	4.62	5.00	23.12	74	Marginal	Low Priority
SW09217	W 15th ST	4.3	36	153	Boulevard Walk	Concrete	9.47	Curb	3.78	4.27	16.12	75	Fair	Low Priority
SW08451	W 15th ST	5.3	290	1,521	Mono Curb And Walk	Concrete	61.43	Curb	4.72	5.25	24.75	67	Marginal	Low Priority
SW09050	W 15th ST	4.2	46	195	Mono Curb And Walk	Concrete	7.68	Curb	5.97	4.24	25.33	77	Fair	Low Priority
SW09216	W 15th ST	4.3	25	107	Boulevard Walk	Concrete	6.63	Curb	3.78	4.27	16.12	81	Fair	Deferrable Priority
SW08449	W 15th ST	4.6	90	417	Mono Curb And Walk	Concrete	16.44	Curb	5.48	4.64	25.39	59	Marginal	Low Priority
SW09051	W 15th ST	4.0	52	208	Boulevard Walk	Concrete	9.51	Curb	5.52	3.96	21.84	90	Fair	Deferrable Priority
SW08345	W 15th ST	4.9	97	474	Mono Curb And Walk	Concrete	14.58	No Curb	6.65	4.89	32.52	73	Marginal	Very Low Priority
SW08321	W 15th ST	4.9	57	275	Mono Curb And Walk	Concrete	13.25	No Curb	4.28	4.86	20.80	100	Good	No Priority
SW09047	W 15th ST	3.8	31	117	Boulevard Walk	Concrete	6.45	Curb	4.75	3.83	18.19	100	Good	No Priority
SW09052	W 15th ST	3.8	40	155	Mono Curb And Walk	Concrete	8.15	Curb	4.97	3.84	19.05	100	Good	No Priority
SW08446	W 16th ST	5.0	83	416	Mono Curb And Walk	Concrete	15.48	Curb	5.35	5.02	26.84	58	Marginal	Low Priority
SW08430	W 16th ST	4.3	140	602	Boulevard Walk	Concrete	27.53	Partial Curb	5.07	4.31	21.87	62	Marginal	Low Priority
SW09791	W 17th ST	6.4	166	1,058	Mono Curb And Walk	Concrete	23.31	Curb	7.12	6.37	45.36	65	Marginal	Low Priority
SW09788	W 17th ST	5.6	150	847	Boulevard Walk	Concrete	24.58	Curb	6.10	5.65	34.44	67	Marginal	Low Priority
SW10807	W 17th ST	5.8	136	787	Mono Curb And Walk	Concrete	27.98	Curb	4.85	5.80	28.13	59	Marginal	Low Priority
SW09197	W 17th ST	6.4	164	1,053	Mono Curb And Walk	Concrete	25.77	Curb	6.35	6.44	40.87	55	Marginal	Low Priority
SW09847	W 17th ST	5.1	88	449	Boulevard Walk	Concrete	16.42	No Curb	5.34	5.13	27.37	75	Fair	Low Priority
SW09843	W 17th ST	5.1	95	482	Boulevard Walk	Concrete	17.98	No Curb	5.27	5.08	26.79	76	Fair	Low Priority
SW09846	W 17th ST	5.2	109	566	Boulevard Walk	Concrete	20.31	No Curb	5.37	5.19	27.86	77	Fair	Low Priority
SW08440	W 17th ST	6.2	365	2,280	Mono Curb And Walk	Concrete	63.99	Curb	5.71	6.25	35.64	77	Fair	Low Priority
SW08452	W 17th ST	5.9	264	1,558	Mono Curb And Walk	Concrete	35.66	Curb	7.42	5.89	43.68	79	Fair	Low Priority
SW09841	W 17th ST	4.8	164	786	Boulevard Walk	Concrete	36.94	No Curb	4.44	4.79	21.27	80	Fair	Low Priority
SW09849	W 17th ST	4.8	56	269	Boulevard Walk	Concrete	12.48	No Curb	4.48	4.80	21.52	81	Fair	Low Priority
SW09855	W 17th ST	4.9	184	904	Boulevard Walk	Concrete	35.82	No Curb	5.13	4.92	25.24	82	Fair	Low Priority
SW09840	W 17th ST	4.7	460	2,178	Boulevard Walk	Concrete	114.90	No Curb	4.00	4.74	18.96	84	Fair	Low Priority
SW08411	W 17th ST	5.5	354	1,939	Mono Curb And Walk	Concrete	58.79	Curb	6.03	5.47	32.98	67	Marginal	Low Priority
SW08434	W 17th ST	5.4	66	357	Boulevard Walk	Concrete	12.08	Curb	5.42	5.44	29.53	87	Fair	Deferrable Priority
SW08442	W 17th ST	5.0	246	1,236	Mono Curb And Walk	Concrete	56.26	Curb	4.38	5.02	21.96	65	Marginal	Low Priority
SW08427	W 17th ST	8.5	84	715	Boulevard Walk	Asphalt	21.08	Curb	4.00	8.49	33.94	87	Fair	Deferrable Priority
SW08413	W 17th ST	5.1	121	619	Boulevard Walk	Concrete	27.22	Curb	4.44	5.12	22.74	88	Fair	Deferrable Priority
SW09842	W 17th ST	6.8	176	1,201	Boulevard Walk	Concrete	30.05	No Curb	5.87	6.82	39.98	88	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW009193	W 17th ST	9.3	127	1,172	Boulevard Walk	Concrete	20.45	Curb	6.19	9.27	57.34	89	Fair	Deferrable Priority
SW008408	W 17th ST	5.2	163	851	Boulevard Walk	Concrete	30.44	Curb	5.34	5.24	27.95	84	Fair	Low Priority
SW009808	W 17th ST	5.5	348	1,902	Mono Curb And Walk	Concrete	65.82	No Curb	5.29	5.46	28.90	89	Fair	Low Priority
SW009192	W 17th ST	5.1	297	1,517	Mono Curb And Walk	Concrete	63.49	Curb	4.68	5.11	23.89	82	Fair	Low Priority
SW008453	W 17th ST	5.1	120	613	Boulevard Walk	Concrete	23.41	Curb	5.14	5.10	26.21	90	Good	Deferrable Priority
SW008437	W 17th ST	4.9	526	2,560	Boulevard Walk	Concrete	105.19	Curb	5.00	4.87	24.34	90	Good	Low Priority
SW008438	W 17th ST	5.4	117	626	Boulevard Walk	Concrete	25.35	Curb	4.60	5.37	24.69	92	Good	Deferrable Priority
SW008409	W 17th ST	4.7	109	520	Boulevard Walk	Concrete	23.05	Curb	4.75	4.75	22.53	69	Marginal	Very Low Priority
SW009802	W 17th ST	5.1	161	818	Mono Curb And Walk	Concrete	35.49	Curb	4.55	5.07	23.05	93	Good	Deferrable Priority
SW009845	W 17th ST	5.1	509	2,604	Boulevard Walk	Concrete	88.41	No Curb	5.76	5.12	29.46	91	Good	Low Priority
SW009134	W 17th ST	8.8	310	2,727	Boulevard Walk	Concrete	45.77	Curb	6.77	8.79	59.57	94	Good	Deferrable Priority
SW009853	W 17th ST	5.1	490	2,503	Boulevard Walk	Concrete	95.53	No Curb	5.12	5.11	26.20	94	Good	Low Priority
SW008401	W 17th ST	6.1	480	2,932	Boulevard Walk	Concrete	79.55	Curb	6.03	6.11	36.85	84	Fair	Low Priority
SW008412	W 17th ST	5.9	957	5,611	Mono Curb And Walk	Concrete	160.64	Curb	5.96	5.86	34.93	88	Fair	Low Priority
SW009796	W 17th ST	7.1	92	650	Mono Curb And Walk	Concrete	17.11	Curb	5.35	7.09	37.97	94	Good	Deferrable Priority
SW008360	W 17th ST	9.1	658	5,980	Boulevard Walk	Concrete	74.29	Curb	8.86	9.08	80.49	95	Good	Low Priority
SW009854	W 17th ST	5.1	110	562	Boulevard Walk	Concrete	19.02	No Curb	5.79	5.11	29.57	95	Good	Deferrable Priority
SW009809	W 17th ST	5.4	270	1,470	Boulevard Walk	Concrete	51.62	Curb	5.24	5.43	28.47	95	Good	Deferrable Priority
SW009850	W 17th ST	4.9	319	1,550	Boulevard Walk	Concrete	65.40	No Curb	4.87	4.86	23.70	95	Good	Low Priority
SW009848	W 17th ST	4.9	118	579	Boulevard Walk	Concrete	24.74	No Curb	4.78	4.90	23.41	97	Good	Deferrable Priority
SW009852	W 17th ST	5.5	107	583	Boulevard Walk	Concrete	26.64	No Curb	4.00	5.48	21.90	97	Good	Deferrable Priority
SW009839	W 17th ST	5.0	159	798	Boulevard Walk	Concrete	28.32	No Curb	5.61	5.03	28.17	97	Good	Deferrable Priority
SW008404	W 17th ST	5.0	786	3,908	Boulevard Walk	Concrete	158.17	Curb	4.97	4.97	24.71	98	Good	Deferrable Priority
SW009844	W 17th ST	5.0	176	873	Boulevard Walk	Concrete	35.67	No Curb	4.93	4.96	24.46	98	Good	Deferrable Priority
SW008349	W 17th ST	9.5	496	4,721	Mono Curb And Walk	Concrete	51.52	Curb	9.63	9.52	91.63	98	Good	Deferrable Priority
SW008350	W 17th ST	9.5	47	451	Boulevard Walk	Concrete	4.93	Curb	9.62	9.50	91.39	100	Good	No Priority
SW008441	W 17th ST	5.2	62	324	Mono Curb And Walk	Concrete	9.82	Curb	6.33	5.20	32.96	100	Good	No Priority
SW009851	W 17th ST	4.6	178	822	Boulevard Walk	Concrete	39.58	No Curb	4.49	4.62	20.76	100	Good	No Priority
SW009865	W 17th ST	9.5	8	79	Boulevard Walk	Concrete	1.01	Curb	8.24	9.52	78.45	100	Good	No Priority
SW01890	W 1st ST	4.2	48	203	Mono Curb And Walk	Concrete	12.77	Curb	3.78	4.21	15.91	43	Poor	Low Priority
SW01930	W 1st ST	4.8	62	299	Boulevard Walk	Concrete	11.76	Curb	5.31	4.80	25.45	71	Marginal	Low Priority
SW01929	W 1st ST	4.8	66	318	Boulevard Walk	Concrete	12.50	Curb	5.31	4.80	25.45	72	Marginal	Low Priority
SW01928	W 1st ST	4.8	69	333	Boulevard Walk	Concrete	13.08	Curb	5.31	4.80	25.45	75	Fair	Low Priority
SW01957	W 1st ST	5.8	136	794	Boulevard Walk	Concrete	20.99	Curb	6.48	5.84	37.84	75	Fair	Low Priority
SW01927	W 1st ST	6.0	96	570	Boulevard Walk	Concrete	15.14	Curb	6.33	5.95	37.65	78	Fair	Low Priority
SW01882	W 1st ST	5.7	94	537	Boulevard Walk	Concrete	14.29	Curb	6.59	5.71	37.60	70	Marginal	Low Priority
SW01891	W 1st ST	4.7	319	1,512	Mono Curb And Walk	Concrete	49.91	Curb	6.38	4.75	30.30	61	Marginal	Low Priority
SW01861	W 1st ST	6.3	239	1,504	Boulevard Walk	Concrete	38.55	Curb	6.21	6.29	39.02	74	Marginal	Low Priority
SW00765	W 1st ST	5.9	318	1,873	Boulevard Walk	Concrete	50.07	Curb	6.36	5.88	37.40	76	Fair	Low Priority
SW01885	W 1st ST	4.8	255	1,220	Mono Curb And Walk	Concrete	56.81	Curb	4.48	4.79	21.48	70	Marginal	Low Priority
SW01873	W 1st ST	4.4	107	473	Mono Curb And Walk	Concrete	23.18	Curb	4.61	4.43	20.42	58	Marginal	Very Low Priority
SW01988	W 1st ST	5.8	262	1,506	Boulevard Walk	Concrete	43.14	Curb	6.06	5.76	34.91	84	Fair	Low Priority
SW01911	W 1st ST	5.1	46	237	Boulevard Walk	Concrete	8.85	Curb	5.25	5.10	26.75	85	Fair	Deferrable Priority
SW01941	W 1st ST	6.6	215	1,415	Boulevard Walk	Concrete	29.94	Curb	7.19	6.58	47.27	85	Fair	Low Priority
SW01889	W 1st ST	4.5	217	978	Mono Curb And Walk	Concrete	45.47	Curb	4.78	4.50	21.51	71	Marginal	Low Priority
SW01874	W 1st ST	4.6	81	369	Mono Curb And Walk	Concrete	18.16	Curb	4.43	4.59	20.34	69	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01909	W 1st ST	5.2	33	175	Boulevard Walk	Concrete	6.39	Curb	5.22	5.23	27.32	90	Good	Deferrable Priority
SW01872	W 1st ST	5.9	46	267	Boulevard Walk	Concrete	7.10	Curb	6.41	5.85	37.53	91	Good	Deferrable Priority
SW01875	W 1st ST	4.8	705	3,367	Mono Curb And Walk	Concrete	94.55	Curb	7.45	4.78	35.61	85	Fair	Low Priority
SW01950	W 1st ST	5.5	226	1,241	Boulevard Walk	Concrete	44.41	Curb	5.08	5.50	27.94	93	Good	Deferrable Priority
SW01953	W 1st ST	6.2	327	2,017	Boulevard Walk	Concrete	52.10	Curb	6.28	6.16	38.72	88	Fair	Very Low Priority
SW01972	W 1st ST	6.2	107	669	Boulevard Walk	Concrete	16.46	Curb	6.53	6.22	40.63	96	Good	Deferrable Priority
SW01893	W 1st ST	5.4	353	1,914	Boulevard Walk	Concrete	60.23	Curb	5.86	5.43	31.77	96	Good	Deferrable Priority
SW01987	W 1st ST	6.0	150	899	Boulevard Walk	Concrete	26.24	Curb	5.72	5.99	34.26	97	Good	Deferrable Priority
SW01948	W 1st ST	6.3	175	1,105	Boulevard Walk	Concrete	34.76	Curb	5.04	6.31	31.80	98	Good	Deferrable Priority
SW01958	W 1st ST	5.9	315	1,869	Boulevard Walk	Concrete	75.09	Curb	4.20	5.93	24.89	99	Good	Deferrable Priority
SW01878	W 1st ST	5.8	21	120	Mono Curb And Walk	Concrete	3.29	Curb	6.34	5.75	36.44	100	Good	No Priority
SW01879	W 1st ST	5.8	71	410	Boulevard Walk	Concrete	11.24	Curb	6.34	5.75	36.44	100	Good	No Priority
SW01880	W 1st ST	5.8	119	688	Boulevard Walk	Concrete	18.45	Curb	6.44	5.79	37.28	100	Good	No Priority
SW01881	W 1st ST	5.9	80	476	Boulevard Walk	Concrete	11.87	Curb	6.74	5.94	40.06	100	Good	No Priority
SW01886	W 1st ST	5.3	90	476	Boulevard Walk	Concrete	15.18	Curb	5.96	5.26	31.34	100	Good	No Priority
SW01887	W 1st ST	5.9	91	538	Boulevard Walk	Concrete	15.09	Curb	6.03	5.92	35.68	100	Good	No Priority
SW01888	W 1st ST	4.4	12	52	Mono Curb And Walk	Concrete	2.47	Curb	4.77	4.38	20.87	100	Good	No Priority
SW01938	W 1st ST	5.8	117	676	Mono Curb And Walk	Concrete	23.56	Curb	4.96	5.78	28.68	100	Good	No Priority
SW01942	W 1st ST	5.8	74	430	Boulevard Walk	Concrete	12.67	Curb	5.82	5.84	33.97	100	Good	No Priority
SW01943	W 1st ST	5.9	10	60	Boulevard Walk	Concrete	1.91	Curb	5.32	5.92	31.50	100	Good	No Priority
SW01944	W 1st ST	6.1	36	219	Boulevard Walk	Concrete	6.78	Curb	5.31	6.09	32.30	100	Good	No Priority
SW01945	W 1st ST	6.1	120	728	Mono Curb And Walk	Concrete	20.51	Curb	5.86	6.06	35.51	100	Good	No Priority
SW01976	W 1st ST	6.3	35	217	Boulevard Walk	Concrete	4.66	Curb	7.43	6.27	46.64	100	Good	No Priority
SW01986	W 1st ST	5.9	94	552	Boulevard Walk	Concrete	18.75	Curb	4.99	5.90	29.43	100	Good	No Priority
SW09641	W 2nd ST	4.8	106	505	Boulevard Walk	Concrete	16.27	Curb	6.49	4.79	31.07	8	Very Poor	Immediate Priority
SW10397	W 2nd ST	6.4	78	502	Mono Curb And Walk	Concrete	11.26	Curb	6.93	6.44	44.64	24	Very Poor	Immediate Priority
SW09631	W 2nd ST	5.3	161	860	Mono Curb And Walk	Concrete	29.25	Curb	5.51	5.34	29.41	17	Very Poor	Low Priority
SW09655	W 2nd ST	4.5	115	520	Boulevard Walk	Concrete	27.60	Curb	4.15	4.54	18.85	23	Very Poor	Immediate Priority
SW07760	W 2nd ST	5.2	301	1,570	Boulevard Walk	Concrete	45.48	Curb	6.61	5.22	34.53	39	Poor	Immediate Priority
SW09654	W 2nd ST	5.1	63	325	Mono Curb And Walk	Concrete	10.33	Curb	6.14	5.12	31.46	66	Marginal	Low Priority
SW00727	W 2nd ST	4.7	157	743	Boulevard Walk	Concrete	32.84	Curb	4.79	4.73	22.63	59	Marginal	Immediate Priority
SW09643	W 2nd ST	4.9	174	845	Boulevard Walk	Concrete	36.27	Curb	4.79	4.87	23.31	48	Poor	Immediate Priority
SW07748	W 2nd ST	4.5	47	211	Boulevard Walk	Concrete	6.79	Curb	6.87	4.52	31.04	33	Poor	Low Priority
SW09955	W 2nd ST	6.4	197	1,249	Boulevard Walk	Concrete	27.33	Curb	7.20	6.35	45.71	50	Poor	Low Priority
SW09653	W 2nd ST	4.6	200	920	Boulevard Walk	Concrete	41.27	Curb	4.84	4.61	22.29	67	Marginal	Low Priority
SW09664	W 2nd ST	4.5	197	889	Mono Curb And Walk	Concrete	36.83	Curb	5.35	4.51	24.14	75	Fair	Immediate Priority
SW09665	W 2nd ST	5.4	93	502	Boulevard Walk	Concrete	16.88	Curb	5.49	5.42	29.74	68	Marginal	Low Priority
SW07758	W 2nd ST	4.5	209	930	Boulevard Walk	Concrete	35.37	Curb	5.90	4.45	26.29	55	Marginal	Low Priority
SW09645	W 2nd ST	4.8	120	571	Boulevard Walk	Concrete	27.14	Curb	4.42	4.76	21.03	79	Fair	Low Priority
SW10758	W 2nd ST	4.5	112	503	Boulevard Walk	Concrete	21.86	Curb	5.11	4.50	23.00	73	Marginal	Low Priority
SW09611	W 2nd ST	4.9	250	1,224	Boulevard Walk	Concrete	48.49	Curb	5.15	4.90	25.24	76	Fair	Immediate Priority
SW09658	W 2nd ST	5.7	211	1,209	Boulevard Walk	Concrete	40.15	Curb	5.25	5.73	30.11	79	Fair	Immediate Priority
SW07737	W 2nd ST	4.4	143	622	Boulevard Walk	Concrete	27.70	Curb	5.15	4.36	22.45	51	Marginal	Low Priority
SW09612	W 2nd ST	4.8	155	753	Boulevard Walk	Concrete	26.30	Curb	5.90	4.85	28.62	61	Marginal	Low Priority
SW09652	W 2nd ST	4.9	136	666	Boulevard Walk	Concrete	25.95	Curb	5.23	4.91	25.68	57	Marginal	Low Priority
SW00770	W 2nd ST	7.5	255	1,906	Boulevard Walk	Concrete	45.56	Curb	5.61	7.46	41.82	46	Poor	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09956	W 2nd ST	5.9	144	857	Boulevard Walk	Concrete	23.40	Curb	6.16	5.95	36.61	53	Marginal	Very Low Priority
SW10391	W 2nd ST	9.6	22	208	Boulevard Walk	Concrete	2.13	No Curb	10.10	9.65	97.47	81	Fair	Deferrable Priority
SW09650	W 2nd ST	5.0	112	561	Boulevard Walk	Concrete	21.90	Curb	5.12	5.00	25.62	45	Poor	Low Priority
SW07756	W 2nd ST	5.0	37	185	Boulevard Walk	Concrete	5.84	Curb	6.28	5.05	31.68	52	Marginal	Very Low Priority
SW09663	W 2nd ST	5.2	48	250	Mono Curb And Walk	Concrete	7.65	Curb	6.24	5.23	32.63	83	Fair	Deferrable Priority
SW09600	W 2nd ST	4.7	172	814	Boulevard Walk	Concrete	33.96	Curb	5.06	4.73	23.97	67	Marginal	Low Priority
SW07759	W 2nd ST	5.1	288	1,480	Boulevard Walk	Concrete	42.61	Curb	6.77	5.13	34.75	59	Marginal	Low Priority
SW09656	W 2nd ST	4.5	409	1,840	Boulevard Walk	Concrete	97.01	Curb	4.21	4.50	18.97	59	Marginal	Immediate Priority
SW10361	W 2nd ST	4.7	172	806	Boulevard Walk	Concrete	30.80	Curb	5.58	4.69	26.15	85	Fair	Low Priority
SW07742	W 2nd ST	4.1	88	357	Boulevard Walk	Concrete	15.99	Curb	5.51	4.05	22.33	59	Marginal	Very Low Priority
SW07735	W 2nd ST	8.1	15	118	Mono Curb And Walk	Pavers / Brick	3.64	Curb	4.00	8.13	32.52	86	Fair	Deferrable Priority
SW00758	W 2nd ST	5.3	146	767	Boulevard Walk	Concrete	23.38	Curb	6.24	5.26	32.79	86	Fair	Low Priority
SW07752	W 2nd ST	6.6	138	912	Boulevard Walk	Concrete	25.05	Curb	5.49	6.63	36.43	62	Marginal	Very Low Priority
SW09659	W 2nd ST	5.2	105	544	Boulevard Walk	Concrete	20.02	Curb	5.23	5.20	27.19	87	Fair	Deferrable Priority
SW09610	W 2nd ST	5.7	163	924	Boulevard Walk	Concrete	24.90	Curb	6.56	5.65	37.09	89	Fair	Deferrable Priority
SW09660	W 2nd ST	4.9	262	1,285	Mono Curb And Walk	Concrete	49.24	Curb	5.32	4.90	26.10	89	Fair	Deferrable Priority
SW09619	W 2nd ST	5.0	134	664	Boulevard Walk	Concrete	25.63	Curb	5.22	4.96	25.90	89	Fair	Deferrable Priority
SW10390	W 2nd ST	9.4	137	1,297	Boulevard Walk	Concrete	14.70	Curb	9.35	9.44	88.22	90	Good	Deferrable Priority
SW10398	W 2nd ST	9.3	100	933	Boulevard Walk	Concrete	10.49	Curb	9.55	9.31	88.96	91	Good	Deferrable Priority
SW00767	W 2nd ST	7.0	85	598	Mono Curb And Walk	Concrete	11.30	Curb	7.51	7.04	52.87	68	Marginal	Very Low Priority
SW07749	W 2nd ST	7.9	348	2,738	Boulevard Walk	Concrete	70.53	Curb	4.93	7.87	38.81	79	Fair	Very Low Priority
SW09646	W 2nd ST	4.7	328	1,556	Boulevard Walk	Concrete	74.07	Curb	4.43	4.75	21.00	95	Good	Deferrable Priority
SW09644	W 2nd ST	5.1	134	681	Boulevard Walk	Concrete	23.31	Curb	5.76	5.07	29.23	96	Good	Deferrable Priority
SW07751	W 2nd ST	8.2	97	788	Boulevard Walk	Concrete	15.92	Curb	6.07	8.15	49.50	96	Good	Deferrable Priority
SW09598	W 2nd ST	5.1	19	97	Boulevard Walk	Concrete	3.73	Curb	5.08	5.13	26.05	100	Good	No Priority
SW10396	W 2nd ST	3.9	7	27	Mono Curb And Walk	Concrete	1.57	Curb	4.49	3.89	17.47	100	Good	No Priority
SW09414	W 3rd ST	4.9	151	748	Boulevard Walk	Concrete	33.29	Curb	4.55	4.94	22.47	42	Poor	Immediate Priority
SW09430	W 3rd ST	5.3	132	695	Boulevard Walk	Pavers / Brick	33.01	Curb	4.00	5.26	21.06	51	Marginal	Immediate Priority
SW10867	W 3rd ST	5.0	139	696	Mono Curb And Walk	Concrete	25.43	Curb	5.47	5.00	27.39	72	Marginal	Low Priority
SW10211	W 3rd ST	5.8	57	329	Boulevard Walk	Concrete	11.84	Curb	4.82	5.77	27.77	73	Marginal	Low Priority
SW10277	W 3rd ST	4.7	386	1,834	Boulevard Walk	Concrete	59.80	Curb	6.46	4.75	30.66	58	Marginal	Low Priority
SW09437	W 3rd ST	5.0	146	736	Mono Curb And Walk	Concrete	27.32	Curb	5.33	5.05	26.93	71	Marginal	Low Priority
SW09568	W 3rd ST	4.0	151	598	Mono Curb And Walk	Concrete	35.59	Curb	4.25	3.96	16.80	77	Fair	Low Priority
SW10868	W 3rd ST	5.3	137	728	Mono Curb And Walk	Concrete	24.62	Curb	5.55	5.33	29.57	77	Fair	Low Priority
SW09549	W 3rd ST	4.5	106	472	Mono Curb And Walk	Concrete	14.22	Curb	7.45	4.46	33.19	43	Poor	Low Priority
SW09434	W 3rd ST	4.6	282	1,293	Boulevard Walk	Concrete	49.29	Curb	5.73	4.58	26.24	65	Marginal	Low Priority
SW09564	W 3rd ST	3.2	73	235	Mono Curb And Walk	Concrete	33.87	Curb	2.16	3.21	6.95	79	Fair	Low Priority
SW10331	W 3rd ST	5.8	104	597	Mono Curb And Walk	Concrete	16.53	Curb	6.26	5.76	36.09	69	Marginal	Low Priority
SW10327	W 3rd ST	5.0	163	817	Boulevard Walk	Concrete	25.27	Curb	6.46	5.01	32.34	80	Fair	Low Priority
SW09574	W 3rd ST	4.4	265	1,171	Mono Curb And Walk	Concrete	57.31	Curb	4.63	4.42	20.43	81	Fair	Low Priority
SW10305	W 3rd ST	6.0	150	892	Mono Curb And Walk	Concrete	28.26	Curb	5.29	5.96	31.56	76	Fair	Low Priority
SW09595	W 3rd ST	6.0	85	513	Mono Curb And Walk	Concrete	14.10	Curb	6.04	6.02	36.34	55	Marginal	Low Priority
SW10184	W 3rd ST	5.6	112	634	Mono Curb And Walk	Concrete	20.76	Curb	5.40	5.65	30.52	83	Fair	Very Low Priority
SW09599	W 3rd ST	4.8	162	782	Mono Curb And Walk	Concrete	24.96	Curb	6.50	4.82	31.32	71	Marginal	Low Priority
SW10322	W 3rd ST	5.3	247	1,310	Mono Curb And Walk	Concrete	59.09	Curb	4.18	5.30	22.17	64	Marginal	Low Priority
SW10169	W 3rd ST	6.8	65	446	Mono Curb And Walk	Concrete	6.87	Curb	9.51	6.82	64.86	86	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09596	W 3rd ST	5.7	67	385	Mono Curb And Walk	Concrete	11.36	Curb	5.92	5.73	33.92	63	Marginal	Very Low Priority
SW09584	W 3rd ST	4.4	29	125	Mono Curb And Walk	Pavers / Brick	7.18	Curb	4.00	4.37	17.47	86	Fair	Deferrable Priority
SW09545	W 3rd ST	3.3	69	230	Mono Curb And Walk	Concrete	19.20	Curb	3.59	3.33	11.98	86	Fair	Deferrable Priority
SW09597	W 3rd ST	3.7	162	607	Mono Curb And Walk	Concrete	29.91	Curb	5.42	3.75	20.30	81	Fair	Low Priority
SW09571	W 3rd ST	4.4	20	87	Boulevard Walk	Concrete	4.37	Curb	4.52	4.40	19.90	88	Fair	Deferrable Priority
SW00517	W 3rd ST	6.5	137	896	Mono Curb And Walk	Concrete	22.28	Curb	6.14	6.55	40.22	88	Fair	Deferrable Priority
SW09538	W 3rd ST	4.2	32	134	Mono Curb And Walk	Pavers / Brick	8.04	Curb	4.00	4.16	16.66	88	Fair	Deferrable Priority
SW00499	W 3rd ST	7.7	152	1,167	Mono Curb And Walk	Concrete	22.95	Curb	6.64	7.66	50.84	88	Fair	Deferrable Priority
SW10845	W 3rd ST	4.5	96	425	Mono Curb And Walk	Concrete	19.08	Curb	5.01	4.45	22.29	88	Fair	Deferrable Priority
SW10292	W 3rd ST	7.9	95	744	Mono Curb And Walk	Concrete	19.98	Curb	4.74	7.85	37.22	66	Marginal	Low Priority
SW09573	W 3rd ST	4.2	218	922	Mono Curb And Walk	Concrete	48.31	Curb	4.52	4.23	19.08	89	Fair	Low Priority
SW00491	W 3rd ST	7.3	134	986	Stand Alone	Concrete	25.00	Curb	5.37	7.34	39.45	89	Fair	Deferrable Priority
SW10332	W 3rd ST	5.2	177	917	Boulevard Walk	Concrete	33.98	Curb	5.21	5.19	26.99	73	Marginal	Low Priority
SW10290	W 3rd ST	4.8	449	2,143	Boulevard Walk	Concrete	81.16	Curb	5.54	4.77	26.41	86	Fair	Low Priority
SW10294	W 3rd ST	5.7	144	817	Mono Curb And Walk	Concrete	23.52	Curb	6.11	5.69	34.73	73	Marginal	Very Low Priority
SW09582	W 3rd ST	5.1	54	278	Mono Curb And Walk	Concrete	7.88	Curb	6.88	5.13	35.32	50	Poor	Very Low Priority
SW10306	W 3rd ST	5.9	268	1,594	Mono Curb And Walk	Concrete	56.36	Curb	4.76	5.95	28.28	90	Fair	Low Priority
SW10208	W 3rd ST	5.6	243	1,353	Mono Curb And Walk	Concrete	40.01	Curb	6.08	5.56	33.81	90	Fair	Low Priority
SW09575	W 3rd ST	4.2	167	707	Mono Curb And Walk	Concrete	31.39	Curb	5.31	4.24	22.52	90	Fair	Deferrable Priority
SW10269	W 3rd ST	4.5	155	700	Boulevard Walk	Concrete	41.66	Curb	3.71	4.52	16.80	90	Good	Deferrable Priority
SW10293	W 3rd ST	6.4	181	1,159	Mono Curb And Walk	Concrete	31.42	Curb	5.76	6.41	36.89	77	Fair	Very Low Priority
SW09562	W 3rd ST	5.1	221	1,123	Boulevard Walk	Concrete	40.98	Curb	5.38	5.09	27.41	86	Fair	Low Priority
SW10291	W 3rd ST	4.8	101	485	Boulevard Walk	Concrete	20.65	Curb	4.89	4.80	23.50	90	Good	Deferrable Priority
SW09535	W 3rd ST	4.7	42	196	Mono Curb And Walk	Pavers / Brick	10.44	Curb	4.00	4.68	18.74	91	Good	Deferrable Priority
SW10295	W 3rd ST	5.9	102	603	Mono Curb And Walk	Concrete	19.58	Curb	5.23	5.90	30.82	91	Good	Deferrable Priority
SW10272	W 3rd ST	4.9	332	1,630	Boulevard Walk	Concrete	52.81	Curb	6.28	4.92	30.86	80	Fair	Low Priority
SW10333	W 3rd ST	5.7	30	175	Mono Curb And Walk	Concrete	6.66	Curb	4.57	5.74	26.25	91	Good	Deferrable Priority
SW09580	W 3rd ST	5.2	29	148	Mono Curb And Walk	Pavers / Brick	7.16	Curb	4.00	5.18	20.70	91	Good	Deferrable Priority
SW10274	W 3rd ST	8.7	76	654	Mono Curb And Walk	Asphalt	18.91	Partial Curb	4.00	8.65	34.60	91	Good	Very Low Priority
SW09583	W 3rd ST	4.5	179	812	Mono Curb And Walk	Concrete	29.57	Curb	6.06	4.54	27.47	92	Good	Deferrable Priority
SW10204	W 3rd ST	4.7	157	733	Boulevard Walk	Concrete	31.90	Curb	4.93	4.67	22.99	82	Fair	Low Priority
SW10874	W 3rd ST	4.6	43	199	Mono Curb And Walk	Concrete	7.63	Curb	5.64	4.63	26.08	92	Good	Deferrable Priority
SW09435	W 3rd ST	5.1	138	705	Mono Curb And Walk	Concrete	23.94	Curb	5.77	5.11	29.45	92	Good	Deferrable Priority
SW10271	W 3rd ST	5.6	87	490	Mono Curb And Walk	Concrete	17.99	Curb	4.85	5.62	27.24	92	Good	Deferrable Priority
SW10187	W 3rd ST	6.8	394	2,690	Mono Curb And Walk	Concrete	41.48	Curb	9.51	6.82	64.86	92	Good	Deferrable Priority
SW10275	W 3rd ST	5.4	691	3,753	Boulevard Walk	Concrete	129.76	Curb	5.32	5.43	28.92	92	Good	Low Priority
SW09586	W 3rd ST	4.7	33	154	Mono Curb And Walk	Pavers / Brick	8.22	Curb	4.00	4.68	18.74	92	Good	Deferrable Priority
SW10210	W 3rd ST	9.6	98	939	Boulevard Walk	Asphalt	24.53	Curb	4.00	9.57	38.27	93	Good	Very Low Priority
SW10185	W 3rd ST	4.9	533	2,623	Mono Curb And Walk	Concrete	89.23	Curb	5.97	4.92	29.39	93	Good	Deferrable Priority
SW10167	W 3rd ST	4.1	242	987	Boulevard Walk	Concrete	64.93	Curb	3.72	4.08	15.19	86	Fair	Low Priority
SW10205	W 3rd ST	4.5	360	1,618	Boulevard Walk	Concrete	72.26	Curb	4.99	4.49	22.40	87	Fair	Low Priority
SW10168	W 3rd ST	4.5	558	2,533	Boulevard Walk	Concrete	101.07	Curb	5.52	4.54	25.06	93	Good	Deferrable Priority
SW10186	W 3rd ST	4.8	219	1,055	Mono Curb And Walk	Concrete	37.24	Curb	5.88	4.82	28.33	93	Good	Deferrable Priority
SW10188	W 3rd ST	6.9	97	667	Mono Curb And Walk	Concrete	10.21	Curb	9.51	6.87	65.29	94	Good	Deferrable Priority
SW09563	W 3rd ST	5.6	69	381	Boulevard Walk	Concrete	10.77	Curb	6.37	5.56	35.40	94	Good	Deferrable Priority
SW09585	W 3rd ST	4.5	129	582	Mono Curb And Walk	Concrete	26.38	Curb	4.90	4.51	22.08	68	Marginal	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09539	W 3rd ST	4.6	60	275	Mono Curb And Walk	Concrete	10.64	Curb	5.62	4.60	25.87	65	Marginal	Very Low Priority
SW10876	W 3rd ST	4.7	96	456	Mono Curb And Walk	Concrete	14.13	Curb	6.82	4.74	32.29	95	Good	Deferrable Priority
SW09536	W 3rd ST	4.7	103	480	Mono Curb And Walk	Concrete	20.33	Curb	5.05	4.68	23.63	95	Good	Deferrable Priority
SW09565	W 3rd ST	5.4	184	993	Boulevard Walk	Concrete	28.20	Curb	6.53	5.39	35.21	73	Marginal	Very Low Priority
SW10270	W 3rd ST	4.1	227	937	Boulevard Walk	Concrete	56.79	Curb	4.00	4.13	16.49	89	Fair	Very Low Priority
SW10209	W 3rd ST	7.4	176	1,299	Mono Curb And Walk	Asphalt	44.10	Curb	4.00	7.37	29.47	95	Good	Very Low Priority
SW10273	W 3rd ST	9.9	660	6,526	Boulevard Walk	Concrete	70.24	Curb	9.40	9.89	92.92	93	Good	Low Priority
SW10336	W 3rd ST	5.2	75	392	Boulevard Walk	Concrete	16.78	Curb	4.48	5.22	23.35	96	Good	Deferrable Priority
SW10320	W 3rd ST	8.6	471	4,029	Boulevard Walk	Asphalt	117.70	Curb	4.00	8.56	34.23	73	Marginal	Very Low Priority
SW09581	W 3rd ST	4.9	75	365	Mono Curb And Walk	Pavers / Brick	18.68	Curb	4.00	4.89	19.54	96	Good	Deferrable Priority
SW10337	W 3rd ST	5.5	350	1,915	Mono Curb And Walk	Concrete	82.19	Curb	4.26	5.48	23.30	97	Good	Deferrable Priority
SW10207	W 3rd ST	4.8	532	2,549	Boulevard Walk	Concrete	108.73	Curb	4.90	4.79	23.44	97	Good	Very Low Priority
SW10848	W 3rd ST	4.4	115	502	Mono Curb And Walk	Concrete	23.29	Curb	4.92	4.38	21.55	97	Good	Deferrable Priority
SW09397	W 3rd ST	5.2	664	3,453	Mono Curb And Walk	Concrete	119.32	Curb	5.56	5.20	28.94	97	Good	Very Low Priority
SW09398	W 3rd ST	5.1	667	3,377	Mono Curb And Walk	Concrete	124.18	Curb	5.37	5.06	27.20	97	Good	Deferrable Priority
SW09533	W 3rd ST	4.7	8	37	Mono Curb And Walk	Concrete	1.09	Curb	7.18	4.71	33.87	100	Good	No Priority
SW09534	W 3rd ST	4.7	26	124	Mono Curb And Walk	Concrete	3.65	Curb	7.18	4.71	33.87	100	Good	No Priority
SW09537	W 3rd ST	4.2	39	164	Mono Curb And Walk	Concrete	10.01	Curb	3.94	4.16	16.39	100	Good	No Priority
SW09576	W 3rd ST	4.3	19	84	Mono Curb And Walk	Concrete	4.29	Curb	4.51	4.35	19.61	100	Good	No Priority
SW09577	W 3rd ST	4.6	47	216	Mono Curb And Walk	Concrete	8.57	Curb	5.44	4.63	25.17	100	Good	No Priority
SW09578	W 3rd ST	4.3	62	265	Mono Curb And Walk	Pavers / Brick	15.51	Curb	4.00	4.27	17.08	100	Good	No Priority
SW09579	W 3rd ST	5.2	26	137	Mono Curb And Walk	Concrete	3.57	Curb	7.42	5.19	38.50	100	Good	No Priority
SW09594	W 3rd ST	6.1	55	333	Mono Curb And Walk	Concrete	9.37	Curb	5.85	6.07	35.49	100	Good	No Priority
SW10412	W 3rd ST	5.0	25	124	Boulevard Walk	Concrete	4.16	Curb	6.04	4.95	29.90	100	Good	No Priority
SW10873	W 3rd ST	5.2	35	182	Mono Curb And Walk	Concrete	4.72	Curb	7.42	5.19	38.50	100	Good	No Priority
SW10875	W 3rd ST	4.7	10	45	Mono Curb And Walk	Concrete	1.33	Curb	7.18	4.71	33.87	100	Good	No Priority
SW07914	W 4th ST	4.8	105	511	Boulevard Walk	Concrete	20.67	Curb	5.10	4.84	24.70	30	Poor	Immediate Priority
SW07913	W 4th ST	5.0	97	487	Boulevard Walk	Concrete	19.08	Curb	5.08	5.02	25.53	47	Poor	Immediate Priority
SW07927	W 4th ST	3.7	174	643	Mono Curb And Walk	Concrete	42.96	Curb	4.04	3.70	14.98	67	Marginal	Immediate Priority
SW07924	W 4th ST	4.4	90	398	Boulevard Walk	Concrete	16.28	Curb	5.53	4.42	24.43	73	Marginal	Low Priority
SW07912	W 4th ST	5.0	184	925	Boulevard Walk	Concrete	40.73	Curb	4.53	5.02	22.72	71	Marginal	Immediate Priority
SW07926	W 4th ST	4.4	79	346	Mono Curb And Walk	Concrete	14.76	Curb	5.33	4.39	23.41	68	Marginal	Low Priority
SW07928	W 4th ST	4.4	175	768	Mono Curb And Walk	Concrete	40.21	Curb	4.34	4.40	19.10	59	Marginal	Low Priority
SW07935	W 4th ST	4.8	128	617	Boulevard Walk	Concrete	26.97	Curb	4.76	4.80	22.86	61	Marginal	Very Low Priority
SW08792	W 4th ST	7.8	70	543	Mono Curb And Walk	Concrete	12.96	Curb	5.40	7.77	41.94	80	Fair	Low Priority
SW07925	W 4th ST	4.4	97	425	Boulevard Walk	Concrete	17.96	Curb	5.38	4.40	23.69	72	Marginal	Low Priority
SW08838	W 4th ST	5.8	134	781	Boulevard Walk	Concrete	19.00	Curb	7.08	5.81	41.10	74	Marginal	Low Priority
SW07930	W 4th ST	4.4	85	368	Mono Curb And Walk	Concrete	18.42	Curb	4.59	4.36	20.00	62	Marginal	Low Priority
SW07932	W 4th ST	4.9	128	620	Mono Curb And Walk	Concrete	27.22	Curb	4.69	4.86	22.77	78	Fair	Low Priority
SW08797	W 4th ST	5.7	134	760	Boulevard Walk	Concrete	28.40	Curb	4.73	5.66	26.77	76	Fair	Low Priority
SW07971	W 4th ST	5.4	43	230	Boulevard Walk	Concrete	7.93	Curb	5.41	5.36	29.02	87	Fair	Deferrable Priority
SW07898	W 4th ST	5.7	83	475	Boulevard Walk	Concrete	13.91	Curb	6.00	5.70	34.18	67	Marginal	Very Low Priority
SW07972	W 4th ST	5.4	126	682	Boulevard Walk	Concrete	24.97	Curb	5.06	5.40	27.31	88	Fair	Very Low Priority
SW07934	W 4th ST	4.5	123	556	Mono Curb And Walk	Concrete	24.76	Curb	4.97	4.52	22.45	89	Fair	Deferrable Priority
SW07974	W 4th ST	4.5	124	551	Mono Curb And Walk	Concrete	24.64	Curb	5.02	4.45	22.36	89	Fair	Deferrable Priority
SW00218	W 4th ST	6.4	95	604	Boulevard Walk	Concrete	15.23	Curb	6.23	6.36	39.65	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08844	W 4th ST	5.6	158	889	Mono Curb And Walk	Concrete	32.10	Curb	4.93	5.62	27.70	89	Fair	Low Priority
SW07947	W 4th ST	4.5	97	436	Boulevard Walk	Concrete	23.01	Curb	4.21	4.50	18.93	83	Fair	Low Priority
SW00265	W 4th ST	8.5	139	1,181	Mono Curb And Walk	Concrete	28.42	Curb	4.87	8.52	41.54	90	Fair	Deferrable Priority
SW08794	W 4th ST	11.5	190	2,188	Mono Curb And Walk	Concrete	29.41	Curb	6.47	11.50	74.40	90	Fair	Deferrable Priority
SW08791	W 4th ST	5.8	305	1,769	Boulevard Walk	Concrete	51.73	Partial Curb	5.90	5.79	34.19	85	Fair	Low Priority
SW07929	W 4th ST	4.4	266	1,178	Mono Curb And Walk	Concrete	64.58	Curb	4.12	4.42	18.24	85	Fair	Low Priority
SW00305	W 4th ST	8.1	55	442	Mono Curb And Walk	Concrete	9.64	Curb	5.68	8.08	45.85	93	Good	Deferrable Priority
SW00262	W 4th ST	7.9	147	1,164	Mono Curb And Walk	Concrete	34.13	Curb	4.31	7.91	34.11	94	Good	Deferrable Priority
SW07897	W 4th ST	5.0	188	946	Boulevard Walk	Concrete	36.83	Curb	5.11	5.03	25.69	94	Good	Deferrable Priority
SW08892	W 4th ST	6.2	66	409	Boulevard Walk	Concrete	12.50	Curb	5.26	6.22	32.70	95	Good	Deferrable Priority
SW08837	W 4th ST	5.9	155	918	Boulevard Walk	Concrete	32.38	Curb	4.79	5.92	28.35	74	Marginal	Very Low Priority
SW08795	W 4th ST	9.3	140	1,308	Mono Curb And Walk	Concrete	35.49	Curb	3.95	9.34	36.86	83	Fair	Very Low Priority
SW07931	W 4th ST	4.3	184	799	Mono Curb And Walk	Concrete	44.84	Curb	4.11	4.34	17.81	88	Fair	Low Priority
SW08796	W 4th ST	7.2	144	1,042	Boulevard Walk	Concrete	29.10	Curb	4.95	7.23	35.80	95	Good	Deferrable Priority
SW08872	W 4th ST	5.7	150	853	Boulevard Walk	Concrete	28.30	Curb	5.31	5.68	30.13	81	Fair	Very Low Priority
SW08793	W 4th ST	8.1	75	612	Mono Curb And Walk	Concrete	14.46	Curb	5.21	8.12	42.31	95	Good	Deferrable Priority
SW07923	W 4th ST	4.6	89	411	Boulevard Walk	Concrete	19.38	Curb	4.61	4.60	21.23	96	Good	Deferrable Priority
SW08869	W 4th ST	6.6	152	1,001	Boulevard Walk	Concrete	24.16	Curb	6.30	6.58	41.44	97	Good	Deferrable Priority
SW00219	W 4th ST	10.3	146	1,511	Mono Curb And Walk	Concrete	27.65	Curb	5.29	10.34	54.63	97	Good	Deferrable Priority
SW00302	W 4th ST	8.8	144	1,269	Mono Curb And Walk	Concrete	21.23	Curb	6.78	8.82	59.79	76	Fair	Very Low Priority
SW00220	W 4th ST	7.5	147	1,092	Mono Curb And Walk	Concrete	29.33	Curb	5.00	7.46	37.24	100	Good	No Priority
SW07973	W 4th ST	4.5	40	180	Mono Curb And Walk	Concrete	8.13	Curb	4.93	4.49	22.12	100	Good	No Priority
SW08845	W 4th ST	5.1	152	780	Boulevard Walk	Concrete	28.41	Curb	5.34	5.14	27.47	100	Good	No Priority
SW08891	W 4th ST	6.0	87	522	Mono Curb And Walk	Concrete	9.68	Curb	9.01	5.99	53.91	100	Good	No Priority
SW08859	W 6th ST	6.2	149	927	Boulevard Walk	Concrete	29.29	Curb	5.07	6.24	31.65	25	Very Poor	Immediate Priority
SW10782	W 6th ST	4.3	87	372	Mono Curb And Walk	Concrete	17.69	Curb	4.93	4.27	21.04	48	Poor	Immediate Priority
SW08858	W 6th ST	6.5	64	412	Boulevard Walk	Concrete	14.50	Curb	4.39	6.47	28.42	63	Marginal	Immediate Priority
SW08831	W 6th ST	5.9	136	806	Boulevard Walk	Concrete	23.55	Curb	5.79	5.91	34.20	62	Marginal	Immediate Priority
SW00386	W 6th ST	12.2	151	1,834	Mono Curb And Walk	Concrete	30.75	Curb	4.90	12.17	59.63	51	Marginal	Low Priority
SW08129	W 6th ST	6.0	101	607	Mono Curb And Walk	Concrete	12.96	Curb	7.78	6.02	46.84	73	Marginal	Low Priority
SW10779	W 6th ST	4.4	98	433	Mono Curb And Walk	Concrete	17.29	Curb	5.69	4.40	25.04	61	Marginal	Low Priority
SW08093	W 6th ST	4.4	97	422	Mono Curb And Walk	Concrete	17.81	Curb	5.44	4.36	23.72	78	Fair	Low Priority
SW08094	W 6th ST	4.3	96	411	Mono Curb And Walk	Concrete	19.53	Curb	4.93	4.27	21.04	71	Marginal	Low Priority
SW08095	W 6th ST	4.3	88	375	Mono Curb And Walk	Concrete	17.84	Curb	4.93	4.27	21.04	53	Marginal	Very Low Priority
SW00381	W 6th ST	6.1	146	894	Mono Curb And Walk	Concrete	31.21	Curb	4.69	6.11	28.65	70	Marginal	Low Priority
SW08090	W 6th ST	3.9	90	352	Mono Curb And Walk	Concrete	19.70	Curb	4.59	3.89	17.86	68	Marginal	Low Priority
SW07890	W 6th ST	5.0	82	409	Boulevard Walk	Concrete	15.89	Curb	5.19	4.96	25.74	71	Marginal	Low Priority
SW07969	W 6th ST	5.0	122	611	Boulevard Walk	Concrete	23.48	Curb	5.21	4.99	26.00	61	Marginal	Low Priority
SW10776	W 6th ST	3.9	92	358	Mono Curb And Walk	Concrete	20.07	Curb	4.59	3.89	17.86	84	Fair	Deferrable Priority
SW08103	W 6th ST	3.7	189	701	Mono Curb And Walk	Concrete	41.74	Curb	4.52	3.71	16.79	85	Fair	Deferrable Priority
SW08102	W 6th ST	4.4	87	383	Mono Curb And Walk	Concrete	15.30	Curb	5.69	4.40	25.04	85	Fair	Deferrable Priority
SW00392	W 6th ST	10.7	24	253	Mono Curb And Walk	Concrete	3.27	Curb	7.24	10.69	77.38	85	Fair	Deferrable Priority
SW08088	W 6th ST	4.3	94	402	Mono Curb And Walk	Concrete	17.69	Curb	5.33	4.27	22.72	69	Marginal	Very Low Priority
SW08089	W 6th ST	3.9	103	401	Mono Curb And Walk	Concrete	22.44	Curb	4.59	3.89	17.86	73	Marginal	Low Priority
SW08092	W 6th ST	3.9	103	400	Mono Curb And Walk	Concrete	22.40	Curb	4.59	3.89	17.86	66	Marginal	Very Low Priority
SW07938	W 6th ST	5.3	131	697	Boulevard Walk	Concrete	26.66	Curb	4.92	5.32	26.14	81	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08098	W 6th ST	4.4	411	1,795	Mono Curb And Walk	Concrete	82.37	Curb	4.99	4.37	21.79	68	Marginal	Low Priority
SW10783	W 6th ST	4.3	92	394	Mono Curb And Walk	Concrete	18.74	Curb	4.93	4.27	21.04	71	Marginal	Very Low Priority
SW08830	W 6th ST	5.1	153	782	Boulevard Walk	Concrete	28.48	Curb	5.37	5.12	27.46	72	Marginal	Low Priority
SW08100	W 6th ST	4.9	55	271	Mono Curb And Walk	Concrete	13.73	Curb	4.04	4.89	19.77	88	Fair	Very Low Priority
SW00394	W 6th ST	4.8	76	364	Boulevard Walk	Concrete	14.56	Curb	5.19	4.81	25.00	89	Fair	Very Low Priority
SW08101	W 6th ST	4.9	419	2,051	Mono Curb And Walk	Concrete	74.88	Curb	5.60	4.89	27.39	83	Fair	Low Priority
SW08091	W 6th ST	3.9	89	347	Mono Curb And Walk	Concrete	19.42	Curb	4.59	3.89	17.86	74	Marginal	Very Low Priority
SW08852	W 6th ST	5.2	152	784	Boulevard Walk	Concrete	28.44	Curb	5.35	5.15	27.57	90	Fair	Low Priority
SW08836	W 6th ST	5.1	135	684	Boulevard Walk	Concrete	25.67	Curb	5.25	5.08	26.66	68	Marginal	Very Low Priority
SW07911	W 6th ST	5.1	408	2,085	Boulevard Walk	Concrete	76.40	Curb	5.34	5.11	27.29	82	Fair	Low Priority
SW10784	W 6th ST	4.1	87	356	Mono Curb And Walk	Concrete	17.46	Curb	5.00	4.08	20.42	70	Marginal	Very Low Priority
SW00226	W 6th ST	12.9	153	1,972	Mono Curb And Walk	Concrete	31.41	Curb	4.87	12.90	62.77	90	Good	Deferrable Priority
SW00225	W 6th ST	7.6	147	1,115	Mono Curb And Walk	Concrete	28.97	Curb	5.09	7.56	38.48	79	Fair	Very Low Priority
SW10781	W 6th ST	3.9	103	401	Mono Curb And Walk	Concrete	22.45	Curb	4.59	3.89	17.86	91	Good	Deferrable Priority
SW07966	W 6th ST	5.8	125	731	Boulevard Walk	Concrete	21.87	Curb	5.71	5.85	33.40	68	Marginal	Very Low Priority
SW07873	W 6th ST	5.0	191	950	Boulevard Walk	Concrete	36.84	Curb	5.19	4.97	25.78	86	Fair	Low Priority
SW00255	W 6th ST	11.5	297	3,416	Mono Curb And Walk	Concrete	60.16	Curb	4.94	11.50	56.78	89	Fair	Low Priority
SW07888	W 6th ST	5.3	200	1,063	Boulevard Walk	Concrete	40.67	Curb	4.92	5.32	26.14	77	Fair	Low Priority
SW07965	W 6th ST	5.3	50	266	Boulevard Walk	Concrete	10.19	Curb	4.92	5.32	26.14	94	Good	Deferrable Priority
SW08835	W 6th ST	5.0	130	650	Boulevard Walk	Concrete	24.83	Curb	5.25	4.99	26.20	82	Fair	Very Low Priority
SW07889	W 6th ST	5.3	76	404	Boulevard Walk	Concrete	15.45	Curb	4.92	5.32	26.14	96	Good	Deferrable Priority
SW00385	W 6th ST	13.9	145	2,010	Mono Curb And Walk	Concrete	25.62	Curb	5.65	13.90	78.47	81	Fair	Very Low Priority
SW07906	W 6th ST	5.3	96	509	Boulevard Walk	Concrete	19.46	Curb	4.92	5.32	26.14	96	Good	Deferrable Priority
SW00391	W 6th ST	8.6	118	1,023	Boulevard Walk	Concrete	20.95	Curb	5.65	8.64	48.82	97	Good	Deferrable Priority
SW07909	W 6th ST	5.0	409	2,037	Boulevard Walk	Concrete	88.47	Curb	4.62	4.98	23.02	97	Good	Deferrable Priority
SW08087	W 6th ST	4.3	96	409	Mono Curb And Walk	Concrete	18.01	Curb	5.33	4.27	22.72	73	Marginal	Very Low Priority
SW08851	W 6th ST	5.3	152	815	Boulevard Walk	Concrete	27.99	Curb	5.45	5.35	29.13	97	Good	Deferrable Priority
SW00388	W 6th ST	7.2	148	1,069	Boulevard Walk	Concrete	35.70	Curb	4.14	7.23	29.94	100	Good	No Priority
SW00393	W 6th ST	4.8	70	338	Mono Curb And Walk	Concrete	13.52	Curb	5.19	4.81	25.00	100	Good	No Priority
SW00395	W 6th ST	4.8	37	180	Mono Curb And Walk	Concrete	7.18	Curb	5.19	4.81	25.00	100	Good	No Priority
SW07874	W 6th ST	5.3	94	501	Boulevard Walk	Concrete	19.16	Curb	4.92	5.32	26.14	100	Good	No Priority
SW07891	W 6th ST	5.0	132	657	Boulevard Walk	Concrete	25.47	Curb	5.18	4.98	25.80	100	Good	No Priority
SW07905	W 6th ST	5.3	83	441	Boulevard Walk	Concrete	16.87	Curb	4.92	5.32	26.14	100	Good	No Priority
SW07907	W 6th ST	5.3	93	492	Boulevard Walk	Concrete	18.83	Curb	4.92	5.32	26.14	100	Good	No Priority
SW07908	W 6th ST	5.3	93	493	Boulevard Walk	Concrete	18.94	Curb	4.92	5.29	26.02	100	Good	No Priority
SW07941	W 6th ST	5.3	144	763	Boulevard Walk	Concrete	29.19	Curb	4.92	5.32	26.14	100	Good	No Priority
SW07970	W 6th ST	5.0	53	264	Boulevard Walk	Concrete	10.27	Curb	5.19	4.96	25.74	100	Good	No Priority
SW08857	W 6th ST	5.5	69	379	Boulevard Walk	Concrete	14.01	Curb	4.91	5.52	27.09	100	Good	No Priority
SW08860	W 6th ST	5.8	180	1,037	Boulevard Walk	Concrete	26.97	Curb	6.67	5.77	38.44	100	Good	No Priority
SW08887	W 6th ST	4.8	94	453	Mono Curb And Walk	Concrete	18.11	Curb	5.19	4.81	25.00	100	Good	No Priority
SW08890	W 6th ST	4.8	17	84	Boulevard Walk	Concrete	3.36	Curb	5.19	4.81	25.00	100	Good	No Priority
SW10752	W 6th ST	5.3	76	404	Boulevard Walk	Concrete	15.44	Curb	4.92	5.32	26.14	100	Good	No Priority
SW10753	W 6th ST	5.3	79	421	Boulevard Walk	Concrete	16.13	Curb	4.92	5.32	26.14	100	Good	No Priority
SW07886	W 7th ST	4.6	137	627	Mono Curb And Walk	Concrete	20.15	Curb	6.79	4.58	31.10	44	Poor	Immediate Priority
SW10775	W 7th ST	4.3	91	397	Mono Curb And Walk	Concrete	14.36	Curb	6.37	4.34	27.62	62	Marginal	Immediate Priority
SW08079	W 7th ST	4.4	87	381	Mono Curb And Walk	Concrete	14.26	Curb	6.07	4.40	26.71	50	Poor	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08053	W 7th ST	4.2	139	591	Mono Curb And Walk	Concrete	29.76	Curb	4.67	4.25	19.85	58	Marginal	Low Priority
SW08131	W 7th ST	4.7	73	343	Boulevard Walk	Concrete	15.15	Curb	4.85	4.68	22.67	68	Marginal	Low Priority
SW08106	W 7th ST	4.2	428	1,783	Mono Curb And Walk	Concrete	64.76	Curb	6.61	4.16	27.53	48	Poor	Low Priority
SW08827	W 7th ST	4.3	147	632	Boulevard Walk	Concrete	31.31	Curb	4.69	4.30	20.19	62	Marginal	Immediate Priority
SW07884	W 7th ST	4.4	87	385	Mono Curb And Walk	Concrete	13.29	Curb	6.55	4.43	29.00	53	Marginal	Low Priority
SW08130	W 7th ST	5.1	65	330	Mono Curb And Walk	Concrete	11.01	Curb	5.93	5.06	30.00	51	Marginal	Low Priority
SW07881	W 7th ST	5.1	112	564	Boulevard Walk	Concrete	21.86	Curb	5.11	5.05	25.80	61	Marginal	Low Priority
SW09813	W 7th ST	5.0	77	383	Boulevard Walk	Concrete	14.98	Curb	5.15	4.97	25.59	73	Marginal	Low Priority
SW07942	W 7th ST	3.9	36	142	Boulevard Walk	Concrete	6.32	Curb	5.74	3.91	22.44	51	Marginal	Low Priority
SW00371	W 7th ST	6.9	150	1,040	Boulevard Walk	Concrete	27.49	Curb	5.47	6.93	37.85	48	Poor	Low Priority
SW08078	W 7th ST	4.3	193	826	Mono Curb And Walk	Concrete	28.48	Curb	6.77	4.28	28.99	62	Marginal	Low Priority
SW08050	W 7th ST	4.1	97	400	Mono Curb And Walk	Concrete	15.06	Curb	6.45	4.12	26.56	52	Marginal	Low Priority
SW07883	W 7th ST	4.4	89	390	Mono Curb And Walk	Concrete	16.04	Curb	5.56	4.37	24.31	59	Marginal	Low Priority
SW07882	W 7th ST	4.4	68	299	Mono Curb And Walk	Concrete	10.15	Curb	6.66	4.42	29.48	75	Marginal	Low Priority
SW07939	W 7th ST	4.5	92	414	Mono Curb And Walk	Concrete	16.52	Curb	5.57	4.51	25.07	75	Fair	Low Priority
SW00376	W 7th ST	8.1	139	1,119	Mono Curb And Walk	Concrete	23.51	Curb	5.90	8.07	47.60	75	Fair	Low Priority
SW08052	W 7th ST	4.0	85	337	Mono Curb And Walk	Concrete	16.18	Curb	5.24	3.97	20.83	57	Marginal	Low Priority
SW07885	W 7th ST	4.6	67	307	Mono Curb And Walk	Concrete	10.57	Curb	6.32	4.59	29.03	49	Poor	Low Priority
SW08799	W 7th ST	4.9	69	338	Boulevard Walk	Concrete	15.59	Curb	4.42	4.92	21.71	66	Marginal	Low Priority
SW08081	W 7th ST	4.4	84	368	Mono Curb And Walk	Concrete	13.78	Curb	6.07	4.40	26.71	78	Fair	Low Priority
SW08849	W 7th ST	4.4	148	649	Mono Curb And Walk	Stamped Concrete	31.04	Curb	4.76	4.39	20.91	78	Fair	Low Priority
SW08880	W 7th ST	8.0	302	2,406	Mono Curb And Walk	Concrete	61.50	Curb	4.92	7.95	39.11	79	Fair	Low Priority
SW00382	W 7th ST	6.4	149	954	Mono Curb And Walk	Concrete	18.60	Curb	8.04	6.38	51.32	65	Marginal	Low Priority
SW07943	W 7th ST	4.9	271	1,330	Boulevard Walk	Concrete	61.26	Curb	4.42	4.92	21.71	62	Marginal	Immediate Priority
SW08800	W 7th ST	4.9	89	436	Boulevard Walk	Concrete	20.08	Curb	4.42	4.92	21.71	69	Marginal	Low Priority
SW08080	W 7th ST	4.4	89	391	Mono Curb And Walk	Concrete	14.65	Curb	6.07	4.40	26.71	64	Marginal	Low Priority
SW10772	W 7th ST	4.7	28	130	Mono Curb And Walk	Concrete	4.37	Curb	6.38	4.66	29.71	80	Fair	Deferrable Priority
SW00387	W 7th ST	6.7	135	902	Mono Curb And Walk	Concrete	28.93	Curb	4.66	6.69	31.18	81	Fair	Low Priority
SW08082	W 7th ST	4.4	86	380	Mono Curb And Walk	Concrete	14.21	Curb	6.07	4.40	26.71	65	Marginal	Low Priority
SW08077	W 7th ST	4.3	95	411	Mono Curb And Walk	Concrete	14.51	Curb	6.55	4.32	28.30	82	Fair	Deferrable Priority
SW08083	W 7th ST	4.4	90	394	Mono Curb And Walk	Concrete	14.75	Curb	6.07	4.40	26.71	82	Fair	Very Low Priority
SW07900	W 7th ST	4.4	79	349	Mono Curb And Walk	Concrete	13.06	Curb	6.07	4.40	26.71	59	Marginal	Very Low Priority
SW08826	W 7th ST	4.6	137	631	Boulevard Walk	Concrete	30.22	Curb	4.55	4.60	20.89	65	Marginal	Low Priority
SW08086	W 7th ST	4.4	84	371	Mono Curb And Walk	Concrete	13.88	Curb	6.07	4.40	26.71	58	Marginal	Very Low Priority
SW08805	W 7th ST	4.8	143	681	Boulevard Walk	Concrete	30.23	Curb	4.72	4.78	22.54	84	Fair	Low Priority
SW07887	W 7th ST	5.2	122	629	Mono Curb And Walk	Concrete	20.63	Curb	5.90	5.17	30.51	85	Fair	Low Priority
SW00372	W 7th ST	5.7	148	849	Boulevard Walk	Concrete	26.36	Curb	5.62	5.73	32.20	85	Fair	Low Priority
SW10774	W 7th ST	4.3	67	290	Mono Curb And Walk	Concrete	10.51	Curb	6.37	4.34	27.62	86	Fair	Very Low Priority
SW08802	W 7th ST	6.7	37	244	Mono Curb And Walk	Concrete	7.37	Curb	4.97	6.67	33.16	86	Fair	Deferrable Priority
SW08084	W 7th ST	4.4	95	416	Mono Curb And Walk	Concrete	15.58	Curb	6.07	4.40	26.71	61	Marginal	Very Low Priority
SW07901	W 7th ST	4.4	86	375	Mono Curb And Walk	Concrete	13.86	Curb	6.19	4.37	27.06	87	Fair	Deferrable Priority
SW08049	W 7th ST	4.4	105	467	Mono Curb And Walk	Concrete	16.42	Curb	6.42	4.44	28.47	62	Marginal	Very Low Priority
SW00384	W 7th ST	10.0	152	1,519	Mono Curb And Walk	Concrete	26.06	Curb	5.85	9.97	58.29	65	Marginal	Low Priority
SW07902	W 7th ST	4.3	74	320	Mono Curb And Walk	Concrete	11.58	Curb	6.37	4.34	27.62	88	Fair	Deferrable Priority
SW00375	W 7th ST	12.0	154	1,845	Mono Curb And Walk	Pavers / Brick	38.46	Curb	4.00	11.99	47.97	88	Fair	Low Priority
SW08801	W 7th ST	4.9	116	566	Boulevard Walk	Concrete	23.25	Curb	4.98	4.89	24.36	88	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW07899	W 7th ST	4.4	84	368	Mono Curb And Walk	Concrete	13.79	Curb	6.07	4.40	26.71	65	Marginal	Very Low Priority
SW08085	W 7th ST	4.4	90	395	Mono Curb And Walk	Concrete	14.78	Curb	6.07	4.40	26.71	89	Fair	Deferrable Priority
SW08825	W 7th ST	4.9	195	958	Boulevard Walk	Concrete	44.14	Curb	4.42	4.92	21.71	72	Marginal	Low Priority
SW08051	W 7th ST	4.3	102	437	Mono Curb And Walk	Concrete	17.23	Curb	5.91	4.29	25.35	90	Fair	Deferrable Priority
SW08889	W 7th ST	4.2	45	191	Mono Curb And Walk	Concrete	6.63	Curb	6.80	4.25	28.87	91	Good	Deferrable Priority
SW07904	W 7th ST	4.6	127	580	Mono Curb And Walk	Concrete	22.48	Curb	5.65	4.57	25.78	77	Fair	Very Low Priority
SW07880	W 7th ST	4.6	68	313	Boulevard Walk	Concrete	15.04	Curb	4.55	4.57	20.79	92	Good	Deferrable Priority
SW00378	W 7th ST	4.9	87	425	Boulevard Walk	Concrete	15.30	Curb	5.70	4.87	27.75	92	Good	Very Low Priority
SW00383	W 7th ST	9.8	152	1,488	Boulevard Walk	Concrete	30.90	Curb	4.91	9.80	48.15	92	Good	Deferrable Priority
SW08854	W 7th ST	4.3	240	1,028	Mono Curb And Walk	Concrete	27.74	Curb	8.64	4.29	37.06	93	Good	Deferrable Priority
SW08816	W 7th ST	7.9	208	1,636	Mono Curb And Walk	Concrete	42.04	Curb	4.95	7.87	38.91	93	Good	Deferrable Priority
SW08804	W 7th ST	6.3	126	792	Mono Curb And Walk	Concrete	19.24	Curb	6.56	6.28	41.17	95	Good	Deferrable Priority
SW08803	W 7th ST	5.7	95	539	Boulevard Walk	Concrete	13.49	Curb	7.00	5.70	39.91	95	Good	Deferrable Priority
SW08848	W 7th ST	5.0	149	742	Boulevard Walk	Concrete	28.53	Curb	5.22	4.99	26.01	95	Good	Deferrable Priority
SW07903	W 7th ST	4.3	73	317	Mono Curb And Walk	Concrete	11.46	Curb	6.37	4.34	27.62	66	Marginal	Very Low Priority
SW08882	W 7th ST	6.3	176	1,103	Mono Curb And Walk	Concrete	30.48	Curb	5.77	6.27	36.20	75	Marginal	Very Low Priority
SW00154	W 8th ST	4.5	135	606	Boulevard Walk	Concrete	29.25	Curb	4.61	4.50	20.73	10	Very Poor	Immediate Priority
SW00160	W 8th ST	11.1	116	1,290	Mono Curb And Walk	Concrete	16.05	Curb	7.24	11.10	80.38	34	Poor	Immediate Priority
SW08259	W 8th ST	4.4	131	571	Boulevard Walk	Concrete	26.25	Curb	4.98	4.37	21.74	45	Poor	Immediate Priority
SW08264	W 8th ST	5.4	76	409	Boulevard Walk	Concrete	10.45	Curb	7.27	5.39	39.15	50	Marginal	Low Priority
SW09817	W 8th ST	4.2	119	499	Mono Curb And Walk	Concrete	22.83	Curb	5.23	4.18	21.87	39	Poor	Low Priority
SW08275	W 8th ST	4.3	119	515	Boulevard Walk	Concrete	25.25	Curb	4.70	4.34	20.40	47	Poor	Low Priority
SW08813	W 8th ST	4.7	118	554	Mono Curb And Walk	Stamped Concrete	29.17	Curb	4.05	4.70	19.00	39	Poor	Low Priority
SW00156	W 8th ST	5.8	148	863	Mono Curb And Walk	Concrete	26.78	Curb	5.53	5.82	32.22	50	Poor	Low Priority
SW10773	W 8th ST	4.9	114	565	Boulevard Walk	Concrete	18.85	Curb	6.07	4.94	29.96	64	Marginal	Low Priority
SW08337	W 8th ST	4.9	48	235	Boulevard Walk	Concrete	9.41	Curb	5.11	4.90	25.01	51	Marginal	Low Priority
SW08336	W 8th ST	6.9	187	1,283	Mono Curb And Walk	Concrete	27.09	Curb	6.91	6.86	47.37	53	Marginal	Low Priority
SW08338	W 8th ST	4.5	133	593	Boulevard Walk	Concrete	27.94	Curb	4.75	4.46	21.22	66	Marginal	Low Priority
SW00159	W 8th ST	13.2	49	646	Mono Curb And Walk	Concrete	6.04	Curb	8.07	13.23	106.84	71	Marginal	Low Priority
SW08817	W 8th ST	6.2	33	206	Mono Curb And Walk	Concrete	6.14	Curb	5.42	6.18	33.49	72	Marginal	Low Priority
SW09814	W 8th ST	3.5	228	797	Mono Curb And Walk	Concrete	52.97	Curb	4.31	3.49	15.04	60	Marginal	Low Priority
SW08285	W 8th ST	4.6	150	695	Boulevard Walk	Concrete	32.42	Curb	4.61	4.64	21.42	72	Marginal	Low Priority
SW08878	W 8th ST	6.2	219	1,353	Mono Curb And Walk	Concrete	40.96	Curb	5.34	6.19	33.03	58	Marginal	Low Priority
SW08818	W 8th ST	4.0	164	650	Mono Curb And Walk	Pavers / Brick	40.94	Curb	4.00	3.97	15.88	73	Marginal	Low Priority
SW08314	W 8th ST	6.8	73	495	Mono Curb And Walk	Concrete	10.61	Curb	6.87	6.78	46.61	54	Marginal	Low Priority
SW08315	W 8th ST	5.3	80	425	Boulevard Walk	Concrete	13.29	Curb	5.99	5.33	31.93	51	Marginal	Low Priority
SW08263	W 8th ST	5.1	230	1,172	Boulevard Walk	Concrete	39.26	Curb	5.87	5.09	29.86	72	Marginal	Low Priority
SW09811	W 8th ST	3.6	500	1,785	Mono Curb And Walk	Concrete	118.49	Curb	4.22	3.57	15.07	66	Marginal	Immediate Priority
SW08271	W 8th ST	5.4	124	673	Boulevard Walk	Concrete	14.75	Curb	8.43	5.41	45.59	65	Marginal	Low Priority
SW00164	W 8th ST	3.9	144	559	Mono Curb And Walk	Concrete	26.51	Curb	5.42	3.89	21.08	35	Poor	Low Priority
SW00163	W 8th ST	6.0	150	896	Mono Curb And Walk	Concrete	28.82	Curb	5.20	5.98	31.07	62	Marginal	Low Priority
SW08228	W 8th ST	4.2	132	554	Boulevard Walk	Concrete	16.91	Curb	7.81	4.20	32.76	79	Fair	Low Priority
SW08269	W 8th ST	4.7	96	455	Boulevard Walk	Concrete	15.31	Curb	6.27	4.74	29.70	57	Marginal	Low Priority
SW08229	W 8th ST	4.7	130	610	Boulevard Walk	Concrete	18.47	Curb	7.03	4.70	33.04	84	Fair	Very Low Priority
SW08274	W 8th ST	5.3	140	736	Boulevard Walk	Concrete	25.91	Curb	5.39	5.27	28.41	78	Fair	Low Priority
SW10777	W 8th ST	3.8	114	436	Mono Curb And Walk	Concrete	23.56	Curb	4.83	3.83	18.49	67	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08276	W 8th ST	5.5	26	145	Boulevard Walk	Concrete	3.26	Curb	8.04	5.55	44.61	85	Fair	Deferrable Priority
SW08254	W 8th ST	4.8	126	605	Boulevard Walk	Concrete	19.58	Curb	6.42	4.81	30.90	77	Fair	Low Priority
SW08277	W 8th ST	5.1	138	698	Boulevard Walk	Concrete	19.73	Curb	6.99	5.07	35.40	77	Fair	Low Priority
SW08272	W 8th ST	5.7	83	475	Boulevard Walk	Concrete	13.52	Curb	6.15	5.71	35.12	87	Fair	Deferrable Priority
SW08262	W 8th ST	4.7	115	543	Boulevard Walk	Concrete	21.15	Curb	5.42	4.73	25.66	78	Fair	Low Priority
SW08810	W 8th ST	6.0	43	260	Mono Curb And Walk	Pavers / Brick	10.85	Curb	4.00	6.00	24.01	87	Fair	Deferrable Priority
SW08305	W 8th ST	4.4	28	123	Boulevard Walk	Concrete	4.47	Curb	6.26	4.40	27.53	88	Fair	Deferrable Priority
SW08270	W 8th ST	5.0	101	498	Boulevard Walk	Concrete	19.50	Curb	5.16	4.96	25.55	88	Fair	Deferrable Priority
SW08255	W 8th ST	4.6	95	436	Boulevard Walk	Concrete	14.75	Curb	6.42	4.60	29.54	89	Fair	Deferrable Priority
SW08268	W 8th ST	4.3	87	377	Boulevard Walk	Concrete	15.66	Curb	5.54	4.35	24.07	89	Fair	Deferrable Priority
SW09832	W 8th ST	4.0	111	443	Mono Curb And Walk	Concrete	21.09	Curb	5.26	3.99	20.99	74	Marginal	Very Low Priority
SW08261	W 8th ST	4.7	132	626	Boulevard Walk	Concrete	28.58	Curb	4.63	4.73	21.90	84	Fair	Low Priority
SW00158	W 8th ST	9.7	98	948	Mono Curb And Walk	Concrete	13.76	Curb	7.12	9.68	68.93	91	Good	Deferrable Priority
SW08242	W 8th ST	4.9	131	642	Boulevard Walk	Concrete	26.41	Curb	4.96	4.90	24.30	91	Good	Low Priority
SW08811	W 8th ST	5.3	127	675	Mono Curb And Walk	Concrete	18.20	Curb	6.98	5.31	37.08	75	Marginal	Very Low Priority
SW08282	W 8th ST	4.7	114	529	Boulevard Walk	Concrete	19.85	Curb	5.72	4.66	26.67	93	Good	Deferrable Priority
SW08879	W 8th ST	4.0	133	535	Mono Curb And Walk	Concrete	37.00	Curb	3.60	4.02	14.46	84	Fair	Very Low Priority
SW08283	W 8th ST	4.6	112	516	Boulevard Walk	Concrete	22.51	Curb	5.00	4.59	22.93	94	Good	Deferrable Priority
SW00157	W 8th ST	9.6	160	1,529	Mono Curb And Walk	Concrete	30.87	Curb	5.17	9.58	49.53	94	Good	Deferrable Priority
SW08812	W 8th ST	5.1	124	635	Mono Curb And Walk	Concrete	23.69	Curb	5.21	5.14	26.80	94	Good	Deferrable Priority
SW08243	W 8th ST	4.5	127	577	Boulevard Walk	Concrete	24.31	Curb	5.23	4.54	23.76	94	Good	Very Low Priority
SW00155	W 8th ST	8.2	148	1,215	Mono Curb And Walk	Concrete	40.48	Curb	3.66	8.21	30.02	86	Fair	Low Priority
SW08245	W 8th ST	4.5	122	543	Boulevard Walk	Concrete	21.09	Curb	5.76	4.47	25.74	96	Good	Very Low Priority
SW08809	W 8th ST	5.9	33	196	Boulevard Walk	Concrete	7.07	Curb	4.67	5.92	27.67	100	Good	No Priority
SW09812	W 8th ST	4.2	346	1,458	Mono Curb And Walk	Concrete	61.96	Curb	5.59	4.21	23.54	100	Good	No Priority
SW08248	W 9th ST	5.1	137	700	Mono Curb And Walk	Concrete	20.08	Curb	6.83	5.11	34.87	55	Marginal	Low Priority
SW08281	W 9th ST	4.6	276	1,263	Boulevard Walk	Concrete	55.90	Curb	4.94	4.57	22.59	55	Marginal	Immediate Priority
SW10771	W 9th ST	4.0	114	455	Mono Curb And Walk	Concrete	18.44	Curb	6.19	3.98	24.65	60	Marginal	Low Priority
SW08244	W 9th ST	4.1	106	438	Mono Curb And Walk	Concrete	15.80	Curb	6.74	4.12	27.75	49	Poor	Low Priority
SW08341	W 9th ST	4.4	20	89	Mono Curb And Walk	Concrete	5.47	Curb	3.73	4.35	16.22	70	Marginal	Low Priority
SW08246	W 9th ST	3.7	121	445	Mono Curb And Walk	Concrete	22.02	Curb	5.52	3.67	20.23	59	Marginal	Low Priority
SW08280	W 9th ST	4.6	308	1,411	Boulevard Walk	Concrete	43.42	Curb	7.08	4.59	32.50	44	Poor	Low Priority
SW08289	W 9th ST	4.5	145	650	Mono Curb And Walk	Concrete	36.60	Curb	3.97	4.47	17.75	68	Marginal	Low Priority
SW08343	W 9th ST	5.3	129	687	Mono Curb And Walk	Concrete	23.74	Curb	5.43	5.33	28.93	69	Marginal	Low Priority
SW08247	W 9th ST	4.4	116	509	Mono Curb And Walk	Concrete	19.22	Curb	6.02	4.40	26.47	59	Marginal	Low Priority
SW08241	W 9th ST	5.7	146	830	Mono Curb And Walk	Concrete	29.09	Curb	5.02	5.68	28.51	79	Fair	Low Priority
SW00171	W 9th ST	8.1	143	1,163	Mono Curb And Walk	Concrete	33.13	Curb	4.32	8.13	35.10	79	Fair	Low Priority
SW08342	W 9th ST	4.5	169	759	Mono Curb And Walk	Concrete	39.87	Curb	4.25	4.48	19.04	73	Marginal	Low Priority
SW00166	W 9th ST	6.0	143	857	Mono Curb And Walk	Concrete	24.83	Curb	5.74	6.01	34.51	63	Marginal	Low Priority
SW08288	W 9th ST	4.1	123	503	Mono Curb And Walk	Concrete	17.95	Curb	6.83	4.10	28.00	80	Fair	Low Priority
SW00162	W 9th ST	6.8	317	2,163	Mono Curb And Walk	Concrete	35.62	Curb	8.90	6.82	60.74	68	Marginal	Low Priority
SW00170	W 9th ST	9.8	142	1,400	Mono Curb And Walk	Concrete	26.07	Curb	5.46	9.83	53.68	83	Fair	Deferrable Priority
SW10821	W 9th ST	5.7	51	290	Mono Curb And Walk	Concrete	9.92	Curb	5.13	5.70	29.25	83	Fair	Very Low Priority
SW07286	W 9th ST	7.2	147	1,058	Mono Curb And Walk	Concrete	33.35	Curb	4.41	7.20	31.72	84	Fair	Low Priority
SW08273	W 9th ST	4.6	301	1,391	Boulevard Walk	Concrete	49.87	Curb	6.03	4.62	27.88	70	Marginal	Low Priority
SW00168	W 9th ST	5.4	97	529	Mono Curb And Walk	Concrete	14.77	Curb	6.59	5.44	35.81	87	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08249	W 9th ST	5.2	40	209	Boulevard Walk	Concrete	5.52	Curb	7.24	5.24	37.92	89	Fair	Deferrable Priority
SW08256	W 9th ST	4.6	254	1,172	Mono Curb And Walk	Concrete	49.14	Curb	5.17	4.62	23.86	75	Fair	Low Priority
SW00176	W 9th ST	5.2	37	192	Boulevard Walk	Concrete	6.69	Curb	5.46	5.25	28.65	91	Good	Deferrable Priority
SW07287	W 9th ST	5.7	146	835	Mono Curb And Walk	Concrete	31.56	Curb	4.63	5.71	26.47	91	Good	Deferrable Priority
SW08251	W 9th ST	3.8	122	468	Boulevard Walk	Concrete	30.21	Curb	4.03	3.85	15.50	93	Good	Deferrable Priority
SW08941	W Acacia CT	4.4	156	686	Boulevard Walk	Concrete	20.38	Curb	7.64	4.41	33.67	50	Marginal	Low Priority
SW08942	W Acacia CT	4.2	151	634	Boulevard Walk	Concrete	25.66	Curb	5.88	4.20	24.71	75	Marginal	Low Priority
SW08991	W Acuff RD	5.0	205	1,025	Boulevard Walk	Concrete	44.93	Curb	4.57	5.00	22.81	71	Marginal	Low Priority
SW08946	W Acuff RD	4.7	461	2,153	Boulevard Walk	Concrete	99.44	Curb	4.63	4.67	21.65	69	Marginal	Low Priority
SW08988	W Acuff RD	4.5	65	289	Boulevard Walk	Concrete	17.24	Curb	3.76	4.46	16.75	84	Fair	Low Priority
SW08992	W Acuff RD	4.8	74	356	Boulevard Walk	Concrete	16.93	Curb	4.35	4.83	21.01	86	Fair	Deferrable Priority
SW08997	W Acuff RD	4.8	345	1,657	Boulevard Walk	Concrete	87.35	Curb	3.95	4.81	18.98	83	Fair	Low Priority
SW05144	W Adams Hill CIR	4.6	223	1,034	Boulevard Walk	Concrete	56.20	Curb	3.96	4.64	18.39	60	Marginal	Low Priority
SW05142	W Adams Hill CIR	4.5	722	3,220	Boulevard Walk	Concrete	103.30	Curb	6.99	4.46	31.17	75	Marginal	Low Priority
SW05147	W Adams Hill CIR	5.2	157	812	Boulevard Walk	Concrete	25.55	Curb	6.13	5.18	31.77	79	Fair	Low Priority
SW05151	W Adams Hill CIR	4.9	439	2,162	Boulevard Walk	Concrete	77.86	Curb	5.64	4.93	27.77	73	Marginal	Low Priority
SW05146	W Adams Hill CIR	4.0	106	426	Boulevard Walk	Concrete	29.99	Curb	3.52	4.03	14.19	84	Fair	Low Priority
SW05150	W Adams Hill CIR	4.9	221	1,078	Boulevard Walk	Concrete	42.16	Curb	5.24	4.88	25.56	88	Fair	Low Priority
SW05168	W Adams Hill CIR	3.8	145	553	Boulevard Walk	Concrete	30.45	Curb	4.75	3.82	18.16	88	Fair	Low Priority
SW05169	W Adams Hill CIR	3.8	763	2,930	Boulevard Walk	Concrete	143.89	Curb	5.30	3.84	20.36	88	Fair	Low Priority
SW05139	W Adams Hill CIR	4.0	408	1,645	Boulevard Walk	Concrete	70.46	Curb	5.79	4.03	23.34	86	Fair	Low Priority
SW05148	W Adams Hill CIR	4.8	415	1,996	Boulevard Walk	Concrete	86.84	Curb	4.78	4.81	22.98	92	Good	Low Priority
SW05141	W Adams Hill CIR	3.9	153	604	Boulevard Walk	Concrete	28.50	Curb	5.37	3.94	21.18	95	Good	Deferrable Priority
SW10488	W Allen ST	4.2	82	347	Boulevard Walk	Concrete	14.11	No Curb	5.81	4.23	24.56	54	Marginal	Immediate Priority
SW06595	W Allen ST	4.7	28	130	Mono Curb And Walk	Concrete	7.68	Curb	3.59	4.71	16.92	58	Marginal	Low Priority
SW06585	W Allen ST	4.9	123	607	Boulevard Walk	Concrete	25.35	Curb	4.85	4.94	23.95	69	Marginal	Low Priority
SW06596	W Allen ST	3.3	39	131	Mono Curb And Walk	Concrete	11.67	Curb	3.37	3.34	11.25	69	Marginal	Low Priority
SW06575	W Allen ST	5.0	505	2,547	Boulevard Walk	Concrete	78.00	Curb	6.47	5.04	32.65	66	Marginal	Immediate Priority
SW10484	W Allen ST	3.8	365	1,391	Boulevard Walk	Concrete	77.50	Partial Curb	4.71	3.81	17.95	72	Marginal	Low Priority
SW06656	W Allen ST	7.2	193	1,392	Mono Curb And Walk	Concrete	50.92	Curb	3.78	7.23	27.33	71	Marginal	Low Priority
SW06611	W Allen ST	5.1	86	443	Mono Curb And Walk	Concrete	10.14	Curb	8.50	5.13	43.62	76	Fair	Low Priority
SW01913	W Allen ST	4.4	361	1,585	Mono Curb And Walk	Concrete	43.05	Curb	8.38	4.39	36.82	62	Marginal	Immediate Priority
SW06597	W Allen ST	5.1	123	622	Mono Curb And Walk	Concrete	32.95	Curb	3.73	5.06	18.87	78	Fair	Low Priority
SW01876	W Allen ST	4.8	127	611	Mono Curb And Walk	Concrete	16.36	Curb	7.75	4.81	37.32	52	Marginal	Low Priority
SW06026	W Allen ST	5.1	460	2,328	Boulevard Walk	Concrete	75.09	No Curb	6.13	5.06	31.00	76	Fair	Low Priority
SW06645	W Allen ST	4.7	108	512	Mono Curb And Walk	Concrete	21.27	Curb	5.07	4.74	24.05	80	Fair	Deferrable Priority
SW06586	W Allen ST	4.3	168	727	Boulevard Walk	Concrete	30.04	Curb	5.61	4.32	24.19	80	Fair	Low Priority
SW06636	W Allen ST	4.7	116	546	Mono Curb And Walk	Concrete	23.65	Curb	4.89	4.72	23.10	58	Marginal	Low Priority
SW06640	W Allen ST	7.9	269	2,110	Boulevard Walk	Concrete	42.42	Curb	6.33	7.85	49.73	81	Fair	Low Priority
SW06657	W Allen ST	4.0	110	438	Mono Curb And Walk	Concrete	27.17	Curb	4.06	3.97	16.11	75	Fair	Low Priority
SW06658	W Allen ST	4.0	161	649	Mono Curb And Walk	Concrete	33.52	Curb	4.81	4.03	19.37	78	Fair	Low Priority
SW01884	W Allen ST	4.2	131	552	Mono Curb And Walk	Concrete	27.23	Curb	4.82	4.21	20.28	79	Fair	Low Priority
SW06592	W Allen ST	3.9	44	174	Boulevard Walk	Concrete	8.80	Curb	5.05	3.92	19.80	85	Fair	Deferrable Priority
SW06598	W Allen ST	4.9	607	2,989	Boulevard Walk	Concrete	115.15	Curb	5.27	4.93	25.96	81	Fair	Immediate Priority
SW06594	W Allen ST	5.1	116	594	Mono Curb And Walk	Concrete	28.68	Curb	4.04	5.13	20.71	76	Fair	Low Priority
SW01914	W Allen ST	4.5	356	1,591	Mono Curb And Walk	Concrete	50.49	Curb	7.05	4.47	31.52	81	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW06646	W Allen ST	4.4	153	679	Boulevard Walk	Concrete	29.29	Curb	5.23	4.43	23.17	90	Good	Low Priority
SW02107	W Allen ST	5.1	90	455	Mono Curb And Walk	Concrete	17.99	Curb	4.99	5.07	25.29	65	Marginal	Very Low Priority
SW01970	W Allen ST	4.5	128	579	Mono Curb And Walk	Concrete	18.88	Curb	6.79	4.52	30.68	66	Marginal	Very Low Priority
SW06620	W Allen ST	5.1	153	784	Mono Curb And Walk	Concrete	32.57	No Curb	4.70	5.13	24.08	91	Good	Deferrable Priority
SW06639	W Allen ST	6.2	31	189	Mono Curb And Walk	Concrete	8.25	Curb	3.70	6.20	22.95	92	Good	Deferrable Priority
SW01915	W Allen ST	4.1	134	543	Mono Curb And Walk	Concrete	21.18	Curb	6.31	4.06	25.63	78	Fair	Very Low Priority
SW06587	W Allen ST	4.9	132	646	Boulevard Walk	Concrete	27.31	No Curb	4.83	4.89	23.66	81	Fair	Very Low Priority
SW06637	W Allen ST	4.9	166	814	Boulevard Walk	Concrete	29.11	Curb	5.69	4.91	27.96	95	Good	Deferrable Priority
SW06638	W Allen ST	7.3	55	399	Mono Curb And Walk	Concrete	6.44	Curb	8.48	7.30	61.90	100	Good	No Priority
SW06023	W Arbor Ridge WAY	6.1	114	692	Boulevard Walk	Concrete	21.12	Curb	5.41	6.06	32.79	47	Poor	Immediate Priority
SW06013	W Arbor Ridge WAY	4.8	177	849	Boulevard Walk	Concrete	30.13	Curb	5.87	4.80	28.17	68	Marginal	Low Priority
SW06018	W Arbor Ridge WAY	4.9	207	1,008	Boulevard Walk	Concrete	43.14	Curb	4.80	4.87	23.38	77	Fair	Low Priority
SW06017	W Arbor Ridge WAY	5.2	852	4,410	Boulevard Walk	Concrete	146.16	Curb	5.83	5.18	30.18	76	Fair	Low Priority
SW06020	W Arbor Ridge WAY	5.0	839	4,209	Boulevard Walk	Concrete	168.43	Curb	4.98	5.02	24.99	84	Fair	Low Priority
SW06021	W Arbor Ridge WAY	5.2	7	35	Stand Alone	Concrete	1.29	No Curb	5.33	5.15	27.49	100	Good	No Priority
SW08536	W Arlington RD	8.0	76	606	Mono Curb And Walk	Concrete	15.33	Curb	4.96	7.98	39.52	72	Marginal	Low Priority
SW08529	W Arlington RD	4.7	141	663	Boulevard Walk	Concrete	28.00	Curb	5.03	4.71	23.69	77	Fair	Low Priority
SW08530	W Arlington RD	4.8	261	1,243	Boulevard Walk	Concrete	55.91	Curb	4.67	4.76	22.24	80	Fair	Low Priority
SW08545	W Arlington RD	4.6	445	2,055	Boulevard Walk	Concrete	93.47	No Curb	4.76	4.62	21.98	77	Fair	Low Priority
SW08535	W Arlington RD	5.0	347	1,734	Boulevard Walk	Concrete	74.15	Curb	4.67	5.00	23.39	83	Fair	Low Priority
SW08539	W Arlington RD	5.2	648	3,374	Boulevard Walk	Concrete	150.23	No Curb	4.31	5.21	22.46	83	Fair	Low Priority
SW08553	W Arlington RD	4.4	130	573	Boulevard Walk	Concrete	32.70	No Curb	3.96	4.42	17.51	88	Fair	Low Priority
SW08538	W Arlington RD	5.1	306	1,566	Boulevard Walk	Concrete	67.09	No Curb	4.57	5.11	23.34	92	Good	Deferrable Priority
SW08938	W Aspen CT	3.7	124	458	Boulevard Walk	Concrete	28.91	Curb	4.28	3.70	15.84	66	Marginal	Low Priority
SW08944	W Aspen CT	4.0	138	559	Boulevard Walk	Concrete	30.25	Curb	4.57	4.04	18.48	75	Fair	Immediate Priority
SW10677	W Belle AVE	4.4	254	1,122	Boulevard Walk	Concrete	40.24	Curb	6.30	4.42	27.88	71	Marginal	Low Priority
SW10727	W Belle AVE	3.8	29	111	Mono Curb And Walk	Concrete	6.07	Curb	4.77	3.82	18.23	85	Fair	Deferrable Priority
SW10671	W Belle AVE	4.4	240	1,064	Boulevard Walk	Concrete	47.88	Curb	5.02	4.43	22.22	84	Fair	Low Priority
SW10728	W Belle AVE	3.8	206	788	Boulevard Walk	Concrete	43.24	No Curb	4.77	3.82	18.23	89	Fair	Deferrable Priority
SW10715	W Belle AVE	3.8	163	627	Boulevard Walk	Concrete	33.84	No Curb	4.83	3.84	18.53	90	Fair	Deferrable Priority
SW10675	W Belle AVE	4.7	134	631	Boulevard Walk	Concrete	22.78	Curb	5.88	4.71	27.71	69	Marginal	Low Priority
SW10674	W Belle AVE	4.7	160	756	Boulevard Walk	Concrete	27.27	Curb	5.88	4.71	27.71	91	Good	Deferrable Priority
SW10673	W Belle AVE	3.9	82	320	Boulevard Walk	Concrete	16.08	Curb	5.09	3.92	19.92	92	Good	Deferrable Priority
SW10719	W Belle AVE	3.9	218	848	Boulevard Walk	Concrete	53.57	Curb	4.08	3.88	15.83	93	Good	Deferrable Priority
SW10676	W Belle AVE	4.8	150	720	Boulevard Walk	Concrete	30.25	Curb	4.96	4.81	23.81	96	Good	Deferrable Priority
SW10679	W Belle AVE	4.1	293	1,189	Boulevard Walk	Concrete	56.14	Curb	5.23	4.05	21.19	98	Good	Deferrable Priority
SW10492	W Bloomfield RD	4.9	298	1,465	Boulevard Walk	Concrete	64.93	Curb	4.60	4.91	22.56	67	Marginal	Low Priority
SW10364	W Bloomfield RD	4.0	144	572	Boulevard Walk	Concrete	21.74	Curb	6.64	3.96	26.29	55	Marginal	Low Priority
SW10402	W Bloomfield RD	4.6	136	621	Boulevard Walk	Concrete	22.30	Curb	6.11	4.55	27.83	57	Marginal	Low Priority
SW10367	W Bloomfield RD	4.6	92	423	Boulevard Walk	Concrete	20.72	Curb	4.46	4.58	20.39	84	Fair	Low Priority
SW10482	W Bloomfield RD	9.8	21	210	Stand Alone	Concrete	5.34	No Curb	4.00	9.81	39.25	89	Fair	Deferrable Priority
SW10366	W Bloomfield RD	4.7	455	2,133	Boulevard Walk	Concrete	101.86	Curb	4.47	4.69	20.95	90	Fair	Low Priority
SW10403	W Bloomfield RD	4.7	166	772	Boulevard Walk	Concrete	33.27	Curb	4.98	4.66	23.21	92	Good	Deferrable Priority
SW10431	W Bloomfield RD	5.6	406	2,267	Stand Alone	Concrete	83.49	Curb	4.86	5.58	27.15	92	Good	Deferrable Priority
SW10478	W Bloomfield RD	6.5	61	396	Mono Curb And Walk	Concrete	7.12	Curb	8.57	6.49	55.65	58	Marginal	Very Low Priority
SW10477	W Bloomfield RD	5.1	62	314	Mono Curb And Walk	Concrete	9.55	Curb	6.47	5.08	32.90	93	Good	Deferrable Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10365	W Bloomfield RD	4.5	173	769	Boulevard Walk	Concrete	27.43	Curb	6.30	4.45	28.03	97	Good	Deferrable Priority
SW10472	W Bloomfield RD	5.2	422	2,181	Boulevard Walk	Concrete	86.73	Curb	4.86	5.17	25.15	99	Good	Deferrable Priority
SW04358	W Cardinal CT	4.1	243	989	Mono Curb And Walk	Concrete	48.54	Curb	5.01	4.06	20.37	88	Fair	Deferrable Priority
SW04360	W Cardinal CT	3.9	278	1,082	Mono Curb And Walk	Concrete	59.50	Curb	4.68	3.89	18.19	82	Fair	Low Priority
SW04370	W Chambers DR	2.9	48	142	Boulevard Walk	Concrete	6.28	Curb	7.70	2.93	22.59	90	Good	Deferrable Priority
SW04406	W Cherokee DR	5.9	97	571	Boulevard Walk	Concrete	20.17	Partial Curb	4.80	5.90	28.32	79	Fair	Low Priority
SW04371	W Cherokee DR	2.9	32	92	Boulevard Walk	Concrete	9.51	No Curb	3.36	2.87	9.64	93	Good	Deferrable Priority
SW10070	W Constitution AVE	10.4	109	1,142	Boulevard Walk	Asphalt	27.37	Curb	4.00	10.43	41.72	80	Fair	Low Priority
SW10071	W Constitution AVE	10.4	208	2,169	Boulevard Walk	Asphalt	51.98	Curb	4.00	10.43	41.72	91	Good	Deferrable Priority
SW10069	W Constitution AVE	10.4	419	4,371	Boulevard Walk	Asphalt	104.76	Curb	4.00	10.43	41.72	93	Good	Low Priority
SW04619	W Coolidge DR	4.6	141	649	Mono Curb And Walk	Concrete	29.53	No Curb	4.77	4.61	21.99	45	Poor	Low Priority
SW04629	W Coolidge DR	4.5	152	681	Mono Curb And Walk	Concrete	30.75	No Curb	4.94	4.49	22.15	45	Poor	Low Priority
SW06883	W Coolidge DR	4.3	127	549	Mono Curb And Walk	Concrete	26.42	No Curb	4.79	4.34	20.79	60	Marginal	Low Priority
SW06753	W Coolidge DR	4.5	286	1,276	Mono Curb And Walk	Concrete	62.36	Curb	4.59	4.46	20.46	52	Marginal	Low Priority
SW04638	W Coolidge DR	4.6	136	629	Mono Curb And Walk	Concrete	25.38	No Curb	5.36	4.63	24.78	50	Marginal	Low Priority
SW06742	W Coolidge DR	4.3	283	1,222	Mono Curb And Walk	Concrete	50.95	Curb	5.56	4.31	23.99	76	Fair	Low Priority
SW04632	W Coolidge DR	4.0	137	545	Boulevard Walk	Concrete	41.76	Curb	3.28	3.97	13.04	80	Fair	Low Priority
SW06723	W Coolidge DR	5.7	142	816	Mono Curb And Walk	Concrete	26.67	Curb	5.33	5.75	30.61	89	Fair	Low Priority
SW04637	W Coolidge DR	5.1	132	675	Boulevard Walk	Concrete	25.34	Partial Curb	5.20	5.12	26.64	77	Fair	Very Low Priority
SW06755	W Coolidge DR	4.7	64	301	Boulevard Walk	Concrete	14.37	No Curb	4.48	4.68	20.97	95	Good	Deferrable Priority
SW03911	W Cota DR	3.8	257	975	Boulevard Walk	Concrete	52.46	Curb	4.91	3.79	18.59	48	Poor	Immediate Priority
SW03919	W Cota DR	3.8	572	2,185	Boulevard Walk	Concrete	119.49	Curb	4.79	3.82	18.28	81	Fair	Immediate Priority
SW03921	W Cota DR	3.9	33	129	Boulevard Walk	Concrete	8.58	Curb	3.88	3.86	14.98	89	Fair	Deferrable Priority
SW03915	W Cota DR	4.6	194	892	Boulevard Walk	Concrete	38.13	Curb	5.10	4.59	23.39	84	Fair	Low Priority
SW03920	W Cota DR	4.6	241	1,116	Boulevard Walk	Concrete	29.10	Curb	8.27	4.63	38.34	92	Good	Low Priority
SW08068	W Cottage Grove AVE	3.3	85	281	Mono Curb And Walk	Concrete	21.10	Curb	4.03	3.31	13.32	40	Poor	Low Priority
SW08114	W Cottage Grove AVE	4.4	130	568	Mono Curb And Walk	Concrete	26.70	Curb	4.86	4.38	21.26	59	Marginal	Immediate Priority
SW08069	W Cottage Grove AVE	3.4	35	119	Mono Curb And Walk	Concrete	7.01	Curb	4.96	3.43	17.03	52	Marginal	Low Priority
SW08073	W Cottage Grove AVE	3.9	490	1,933	Mono Curb And Walk	Concrete	97.31	Curb	5.04	3.95	19.87	70	Marginal	Low Priority
SW08067	W Cottage Grove AVE	5.7	126	715	Mono Curb And Walk	Concrete	19.20	Curb	6.58	5.66	37.24	74	Marginal	Low Priority
SW08120	W Cottage Grove AVE	3.3	124	410	Mono Curb And Walk	Concrete	26.36	Curb	4.70	3.31	15.56	73	Marginal	Low Priority
SW08140	W Cottage Grove AVE	3.0	23	68	Mono Curb And Walk	Concrete	3.77	Curb	6.06	2.97	18.02	86	Fair	Deferrable Priority
SW08063	W Cottage Grove AVE	4.7	268	1,247	Mono Curb And Walk	Concrete	54.86	Curb	4.88	4.66	22.72	89	Fair	Deferrable Priority
SW08138	W Cottage Grove AVE	4.5	33	148	Mono Curb And Walk	Concrete	5.54	Curb	5.95	4.48	26.64	89	Fair	Deferrable Priority
SW10768	W Cottage Grove AVE	3.7	98	360	Mono Curb And Walk	Concrete	20.32	Curb	4.85	3.65	17.70	93	Good	Deferrable Priority
SW05445	W Country Club DR	6.7	35	232	Boulevard Walk	Concrete	5.15	Curb	6.71	6.71	45.02	72	Marginal	Low Priority
SW05466	W Country Club DR	6.3	82	517	Boulevard Walk	Concrete	14.04	Curb	5.84	6.31	36.83	74	Marginal	Low Priority
SW05446	W Country Club DR	6.9	71	489	Boulevard Walk	Concrete	9.79	No Curb	7.26	6.88	49.91	88	Fair	Deferrable Priority
SW04636	W Country Club DR	4.4	266	1,179	Mono Curb And Walk	Concrete	54.92	Curb	4.84	4.44	21.47	90	Good	Deferrable Priority
SW06688	W Country Club DR	6.8	38	257	Boulevard Walk	Concrete	7.62	Curb	4.93	6.84	33.72	92	Good	Deferrable Priority
SW05447	W Country Club DR	4.9	156	767	Boulevard Walk	Concrete	32.08	Curb	4.85	4.93	23.91	92	Good	Deferrable Priority
SW05461	W Country Club DR	6.5	171	1,115	Mono Curb And Walk	Concrete	27.37	Curb	6.23	6.54	40.74	93	Good	Deferrable Priority
SW05448	W Country Club DR	4.8	251	1,199	Boulevard Walk	Concrete	58.14	Curb	4.32	4.78	20.63	95	Good	Low Priority
SW05462	W Country Club DR	8.6	254	2,183	Boulevard Walk	Concrete	29.88	Curb	8.49	8.60	73.07	100	Good	No Priority
SW06782	W Country Club DR	8.5	13	113	Mono Curb And Walk	Concrete	2.22	Curb	5.94	8.55	50.72	100	Good	No Priority
SW04351	W Countryside LN	4.0	405	1,624	Boulevard Walk	Concrete	72.26	Curb	5.61	4.01	22.48	63	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05056	W Countryside LN	5.4	161	874	Boulevard Walk	Concrete	24.86	Curb	6.47	5.43	35.16	74	Marginal	Low Priority
SW04357	W Countryside LN	4.1	387	1,582	Boulevard Walk	Concrete	76.00	Curb	5.09	4.09	20.81	69	Marginal	Low Priority
SW05067	W Countryside LN	4.9	235	1,151	Boulevard Walk	Concrete	47.87	Curb	4.92	4.89	24.04	76	Fair	Low Priority
SW05058	W Countryside LN	4.9	109	535	Boulevard Walk	Concrete	24.11	Curb	4.51	4.92	22.19	77	Fair	Immediate Priority
SW05062	W Countryside LN	4.6	527	2,438	Boulevard Walk	Concrete	99.35	Curb	5.31	4.62	24.54	63	Marginal	Immediate Priority
SW05126	W Countryside LN	4.6	194	901	Boulevard Walk	Concrete	45.90	Curb	4.23	4.64	19.62	78	Fair	Low Priority
SW05123	W Countryside LN	4.8	265	1,264	Boulevard Walk	Concrete	66.55	Curb	3.99	4.76	18.99	79	Fair	Low Priority
SW05059	W Countryside LN	4.6	283	1,302	Boulevard Walk	Concrete	56.24	Curb	5.04	4.59	23.16	75	Fair	Low Priority
SW04348	W Countryside LN	3.8	340	1,302	Boulevard Walk	Concrete	47.20	Curb	7.20	3.83	27.58	60	Marginal	Low Priority
SW05066	W Countryside LN	4.8	121	575	Boulevard Walk	Concrete	25.22	Curb	4.80	4.75	22.81	82	Fair	Low Priority
SW05184	W Countryside LN	4.5	172	779	Mono Curb And Walk	Concrete	41.32	Curb	4.16	4.53	18.84	82	Fair	Low Priority
SW05166	W Countryside LN	4.0	257	1,027	Boulevard Walk	Concrete	61.02	Curb	4.22	3.99	16.82	68	Marginal	Low Priority
SW05057	W Countryside LN	4.9	296	1,451	Boulevard Walk	Concrete	61.56	Curb	4.80	4.91	23.58	70	Marginal	Low Priority
SW05134	W Countryside LN	4.7	93	439	Boulevard Walk	Concrete	19.10	Curb	4.85	4.74	23.00	83	Fair	Low Priority
SW05183	W Countryside LN	4.7	67	315	Boulevard Walk	Concrete	14.26	Curb	4.70	4.70	22.10	84	Fair	Deferrable Priority
SW05077	W Countryside LN	4.4	211	935	Boulevard Walk	Concrete	50.20	Curb	4.21	4.43	18.63	84	Fair	Immediate Priority
SW05072	W Countryside LN	4.8	313	1,517	Boulevard Walk	Concrete	60.33	Curb	5.19	4.84	25.15	82	Fair	Low Priority
SW04373	W Countryside LN	4.2	164	687	Boulevard Walk	Concrete	26.53	Curb	6.19	4.18	25.87	78	Fair	Low Priority
SW04375	W Countryside LN	4.0	125	505	Boulevard Walk	Concrete	21.20	Curb	5.92	4.03	23.82	89	Fair	Deferrable Priority
SW05177	W Countryside LN	4.9	317	1,542	Boulevard Walk	Concrete	65.95	Curb	4.81	4.87	23.39	72	Marginal	Low Priority
SW05178	W Countryside LN	4.0	474	1,901	Boulevard Walk	Concrete	108.21	Curb	4.38	4.01	17.57	86	Fair	Low Priority
SW04379	W Countryside LN	4.2	116	483	Mono Curb And Walk	Concrete	18.67	Curb	6.19	4.18	25.87	91	Good	Very Low Priority
SW05158	W Countryside LN	3.8	418	1,606	Boulevard Walk	Concrete	88.53	Curb	4.72	3.84	18.14	85	Fair	Low Priority
SW05078	W Countryside LN	5.4	102	558	Boulevard Walk	Concrete	17.55	Curb	5.84	5.45	31.78	92	Good	Deferrable Priority
SW05164	W Countryside LN	4.3	262	1,123	Boulevard Walk	Concrete	55.44	Curb	4.73	4.28	20.26	87	Fair	Very Low Priority
SW05179	W Countryside LN	4.5	318	1,416	Boulevard Walk	Concrete	61.54	Curb	5.17	4.45	23.01	93	Good	Low Priority
SW05076	W Countryside LN	6.9	8	58	Stand Alone	Concrete	2.09	No Curb	4.00	6.92	27.68	100	Good	No Priority
SW05079	W Countryside LN	6.9	8	57	Stand Alone	Concrete	2.06	No Curb	4.00	6.92	27.68	100	Good	No Priority
SW01920	W Davis ST	3.9	191	751	Boulevard Walk	Concrete	49.59	No Curb	3.85	3.93	15.13	84	Fair	Low Priority
SW01918	W Dixie ST	3.9	136	531	Mono Curb And Walk	Concrete	27.63	Curb	4.91	3.91	19.22	14	Very Poor	Low Priority
SW01916	W Dixie ST	5.0	362	1,795	Mono Curb And Walk	Concrete	57.51	Curb	6.29	4.96	31.20	67	Marginal	Immediate Priority
SW01917	W Dixie ST	3.8	365	1,372	Mono Curb And Walk	Concrete	92.75	Curb	3.94	3.76	14.79	71	Marginal	Immediate Priority
SW01908	W Dixie ST	4.7	124	586	Mono Curb And Walk	Concrete	22.25	Curb	5.58	4.72	26.36	73	Marginal	Low Priority
SW01967	W Dixie ST	4.2	128	534	Mono Curb And Walk	Concrete	31.34	Curb	4.10	4.16	17.05	56	Marginal	Low Priority
SW01906	W Dixie ST	4.5	251	1,125	Mono Curb And Walk	Stamped Concrete	36.80	Curb	6.83	4.48	30.58	81	Fair	Low Priority
SW01905	W Dixie ST	4.4	128	559	Mono Curb And Walk	Concrete	26.04	Curb	4.92	4.37	21.46	81	Fair	Deferrable Priority
SW01922	W Dodds ST	5.2	115	594	Boulevard Walk	Concrete	19.81	Curb	5.79	5.18	30.01	36	Poor	Immediate Priority
SW01921	W Dodds ST	4.7	112	521	Boulevard Walk	Concrete	22.95	Curb	4.88	4.66	22.72	29	Very Poor	Immediate Priority
SW01919	W Dodds ST	5.2	368	1,924	Boulevard Walk	Concrete	65.15	Curb	5.65	5.23	29.54	43	Poor	Immediate Priority
SW01984	W Dodds ST	3.3	22	72	Boulevard Walk	Concrete	6.86	Curb	3.18	3.33	10.57	67	Marginal	Low Priority
SW01963	W Dodds ST	5.6	136	756	Boulevard Walk	Concrete	22.23	Curb	6.11	5.57	34.01	36	Poor	Low Priority
SW01934	W Dodds ST	4.4	148	654	Mono Curb And Walk	Concrete	34.76	Curb	4.26	4.42	18.81	74	Marginal	Low Priority
SW06950	W Dodds ST	4.5	146	655	Mono Curb And Walk	Concrete	27.18	Curb	5.36	4.50	24.11	75	Fair	Low Priority
SW01892	W Dodds ST	5.0	132	652	Boulevard Walk	Concrete	26.09	Curb	5.04	4.96	24.99	58	Marginal	Immediate Priority
SW06948	W Dodds ST	4.3	138	594	Mono Curb And Walk	Concrete	27.81	Curb	4.95	4.32	21.36	66	Marginal	Low Priority
SW01964	W Dodds ST	3.5	107	380	Mono Curb And Walk	Concrete	25.12	Curb	4.27	3.55	15.13	78	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01956	W Dodds ST	4.9	78	380	Mono Curb And Walk	Concrete	13.29	Curb	5.89	4.86	28.61	78	Fair	Low Priority
SW01903	W Dodds ST	4.2	122	512	Boulevard Walk	Concrete	24.44	Curb	4.98	4.21	20.96	47	Poor	Low Priority
SW01935	W Dodds ST	4.1	152	626	Mono Curb And Walk	Concrete	32.07	Curb	4.74	4.12	19.52	80	Fair	Low Priority
SW01965	W Dodds ST	4.4	307	1,357	Mono Curb And Walk	Concrete	69.72	Curb	4.40	4.42	19.46	66	Marginal	Low Priority
SW01981	W Dodds ST	4.4	90	400	Mono Curb And Walk	Concrete	13.85	Curb	6.52	4.43	28.87	81	Fair	Low Priority
SW01973	W Dodds ST	4.5	218	976	Boulevard Walk	Concrete	51.83	Curb	4.21	4.48	18.83	74	Marginal	Low Priority
SW01933	W Dodds ST	4.3	161	698	Mono Curb And Walk	Concrete	30.25	Curb	5.32	4.34	23.06	84	Fair	Low Priority
SW06944	W Dodds ST	4.9	113	555	Boulevard Walk	Concrete	22.01	Curb	5.15	4.90	25.23	84	Fair	Low Priority
SW01923	W Dodds ST	4.7	113	528	Boulevard Walk	Concrete	22.77	Curb	4.96	4.68	23.20	77	Fair	Low Priority
SW01982	W Dodds ST	4.9	22	109	Mono Curb And Walk	Concrete	2.90	Curb	7.67	4.90	37.55	84	Fair	Deferrable Priority
SW02089	W Dodds ST	4.5	103	465	Mono Curb And Walk	Concrete	18.89	Curb	5.47	4.50	24.63	63	Marginal	Very Low Priority
SW01955	W Dodds ST	4.7	118	560	Mono Curb And Walk	Concrete	23.90	Curb	4.94	4.74	23.42	87	Fair	Low Priority
SW01902	W Dodds ST	5.2	427	2,205	Boulevard Walk	Concrete	102.99	Curb	4.15	5.16	21.41	78	Fair	Immediate Priority
SW01901	W Dodds ST	3.8	420	1,607	Mono Curb And Walk	Concrete	122.47	Curb	3.43	3.83	13.12	79	Fair	Low Priority
SW01983	W Dodds ST	4.0	41	161	Mono Curb And Walk	Concrete	9.41	Curb	4.30	3.97	17.07	90	Fair	Deferrable Priority
SW02047	W Dodds ST	5.5	148	811	Mono Curb And Walk	Concrete	33.82	Curb	4.38	5.47	23.99	90	Good	Low Priority
SW01980	W Dodds ST	4.1	58	234	Mono Curb And Walk	Concrete	11.82	Curb	4.88	4.07	19.83	100	Good	No Priority
SW04394	W Driscoll DR	4.1	126	512	Mono Curb And Walk	Concrete	26.00	Curb	4.84	4.07	19.68	64	Marginal	Low Priority
SW04389	W Driscoll DR	4.5	133	593	Mono Curb And Walk	Concrete	27.02	Curb	4.91	4.47	21.96	82	Fair	Very Low Priority
SW04372	W Duncan DR	5.0	371	1,837	Boulevard Walk	Concrete	92.88	No Curb	4.00	4.95	19.78	87	Fair	Low Priority
SW04408	W Duncan DR	4.6	145	670	Mono Curb And Walk	Concrete	28.71	No Curb	5.05	4.62	23.34	90	Fair	Deferrable Priority
SW06600	W East Branch RD	3.9	132	512	Mono Curb And Walk	Concrete	31.40	Curb	4.21	3.87	16.30	76	Fair	Low Priority
SW06601	W East Branch RD	4.6	84	392	Mono Curb And Walk	Concrete	17.03	Curb	4.95	4.64	22.99	72	Marginal	Very Low Priority
SW05130	W Eventide DR	5.0	71	354	Boulevard Walk	Concrete	15.21	Curb	4.65	5.00	23.25	72	Marginal	Low Priority
SW05115	W Eventide DR	4.7	71	333	Boulevard Walk	Concrete	14.48	Curb	4.89	4.71	23.02	77	Fair	Low Priority
SW05128	W Eventide DR	4.9	75	370	Boulevard Walk	Concrete	15.62	Curb	4.78	4.95	23.67	78	Fair	Low Priority
SW05114	W Eventide DR	4.8	71	339	Boulevard Walk	Concrete	15.59	Curb	4.57	4.75	21.74	61	Marginal	Low Priority
SW05125	W Eventide DR	4.8	191	921	Boulevard Walk	Concrete	33.98	Curb	5.62	4.82	27.10	80	Fair	Low Priority
SW05110	W Eventide DR	5.0	181	912	Boulevard Walk	Concrete	36.41	Curb	4.98	5.03	25.06	86	Fair	Low Priority
SW05192	W Ezekiel DR	5.5	300	1,655	Boulevard Walk	Concrete	57.77	Curb	5.20	5.51	28.64	93	Good	Low Priority
SW05194	W Ezekiel DR	7.7	349	2,689	Boulevard Walk	Concrete	49.57	Curb	7.03	7.72	54.25	96	Good	Deferrable Priority
SW09825	W Fountain DR	3.7	68	251	Meandering	Concrete	14.86	No Curb	4.58	3.69	16.92	47	Poor	Low Priority
SW09820	W Fountain DR	4.4	298	1,299	Mono Curb And Walk	Concrete	58.97	Curb	5.06	4.36	22.04	54	Marginal	Low Priority
SW09824	W Fountain DR	4.8	109	525	Boulevard Walk	Concrete	21.84	Curb	4.99	4.81	24.02	61	Marginal	Low Priority
SW09821	W Fountain DR	4.0	140	559	Mono Curb And Walk	Concrete	29.99	Curb	4.69	3.98	18.64	68	Marginal	Low Priority
SW09819	W Fountain DR	4.8	95	458	Boulevard Walk	Concrete	20.20	Curb	4.69	4.83	22.67	64	Marginal	Low Priority
SW09828	W Fountain DR	8.9	162	1,438	Boulevard Walk	Asphalt	40.62	Curb	4.00	8.85	35.41	79	Fair	Low Priority
SW09818	W Fountain DR	5.3	107	567	Boulevard Walk	Concrete	18.49	Curb	5.76	5.32	30.65	71	Marginal	Low Priority
SW09826	W Fountain DR	4.2	237	984	Meandering	Concrete	45.47	No Curb	5.21	4.15	21.64	82	Fair	Low Priority
SW09835	W Fountain DR	8.6	195	1,686	Boulevard Walk	Asphalt	48.76	Curb	4.00	8.64	34.58	87	Fair	Low Priority
SW09831	W Fountain DR	4.4	126	557	Mono Curb And Walk	Concrete	22.26	Curb	5.66	4.42	25.04	80	Fair	Low Priority
SW09836	W Fountain DR	10.2	223	2,270	Boulevard Walk	Asphalt	55.68	Curb	4.00	10.19	40.78	89	Fair	Deferrable Priority
SW09762	W Fountain DR	4.5	173	786	Meandering	Concrete	39.84	Curb	4.35	4.54	19.72	83	Fair	Low Priority
SW09838	W Fountain DR	8.2	22	181	Boulevard Walk	Asphalt	5.55	Curb	4.00	8.15	32.61	89	Fair	Deferrable Priority
SW09815	W Fountain DR	4.7	573	2,706	Boulevard Walk	Concrete	113.04	No Curb	5.07	4.73	23.94	90	Fair	Low Priority
SW09823	W Fountain DR	5.1	126	645	Boulevard Walk	Concrete	26.27	No Curb	4.81	5.10	24.54	93	Good	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09787	W Fountain DR	5.3	57	298	Boulevard Walk	Concrete	10.03	Curb	5.64	5.27	29.74	93	Good	Deferrable Priority
SW09837	W Fountain DR	8.6	120	1,028	Boulevard Walk	Asphalt	30.00	Curb	4.00	8.57	34.27	95	Good	Deferrable Priority
SW09859	W Fountain DR	10.5	97	1,024	Boulevard Walk	Concrete	24.36	No Curb	4.00	10.51	42.03	96	Good	Deferrable Priority
SW09858	W Fountain DR	10.3	975	10,008	Boulevard Walk	Asphalt	243.75	No Curb	4.00	10.27	41.06	97	Good	Low Priority
SW09786	W Fountain DR	4.8	130	621	Boulevard Walk	Concrete	20.43	Curb	6.36	4.77	30.38	97	Good	Deferrable Priority
SW11545	W Fountain DR	10.3	220	2,260	Boulevard Walk	Asphalt	55.03	No Curb	4.00	10.27	41.06	100	Good	No Priority
SW03761	W Fullerton PIKE	9.2	534	4,917	Boulevard Walk	Concrete	133.53	Curb	4.00	9.21	36.82	82	Fair	Low Priority
SW03760	W Fullerton PIKE	4.8	524	2,489	Boulevard Walk	Concrete	111.02	Curb	4.72	4.75	22.42	90	Fair	Low Priority
SW03767	W Fullerton Pike	10.2	75	758	Boulevard Walk	Concrete	18.66	Curb	4.00	10.15	40.61	75	Marginal	Very Low Priority
SW03766	W Fullerton Pike	9.7	137	1,330	Boulevard Walk	Concrete	34.15	Curb	4.00	9.74	38.95	97	Good	Deferrable Priority
SW03762	W Fullerton PIKE	9.2	11	100	Stand Alone	Concrete	2.73	No Curb	4.00	9.21	36.82	100	Good	No Priority
SW03763	W Fullerton PIKE	4.1	7	28	Stand Alone	Concrete	2.39	No Curb	2.90	4.06	11.78	100	Good	No Priority
SW03764	W Fullerton PIKE	4.1	72	292	Boulevard Walk	Concrete	24.80	No Curb	2.90	4.06	11.78	100	Good	No Priority
SW03765	W Fullerton PIKE	9.2	59	547	Boulevard Walk	Asphalt	14.85	No Curb	4.00	9.21	36.82	100	Good	No Priority
SW03768	W Fullerton Pike	9.0	9	80	Mono Curb And Walk	Concrete	2.03	No Curb	4.37	8.99	39.33	100	Good	No Priority
SW05349	W Gordon PIKE	5.5	63	347	Mono Curb And Walk	Concrete	12.30	Curb	5.12	5.51	28.22	70	Marginal	Low Priority
SW05348	W Gordon PIKE	4.9	221	1,092	Boulevard Walk	Concrete	43.52	Curb	5.09	4.94	25.10	85	Fair	Low Priority
SW05347	W Gordon PIKE	9.7	302	2,939	Boulevard Walk	Concrete	54.88	Curb	5.51	9.72	53.55	89	Fair	Deferrable Priority
SW05346	W Gordon PIKE	8.0	267	2,138	Mono Curb And Walk	Concrete	48.52	Curb	5.51	8.00	44.06	86	Fair	Very Low Priority
SW05335	W Gordon PIKE	5.5	204	1,131	Mono Curb And Walk	Concrete	38.61	Curb	5.30	5.54	29.31	96	Good	Deferrable Priority
SW09352	W Gourley PIKE	4.0	75	304	Boulevard Walk	Concrete	9.54	Curb	7.88	4.05	31.91	45	Poor	Low Priority
SW09346	W Gourley PIKE	4.0	16	67	Boulevard Walk	Concrete	3.14	Curb	5.25	4.05	21.24	62	Marginal	Low Priority
SW09351	W Gourley PIKE	4.8	284	1,356	Boulevard Walk	Concrete	59.70	Partial Curb	4.76	4.77	22.71	65	Marginal	Low Priority
SW09363	W Gourley PIKE	4.5	383	1,703	Boulevard Walk	Concrete	78.03	Curb	4.90	4.45	21.83	51	Marginal	Immediate Priority
SW09365	W Gourley PIKE	4.6	179	821	Boulevard Walk	Concrete	30.08	Curb	5.96	4.58	27.28	59	Marginal	Low Priority
SW09358	W Gourley PIKE	4.8	42	203	Boulevard Walk	Concrete	8.53	Curb	4.95	4.80	23.80	58	Marginal	Low Priority
SW09344	W Gourley PIKE	3.8	273	1,035	Boulevard Walk	Concrete	51.31	No Curb	5.33	3.79	20.17	67	Marginal	Immediate Priority
SW09347	W Gourley PIKE	3.8	111	424	Boulevard Walk	Concrete	27.96	Curb	3.96	3.84	15.17	74	Marginal	Immediate Priority
SW09340	W Gourley PIKE	5.4	64	349	Boulevard Walk	Concrete	15.48	Curb	4.15	5.43	22.51	76	Fair	Low Priority
SW09339	W Gourley PIKE	5.4	136	740	Boulevard Walk	Concrete	27.35	Curb	4.98	5.43	27.04	61	Marginal	Low Priority
SW09361	W Gourley PIKE	4.0	70	280	Boulevard Walk	Concrete	14.58	No Curb	4.80	4.00	19.18	80	Fair	Low Priority
SW09364	W Gourley PIKE	4.7	393	1,834	Boulevard Walk	Concrete	81.20	Curb	4.84	4.67	22.59	60	Marginal	Low Priority
SW09341	W Gourley PIKE	4.9	47	232	Boulevard Walk	Concrete	12.90	Curb	3.64	4.94	17.96	59	Marginal	Low Priority
SW08524	W Gourley PIKE	4.7	38	177	Boulevard Walk	Concrete	7.92	Curb	4.74	4.71	22.30	88	Fair	Deferrable Priority
SW09342	W Gourley PIKE	5.0	72	358	Boulevard Walk	Concrete	17.83	Curb	4.05	4.96	20.06	88	Fair	Deferrable Priority
SW09355	W Gourley PIKE	4.6	38	175	Boulevard Walk	Concrete	6.10	Curb	6.27	4.58	28.69	90	Good	Deferrable Priority
SW09345	W Gourley PIKE	4.2	10	41	Boulevard Walk	Concrete	1.64	Curb	5.86	4.22	24.72	100	Good	No Priority
SW09362	W Gourley PIKE	4.7	8	38	Stand Alone	Concrete	1.47	No Curb	5.55	4.70	26.09	100	Good	No Priority
SW06698	W Graham DR	5.9	52	309	Boulevard Walk	Concrete	9.98	Curb	5.21	5.95	30.99	93	Good	Deferrable Priority
SW09830	W Gray ST	3.9	110	428	Mono Curb And Walk	Concrete	23.88	Curb	4.60	3.90	17.92	50	Poor	Low Priority
SW09822	W Gray ST	4.4	123	542	Boulevard Walk	Concrete	24.53	No Curb	5.02	4.41	22.10	87	Fair	Deferrable Priority
SW06609	W Green Tree LN	4.1	402	1,629	Mono Curb And Walk	Concrete	92.81	Curb	4.33	4.05	17.55	80	Fair	Low Priority
SW06599	W Green Tree LN	5.0	89	445	Boulevard Walk	Concrete	18.35	Curb	4.86	4.99	24.24	70	Marginal	Very Low Priority
SW01141	W Grimes LN	4.4	170	749	Mono Curb And Walk	Concrete	34.29	Curb	4.96	4.41	21.84	26	Very Poor	Low Priority
SW01070	W Grimes LN	4.7	45	214	Mono Curb And Walk	Concrete	10.32	Curb	4.38	4.73	20.70	79	Fair	Low Priority
SW01062	W Grimes LN	4.2	181	753	Mono Curb And Walk	Concrete	38.71	Curb	4.67	4.17	19.46	58	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01063	W Grimes LN	4.3	39	164	Mono Curb And Walk	Concrete	9.72	Curb	3.96	4.26	16.87	86	Fair	Deferrable Priority
SW01064	W Grimes LN	5.3	20	107	Mono Curb And Walk	Concrete	4.26	Curb	4.79	5.26	25.21	87	Fair	Deferrable Priority
SW01073	W Grimes LN	6.0	54	325	Mono Curb And Walk	Concrete	10.72	Curb	5.00	6.05	30.27	89	Fair	Deferrable Priority
SW01148	W Grimes LN	4.7	139	649	Mono Curb And Walk	Concrete	27.92	Curb	4.97	4.68	23.24	91	Good	Deferrable Priority
SW01074	W Grimes LN	4.7	83	388	Mono Curb And Walk	Concrete	16.73	Curb	4.96	4.68	23.21	92	Good	Deferrable Priority
SW01071	W Grimes LN	4.4	132	583	Mono Curb And Walk	Concrete	25.30	Curb	5.23	4.40	23.04	73	Marginal	Very Low Priority
SW01072	W Grimes LN	6.8	97	664	Mono Curb And Walk	Concrete	19.44	Curb	4.99	6.84	34.17	74	Marginal	Very Low Priority
SW01138	W Grimes LN	5.7	123	700	Mono Curb And Walk	Concrete	22.30	Curb	5.50	5.71	31.40	79	Fair	Very Low Priority
SW08537	W Hickory LN	4.8	580	2,763	Boulevard Walk	Concrete	153.69	No Curb	3.78	4.76	17.98	84	Fair	Low Priority
SW08546	W Hickory LN	4.8	739	3,530	Boulevard Walk	Concrete	163.89	No Curb	4.51	4.78	21.54	88	Fair	Low Priority
SW08544	W Hickory LN	4.1	465	1,926	Boulevard Walk	Concrete	162.16	No Curb	2.87	4.15	11.88	90	Good	Low Priority
SW08543	W Hickory LN	4.9	463	2,272	Boulevard Walk	Concrete	92.71	No Curb	4.99	4.91	24.50	95	Good	Low Priority
SW01124	W Hillside DR	3.8	172	648	Mono Curb And Walk	Concrete	31.15	Curb	5.51	3.78	20.79	56	Marginal	Low Priority
SW01142	W Hillside DR	4.1	50	206	Mono Curb And Walk	Concrete	9.59	Curb	5.21	4.12	21.47	90	Fair	Deferrable Priority
SW01143	W Hillside DR	4.1	20	81	Mono Curb And Walk	Concrete	3.79	Curb	5.21	4.12	21.47	100	Good	No Priority
SW04376	W Hillside DR	8.0	475	3,781	Boulevard Walk	Concrete	118.80	Curb	4.00	7.96	31.83	100	Good	No Priority
SW10212	W Holiday DR	4.1	258	1,062	Mono Curb And Walk	Concrete	53.52	Curb	4.82	4.12	19.84	73	Marginal	Low Priority
SW09628	W Howe ST	4.7	113	526	Boulevard Walk	Concrete	21.52	Curb	5.25	4.65	24.43	33	Poor	Immediate Priority
SW09601	W Howe ST	4.9	127	619	Boulevard Walk	Concrete	22.94	Curb	5.52	4.89	26.99	31	Poor	Immediate Priority
SW09621	W Howe ST	4.8	168	803	Boulevard Walk	Concrete	34.15	Curb	4.93	4.77	23.52	34	Poor	Low Priority
SW09606	W Howe ST	4.6	149	684	Boulevard Walk	Concrete	29.59	Curb	5.05	4.58	23.13	38	Poor	Low Priority
SW09447	W Howe ST	4.5	287	1,292	Boulevard Walk	Concrete	56.44	Curb	5.09	4.50	22.89	39	Poor	Immediate Priority
SW09616	W Howe ST	5.1	48	244	Boulevard Walk	Concrete	8.36	Curb	5.77	5.07	29.24	56	Marginal	Low Priority
SW10757	W Howe ST	5.2	86	446	Boulevard Walk	Concrete	14.08	Curb	6.07	5.22	31.69	58	Marginal	Low Priority
SW09623	W Howe ST	4.8	165	801	Boulevard Walk	Concrete	31.56	Curb	5.24	4.85	25.40	67	Marginal	Low Priority
SW09633	W Howe ST	4.8	27	128	Boulevard Walk	Concrete	6.00	Curb	4.42	4.80	21.24	59	Marginal	Low Priority
SW09624	W Howe ST	4.6	114	529	Boulevard Walk	Concrete	24.79	Curb	4.61	4.64	21.35	67	Marginal	Low Priority
SW09446	W Howe ST	5.1	121	609	Boulevard Walk	Concrete	23.52	Curb	5.12	5.06	25.90	60	Marginal	Low Priority
SW09456	W Howe ST	4.3	84	364	Boulevard Walk	Concrete	17.62	Curb	4.76	4.33	20.64	67	Marginal	Low Priority
SW09604	W Howe ST	4.7	249	1,161	Boulevard Walk	Concrete	55.57	Curb	4.48	4.67	20.89	53	Marginal	Immediate Priority
SW09605	W Howe ST	4.5	156	706	Boulevard Walk	Concrete	35.73	Curb	4.36	4.53	19.76	46	Poor	Low Priority
SW09615	W Howe ST	4.7	249	1,164	Boulevard Walk	Concrete	40.97	Curb	6.07	4.68	28.41	47	Poor	Low Priority
SW09614	W Howe ST	4.6	156	714	Boulevard Walk	Concrete	22.43	Curb	6.93	4.59	31.82	67	Marginal	Low Priority
SW09445	W Howe ST	5.2	90	466	Boulevard Walk	Concrete	15.01	Curb	5.99	5.18	31.02	53	Marginal	Low Priority
SW09603	W Howe ST	4.3	186	804	Boulevard Walk	Concrete	35.01	Curb	5.31	4.32	22.96	62	Marginal	Low Priority
SW09608	W Howe ST	4.5	147	662	Boulevard Walk	Concrete	27.32	Curb	5.40	4.49	24.24	74	Marginal	Low Priority
SW09637	W Howe ST	4.6	103	475	Boulevard Walk	Concrete	19.78	Curb	5.20	4.62	24.03	65	Marginal	Very Low Priority
SW09453	W Howe ST	4.5	151	684	Boulevard Walk	Concrete	31.95	Curb	4.73	4.53	21.41	78	Fair	Low Priority
SW09454	W Howe ST	5.1	281	1,431	Boulevard Walk	Concrete	50.53	Curb	5.56	5.09	28.32	81	Fair	Immediate Priority
SW09634	W Howe ST	5.0	155	783	Boulevard Walk	Concrete	27.81	Curb	5.58	5.04	28.16	64	Marginal	Very Low Priority
SW10836	W Howe ST	4.5	159	723	Boulevard Walk	Concrete	33.96	Curb	4.69	4.54	21.28	84	Fair	Low Priority
SW09444	W Howe ST	4.9	108	528	Boulevard Walk	Concrete	22.62	Curb	4.79	4.87	23.32	64	Marginal	Very Low Priority
SW09457	W Howe ST	4.9	151	741	Boulevard Walk	Concrete	32.17	Curb	4.71	4.89	23.03	86	Fair	Low Priority
SW09451	W Howe ST	4.9	152	750	Boulevard Walk	Concrete	30.48	Curb	5.00	4.92	24.61	68	Marginal	Low Priority
SW09638	W Howe ST	4.2	108	456	Boulevard Walk	Concrete	28.08	Curb	3.85	4.22	16.23	92	Good	Deferrable Priority
SW09458	W Howe ST	4.9	292	1,430	Boulevard Walk	Concrete	52.17	Curb	5.61	4.89	27.41	80	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW09622	W Howe ST	5.1	230	1,166	Boulevard Walk	Concrete	43.54	Curb	5.27	5.08	26.78	82	Fair	Very Low Priority
SW10754	W Howe ST	5.1	215	1,094	Boulevard Walk	Concrete	41.50	Curb	5.17	5.10	26.36	81	Fair	Low Priority
SW09067	W Illinois CT	4.8	363	1,750	Boulevard Walk	Concrete	69.11	Curb	5.25	4.83	25.32	93	Good	Deferrable Priority
SW10318	W Isaac DR	7.9	427	3,358	Boulevard Walk	Asphalt	106.75	Curb	4.00	7.87	31.46	77	Fair	Low Priority
SW10321	W Isaac DR	8.7	249	2,157	Boulevard Walk	Asphalt	62.17	Curb	4.00	8.67	34.70	88	Fair	Very Low Priority
SW10347	W Isaac DR	5.0	217	1,087	Boulevard Walk	Concrete	47.40	Curb	4.58	5.01	22.93	96	Good	Deferrable Priority
SW10287	W Isaac DR	5.3	211	1,118	Boulevard Walk	Concrete	36.87	Curb	5.72	5.30	30.34	85	Fair	Very Low Priority
SW10289	W Isaac DR	4.4	189	825	Boulevard Walk	Concrete	43.20	Curb	4.38	4.36	19.09	86	Fair	Very Low Priority
SW10288	W Isaac DR	4.7	56	263	Boulevard Walk	Concrete	10.19	Curb	5.49	4.71	25.83	100	Good	No Priority
SW10351	W Isaac DR	5.4	14	76	Stand Alone	Concrete	2.16	No Curb	6.47	5.44	35.19	100	Good	No Priority
SW10352	W Isaac DR	4.7	8	35	Stand Alone	Concrete	1.60	No Curb	4.69	4.68	21.98	100	Good	No Priority
SW08471	W Kenwood DR	4.4	131	577	Mono Curb And Walk	Concrete	29.24	Curb	4.48	4.41	19.75	77	Fair	Low Priority
SW07967	W Kirkwood AVE	4.7	45	210	Boulevard Walk	Concrete	8.71	Curb	5.11	4.72	24.15	31	Poor	Immediate Priority
SW10309	W Kirkwood AVE	5.4	59	318	Boulevard Walk	Concrete	11.53	Curb	5.14	5.37	27.61	56	Marginal	Immediate Priority
SW07878	W Kirkwood AVE	4.7	406	1,891	Boulevard Walk	Concrete	61.40	Curb	6.61	4.66	30.80	33	Poor	Immediate Priority
SW07875	W Kirkwood AVE	4.7	129	605	Boulevard Walk	Concrete	25.20	Curb	5.13	4.67	23.99	54	Marginal	Immediate Priority
SW08099	W Kirkwood AVE	5.9	393	2,320	Boulevard Walk	Concrete	68.88	Curb	5.70	5.91	33.68	37	Poor	Low Priority
SW07976	W Kirkwood AVE	5.0	47	236	Boulevard Walk	Concrete	7.64	Curb	6.16	5.02	30.89	49	Poor	Low Priority
SW08832	W Kirkwood AVE	5.2	137	713	Boulevard Walk	Concrete	25.23	Curb	5.41	5.22	28.27	72	Marginal	Immediate Priority
SW07922	W Kirkwood AVE	4.9	99	482	Boulevard Walk	Concrete	15.82	Curb	6.27	4.86	30.49	67	Marginal	Low Priority
SW07919	W Kirkwood AVE	4.5	91	411	Boulevard Walk	Concrete	16.01	Curb	5.69	4.52	25.71	77	Fair	Low Priority
SW08096	W Kirkwood AVE	6.0	296	1,775	Mono Curb And Walk	Concrete	46.61	Curb	6.35	6.00	38.09	70	Marginal	Low Priority
SW10316	W Kirkwood AVE	5.3	300	1,598	Mono Curb And Walk	Concrete	64.89	Curb	4.62	5.33	24.62	78	Fair	Low Priority
SW07921	W Kirkwood AVE	5.2	91	473	Boulevard Walk	Concrete	13.46	Curb	6.77	5.19	35.13	70	Marginal	Low Priority
SW10315	W Kirkwood AVE	6.1	26	160	Mono Curb And Walk	Concrete	4.74	Curb	5.48	6.14	33.63	81	Fair	Deferrable Priority
SW00692	W Kirkwood AVE	5.7	152	871	Mono Curb And Walk	Pavers / Brick	37.89	Curb	4.00	5.75	22.98	82	Fair	Low Priority
SW07977	W Kirkwood AVE	5.1	123	631	Boulevard Walk	Concrete	20.30	Curb	6.04	5.15	31.11	75	Marginal	Low Priority
SW00289	W Kirkwood AVE	9.6	158	1,511	Mono Curb And Walk	Pavers / Brick	39.38	Curb	4.00	9.59	38.37	84	Fair	Low Priority
SW10324	W Kirkwood AVE	5.9	125	739	Boulevard Walk	Concrete	22.33	Curb	5.58	5.93	33.07	85	Fair	Deferrable Priority
SW07916	W Kirkwood AVE	4.4	102	451	Boulevard Walk	Concrete	19.29	Curb	5.28	4.42	23.36	77	Fair	Low Priority
SW07896	W Kirkwood AVE	5.0	130	650	Boulevard Walk	Concrete	25.33	Curb	5.12	5.01	25.65	79	Fair	Low Priority
SW07920	W Kirkwood AVE	4.4	91	405	Boulevard Walk	Concrete	17.10	Curb	5.34	4.43	23.66	87	Fair	Very Low Priority
SW07892	W Kirkwood AVE	4.7	191	895	Boulevard Walk	Concrete	42.08	Curb	4.55	4.68	21.27	82	Fair	Low Priority
SW08843	W Kirkwood AVE	5.2	139	719	Boulevard Walk	Concrete	24.30	Curb	5.71	5.18	29.57	80	Fair	Low Priority
SW07917	W Kirkwood AVE	4.2	96	403	Boulevard Walk	Concrete	19.65	Curb	4.88	4.20	20.50	71	Marginal	Very Low Priority
SW07915	W Kirkwood AVE	4.7	100	471	Boulevard Walk	Concrete	16.97	Curb	5.92	4.69	27.76	67	Marginal	Very Low Priority
SW10852	W Kirkwood AVE	5.6	153	857	Boulevard Walk	Pavers / Brick	38.31	Curb	4.00	5.59	22.36	90	Fair	Low Priority
SW08010	W Kirkwood AVE	5.9	70	414	Boulevard Walk	Concrete	14.11	Curb	4.96	5.91	29.33	90	Fair	Deferrable Priority
SW08097	W Kirkwood AVE	4.4	84	368	Mono Curb And Walk	Concrete	18.29	Curb	4.60	4.38	20.14	90	Good	Deferrable Priority
SW10854	W Kirkwood AVE	5.1	155	795	Boulevard Walk	Pavers / Brick	38.73	Curb	4.00	5.13	20.52	91	Good	Deferrable Priority
SW00288	W Kirkwood AVE	6.2	123	756	Mono Curb And Walk	Pavers / Brick	30.63	Curb	4.00	6.17	24.67	92	Good	Deferrable Priority
SW07968	W Kirkwood AVE	4.7	125	590	Boulevard Walk	Concrete	24.44	Curb	5.11	4.72	24.15	92	Good	Deferrable Priority
SW07918	W Kirkwood AVE	4.8	80	384	Boulevard Walk	Concrete	17.10	Curb	4.68	4.80	22.45	92	Good	Deferrable Priority
SW08833	W Kirkwood AVE	5.5	146	801	Boulevard Walk	Concrete	26.43	Curb	5.54	5.47	30.30	93	Good	Deferrable Priority
SW08855	W Kirkwood AVE	5.6	158	887	Boulevard Walk	Pavers / Brick	39.60	Curb	4.00	5.60	22.40	93	Good	Deferrable Priority
SW00181	W Kirkwood AVE	9.9	308	3,055	Mono Curb And Walk	Concrete	64.58	Curb	4.77	9.92	47.30	80	Fair	Very Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW00260	W Kirkwood AVE	6.2	123	764	Mono Curb And Walk	Pavers / Brick	30.73	Curb	4.00	6.22	24.87	94	Good	Deferrable Priority
SW07893	W Kirkwood AVE	4.7	82	387	Boulevard Walk	Concrete	16.43	Curb	5.00	4.71	23.55	74	Marginal	Very Low Priority
SW08856	W Kirkwood AVE	6.7	362	2,406	Boulevard Walk	Pavers / Brick	90.38	Curb	4.00	6.66	26.62	95	Good	Deferrable Priority
SW08868	W Kirkwood AVE	5.1	196	994	Boulevard Walk	Pavers / Brick	48.98	Curb	4.00	5.07	20.30	96	Good	Deferrable Priority
SW07910	W Kirkwood AVE	4.7	416	1,944	Boulevard Walk	Concrete	85.56	Curb	4.86	4.67	22.72	83	Fair	Very Low Priority
SW08884	W Kirkwood AVE	4.7	96	455	Boulevard Walk	Concrete	20.23	Curb	4.74	4.75	22.50	97	Good	Deferrable Priority
SW08867	W Kirkwood AVE	5.1	158	809	Boulevard Walk	Pavers / Brick	39.49	Curb	4.00	5.12	20.50	97	Good	Deferrable Priority
SW00185	W Kirkwood AVE	11.8	307	3,624	Mono Curb And Walk	Pavers / Brick	76.76	Curb	4.00	11.80	47.21	98	Good	Deferrable Priority
SW10869	W Kirkwood AVE	5.1	154	785	Boulevard Walk	Pavers / Brick	38.56	Curb	4.00	5.09	20.36	98	Good	Deferrable Priority
SW07895	W Kirkwood AVE	4.8	190	917	Boulevard Walk	Concrete	44.16	Curb	4.30	4.83	20.77	98	Good	Deferrable Priority
SW07894	W Kirkwood AVE	5.0	86	429	Boulevard Walk	Concrete	13.90	Curb	6.16	5.02	30.89	100	Good	No Priority
SW08842	W Kirkwood AVE	4.7	17	78	Boulevard Walk	Concrete	3.50	Curb	4.74	4.68	22.17	100	Good	No Priority
SW10416	W Kirkwood AVE	6.2	11	69	Boulevard Walk	Concrete	1.65	Curb	6.72	6.21	41.77	100	Good	No Priority
SW08175	W Maker WAY	9.7	320	3,120	Mono Curb And Walk	Pavers / Brick	80.11	Curb	4.00	9.74	38.94	90	Fair	Deferrable Priority
SW08174	W Maker WAY	9.1	328	2,987	Mono Curb And Walk	Pavers / Brick	81.99	Curb	4.00	9.11	36.43	91	Good	Low Priority
SW09798	W Marquis DR	4.7	186	881	Boulevard Walk	Concrete	41.88	Curb	4.44	4.73	21.03	53	Marginal	Low Priority
SW09795	W Marquis DR	4.5	196	891	Boulevard Walk	Concrete	47.50	Curb	4.14	4.54	18.76	74	Marginal	Low Priority
SW09792	W Marquis DR	4.7	164	774	Boulevard Walk	Concrete	36.31	Curb	4.52	4.71	21.31	67	Marginal	Low Priority
SW09794	W Marquis DR	5.0	128	643	Boulevard Walk	Concrete	22.56	Curb	5.69	5.01	28.51	76	Fair	Low Priority
SW09790	W Marquis DR	4.4	109	482	Boulevard Walk	Concrete	22.61	Curb	4.80	4.44	21.32	71	Marginal	Low Priority
SW09799	W Marquis DR	4.7	108	508	Boulevard Walk	Concrete	21.64	Curb	4.97	4.73	23.50	85	Fair	Low Priority
SW09800	W Marquis DR	4.4	126	556	Boulevard Walk	Concrete	27.56	Curb	4.58	4.40	20.16	87	Fair	Low Priority
SW09793	W Marquis DR	5.5	103	571	Boulevard Walk	Concrete	25.03	Curb	4.12	5.54	22.81	89	Fair	Low Priority
SW10034	W Maybury MALL	3.7	31	116	Boulevard Walk	Concrete	6.81	Curb	4.57	3.73	17.05	32	Poor	Low Priority
SW10684	W Middle CT	4.8	174	840	Boulevard Walk	Concrete	31.92	Curb	5.46	4.82	26.31	62	Marginal	Immediate Priority
SW10681	W Middle CT	4.5	174	788	Boulevard Walk	Concrete	24.95	Curb	6.96	4.54	31.58	62	Marginal	Low Priority
SW10685	W Middle CT	4.8	131	630	Boulevard Walk	Concrete	23.94	Curb	5.46	4.82	26.31	73	Marginal	Very Low Priority
SW10665	W Middle CT	4.7	141	663	Boulevard Walk	Concrete	24.23	Curb	5.84	4.69	27.36	90	Good	Deferrable Priority
SW08040	W Moravec WAY	6.7	118	797	Boulevard Walk	Asphalt	29.59	No Curb	4.00	6.74	26.94	82	Fair	Low Priority
SW08056	W Moravec WAY	4.5	222	1,001	Boulevard Walk	Concrete	53.74	No Curb	4.13	4.51	18.62	77	Fair	Low Priority
SW08110	W Moravec WAY	7.8	98	762	Boulevard Walk	Asphalt	24.50	Curb	4.00	7.77	31.09	91	Good	Deferrable Priority
SW08041	W Moravec WAY	5.6	75	417	Boulevard Walk	Concrete	10.69	No Curb	7.00	5.58	39.00	91	Good	Deferrable Priority
SW08111	W Moravec WAY	4.2	145	602	Boulevard Walk	Concrete	30.56	Curb	4.73	4.16	19.69	95	Good	Deferrable Priority
SW09331	W Parrish RD	3.5	185	652	Boulevard Walk	Concrete	51.57	No Curb	3.59	3.52	12.65	38	Poor	Immediate Priority
SW09377	W Parrish RD	3.5	420	1,478	Boulevard Walk	Concrete	116.87	No Curb	3.59	3.52	12.65	35	Poor	Immediate Priority
SW09378	W Parrish RD	3.5	33	115	Boulevard Walk	Concrete	9.06	Partial Curb	3.59	3.52	12.65	100	Good	No Priority
SW06649	W Patterson DR	5.1	118	605	Boulevard Walk	Concrete	22.70	Curb	5.19	5.14	26.66	55	Marginal	Immediate Priority
SW01139	W Patterson DR	5.0	261	1,315	Mono Curb And Walk	Concrete	51.47	Curb	5.07	5.04	25.55	58	Marginal	Low Priority
SW01147	W Patterson DR	4.9	31	154	Mono Curb And Walk	Concrete	6.40	Curb	4.92	4.91	24.15	57	Marginal	Very Low Priority
SW01140	W Patterson DR	4.9	27	134	Mono Curb And Walk	Concrete	5.56	Curb	4.92	4.91	24.15	83	Fair	Deferrable Priority
SW06593	W Patterson DR	5.1	123	621	Boulevard Walk	Concrete	22.90	Curb	5.36	5.06	27.12	77	Fair	Low Priority
SW06652	W Patterson DR	5.6	331	1,848	Boulevard Walk	Concrete	64.66	Curb	5.12	5.58	28.58	85	Fair	Low Priority
SW06653	W Patterson DR	5.1	281	1,436	Boulevard Walk	Concrete	51.78	Curb	5.43	5.11	27.74	79	Fair	Low Priority
SW05061	W Petal CT	4.9	202	995	Boulevard Walk	Concrete	39.00	Curb	5.17	4.93	25.51	84	Fair	Low Priority
SW05060	W Petal CT	4.7	226	1,057	Boulevard Walk	Concrete	46.38	Curb	4.87	4.68	22.78	82	Fair	Low Priority
SW05173	W Petal CT	4.7	111	521	Boulevard Walk	Concrete	19.73	Curb	5.63	4.69	26.41	86	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05180	W Petal CT	5.2	122	633	Boulevard Walk	Concrete	20.56	Curb	5.91	5.21	30.81	89	Fair	Deferrable Priority
SW06728	W Pine Meadows DR	4.1	700	2,884	Boulevard Walk	Concrete	136.05	Curb	5.15	4.12	21.20	71	Marginal	Low Priority
SW06744	W Pine Meadows DR	3.8	611	2,331	Boulevard Walk	Concrete	160.35	Curb	3.81	3.82	14.54	72	Marginal	Low Priority
SW06747	W Pinehurst DR	5.1	167	852	Boulevard Walk	Concrete	37.16	Curb	4.48	5.12	22.92	64	Marginal	Low Priority
SW06736	W Pinehurst DR	4.2	167	695	Boulevard Walk	Concrete	29.86	Curb	5.59	4.16	23.27	72	Marginal	Low Priority
SW06726	W Pinehurst DR	3.8	292	1,102	Boulevard Walk	Concrete	65.17	Curb	4.47	3.78	16.91	70	Marginal	Low Priority
SW06748	W Pinehurst DR	5.1	306	1,566	Boulevard Walk	Concrete	68.31	Curb	4.48	5.12	22.92	83	Fair	Low Priority
SW06756	W Ralston DR	4.8	109	524	Boulevard Walk	Concrete	21.81	Curb	4.99	4.82	24.04	74	Marginal	Low Priority
SW06750	W Ralston DR	4.8	429	2,057	Boulevard Walk	Concrete	76.88	Curb	5.58	4.79	26.76	68	Marginal	Low Priority
SW06700	W Ralston DR	6.0	194	1,156	Boulevard Walk	Concrete	34.79	No Curb	5.56	5.97	33.23	84	Fair	Low Priority
SW04628	W Ralston DR	5.1	133	677	Boulevard Walk	Concrete	25.68	No Curb	5.18	5.09	26.36	93	Good	Deferrable Priority
SW04381	W RCA Park DR	3.8	177	668	Boulevard Walk	Concrete	39.48	Curb	4.48	3.78	16.91	64	Marginal	Immediate Priority
SW04380	W RCA Park DR	3.8	148	565	Boulevard Walk	Concrete	30.84	Curb	4.78	3.83	18.30	61	Marginal	Low Priority
SW04355	W RCA Park DR	3.9	137	533	Boulevard Walk	Concrete	38.49	Curb	3.55	3.90	13.85	57	Marginal	Low Priority
SW04364	W RCA Park DR	4.2	378	1,584	Boulevard Walk	Concrete	63.92	Curb	5.91	4.19	24.79	64	Marginal	Low Priority
SW04366	W RCA Park DR	4.2	109	464	Boulevard Walk	Concrete	19.21	Curb	5.68	4.25	24.14	74	Marginal	Low Priority
SW04356	W RCA Park DR	4.1	135	550	Boulevard Walk	Concrete	25.84	Curb	5.22	4.08	21.28	83	Fair	Low Priority
SW04362	W RCA Park DR	3.9	170	668	Boulevard Walk	Concrete	30.32	Curb	5.60	3.94	22.02	65	Marginal	Low Priority
SW04359	W RCA Park DR	4.0	329	1,326	Boulevard Walk	Concrete	67.94	Curb	4.85	4.03	19.52	85	Fair	Low Priority
SW10054	W Roll AVE	4.5	247	1,124	Boulevard Walk	Concrete	45.62	Curb	5.42	4.55	24.64	46	Poor	Immediate Priority
SW10055	W Roll AVE	4.9	225	1,091	Boulevard Walk	Concrete	40.13	Curb	5.61	4.85	27.18	58	Marginal	Immediate Priority
SW08995	W Rosewood DR	3.8	255	962	Boulevard Walk	Concrete	50.15	Curb	5.09	3.77	19.18	50	Poor	Immediate Priority
SW08968	W Rosewood DR	4.1	327	1,339	Boulevard Walk	Concrete	59.46	Curb	5.49	4.10	22.53	51	Marginal	Immediate Priority
SW08967	W Rosewood DR	4.2	979	4,079	Boulevard Walk	Concrete	178.41	Curb	5.49	4.17	22.86	57	Marginal	Immediate Priority
SW08973	W Rosewood DR	3.9	123	482	Boulevard Walk	Concrete	30.26	Curb	4.05	3.93	15.92	64	Marginal	Low Priority
SW08959	W Rosewood DR	3.9	260	1,011	Boulevard Walk	Concrete	49.72	Curb	5.23	3.88	20.33	65	Marginal	Immediate Priority
SW08990	W Rosewood DR	4.1	244	1,004	Boulevard Walk	Concrete	47.25	Curb	5.17	4.11	21.25	70	Marginal	Low Priority
SW08996	W Rosewood DR	3.7	221	813	Boulevard Walk	Concrete	46.52	Curb	4.75	3.68	17.49	65	Marginal	Low Priority
SW08947	W Rosewood DR	4.0	302	1,205	Boulevard Walk	Concrete	74.35	Curb	4.06	3.99	16.21	69	Marginal	Low Priority
SW08993	W Rosewood DR	4.2	123	514	Boulevard Walk	Concrete	22.84	Curb	5.38	4.18	22.52	73	Marginal	Low Priority
SW08960	W Rosewood DR	3.6	626	2,283	Boulevard Walk	Concrete	171.12	Curb	3.66	3.65	13.34	64	Marginal	Immediate Priority
SW08961	W Rosewood DR	4.3	244	1,044	Boulevard Walk	Concrete	43.72	Curb	5.58	4.28	23.88	57	Marginal	Low Priority
SW08994	W Rosewood DR	4.2	262	1,109	Boulevard Walk	Concrete	46.69	Curb	5.62	4.23	23.75	66	Marginal	Low Priority
SW08974	W Rosewood DR	3.8	584	2,192	Boulevard Walk	Concrete	124.04	Curb	4.71	3.75	17.67	61	Marginal	Low Priority
SW08955	W Rosewood DR	3.8	214	804	Boulevard Walk	Concrete	60.66	Curb	3.53	3.76	13.26	77	Fair	Low Priority
SW08922	W Rosewood DR	3.9	67	260	Boulevard Walk	Concrete	15.42	Curb	4.32	3.91	16.88	88	Fair	Deferrable Priority
SW08972	W Rosewood DR	3.8	304	1,166	Boulevard Walk	Concrete	60.59	Curb	5.02	3.83	19.24	81	Fair	Low Priority
SW10479	W Ross CT	4.0	51	203	Boulevard Walk	Concrete	9.69	Curb	5.23	4.01	20.96	88	Fair	Deferrable Priority
SW10486	W Ross CT	4.0	61	245	Boulevard Walk	Concrete	10.22	Curb	5.95	4.03	23.99	94	Good	Deferrable Priority
SW10491	W Ross LN	3.7	235	867	Boulevard Walk	Concrete	40.29	Curb	5.82	3.70	21.52	74	Marginal	Low Priority
SW10489	W Ross LN	3.9	217	852	Boulevard Walk	Concrete	44.83	Curb	4.85	3.92	18.99	95	Good	Deferrable Priority
SW10709	W Runkle WAY	3.9	198	776	Boulevard Walk	Concrete	34.77	Curb	5.71	3.91	22.31	71	Marginal	Low Priority
SW10723	W Runkle WAY	4.1	55	227	Boulevard Walk	Concrete	10.87	Curb	5.05	4.13	20.85	79	Fair	Low Priority
SW10707	W Runkle WAY	4.7	43	202	Boulevard Walk	Concrete	8.70	Curb	4.95	4.70	23.25	88	Fair	Deferrable Priority
SW10706	W Runkle WAY	4.4	190	846	Boulevard Walk	Concrete	34.99	Curb	5.44	4.44	24.19	74	Marginal	Low Priority
SW10708	W Runkle WAY	4.4	44	195	Boulevard Walk	Concrete	9.17	Curb	4.83	4.40	21.22	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10726	W Runkle WAY	5.3	93	498	Mono Curb And Walk	Concrete	15.24	Curb	6.14	5.32	32.66	76	Fair	Very Low Priority
SW10696	W Runkle WAY	4.8	406	1,951	Boulevard Walk	Concrete	85.13	Curb	4.77	4.81	22.91	91	Good	Low Priority
SW10697	W Runkle WAY	4.8	105	505	Boulevard Walk	Concrete	22.30	Curb	4.72	4.79	22.64	97	Good	Deferrable Priority
SW10655	W Runkle WAY	4.9	32	159	Boulevard Walk	Concrete	7.10	Curb	4.56	4.91	22.40	100	Good	No Priority
SW09348	W Skyline DR	4.9	196	957	Boulevard Walk	Concrete	39.06	No Curb	5.01	4.90	24.50	72	Marginal	Low Priority
SW09440	W Smith AVE	2.8	82	228	Mono Curb And Walk	Concrete	20.96	Curb	3.89	2.79	10.86	73	Marginal	Low Priority
SW09424	W Smith AVE	5.3	21	111	Boulevard Walk	Concrete	3.78	Curb	5.54	5.28	29.27	86	Fair	Deferrable Priority
SW07734	W Smith AVE	8.6	20	174	Boulevard Walk	Concrete	3.85	Curb	5.28	8.56	45.19	86	Fair	Deferrable Priority
SW09416	W Smith AVE	4.7	24	113	Boulevard Walk	Concrete	4.41	Curb	5.40	4.73	25.53	88	Fair	Deferrable Priority
SW00003	W Smith AVE	7.3	13	95	Boulevard Walk	Concrete	1.54	Curb	8.42	7.33	61.69	100	Good	No Priority
SW05247	W Southern DR	3.7	28	104	Mono Curb And Walk	Concrete	7.18	Curb	3.87	3.75	14.50	82	Fair	Deferrable Priority
SW05251	W Southern DR	4.0	76	302	Mono Curb And Walk	Concrete	17.64	Curb	4.34	3.95	17.12	67	Marginal	Low Priority
SW05252	W Southern DR	4.0	39	156	Mono Curb And Walk	Concrete	9.09	Curb	4.34	3.95	17.12	65	Marginal	Very Low Priority
SW06016	W Sudbury DR	4.6	240	1,112	Boulevard Walk	Concrete	45.02	Curb	5.33	4.63	24.69	63	Marginal	Low Priority
SW06014	W Sudbury DR	5.2	460	2,401	Boulevard Walk	Concrete	72.27	Curb	6.37	5.22	33.22	82	Fair	Low Priority
SW06015	W Sudbury DR	4.9	170	833	Boulevard Walk	Concrete	28.33	Curb	6.01	4.89	29.41	62	Marginal	Low Priority
SW08976	W Sugarberry CT	3.7	264	986	Boulevard Walk	Concrete	71.15	Curb	3.71	3.74	13.85	63	Marginal	Low Priority
SW08977	W Sugarberry CT	4.1	402	1,639	Boulevard Walk	Concrete	79.72	Curb	5.05	4.08	20.57	59	Marginal	Immediate Priority
SW08965	W Sugarberry CT	3.4	141	484	Boulevard Walk	Concrete	43.75	Curb	3.22	3.44	11.07	78	Fair	Very Low Priority
SW10669	W Sunset AVE	4.8	488	2,364	Boulevard Walk	Concrete	81.89	Curb	5.96	4.84	28.87	69	Marginal	Immediate Priority
SW10717	W Sunset AVE	4.7	251	1,167	Boulevard Walk	Concrete	40.54	Curb	6.19	4.65	28.79	81	Fair	Low Priority
SW10668	W Sunset AVE	4.8	488	2,340	Boulevard Walk	Concrete	82.90	Curb	5.88	4.80	28.23	64	Marginal	Low Priority
SW10716	W Sunset AVE	4.5	251	1,129	Mono Curb And Walk	Concrete	54.52	Curb	4.60	4.50	20.72	91	Good	Deferrable Priority
SW05138	W Sunstone DR	4.7	291	1,352	Boulevard Walk	Concrete	63.97	Curb	4.54	4.65	21.13	69	Marginal	Low Priority
SW03929	W Sunstone DR	4.4	102	446	Boulevard Walk	Concrete	22.20	Curb	4.59	4.37	20.07	67	Marginal	Low Priority
SW03930	W Sunstone DR	5.0	137	687	Boulevard Walk	Concrete	26.10	Curb	5.26	5.01	26.33	78	Fair	Low Priority
SW03926	W Sunstone DR	5.0	252	1,262	Boulevard Walk	Concrete	47.93	Curb	5.26	5.01	26.33	79	Fair	Low Priority
SW03927	W Sunstone DR	5.3	107	568	Boulevard Walk	Concrete	18.54	Curb	5.80	5.29	30.65	55	Marginal	Low Priority
SW05107	W Sunstone DR	5.0	126	629	Boulevard Walk	Concrete	23.90	Curb	5.26	5.01	26.33	82	Fair	Low Priority
SW03928	W Sunstone DR	4.1	99	405	Mono Curb And Walk	Concrete	28.99	Curb	3.42	4.08	13.98	86	Fair	Low Priority
SW05117	W Sunstone DR	5.0	344	1,716	Boulevard Walk	Concrete	65.91	Curb	5.22	4.99	26.04	90	Good	Low Priority
SW03892	W Sunstone DR	4.6	26	120	Boulevard Walk	Concrete	7.05	Curb	3.67	4.62	16.94	91	Good	Deferrable Priority
SW05116	W Sunstone DR	4.9	312	1,531	Boulevard Walk	Concrete	61.10	Curb	5.10	4.91	25.06	94	Good	Deferrable Priority
SW03916	W Tapp RD	4.7	815	3,856	Boulevard Walk	Concrete	174.33	Curb	4.68	4.73	22.12	50	Poor	Immediate Priority
SW06773	W Tapp RD	6.2	37	230	Boulevard Walk	Concrete	7.37	Curb	5.05	6.19	31.25	74	Marginal	Low Priority
SW03918	W Tapp RD	4.7	892	4,230	Boulevard Walk	Concrete	165.97	Curb	5.37	4.74	25.49	81	Fair	Low Priority
SW06724	W Tapp RD	5.7	148	845	Boulevard Walk	Concrete	20.48	Curb	7.22	5.72	41.24	82	Fair	Low Priority
SW06772	W Tapp RD	5.9	1037	6,077	Boulevard Walk	Concrete	139.13	Partial Curb	7.46	5.86	43.68	78	Fair	Low Priority
SW03952	W Tapp RD	5.8	11	62	Mono Curb And Walk	Concrete	2.93	Curb	3.68	5.80	21.34	84	Fair	Deferrable Priority
SW03922	W Tapp RD	5.0	87	431	Boulevard Walk	Concrete	17.91	Curb	4.85	4.96	24.05	85	Fair	Low Priority
SW03934	W Tapp RD	4.9	21	104	Boulevard Walk	Concrete	3.93	Curb	5.45	4.87	26.54	87	Fair	Deferrable Priority
SW03947	W Tapp RD	5.1	37	186	Stand Alone	Concrete	7.34	No Curb	5.00	5.08	25.42	87	Fair	Deferrable Priority
SW03935	W Tapp RD	5.5	504	2,750	Boulevard Walk	Concrete	92.40	Curb	5.45	5.46	29.77	76	Fair	Low Priority
SW03941	W Tapp RD	4.8	1168	5,603	Boulevard Walk	Concrete	297.35	Curb	3.93	4.80	18.84	87	Fair	Low Priority
SW03938	W Tapp RD	5.0	112	557	Mono Curb And Walk	Concrete	23.18	Curb	4.85	4.96	24.05	88	Fair	Very Low Priority
SW03942	W Tapp RD	5.1	60	307	Boulevard Walk	Concrete	10.13	Curb	5.91	5.13	30.27	89	Fair	Deferrable Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03923	W Tapp RD	4.9	474	2,306	Boulevard Walk	Concrete	110.05	Curb	4.31	4.86	20.95	89	Fair	Deferrable Priority
SW06761	W Tapp RD	5.0	235	1,163	Boulevard Walk	Concrete	50.17	Curb	4.68	4.95	23.19	86	Fair	Low Priority
SW03936	W Tapp RD	4.7	224	1,045	Boulevard Walk	Concrete	49.66	Curb	4.50	4.67	21.04	93	Good	Low Priority
SW03917	W Tapp RD	4.9	735	3,566	Boulevard Walk	Concrete	157.47	Curb	4.67	4.85	22.65	87	Fair	Low Priority
SW03937	W Tapp RD	4.9	107	526	Boulevard Walk	Concrete	21.04	Curb	5.07	4.93	25.02	97	Good	Deferrable Priority
SW03939	W Tapp RD	5.0	94	467	Boulevard Walk	Concrete	19.41	Curb	4.85	4.96	24.05	74	Marginal	Very Low Priority
SW03933	W Tapp RD	4.9	29	142	Boulevard Walk	Concrete	5.36	Curb	5.45	4.87	26.54	100	Good	No Priority
SW03943	W Tapp RD	4.8	68	328	Boulevard Walk	Concrete	17.42	Curb	3.93	4.80	18.84	100	Good	No Priority
SW03951	W Tapp RD	10.0	12	120	Stand Alone	Concrete	3.15	Curb	3.83	9.96	38.10	100	Good	No Priority
SW06778	W Tapp RD	5.9	7	43	Stand Alone	Concrete	0.96	Curb	7.59	5.87	44.57	100	Good	No Priority
SW06779	W Tapp RD	6.2	12	77	Boulevard Walk	Concrete	2.45	Curb	5.05	6.19	31.25	100	Good	No Priority
SW06780	W Tapp RD	6.2	12	71	Boulevard Walk	Concrete	2.28	Curb	5.05	6.19	31.25	100	Good	No Priority
SW06781	W Tapp RD	5.3	11	60	Boulevard Walk	Concrete	2.26	Curb	4.98	5.35	26.62	100	Good	No Priority
SW05143	W Twin Oaks RDG	4.6	84	389	Boulevard Walk	Concrete	16.23	Curb	5.17	4.63	23.94	76	Fair	Low Priority
SW05153	W Twin Oaks RDG	4.4	212	939	Boulevard Walk	Concrete	45.20	Curb	4.69	4.43	20.78	69	Marginal	Low Priority
SW05170	W Twin Oaks RDG	4.0	165	659	Boulevard Walk	Concrete	35.07	Curb	4.69	4.00	18.78	82	Fair	Low Priority
SW05190	W Victoria LN	4.8	231	1,105	Boulevard Walk	Concrete	45.71	Curb	5.05	4.79	24.17	76	Fair	Low Priority
SW05070	W Victoria LN	4.7	234	1,103	Boulevard Walk	Concrete	46.55	Curb	5.02	4.72	23.69	76	Fair	Low Priority
SW05193	W Victoria LN	5.1	208	1,063	Boulevard Walk	Concrete	44.60	Curb	4.67	5.10	23.82	79	Fair	Low Priority
SW05069	W Victoria LN	4.7	193	915	Boulevard Walk	Concrete	42.00	Curb	4.59	4.75	21.78	80	Fair	Low Priority
SW10712	W Whitehall Crossing BLVD	5.5	527	2,902	Boulevard Walk	Concrete	85.86	Curb	6.14	5.51	33.80	69	Marginal	Immediate Priority
SW10700	W Whitehall Crossing BLVD	4.5	559	2,526	Boulevard Walk	Concrete	125.66	Curb	4.45	4.52	20.10	80	Fair	Immediate Priority
SW10599	W Whitehall Crossing BLVD	4.9	132	644	Boulevard Walk	Concrete	27.14	No Curb	4.87	4.87	23.73	100	Good	No Priority
SW08939	W Wintersweet CT	3.9	97	380	Boulevard Walk	Concrete	17.60	Curb	5.54	3.90	21.59	59	Marginal	Low Priority
SW06631	W Woodhill DR	4.0	231	919	Boulevard Walk	Concrete	41.41	Curb	5.58	3.98	22.19	72	Marginal	Low Priority
SW06614	W Woodhill DR	3.8	216	829	Boulevard Walk	Concrete	53.85	Curb	4.01	3.84	15.38	80	Fair	Low Priority
SW06630	W Woodhill DR	4.2	273	1,145	Boulevard Walk	Concrete	47.45	Curb	5.76	4.19	24.13	77	Fair	Low Priority
SW06605	W Woodhill DR	4.0	198	795	Boulevard Walk	Concrete	41.94	Curb	4.71	4.02	18.95	80	Fair	Low Priority
SW06619	W Woodhill DR	3.7	120	440	Boulevard Walk	Concrete	26.80	Curb	4.49	3.66	16.40	81	Fair	Low Priority
SW06607	W Woodhill DR	3.8	236	906	Boulevard Walk	Concrete	52.22	Curb	4.51	3.84	17.34	82	Fair	Low Priority
SW06608	W Woodhill DR	3.8	223	840	Boulevard Walk	Concrete	51.64	Curb	4.33	3.76	16.26	80	Fair	Low Priority
SW06624	W Woodhill DR	4.9	125	615	Boulevard Walk	Concrete	19.52	Curb	6.42	4.91	31.51	84	Fair	Deferrable Priority
SW06626	W Woodhill DR	3.5	225	791	Boulevard Walk	Concrete	57.54	Curb	3.91	3.52	13.75	84	Fair	Low Priority
SW06602	W Woodhill DR	3.9	193	743	Boulevard Walk	Concrete	44.14	Curb	4.37	3.86	16.83	90	Good	Low Priority
SW10725	W Woodside DR	4.1	11	45	Stand Alone	Concrete	2.20	No Curb	5.08	4.08	20.72	41	Poor	Low Priority
SW10651	W Woodside DR	4.5	121	545	Boulevard Walk	Concrete	32.31	Curb	3.73	4.52	16.88	94	Good	Deferrable Priority
SW10654	W Woodside DR	5.0	233	1,173	Boulevard Walk	Concrete	43.15	Curb	5.41	5.03	27.19	95	Good	Deferrable Priority
SW10653	W Woodside DR	4.6	232	1,058	Boulevard Walk	Concrete	60.74	Curb	3.82	4.56	17.42	97	Good	Deferrable Priority
SW10657	W Woodside DR	5.6	142	801	Boulevard Walk	Concrete	21.56	Curb	6.60	5.63	37.17	97	Good	Deferrable Priority
SW10656	W Woodside DR	4.8	158	764	Boulevard Walk	Concrete	35.41	Curb	4.47	4.83	21.57	97	Good	Deferrable Priority
SW10652	W Woodside DR	4.9	115	566	Boulevard Walk	Concrete	22.40	Curb	5.12	4.93	25.25	97	Good	Deferrable Priority
SW01895	W Wylie ST	4.1	432	1,786	Mono Curb And Walk	Stamped Concrete	87.68	Curb	4.92	4.14	20.37	12	Very Poor	Immediate Priority
SW01894	W Wylie ST	7.0	73	516	Mono Curb And Walk	Concrete	14.90	Curb	4.92	7.04	34.65	49	Poor	Low Priority
SW01926	W Wylie ST	4.3	247	1,062	Mono Curb And Walk	Concrete	54.43	Curb	4.53	4.30	19.50	65	Marginal	Low Priority
SW01899	W Wylie ST	4.4	425	1,889	Mono Curb And Walk	Stamped Concrete	68.52	Curb	6.21	4.44	27.57	47	Poor	Low Priority
SW01910	W Wylie ST	4.6	184	851	Mono Curb And Walk	Concrete	34.09	Curb	5.41	4.61	24.96	76	Fair	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab_Length Dim [ft]	SW_Slab_Width Dim [ft]	Avg Slab Area (ft2)	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW01961	W Wylie ST	4.4	118	513	Mono Curb And Walk	Concrete	20.03	Curb	5.87	4.36	25.63	78	Fair	Low Priority
SW01925	W Wylie ST	3.9	238	931	Mono Curb And Walk	Concrete	63.41	Curb	3.76	3.91	14.68	67	Marginal	Low Priority
SW06946	W Wylie ST	4.5	114	510	Mono Curb And Walk	Concrete	23.06	Curb	4.95	4.47	22.11	86	Fair	Deferrable Priority
SW01896	W Wylie ST	4.2	124	517	Mono Curb And Walk	Concrete	27.59	Curb	4.49	4.17	18.73	88	Fair	Deferrable Priority
SW01871	W Wylie ST	4.1	124	512	Mono Curb And Walk	Concrete	25.12	Curb	4.92	4.14	20.37	89	Fair	Deferrable Priority
SW01924	W Wylie ST	4.7	113	524	Mono Curb And Walk	Concrete	21.71	Curb	5.19	4.65	24.14	91	Good	Deferrable Priority
SW06945	W Wylie ST	4.7	119	553	Mono Curb And Walk	Concrete	23.02	Curb	5.17	4.65	24.03	93	Good	Very Low Priority
SW08948	W Yellowwood CT	3.5	157	556	Boulevard Walk	Concrete	25.80	Curb	6.08	3.54	21.56	42	Poor	Immediate Priority
SW08949	W Yellowwood CT	3.5	209	723	Boulevard Walk	Concrete	46.29	Curb	4.51	3.46	15.61	60	Marginal	Low Priority

Appendix A2
Sidepath Inventory

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW10509	Access Drive to Showplace West	9.2	634	5,843	Mono Curb And Walk	Concrete	100.06	Curb	6.34	9.21	92	Good	Low Priority
SW10087	Access Drive to Showplace West	13.3	257	3,406	Mono Curb And Walk	Concrete	40.47	Curb	6.34	13.27	93	Good	Low Priority
SW10506	Access Drive to Showplace West	11.5	564	6,473	Mono Curb And Walk	Concrete	59.95	Curb	9.41	11.47	97	Good	Low Priority
SW10086	Access Drive to Showplace West	12.5	275	3,422	Mono Curb And Walk	Concrete	43.30	Curb	6.34	12.46	98	Good	Deferrable Priority
SW01152	E 10th ST	7.6	625	4,756	Boulevard Walk	Asphalt	156.28	Curb	4.00	7.61	57	Marginal	Low Priority
SW02289	E 10th ST	7.6	1294	9,844	Mono Curb And Walk	Asphalt	323.47	Curb	4.00	7.61	65	Marginal	Low Priority
SW01153	E 10th ST	8.3	234	1,949	Mono Curb And Walk	Concrete	25.86	Curb	9.05	8.33	70	Marginal	Very Low Priority
SW02286	E 10th ST	4.9	1309	6,408	Mono Curb And Walk	Asphalt	327.18	Curb	4.00	4.90	71	Marginal	Low Priority
SW01150	E 10th ST	7.7	582	4,457	Meandering	Asphalt	145.51	No Curb	4.00	7.66	84	Fair	Low Priority
SW11592	E 10th ST	8.5	40	339	Mono Curb And Walk	Concrete	9.94	Curb	4.00	8.52	88	Fair	Very Low Priority
SW01273	E 10th ST	7.8	168	1,310	Meandering	Asphalt	41.95	Partial Curb	4.00	7.81	88	Fair	Very Low Priority
SW09481	E 17th ST	7.6	1787	13,562	Mono Curb And Walk	Asphalt	446.84	Curb	4.00	7.59	67	Marginal	Low Priority
SW09135	E 17th ST	7.9	334	2,638	Boulevard Walk	Concrete	56.40	Curb	5.92	7.90	74	Marginal	Low Priority
SW09137	E 17th ST	8.9	337	2,990	Boulevard Walk	Concrete	48.03	Curb	7.02	8.87	79	Fair	Low Priority
SW09483	E 17th ST	6.1	1827	11,167	Mono Curb And Walk	Asphalt	456.66	Curb	4.00	6.11	80	Fair	Low Priority
SW09499	E 17th ST	9.2	344	3,155	Boulevard Walk	Concrete	42.36	Curb	8.11	9.18	87	Fair	Low Priority
SW09500	E 17th ST	9.4	358	3,352	Boulevard Walk	Concrete	45.82	Curb	7.81	9.37	87	Fair	Low Priority
SW06030	E 5th ST	8.7	1229	10,648	Mono Curb And Walk	Asphalt	307.35	Curb	4.00	8.66	65	Marginal	Very Low Priority
SW06031	E 5th ST	11.3	1180	13,298	Mono Curb And Walk	Asphalt	295.10	Curb	4.00	11.27	77	Fair	Low Priority
SW01276	E 7th ST	8.9	1184	10,547	Mono Curb And Walk	Concrete	161.28	Curb	7.34	8.91	78	Fair	Low Priority
SW01519	E 8th ST	7.8	533	4,157	Mono Curb And Walk	Asphalt	133.32	Curb	4.00	7.80	67	Marginal	Low Priority
SW02287	E 8th ST	7.4	432	3,206	Mono Curb And Walk	Asphalt	108.07	Curb	4.00	7.42	72	Marginal	Low Priority
SW03183	E Arden DR	7.8	148	1,144	Boulevard Walk	Concrete	17.92	Curb	8.24	7.75	71	Marginal	Low Priority
SW03187	E Arden DR	7.3	275	1,995	Boulevard Walk	Concrete	31.81	Curb	8.64	7.26	89	Fair	Low Priority
SW03186	E Arden DR	7.4	234	1,720	Boulevard Walk	Concrete	33.90	Curb	6.90	7.36	98	Good	Deferrable Priority
SW03184	E Arden DR	7.5	284	2,135	Boulevard Walk	Concrete	35.12	Curb	8.10	7.50	100	Good	No Priority
SW01429	E Deckard DR	8.2	333	2,747	Boulevard Walk	Concrete	44.20	No Curb	7.54	8.25	71	Marginal	Low Priority
SW01154	E Eastgate LN	7.1	542	3,821	Mono Curb And Walk	Asphalt	135.49	Curb	4.00	7.05	65	Marginal	Low Priority
SW01151	E Eastgate LN	8.5	479	4,077	Mono Curb And Walk	Asphalt	119.69	Curb	4.00	8.52	77	Fair	Low Priority
SW02288	E Eastgate LN	6.9	461	3,178	Mono Curb And Walk	Asphalt	115.34	Curb	4.00	6.89	80	Fair	Very Low Priority
SW04435	E Latimer RD	8.2	135	1,106	Stand Alone	Asphalt	33.64	No Curb	4.00	8.22	61	Marginal	Immediate Priority
SW07631	E Matlock RD	7.7	601	4,612	Mono Curb And Walk	Asphalt	150.18	Curb	4.00	7.68	63	Marginal	Low Priority
SW09482	E Matlock RD	6.1	4265	26,074	Mono Curb And Walk	Asphalt	1066.27	Curb	4.00	6.11	67	Marginal	Low Priority
SW07632	E Matlock RD	5.8	4132	24,071	Mono Curb And Walk	Asphalt	1033.11	Curb	4.00	5.83	73	Marginal	Low Priority
SW02273	E Miller DR	5.8	23	135	Boulevard Walk	Concrete	4.15	Curb	5.58	5.83	87	Fair	Deferrable Priority
SW04103	E Park LN	7.6	960	7,290	Boulevard Walk	Asphalt	239.88	No Curb	4.00	7.60	83	Fair	Low Priority
SW05888	E Rogers RD	7.7	200	1,535	Boulevard Walk	Concrete	34.71	Curb	5.75	7.69	62	Marginal	Very Low Priority
SW04827	E Rogers RD	5.9	1115	6,593	Boulevard Walk	Asphalt	278.75	Curb	4.00	5.91	79	Fair	Low Priority
SW04828	E Rogers RD	9.0	352	3,180	Boulevard Walk	Asphalt	76.19	Curb	4.62	9.04	80	Fair	Immediate Priority
SW05887	E Rogers RD	7.5	418	3,151	Boulevard Walk	Concrete	79.07	Curb	5.29	7.54	85	Fair	Low Priority
SW05517	E Winslow RD	6.6	412	2,707	Boulevard Walk	Asphalt	83.96	Partial Curb	4.91	6.56	58	Marginal	Immediate Priority
SW05522	E Winslow RD	7.0	678	4,742	Boulevard Walk	Asphalt	137.74	Partial Curb	4.92	7.00	61	Marginal	Low Priority
SW05387	E Winslow RD	3.8	230	881	Boulevard Walk	Asphalt	57.61	No Curb	4.00	3.83	86	Fair	Deferrable Priority
SW05515	E Winslow RD	12.2	412	5,016	Boulevard Walk	Asphalt	103.12	Partial Curb	4.00	12.16	88	Fair	Low Priority
SW05510	E Winslow RD	3.8	374	1,432	Boulevard Walk	Asphalt	93.58	Curb	4.00	3.83	88	Fair	Immediate Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW05521	E Winslow RD	12.2	231	2,810	Boulevard Walk	Asphalt	57.77	Curb	4.00	12.16	91	Good	Very Low Priority
SW05518	E Winslow RD	12.2	561	6,824	Boulevard Walk	Asphalt	140.29	Partial Curb	4.00	12.16	91	Good	Low Priority
SW05388	E Winslow RD	9.2	555	5,134	Boulevard Walk	Asphalt	112.45	Curb	4.94	9.24	93	Good	Deferrable Priority
SW05523	E Winslow RD	12.2	323	3,931	Boulevard Walk	Asphalt	80.82	Partial Curb	4.00	12.16	94	Good	Deferrable Priority
SW05519	E Winslow RD	3.8	157	601	Boulevard Walk	Asphalt	39.29	Partial Curb	4.00	3.83	98	Good	Deferrable Priority
SW05516	E Winslow RD	3.8	144	552	Boulevard Walk	Asphalt	36.09	Partial Curb	4.00	3.83	100	Good	No Priority
SW09867	N Dunn ST	7.8	1622	12,673	Mono Curb And Walk	Asphalt	405.38	Curb	4.00	7.82	66	Marginal	Low Priority
SW08565	N Dunn ST	5.8	1705	9,948	Mono Curb And Walk	Asphalt	426.21	Curb	4.00	5.84	69	Marginal	Low Priority
SW07630	N Fee LN	5.8	643	3,744	Mono Curb And Walk	Asphalt	160.71	Curb	4.00	5.83	69	Marginal	Low Priority
SW08562	N Fritz DR	6.3	510	3,200	Mono Curb And Walk	Asphalt	127.43	Curb	4.00	6.28	62	Marginal	Very Low Priority
SW09866	N Fritz DR	8.6	347	2,979	Mono Curb And Walk	Asphalt	86.67	Curb	4.00	8.59	65	Marginal	Low Priority
SW08564	N Fritz DR	8.9	482	4,297	Mono Curb And Walk	Asphalt	120.57	Curb	4.00	8.91	68	Marginal	Very Low Priority
SW08566	N Fritz DR	6.3	321	2,017	Mono Curb And Walk	Asphalt	80.32	Curb	4.00	6.28	78	Fair	Very Low Priority
SW08561	N Martha ST	8.9	707	6,298	Mono Curb And Walk	Asphalt	176.68	Curb	4.00	8.91	67	Marginal	Low Priority
SW08563	N Martha ST	6.3	729	4,578	Mono Curb And Walk	Asphalt	182.31	Curb	4.00	6.28	75	Fair	Immediate Priority
SW08355	N Monroe ST	7.2	562	4,060	Boulevard Walk	Asphalt	140.61	Curb	4.00	7.22	61	Marginal	Low Priority
SW09131	N Monroe ST	7.5	315	2,365	Boulevard Walk	Asphalt	78.77	Curb	4.00	7.51	61	Marginal	Low Priority
SW09001	N Monroe ST	7.6	183	1,391	Boulevard Walk	Asphalt	45.82	Curb	4.00	7.59	68	Marginal	Low Priority
SW03890	S Adams ST	7.9	870	6,903	Boulevard Walk	Asphalt	148.82	Curb	5.84	7.94	39	Poor	Immediate Priority
SW05039	S Adams ST	8.6	504	4,330	Boulevard Walk	Asphalt	86.29	Curb	5.84	8.59	55	Marginal	Low Priority
SW03887	S Adams ST	7.6	281	2,143	Boulevard Walk	Asphalt	50.78	Curb	5.53	7.63	62	Marginal	Low Priority
SW03883	S Adams ST	8.3	55	454	Boulevard Walk	Asphalt	7.72	Curb	7.13	8.26	92	Good	Deferrable Priority
SW03953	S Adams ST	9.3	12	108	Mono Curb And Walk	Concrete	2.37	Curb	4.91	9.28	100	Good	No Priority
SW03410	S Clarizz BLVD	7.7	358	2,771	Boulevard Walk	Asphalt	39.77	Curb	8.99	7.75	55	Marginal	Low Priority
SW03409	S Clarizz BLVD	8.3	748	6,189	Boulevard Walk	Asphalt	83.19	Curb	8.99	8.27	60	Marginal	Low Priority
SW04434	S Clarizz BLVD	8.4	373	3,142	Boulevard Walk	Asphalt	93.34	Curb	4.00	8.41	67	Marginal	Very Low Priority
SW04428	S Clarizz BLVD	7.6	956	7,272	Boulevard Walk	Asphalt	238.92	Curb	4.00	7.61	74	Marginal	Low Priority
SW04429	S Clarizz BLVD	7.4	241	1,787	Mono Curb And Walk	Asphalt	60.23	Curb	4.00	7.42	76	Fair	Very Low Priority
SW04431	S Clarizz BLVD	7.9	840	6,652	Boulevard Walk	Asphalt	93.44	Curb	8.99	7.92	76	Fair	Low Priority
SW04430	S Clarizz BLVD	6.6	565	3,722	Boulevard Walk	Asphalt	141.26	No Curb	4.00	6.59	83	Fair	Low Priority
SW04427	S Clarizz BLVD	7.5	716	5,337	Boulevard Walk	Asphalt	179.01	Curb	4.00	7.45	83	Fair	Low Priority
SW11598	S Clarizz BLVD	7.9	363	2,876	Boulevard Walk	Asphalt	40.40	Curb	8.99	7.92	100	Good	No Priority
SW11600	S Clarizz BLVD	8.4	298	2,507	Boulevard Walk	Asphalt	74.48	Curb	4.00	8.41	100	Good	No Priority
SW06028	S College Mall RD	7.1	698	4,922	Boulevard Walk	Asphalt	140.95	Curb	4.95	7.05	65	Marginal	Immediate Priority
SW03408	S College Mall RD	5.5	417	2,290	Boulevard Walk	Asphalt	73.65	Curb	5.67	5.49	71	Marginal	Very Low Priority
SW06029	S College Mall RD	6.8	405	2,763	Mono Curb And Walk	Asphalt	101.30	Curb	4.00	6.82	72	Marginal	Low Priority
SW06027	S College Mall RD	6.9	240	1,669	Boulevard Walk	Concrete	46.64	Curb	5.15	6.94	77	Fair	Very Low Priority
SW03411	S College Mall RD	7.2	1052	7,614	Boulevard Walk	Asphalt	212.53	Curb	4.95	7.24	85	Fair	Low Priority
SW11550	S College Mall RD	5.5	141	771	Boulevard Walk	Asphalt	24.81	Curb	5.67	5.49	100	Good	No Priority
SW00889	S Eastside DR	4.6	249	1,148	Stand Alone	Asphalt	62.35	No Curb	4.00	4.60	71	Marginal	Low Priority
SW04655	S Fenbrook LN	12.7	12	157	Boulevard Walk	Concrete	2.32	Curb	5.31	12.71	82	Fair	Deferrable Priority
SW00791	S Greenwood AVE	3.7	245	905	Stand Alone	Asphalt	38.34	No Curb	6.39	3.69	79	Fair	Low Priority
SW02282	S Henderson ST	10.4	263	2,735	Boulevard Walk	Asphalt	30.75	Curb	9.68	9.19	61	Marginal	Low Priority
SW02915	S Henderson ST	9.5	293	2,789	Mono Curb And Walk	Concrete	30.32	Curb	9.68	9.51	63	Marginal	Very Low Priority
SW05390	S Henderson ST	10.4	239	2,493	Boulevard Walk	Asphalt	37.29	Curb	6.40	10.45	82	Fair	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW02118	S Henderson ST	10.4	196	2,039	Boulevard Walk	Asphalt	49.10	Curb	4.00	10.38	84	Fair	Very Low Priority
SW06271	S Henderson ST	11.2	870	9,697	Boulevard Walk	Asphalt	108.08	Curb	8.05	11.15	87	Fair	Low Priority
SW02115	S Henderson ST	10.4	279	2,900	Boulevard Walk	Asphalt	69.83	Curb	4.00	10.38	88	Fair	Low Priority
SW06272	S Henderson ST	9.2	911	8,342	Boulevard Walk	Asphalt	136.78	Curb	6.66	9.16	90	Good	Low Priority
SW02916	S Henderson ST	10.4	148	1,536	Boulevard Walk	Asphalt	37.00	Curb	4.00	10.38	92	Good	Deferrable Priority
SW06270	S Henderson ST	11.4	839	9,558	Boulevard Walk	Asphalt	87.67	Curb	9.57	11.39	93	Good	Very Low Priority
SW06269	S Henderson ST	10.5	436	4,577	Boulevard Walk	Asphalt	68.17	Curb	6.40	10.49	95	Good	Very Low Priority
SW11546	S Henderson ST	10.4	174	1,820	Boulevard Walk	Asphalt	27.23	Curb	6.40	10.45	100	Good	No Priority
SW11580	S Henderson ST	10.4	259	2,702	Boulevard Walk	Asphalt	40.42	Curb	6.40	10.45	100	Good	No Priority
SW04102	S Heritage RD	8.4	465	3,893	Boulevard Walk	Asphalt	116.21	No Curb	4.00	8.37	80	Fair	Low Priority
SW03296	S High ST	10.2	811	8,297	Boulevard Walk	Asphalt	202.82	Partial Curb	4.00	10.23	85	Fair	Low Priority
SW03294	S High ST	9.5	448	4,240	Boulevard Walk	Asphalt	112.11	Partial Curb	4.00	9.46	87	Fair	Low Priority
SW03293	S High ST	5.9	204	1,205	Boulevard Walk	Asphalt	50.94	Curb	4.00	5.91	87	Fair	Deferrable Priority
SW03292	S High ST	3.9	1087	4,192	Boulevard Walk	Asphalt	271.70	Partial Curb	4.00	3.86	87	Fair	Low Priority
SW03185	S High ST	9.4	286	2,678	Boulevard Walk	Asphalt	35.21	Curb	8.12	9.37	91	Good	Deferrable Priority
SW03295	S High ST	5.9	960	5,677	Boulevard Walk	Asphalt	240.01	Partial Curb	4.00	5.91	91	Good	Low Priority
SW10222	S Landmark AVE	7.2	1087	7,821	Boulevard Walk	Asphalt	271.78	Curb	4.00	7.19	72	Marginal	Low Priority
SW10223	S Landmark AVE	6.2	308	1,914	Boulevard Walk	Asphalt	77.08	Curb	4.00	6.21	94	Good	Very Low Priority
SW04099	S Meadowbrook DR	8.4	22	185	Boulevard Walk	Concrete	2.39	No Curb	9.19	8.40	100	Good	No Priority
SW06655	S Patterson DR	6.9	606	4,171	Boulevard Walk	Asphalt	151.48	Curb	4.00	6.88	64	Marginal	Very Low Priority
SW06540	S Patterson DR	6.5	299	1,930	Mono Curb And Walk	Concrete	55.24	Curb	5.40	6.47	82	Fair	Low Priority
SW01277	S Pete Ellis DR	8.4	231	1,939	Mono Curb And Walk	Asphalt	35.16	Curb	6.57	8.40	60	Marginal	Low Priority
SW11551	S Pete Ellis DR	8.4	142	1,195	Mono Curb And Walk	Asphalt	21.67	Curb	6.57	8.40	100	Good	No Priority
SW04432	S Pleasant Ridge RD	8.6	374	3,235	Boulevard Walk	Asphalt	93.51	No Curb	4.00	8.65	74	Marginal	Very Low Priority
SW04100	S Pleasant Ridge RD	8.1	328	2,651	Boulevard Walk	Asphalt	35.65	No Curb	9.19	8.09	80	Fair	Very Low Priority
SW04299	S Rogers ST	8.4	269	2,260	Boulevard Walk	Asphalt	67.26	Curb	4.00	8.40	61	Marginal	Low Priority
SW04305	S Rogers ST	9.5	319	3,030	Boulevard Walk	Asphalt	79.81	Curb	4.00	9.49	68	Marginal	Very Low Priority
SW04304	S Rogers ST	8.4	185	1,547	Boulevard Walk	Asphalt	46.23	Curb	4.00	8.37	71	Marginal	Low Priority
SW04539	S Rogers ST	9.0	443	4,002	Boulevard Walk	Asphalt	110.74	Curb	4.00	9.04	73	Marginal	Low Priority
SW04303	S Rogers ST	7.6	354	2,677	Boulevard Walk	Asphalt	88.38	Curb	4.00	7.57	76	Fair	Low Priority
SW04541	S Rogers ST	7.8	374	2,930	Boulevard Walk	Asphalt	93.39	Curb	4.00	7.84	81	Fair	Low Priority
SW04533	S Rogers ST	7.3	475	3,455	Boulevard Walk	Asphalt	91.57	Curb	5.18	7.28	83	Fair	Low Priority
SW04298	S Rogers ST	7.6	1001	7,612	Boulevard Walk	Asphalt	250.34	Curb	4.00	7.60	83	Fair	Low Priority
SW04540	S Rogers ST	7.2	481	3,445	Boulevard Walk	Asphalt	86.50	Curb	5.56	7.16	84	Fair	Very Low Priority
SW04301	S Rogers ST	6.1	62	378	Boulevard Walk	Asphalt	15.43	Curb	4.00	6.12	86	Fair	Deferrable Priority
SW04537	S Rogers ST	8.5	1028	8,701	Boulevard Walk	Asphalt	257.06	Curb	4.00	8.46	88	Fair	Low Priority
SW04650	S Rogers ST	8.3	296	2,447	Boulevard Walk	Asphalt	73.89	Curb	4.00	8.28	88	Fair	Low Priority
SW04536	S Rogers ST	7.9	164	1,290	Boulevard Walk	Asphalt	40.97	Curb	4.00	7.87	89	Fair	Low Priority
SW04302	S Rogers ST	9.3	421	3,892	Boulevard Walk	Asphalt	105.19	Curb	4.00	9.25	90	Fair	Very Low Priority
SW04535	S Rogers ST	7.9	31	246	Boulevard Walk	Asphalt	7.81	Curb	4.00	7.87	92	Good	Deferrable Priority
SW04538	S Rogers ST	7.9	88	691	Boulevard Walk	Asphalt	21.94	Curb	4.00	7.87	94	Good	Deferrable Priority
SW05878	S Sare RD	7.6	1251	9,510	Boulevard Walk	Asphalt	312.77	Curb	4.00	7.60	59	Marginal	Immediate Priority
SW05876	S Sare RD	7.8	136	1,060	Boulevard Walk	Asphalt	33.91	Curb	4.00	7.81	65	Marginal	Very Low Priority
SW05883	S Sare RD	7.2	208	1,488	Boulevard Walk	Asphalt	46.72	Curb	4.45	7.16	70	Marginal	Low Priority
SW05890	S Sare RD	7.7	734	5,657	Boulevard Walk	Asphalt	183.52	Curb	4.00	7.71	71	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03407	S Sare RD	8.2	550	4,528	Mono Curb And Walk	Asphalt	118.79	Curb	4.63	8.24	72	Marginal	Low Priority
SW05892	S Sare RD	7.2	940	6,808	Boulevard Walk	Asphalt	151.99	Curb	6.19	7.24	75	Marginal	Low Priority
SW05881	S Sare RD	7.8	540	4,217	Boulevard Walk	Asphalt	134.96	Curb	4.00	7.81	78	Fair	Low Priority
SW05875	S Sare RD	7.9	972	7,632	Boulevard Walk	Asphalt	242.94	Curb	4.00	7.85	79	Fair	Low Priority
SW05886	S Sare RD	8.4	574	4,820	Boulevard Walk	Asphalt	143.56	Curb	4.00	8.39	80	Fair	Low Priority
SW05879	S Sare RD	8.2	386	3,171	Boulevard Walk	Asphalt	96.57	Curb	4.00	8.21	84	Fair	Low Priority
SW04188	S Sare RD	9.8	738	7,236	Boulevard Walk	Asphalt	184.55	Curb	4.00	9.80	84	Fair	Low Priority
SW05885	S Sare RD	7.8	505	3,914	Boulevard Walk	Asphalt	126.17	Curb	4.00	7.76	85	Fair	Low Priority
SW04187	S Sare RD	11.0	1246	13,758	Boulevard Walk	Asphalt	311.61	Partial Curb	4.00	11.04	89	Fair	Low Priority
SW05891	S Sare RD	9.0	306	2,753	Boulevard Walk	Asphalt	47.43	Curb	6.45	9.01	89	Fair	Very Low Priority
SW05889	S Sare RD	7.1	549	3,882	Boulevard Walk	Asphalt	137.25	Curb	4.00	7.07	94	Good	Low Priority
SW04186	S Sare RD	4.3	267	1,133	Boulevard Walk	Asphalt	66.66	Curb	4.00	4.23	94	Good	Very Low Priority
SW05884	S Sare RD	8.5	345	2,939	Boulevard Walk	Asphalt	86.18	Curb	4.00	8.53	95	Good	Low Priority
SW04190	S Sare RD	7.1	411	2,907	Boulevard Walk	Asphalt	102.76	Curb	4.00	7.07	95	Good	Low Priority
SW04189	S Sare RD	4.2	271	1,148	Boulevard Walk	Asphalt	67.80	Curb	4.00	4.23	99	Good	Deferrable Priority
SW04659	S Smith RD	7.8	301	2,351	Boulevard Walk	Asphalt	63.69	Curb	4.72	7.82	28	Very Poor	Immediate Priority
SW04658	S Smith RD	10.5	290	3,027	Boulevard Walk	Asphalt	67.87	Curb	4.27	10.46	41	Poor	Low Priority
SW04656	S Smith RD	8.0	1032	8,287	Boulevard Walk	Asphalt	194.35	Curb	5.31	8.03	49	Poor	Low Priority
SW04657	S Smith RD	7.4	615	4,525	Boulevard Walk	Asphalt	130.19	Curb	4.72	7.36	53	Marginal	Immediate Priority
SW06134	S Smith RD	9.2	208	1,917	Boulevard Walk	Asphalt	52.08	No Curb	4.00	9.21	63	Marginal	Low Priority
SW04654	S Smith RD	7.2	250	1,807	Boulevard Walk	Asphalt	58.65	Curb	4.27	7.22	68	Marginal	Low Priority
SW02114	S Weatherstone LN	7.4	778	5,776	Boulevard Walk	Asphalt	194.43	Curb	4.00	7.43	79	Fair	Low Priority
SW08476	W 17th ST	8.5	55	471	Mono Curb And Walk	Asphalt	13.81	Curb	4.00	8.52	64	Marginal	Low Priority
SW09717	W 17th ST	8.9	147	1,311	Boulevard Walk	Asphalt	36.76	Curb	4.00	8.91	70	Marginal	Low Priority
SW09709	W 17th ST	8.4	283	2,379	Boulevard Walk	Asphalt	70.67	Curb	4.00	8.42	79	Fair	Low Priority
SW08351	W 17th ST	9.0	318	2,857	Boulevard Walk	Concrete	38.89	Curb	8.17	9.00	83	Fair	Low Priority
SW08359	W 17th ST	9.1	398	3,616	Boulevard Walk	Asphalt	99.41	Curb	4.00	9.09	83	Fair	Low Priority
SW08348	W 17th ST	9.4	455	4,274	Boulevard Walk	Concrete	49.38	Curb	9.21	9.40	85	Fair	Low Priority
SW09716	W 17th ST	7.7	484	3,724	Boulevard Walk	Asphalt	120.89	No Curb	4.00	7.70	88	Fair	Low Priority
SW08352	W 17th ST	10.4	963	9,984	Boulevard Walk	Asphalt	240.79	Curb	4.00	10.37	89	Fair	Low Priority
SW09237	W 17th ST	6.7	39	262	Boulevard Walk	Concrete	6.32	Curb	6.22	6.66	90	Good	Deferrable Priority
SW09718	W 17th ST	9.1	502	4,574	Boulevard Walk	Asphalt	125.61	No Curb	4.00	9.10	92	Good	Deferrable Priority
SW08357	W 17th ST	7.6	312	2,358	Mono Curb And Walk	Asphalt	77.97	Curb	4.00	7.56	93	Good	Very Low Priority
SW09715	W 17th ST	7.8	840	6,554	Boulevard Walk	Asphalt	210.12	Partial Curb	4.00	7.80	95	Good	Low Priority
SW08358	W 17th ST	8.6	521	4,506	Boulevard Walk	Asphalt	130.34	Curb	4.00	8.64	95	Good	Deferrable Priority
SW08353	W 17th ST	8.8	200	1,752	Boulevard Walk	Asphalt	50.06	Curb	4.00	8.75	96	Good	Deferrable Priority
SW08354	W 17th ST	8.9	111	989	Boulevard Walk	Asphalt	27.82	Curb	4.00	8.89	97	Good	Deferrable Priority
SW08356	W 17th ST	9.1	547	4,981	Boulevard Walk	Concrete	62.98	Curb	8.68	9.11	100	Good	No Priority
SW10226	W 2nd ST	8.6	620	5,315	Boulevard Walk	Asphalt	154.88	Curb	4.00	8.58	89	Fair	Low Priority
SW09511	W 2nd ST	7.5	686	5,127	Boulevard Walk	Asphalt	171.56	Curb	4.00	7.47	89	Fair	Low Priority
SW10088	W 3rd ST	12.2	253	3,077	Mono Curb And Walk	Concrete	23.36	Curb	10.84	12.15	94	Good	Deferrable Priority
SW10085	W 3rd ST	12.0	271	3,249	Mono Curb And Walk	Concrete	27.45	Curb	9.87	12.00	96	Good	Deferrable Priority
SW01991	W Allen ST	7.8	33	257	Stand Alone	Asphalt	8.21	No Curb	4.00	7.83	29	Very Poor	Low Priority
SW10944	W Arlington RD	9.3	129	1,200	Boulevard Walk	Asphalt	32.35	No Curb	4.00	9.27	69	Marginal	Low Priority
SW08475	W Arlington RD	9.6	116	1,120	Boulevard Walk	Concrete	14.13	No Curb	8.24	9.63	73	Marginal	Low Priority

City of Bloomington, IN

Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW08474	W Arlington RD	8.4	670	5,652	Boulevard Walk	Asphalt	167.44	No Curb	4.00	8.44	78	Fair	Low Priority
SW08554	W Arlington RD	8.7	125	1,093	Mono Curb And Walk	Asphalt	31.25	Curb	4.00	8.75	86	Fair	Low Priority
SW10419	W Bloomfield RD	7.4	403	2,993	Boulevard Walk	Asphalt	100.65	No Curb	4.00	7.43	62	Marginal	Low Priority
SW10224	W Bloomfield RD	8.4	470	3,953	Boulevard Walk	Asphalt	117.42	Curb	4.00	8.42	65	Marginal	Low Priority
SW10499	W Bloomfield RD	10.1	216	2,184	Mono Curb And Walk	Asphalt	53.98	Curb	4.00	10.12	65	Marginal	Low Priority
SW10497	W Bloomfield RD	7.6	596	4,546	Boulevard Walk	Asphalt	148.97	Curb	4.00	7.63	69	Marginal	Low Priority
SW10225	W Bloomfield RD	8.2	849	6,942	Boulevard Walk	Asphalt	212.35	Curb	4.00	8.17	70	Marginal	Immediate Priority
SW10424	W Bloomfield RD	8.5	457	3,874	Boulevard Walk	Asphalt	114.16	Curb	4.00	8.48	73	Marginal	Low Priority
SW10423	W Bloomfield RD	7.8	162	1,265	Mono Curb And Walk	Asphalt	40.42	Curb	4.00	7.82	81	Fair	Very Low Priority
SW10421	W Bloomfield RD	9.4	490	4,610	Boulevard Walk	Asphalt	122.47	Partial Curb	4.00	9.41	82	Fair	Low Priority
SW10425	W Bloomfield RD	8.7	1675	14,533	Boulevard Walk	Asphalt	418.82	Partial Curb	4.00	8.68	84	Fair	Low Priority
SW10418	W Bloomfield RD	7.0	238	1,676	Boulevard Walk	Asphalt	59.53	No Curb	4.00	7.04	84	Fair	Low Priority
SW10427	W Bloomfield RD	10.4	241	2,512	Mono Curb And Walk	Asphalt	60.18	Curb	4.00	10.44	86	Fair	Deferrable Priority
SW10501	W Bloomfield RD	10.5	429	4,482	Mono Curb And Walk	Asphalt	107.17	Curb	4.00	10.46	87	Fair	Very Low Priority
SW10420	W Bloomfield RD	6.8	148	1,004	Boulevard Walk	Asphalt	37.05	No Curb	4.00	6.78	87	Fair	Deferrable Priority
SW10422	W Bloomfield RD	6.7	244	1,627	Boulevard Walk	Asphalt	60.92	No Curb	4.00	6.68	87	Fair	Deferrable Priority
SW10498	W Bloomfield RD	7.2	181	1,311	Mono Curb And Walk	Asphalt	45.22	Curb	4.00	7.25	87	Fair	Low Priority
SW10428	W Bloomfield RD	7.9	588	4,650	Boulevard Walk	Asphalt	147.04	Partial Curb	4.00	7.91	88	Fair	Low Priority
SW10500	W Bloomfield RD	10.1	148	1,495	Mono Curb And Walk	Asphalt	36.97	Curb	4.00	10.11	90	Good	Deferrable Priority
SW10426	W Bloomfield RD	10.7	418	4,487	Mono Curb And Walk	Concrete	104.39	Curb	4.00	10.75	98	Good	Deferrable Priority
SW04648	W Country Club DR	7.3	123	899	Mono Curb And Walk	Asphalt	30.80	Curb	4.00	7.30	61	Marginal	Low Priority
SW06878	W Country Club DR	7.6	321	2,429	Boulevard Walk	Asphalt	80.15	Curb	4.00	7.58	68	Marginal	Low Priority
SW05386	W Country Club DR	7.9	262	2,073	Boulevard Walk	Asphalt	53.16	Curb	4.92	7.92	69	Marginal	Low Priority
SW04542	W Country Club DR	8.1	1142	9,217	Boulevard Walk	Asphalt	285.43	Curb	4.00	8.07	72	Marginal	Immediate Priority
SW06668	W Country Club DR	7.7	982	7,523	Boulevard Walk	Asphalt	245.60	Curb	4.00	7.66	75	Marginal	Low Priority
SW05389	W Country Club DR	7.8	624	4,848	Boulevard Walk	Asphalt	126.86	Curb	4.92	7.76	76	Fair	Low Priority
SW04543	W Country Club DR	6.1	245	1,505	Mono Curb And Walk	Asphalt	61.24	Curb	4.00	6.15	80	Fair	Low Priority
SW06877	W Country Club DR	8.1	32	257	Mono Curb And Walk	Asphalt	7.94	Curb	4.00	8.10	88	Fair	Deferrable Priority
SW06774	W Country Club DR	7.7	35	267	Boulevard Walk	Asphalt	8.72	Curb	4.00	7.66	93	Good	Deferrable Priority
SW05511	W Country Club DR	9.3	711	6,620	Boulevard Walk	Asphalt	144.49	Curb	4.92	9.31	94	Good	Very Low Priority
SW04534	W Country Club DR	8.6	69	590	Mono Curb And Walk	Concrete	15.79	Curb	4.35	8.58	94	Good	Deferrable Priority
SW06669	W Country Club DR	7.7	45	342	Boulevard Walk	Asphalt	11.17	Curb	4.00	7.66	100	Good	No Priority
SW05037	W Countryside LN	7.3	1076	7,876	Boulevard Walk	Asphalt	269.00	Curb	4.00	7.32	54	Marginal	Low Priority
SW04300	W Countryside LN	5.5	524	2,869	Boulevard Walk	Asphalt	92.19	Partial Curb	5.68	5.48	57	Marginal	Low Priority
SW05036	W Countryside LN	8.4	456	3,805	Boulevard Walk	Asphalt	113.93	Curb	4.00	8.35	60	Marginal	Low Priority
SW05034	W Countryside LN	8.3	516	4,278	Boulevard Walk	Asphalt	128.91	Curb	4.00	8.30	60	Marginal	Low Priority
SW05038	W Ezekiel DR	8.4	73	611	Boulevard Walk	Asphalt	18.13	No Curb	4.00	8.42	52	Marginal	Low Priority
SW04649	W Graham DR	7.3	26	189	Mono Curb And Walk	Concrete	5.01	Curb	5.18	7.28	100	Good	No Priority
SW08473	W Hickory LN	9.8	121	1,184	Boulevard Walk	Asphalt	30.26	No Curb	4.00	9.78	87	Fair	Low Priority
SW08477	W Hickory LN	9.9	643	6,381	Boulevard Walk	Asphalt	160.84	No Curb	4.00	9.92	94	Good	Deferrable Priority
SW06542	W Patterson DR	6.5	605	3,915	Mono Curb And Walk	Asphalt	112.05	Curb	5.40	6.47	75	Marginal	Very Low Priority
SW01013	W Patterson DR	8.5	329	2,779	Boulevard Walk	Asphalt	82.16	Curb	4.00	8.46	78	Fair	Low Priority
SW06541	W Patterson DR	7.4	306	2,271	Boulevard Walk	Asphalt	71.79	Curb	4.26	7.42	91	Good	Deferrable Priority
SW03885	W Tapp RD	11.2	854	9,590	Boulevard Walk	Asphalt	92.44	Curb	9.24	11.23	66	Marginal	Low Priority
SW03882	W Tapp RD	8.0	1163	9,247	Boulevard Walk	Asphalt	163.24	Curb	7.13	7.95	70	Marginal	Low Priority

City of Bloomington, IN
Sidewalk Inventory and Condition Summary - Sorted by Street Name



GIS

Sidewalk ID (SWID)	Street Name	SW_Width Dim [ft]	Length [ft]	Sidewalk Area (ft2)	Sidewalk Type	Sidewalk Material	SW_Slab Count	Curb	SW_Slab Length Dim [ft]	SW_Slab_Width Dim [ft]	Sidewalk Condition Index (SWCI)	SWCI Rating	Distress Rehab Priority
SW03884	W Tapp RD	12.2	432	5,247	Boulevard Walk	Asphalt	60.60	Curb	7.13	12.15	75	Fair	Low Priority
SW06667	W Tapp RD	8.1	99	806	Boulevard Walk	Asphalt	24.75	Curb	4.00	8.14	76	Fair	Low Priority
SW03888	W Tapp RD	12.0	448	5,377	Boulevard Walk	Asphalt	62.92	Curb	7.13	11.99	79	Fair	Low Priority
SW06766	W Tapp RD	7.6	1155	8,815	Boulevard Walk	Asphalt	288.83	Curb	4.00	7.63	83	Fair	Low Priority
SW06666	W Tapp RD	8.1	214	1,741	Boulevard Walk	Asphalt	53.49	Curb	4.00	8.14	88	Fair	Deferrable Priority
SW03886	W Tapp RD	11.2	258	2,897	Boulevard Walk	Asphalt	27.93	Curb	9.24	11.23	91	Good	Low Priority
SW03954	W Tapp RD	9.2	452	4,166	Boulevard Walk	Asphalt	112.98	Curb	4.00	9.22	95	Good	Deferrable Priority
SW03889	W Tapp RD	9.6	476	4,590	Boulevard Walk	Asphalt	87.36	Curb	5.45	9.64	98	Good	Deferrable Priority

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1	Obstruction	SW00029	ALLEY 42	Moderate	Grass / Soil	Trim
2	Obstruction	SW00127	S Highland AVE	Moderate	Grating	Raise/Lower
3	Obstruction	SW00127	S Highland AVE	Moderate	Sign Post	Relocate
4	Obstruction	SW00128	E 3rd ST	Moderate	Light Standard	Filet
5	Protrusion	SW00274	S Grant ST	Moderate	Grass / Soil	Trim
6	Protrusion	SW00317	E 7th ST	Moderate	Grass / Soil	Trim
7	Obstruction	SW00369	N Morton ST	Moderate	Parking meter	Relocate
8	Obstruction	SW00369	N Morton ST	Moderate	Parking meter	Relocate
9	Protrusion	SW00378	W 7th ST	Moderate	Grass / Soil	Trim
10	Protrusion	SW00378	W 7th ST	Moderate	Grass / Soil	Trim
11	Obstruction	SW00381	W 6th ST	Moderate	Manhole	Raise/Lower
12	Obstruction	SW00381	W 6th ST	Moderate	Manhole	Raise/Lower
13	Obstruction	SW00394	W 6th ST	Moderate	Manhole	Raise/Lower
14	Obstruction	SW00466	E 6th ST	Severe	Parking meter	Relocate
15	Obstruction	SW00511	S Washington ST	Moderate	Sign Post	Relocate
16	Protrusion	SW00518	S Walnut ST	Moderate	Grass / Soil	Trim
17	Protrusion	SW00518	S Walnut ST	Moderate	Grass / Soil	Trim
18	Protrusion	SW00518	S Walnut ST	Moderate	Grass / Soil	Trim
19	Obstruction	SW00566	E 4th ST	Moderate	Parking meter	Relocate
20	Obstruction	SW00569	E 3rd ST	Severe	Sign Post	Relocate
21	Protrusion	SW00593	N Indiana AVE	Moderate	Grass / Soil	Trim
22	Obstruction	SW00604	E 4th ST	Moderate	Parking meter	Relocate
23	Obstruction	SW00610	E 4th ST	Moderate	Parking meter	Relocate
24	Obstruction	SW00610	E 4th ST	Moderate	Parking meter	Relocate
25	Obstruction	SW00613	S Dunn ST	Severe	Manhole	Raise/Lower
26	Obstruction	SW00623	S Dunn ST	Moderate	Grass / Soil	Trim
27	Obstruction	SW00658	E 3rd ST	Severe	Grass / Soil	Trim
28	Obstruction	SW00658	E 3rd ST	Moderate	Grass / Soil	Trim
29	Obstruction	SW00658	E 3rd ST	Moderate	Grass / Soil	Trim
30	Protrusion	SW00710	N Dunn ST	Moderate	Grass / Soil	Trim
31	Protrusion	SW00735	S Grant ST	Severe	Grass / Soil	Trim
32	Obstruction	SW00745	S College AVE	Moderate	Grass / Soil	Trim
33	Protrusion	SW00757	S College AVE	Moderate	Grass / Soil	Trim
34	Protrusion	SW00762	E 2nd ST	Moderate	Grass / Soil	Trim
35	Protrusion	SW00768	S Lincoln ST	Moderate	Grass / Soil	Trim
36	Obstruction	SW00784	S Washington ST	Moderate	Manhole	Raise/Lower
37	Obstruction	SW00857	E Hillside DR	Moderate	Mail box	Relocate
38	Protrusion	SW00859	E Hillside DR	Moderate	Grass / Soil	Trim
39	Protrusion	SW00859	E Hillside DR	Moderate	Grass / Soil	Trim
40	Protrusion	SW00862	S High ST	Severe	Grass / Soil	Trim
41	Protrusion	SW00868	E Hillside DR	Moderate	Grass / Soil	Trim
42	Obstruction	SW00868	E Hillside DR	Moderate	Mail box	Relocate
43	Obstruction	SW00868	E Hillside DR	Moderate	Mail box	Relocate
44	Obstruction	SW00868	E Hillside DR	Moderate	Mail box	Relocate
45	Obstruction	SW00885	S Dorchester DR	Severe	Grass / Soil	Trim
46	Obstruction	SW00885	S Dorchester DR	Moderate	Grass / Soil	Trim
47	Obstruction	SW00886	S Dorchester DR	Moderate	Grass / Soil	Trim
48	Obstruction	SW00895	S Union ST	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
49	Obstruction	SW00895	S Union ST	Severe	Grass / Soil	Trim
50	Obstruction	SW00895	S Union ST	Severe	Grass / Soil	Trim
51	Obstruction	SW00895	S Union ST	Severe	Grass / Soil	Trim
52	Obstruction	SW00948	E 3rd ST	Severe	Traffic Signal	Filet
53	Obstruction	SW00965	S Eastside DR	Moderate	Grating	Raise/Lower
54	Obstruction	SW00969	E Atwater AVE	Severe	Power Pole	Filet
55	Obstruction	SW00972	S Eastside DR	Severe	Grass / Soil	Trim
56	Obstruction	SW00972	S Eastside DR	Severe	Grass / Soil	Trim
57	Protrusion	SW00972	S Eastside DR	Severe	Grass / Soil	Trim
58	Obstruction	SW00975	S Union ST	Moderate	Grating	Raise/Lower
59	Obstruction	SW00980	E 3rd ST	Moderate	Traffic Signal	Filet
60	Obstruction	SW00982	E 3rd ST	Moderate	Grass / Soil	Trim
61	Obstruction	SW00982	E 3rd ST	Moderate	Grass / Soil	Trim
62	Protrusion	SW01008	S High ST	Moderate	Grass / Soil	Trim
63	Obstruction	SW01069	S Monon DR	Moderate	Grass / Soil	Trim
64	Obstruction	SW01076	E Grimes LN	Moderate	Grass / Soil	Trim
65	Protrusion	SW01080	E Grimes LN	Severe	Grass / Soil	Trim
66	Protrusion	SW01082	S Lincoln ST	Severe	Grass / Soil	Trim
67	Obstruction	SW01093	E Grimes LN	Moderate	Grass / Soil	Trim
68	Obstruction	SW01098	S Walnut ST	Moderate	Grass / Soil	Trim
69	Obstruction	SW01117	S Washington ST	Severe	Grass / Soil	Trim
70	Obstruction	SW01121	S Walnut ST	Moderate	Grass / Soil	Trim
71	Protrusion	SW01121	S Walnut ST	Severe	Grass / Soil	Trim
72	Obstruction	SW01123	S Walnut ST	Moderate	Grass / Soil	Trim
73	Obstruction	SW01123	S Walnut ST	Severe	Grass / Soil	Trim
74	Obstruction	SW01123	S Walnut ST	Moderate	Grass / Soil	Trim
75	Obstruction	SW01123	S Walnut ST	Moderate	Grass / Soil	Trim
76	Protrusion	SW01125	S Lincoln ST	Severe	Grass / Soil	Trim
77	Obstruction	SW01128	E Hillside DR	Moderate	Grass / Soil	Trim
78	Protrusion	SW01130	S Washington ST	Moderate	Grass / Soil	Trim
79	Obstruction	SW01130	S Washington ST	Moderate	Grass / Soil	Trim
80	Obstruction	SW01131	E Hillside DR	Moderate	Grass / Soil	Trim
81	Protrusion	SW01133	S Walnut ST	Moderate	Grass / Soil	Trim
82	Obstruction	SW01133	S Walnut ST	Moderate	Grass / Soil	Trim
85	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
86	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
87	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
88	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
89	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
90	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
91	Obstruction	SW01256	E Eastgate LN	Severe	Grass / Soil	Trim
92	Obstruction	SW01256	E Eastgate LN	Moderate	Grass / Soil	Trim
93	Obstruction	SW01288	S Heritage RD	Moderate	Grass / Soil	Trim
94	Protrusion	SW01302	S Pete Ellis DR	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
95	Protrusion	SW01303	S Pete Ellis DR	Severe	Grass / Soil	Trim
96	Obstruction	SW01321	S Pete Ellis DR	Severe	Grass / Soil	Trim
97	Obstruction	SW01321	S Pete Ellis DR	Severe	Grass / Soil	Trim
98	Obstruction	SW01394	S Kingston DR	Severe	Sign Post	Relocate
99	Obstruction	SW01417	N Smith RD	Moderate	Grass / Soil	Trim
100	Obstruction	SW01421	N Smith RD	Severe	Grass / Soil	Trim
101	Obstruction	SW01424	N Smith RD	Severe	Grass / Soil	Trim
102	Obstruction	SW01424	N Smith RD	Severe	Grass / Soil	Trim
103	Obstruction	SW01424	N Smith RD	Severe	Grass / Soil	Trim
104	Obstruction	SW01424	N Smith RD	Severe	Grass / Soil	Trim
105	Obstruction	SW01428	S Kingston DR	Moderate	Grass / Soil	Trim
106	Obstruction	SW01428	S Kingston DR	Severe	Grass / Soil	Trim
107	Obstruction	SW01472	N Smith RD	Severe	Grass / Soil	Trim
108	Obstruction	SW01473	E Tamarron DR	Moderate	Manhole	Raise/Lower
109	Protrusion	SW01490	N Callery DR	Moderate	Grass / Soil	Trim
110	Obstruction	SW01493	N Smith RD	Severe	Grass / Soil	Trim
111	Obstruction	SW01597	N Jefferson ST	Moderate	Grass / Soil	Trim
112	Obstruction	SW01598	E 7th ST	Moderate	Grass / Soil	Trim
113	Obstruction	SW01617	E 3rd ST	Severe	Grass / Soil	Trim
114	Obstruction	SW01617	E 3rd ST	Severe	Grass / Soil	Trim
115	Obstruction	SW01617	E 3rd ST	Severe	Grass / Soil	Trim
116	Obstruction	SW01617	E 3rd ST	Severe	Grass / Soil	Trim
117	Obstruction	SW01667	S Eagleson AVE	Moderate	Grating	Raise/Lower
118	Protrusion	SW01667	S Eagleson AVE	Moderate	Grass / Soil	Trim
119	Obstruction	SW01669	S Eagleson AVE	Moderate	Grating	Raise/Lower
120	Protrusion	SW01707	E 1st ST	Moderate	Grass / Soil	Trim
121	Obstruction	SW01717	E 2nd ST	Moderate	Grass / Soil	Trim
122	Obstruction	SW01733	E 2nd ST	Moderate	Grass / Soil	Trim
123	Protrusion	SW01807	E Maxwell LN	Severe	Grass / Soil	Trim
124	Protrusion	SW01814	S Hawthorne DR	Severe	Tree / Plant	Trim
125	Protrusion	SW01814	S Hawthorne DR	Moderate	Grass / Soil	Trim
126	Protrusion	SW01884	W Allen ST	Moderate	Grass / Soil	Trim
127	Obstruction	SW01889	W 1st ST	Moderate	Grass / Soil	Trim
128	Obstruction	SW01895	W Wylie ST	Severe	Grass / Soil	Trim
129	Obstruction	SW01899	W Wylie ST	Moderate	Grass / Soil	Trim
130	Obstruction	SW01899	W Wylie ST	Moderate	Grass / Soil	Trim
131	Protrusion	SW01901	W Dodds ST	Moderate	Grass / Soil	Trim
132	Obstruction	SW01901	W Dodds ST	Moderate	Grass / Soil	Trim
133	Obstruction	SW01901	W Dodds ST	Moderate	Grass / Soil	Trim
134	Obstruction	SW01901	W Dodds ST	Moderate	Grass / Soil	Trim
135	Protrusion	SW01902	W Dodds ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
136	Protrusion	SW01906	W Dixie ST	Severe	Grass / Soil	Trim
137	Protrusion	SW01914	W Allen ST	Moderate	Grass / Soil	Trim
138	Protrusion	SW01914	W Allen ST	Moderate	Grass / Soil	Trim
139	Obstruction	SW01917	W Dixie ST	Moderate	Grass / Soil	Trim
140	Obstruction	SW01917	W Dixie ST	Moderate	Grass / Soil	Trim
141	Obstruction	SW01918	W Dixie ST	Severe	Grass / Soil	Trim
142	Obstruction	SW01918	W Dixie ST	Moderate	Grass / Soil	Trim
143	Obstruction	SW01918	W Dixie ST	Severe	Grass / Soil	Trim
144	Protrusion	SW01919	W Dodds ST	Moderate	Grass / Soil	Trim
145	Protrusion	SW01932	S Rogers ST	Moderate	Grass / Soil	Trim
146	Protrusion	SW01932	S Rogers ST	Moderate	Grass / Soil	Trim
147	Obstruction	SW01934	W Dodds ST	Severe	Grating	Raise/Lower
148	Obstruction	SW01955	W Dodds ST	Moderate	Grass / Soil	Trim
149	Protrusion	SW01962	S Rogers ST	Moderate	Grass / Soil	Trim
150	Obstruction	SW01967	W Dixie ST	Moderate	Sign Post	Relocate
151	Obstruction	SW01975	S Madison ST	Severe	Grass / Soil	Trim
152	Protrusion	SW01975	S Madison ST	Moderate	Grass / Soil	Trim
153	Protrusion	SW02061	S Washington ST	Severe	Grass / Soil	Trim
154	Obstruction	SW02062	E Allen ST	Moderate	Grass / Soil	Trim
155	Obstruction	SW02068	S Lincoln ST	Moderate	Grass / Soil	Trim
156	Obstruction	SW02069	S Lincoln ST	Moderate	Grass / Soil	Trim
157	Obstruction	SW02070	S Washington ST	Moderate	Grass / Soil	Trim
158	Obstruction	SW02079	S Walnut ST	Moderate	Grass / Soil	Trim
159	Protrusion	SW02085	E Allen ST	Moderate	Grass / Soil	Trim
160	Protrusion	SW02085	E Allen ST	Severe	Grass / Soil	Trim
161	Protrusion	SW02085	E Allen ST	Moderate	Grass / Soil	Trim
162	Protrusion	SW02085	E Allen ST	Severe	Grass / Soil	Trim
163	Obstruction	SW02087	E Allen ST	Severe	Grass / Soil	Trim
164	Obstruction	SW02104	S Lincoln ST	Moderate	Grass / Soil	Trim
165	Protrusion	SW02106	S Lincoln ST	Severe	Grass / Soil	Trim
166	Protrusion	SW02206	E Thornton DR	Moderate	Grass / Soil	Trim
167	Protrusion	SW02206	E Thornton DR	Moderate	Grass / Soil	Trim
168	Obstruction	SW02206	E Thornton DR	Moderate	Grass / Soil	Trim
169	Protrusion	SW02208	S Highland AVE	Moderate	Grass / Soil	Trim
170	Obstruction	SW02214	E Hillside DR	Severe	Mail box	Relocate
171	Obstruction	SW02214	E Hillside DR	Moderate	Mail box	Relocate
172	Obstruction	SW02215	S Highland AVE	Moderate	Grass / Soil	Trim
173	Protrusion	SW02215	S Highland AVE	Moderate	Grass / Soil	Trim
174	Obstruction	SW02215	S Highland AVE	Moderate	Grass / Soil	Trim
175	Obstruction	SW02219	E Thornton DR	Moderate	Grass / Soil	Trim
176	Obstruction	SW02219	E Thornton DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
177	Obstruction	SW02246	S Highland AVE	Moderate	Grass / Soil	Trim
178	Obstruction	SW02252	E Miller DR	Severe	Mail box	Relocate
179	Protrusion	SW02254	S Park AVE	Severe	Grass / Soil	Trim
180	Obstruction	SW02271	E Moody DR	Severe	Grass / Soil	Trim
181	Protrusion	SW02272	E Moody DR	Moderate	Grass / Soil	Trim
182	Obstruction	SW02276	S Huntington DR	Moderate	Grass / Soil	Trim
183	Protrusion	SW02276	S Huntington DR	Moderate	Grass / Soil	Trim
184	Obstruction	SW02371	E Discovery PKWY	Moderate	Grass / Soil	Trim
185	Obstruction	SW02373	E Discovery PKWY	Severe	Manhole	Raise/Lower
186	Obstruction	SW02373	E Discovery PKWY	Moderate	Manhole	Raise/Lower
187	Obstruction	SW02524	N Park Ridge RD	Moderate	Grass / Soil	Trim
188	Obstruction	SW02526	E Walpole LN	Moderate	Manhole	Raise/Lower
189	Obstruction	SW02529	N Park Ridge RD	Severe	Grass / Soil	Trim
190	Obstruction	SW02596	S High ST	Severe	Grass / Soil	Trim
191	Obstruction	SW02596	S High ST	Severe	Grass / Soil	Trim
192	Obstruction	SW02658	S Park AVE	Moderate	Sign Post	Relocate
193	Protrusion	SW02669	E Maxwell LN	Moderate	Grass / Soil	Trim
194	Protrusion	SW02677	E 2nd ST	Moderate	Grass / Soil	Trim
195	Obstruction	SW02683	S Stull AVE	Severe	Grass / Soil	Trim
196	Protrusion	SW02685	E 1st ST	Moderate	Grass / Soil	Trim
197	Obstruction	SW02687	S Stull AVE	Moderate	Grass / Soil	Trim
198	Obstruction	SW02687	S Stull AVE	Severe	Grass / Soil	Trim
199	Obstruction	SW02687	S Stull AVE	Moderate	Grass / Soil	Trim
200	Obstruction	SW02687	S Stull AVE	Severe	Grass / Soil	Trim
201	Obstruction	SW02687	S Stull AVE	Moderate	Grass / Soil	Trim
202	Obstruction	SW02705	E Wylie ST	Moderate	Grating	Raise/Lower
203	Protrusion	SW02707	S Highland AVE	Severe	Grass / Soil	Trim
204	Protrusion	SW02710	S Hawthorne DR	Moderate	Grass / Soil	Trim
205	Protrusion	SW02715	E Wylie ST	Moderate	Grass / Soil	Trim
206	Protrusion	SW02721	E 1st ST	Moderate	Grass / Soil	Trim
207	Protrusion	SW02721	E 1st ST	Moderate	Grass / Soil	Trim
208	Protrusion	SW02724	S Hawthorne DR	Moderate	Grass / Soil	Trim
209	Obstruction	SW02726	E Wylie ST	Severe	Grass / Soil	Trim
210	Obstruction	SW02726	E Wylie ST	Moderate	Grass / Soil	Trim
211	Protrusion	SW02726	E Wylie ST	Moderate	Grass / Soil	Trim
212	Obstruction	SW02728	E Wylie ST	Moderate	Grass / Soil	Trim
213	Protrusion	SW02730	E 1st ST	Moderate	Grass / Soil	Trim
214	Protrusion	SW02730	E 1st ST	Moderate	Grass / Soil	Trim
215	Obstruction	SW02750	E University ST	Severe	Grass / Soil	Trim
216	Obstruction	SW02755	E 2nd ST	Moderate	Grass / Soil	Trim
217	Protrusion	SW02758	E 2nd ST	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
218	Protrusion	SW02759	S Hawthorne DR	Moderate	Grass / Soil	Trim
219	Obstruction	SW02759	S Hawthorne DR	Moderate	Grass / Soil	Trim
220	Obstruction	SW02759	S Hawthorne DR	Severe	Grass / Soil	Trim
221	Protrusion	SW02773	S Ballantine RD	Moderate	Grass / Soil	Trim
222	Obstruction	SW02775	E 2nd ST	Moderate	Grass / Soil	Trim
223	Obstruction	SW02775	E 2nd ST	Moderate	Grass / Soil	Trim
224	Obstruction	SW02775	E 2nd ST	Moderate	Grass / Soil	Trim
225	Protrusion	SW02781	S Ballantine RD	Moderate	Grass / Soil	Trim
226	Obstruction	SW02787	S Park AVE	Severe	Grass / Soil	Trim
227	Obstruction	SW02876	E Hunter AVE	Moderate	Grass / Soil	Trim
228	Protrusion	SW02895	S Park AVE	Moderate	Grass / Soil	Trim
229	Obstruction	SW02899	E Hunter AVE	Moderate	Grass / Soil	Trim
230	Obstruction	SW02906	E University ST	Moderate	Grass / Soil	Trim
231	Protrusion	SW02908	S Park AVE	Moderate	Grass / Soil	Trim
232	Obstruction	SW02968	E Southern DR	Moderate	Grass / Soil	Trim
233	Obstruction	SW02977	E Grimes LN	Moderate	Grass / Soil	Trim
234	Obstruction	SW02987	S Henderson ST	Moderate	Grass / Soil	Trim
235	Obstruction	SW03019	S Henderson ST	Moderate	Gate	Relocate
236	Protrusion	SW03113	S Henderson ST	Severe	Grass / Soil	Trim
237	Obstruction	SW03121	S Grant ST	Moderate	Grass / Soil	Trim
238	Protrusion	SW03127	S Washington ST	Severe	Grass / Soil	Trim
239	Obstruction	SW03128	S Lincoln ST	Moderate	Grass / Soil	Trim
240	Protrusion	SW03135	S Lincoln ST	Moderate	Grass / Soil	Trim
241	Obstruction	SW03137	E Dodds ST	Moderate	Grass / Soil	Trim
242	Obstruction	SW03137	E Dodds ST	Moderate	Grass / Soil	Trim
243	Obstruction	SW03137	E Dodds ST	Severe	Grass / Soil	Trim
244	Protrusion	SW03139	E University ST	Moderate	Grass / Soil	Trim
245	Protrusion	SW03139	E University ST	Moderate	Grass / Soil	Trim
246	Obstruction	SW03140	S Grant ST	Moderate	Grass / Soil	Trim
247	Obstruction	SW03140	S Grant ST	Moderate	Grass / Soil	Trim
248	Protrusion	SW03141	E University ST	Moderate	Grass / Soil	Trim
249	Protrusion	SW03141	E University ST	Moderate	Grass / Soil	Trim
250	Protrusion	SW03146	E 1st ST	Moderate	Grass / Soil	Trim
251	Protrusion	SW03164	E Wylie ST	Severe	Grass / Soil	Trim
252	Obstruction	SW03180	S Lincoln ST	Severe	Grass / Soil	Trim
253	Protrusion	SW03195	E Moores PIKE	Severe	Grass / Soil	Trim
254	Obstruction	SW03237	S High ST	Severe	Mail box	Relocate
255	Protrusion	SW03237	S High ST	Moderate	Grass / Soil	Trim
256	Obstruction	SW03241	S Sycamore CT	Severe	Grass / Soil	Trim
257	Obstruction	SW03241	S Sycamore CT	Severe	Grass / Soil	Trim
258	Obstruction	SW03241	S Sycamore CT	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
259	Obstruction	SW03241	S Sycamore CT	Severe	Grass / Soil	Trim
260	Obstruction	SW03246	E Hillside DR	Moderate	Mail box	Relocate
261	Obstruction	SW03246	E Hillside DR	Moderate	Mail box	Relocate
262	Protrusion	SW03256	E Moores PIKE	Moderate	Grass / Soil	Trim
263	Protrusion	SW03268	S Williams CT	Severe	Grass / Soil	Trim
264	Obstruction	SW03275	E Thornton DR	Moderate	Grass / Soil	Trim
265	Protrusion	SW03275	E Thornton DR	Moderate	Grass / Soil	Trim
266	Protrusion	SW03275	E Thornton DR	Severe	Grass / Soil	Trim
267	Protrusion	SW03276	S High ST	Severe	Grass / Soil	Trim
268	Obstruction	SW03279	S Montclair AVE	Severe	Grass / Soil	Trim
269	Obstruction	SW03284	E Arden DR	Moderate	Grass / Soil	Trim
270	Obstruction	SW03288	E Moores PIKE	Severe	Grass / Soil	Trim
271	Protrusion	SW03333	S Stratford DR	Moderate	Grass / Soil	Trim
272	Protrusion	SW03342	S Georgetown RD	Moderate	Grass / Soil	Trim
273	Protrusion	SW03342	S Georgetown RD	Moderate	Grass / Soil	Trim
274	Protrusion	SW03342	S Georgetown RD	Moderate	Grass / Soil	Trim
275	Protrusion	SW03354	S Stratford DR	Moderate	Grass / Soil	Trim
276	Obstruction	SW03355	E Caradon HL	Moderate	Mail box	Relocate
277	Protrusion	SW03355	E Caradon HL	Severe	Grass / Soil	Trim
278	Protrusion	SW03374	S Wexley RD	Moderate	Grass / Soil	Trim
279	Protrusion	SW03386	E Greenbriar LN	Moderate	Grass / Soil	Trim
280	Obstruction	SW03402	S Locust CT	Severe	Mail box	Relocate
281	Protrusion	SW03402	S Locust CT	Moderate	Grass / Soil	Trim
282	Protrusion	SW03402	S Locust CT	Moderate	Grass / Soil	Trim
283	Protrusion	SW03472	E Windermere Woods DR	Moderate	Grass / Soil	Trim
284	Protrusion	SW03481	S Andrew CIR	Severe	Grass / Soil	Trim
285	Obstruction	SW03484	E Covenanter DR	Severe	Grass / Soil	Trim
286	Obstruction	SW03496	E Moores PIKE	Severe	Grass / Soil	Trim
287	Obstruction	SW03496	E Moores PIKE	Severe	Manhole	Raise/Lower
288	Protrusion	SW03500	E Moores PIKE	Severe	Grass / Soil	Trim
289	Protrusion	SW03500	E Moores PIKE	Severe	Grass / Soil	Trim
290	Protrusion	SW03500	E Moores PIKE	Severe	Grass / Soil	Trim
291	Protrusion	SW03500	E Moores PIKE	Severe	Fire Hydrant	Filet
292	Protrusion	SW03502	S College Mall RD	Severe	Grass / Soil	Trim
293	Protrusion	SW03522	E Moores PIKE	Severe	Grass / Soil	Trim
294	Obstruction	SW03527	S College Mall RD	Severe	Tree / Plant	Trim
295	Obstruction	SW03591	S Walnut Street PIKE	Severe	Grass / Soil	Trim
296	Protrusion	SW03591	S Walnut Street PIKE	Moderate	Grass / Soil	Trim
297	Protrusion	SW03591	S Walnut Street PIKE	Severe	Grass / Soil	Trim
298	Protrusion	SW03591	S Walnut Street PIKE	Severe	Grass / Soil	Trim
299	Protrusion	SW03591	S Walnut Street PIKE	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
300	Obstruction	SW03614	E Benson CT	Severe	Grass / Soil	Trim
301	Obstruction	SW03632	S Woods Edge BND	Severe	Grass / Soil	Trim
302	Protrusion	SW03646	S Laurel CT	Moderate	Grass / Soil	Trim
303	Obstruction	SW03651	S Laura WAY	Severe	Grass / Soil	Trim
304	Protrusion	SW03726	S Woodbine CT	Moderate	Grass / Soil	Trim
305	Protrusion	SW03727	S Nota DR	Moderate	Grass / Soil	Trim
306	Obstruction	SW03730	S Woodbine CT	Moderate	Grass / Soil	Trim
307	Obstruction	SW03730	S Woodbine CT	Moderate	Grass / Soil	Trim
308	Obstruction	SW03737	S Rechter CT	Severe	Grass / Soil	Trim
309	Protrusion	SW03740	S Winfield RD	Severe	Grass / Soil	Trim
310	Obstruction	SW03760	W Fullerton PIKE	Moderate	Grass / Soil	Trim
311	Obstruction	SW03815	E Miller DR	Moderate	Grass / Soil	Trim
312	Protrusion	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
313	Protrusion	SW03816	S Highland AVE	Severe	Grass / Soil	Trim
314	Protrusion	SW03816	S Highland AVE	Severe	Grass / Soil	Trim
315	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
316	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
317	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
318	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
319	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
320	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
321	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
322	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
323	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
324	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
325	Obstruction	SW03816	S Highland AVE	Moderate	Grass / Soil	Trim
326	Protrusion	SW03816	S Highland AVE	Severe	Grass / Soil	Trim
327	Obstruction	SW03822	S Olde Mill DR	Moderate	Mail box	Relocate
328	Obstruction	SW03822	S Olde Mill DR	Moderate	Grass / Soil	Trim
329	Obstruction	SW03830	E Miller DR	Moderate	Mail box	Relocate
330	Protrusion	SW03832	E Miller DR	Moderate	Grass / Soil	Trim
331	Obstruction	SW03832	E Miller DR	Moderate	Grass / Soil	Trim
332	Obstruction	SW03832	E Miller DR	Moderate	Grass / Soil	Trim
333	Obstruction	SW03841	S Highland AVE	Severe	Grass / Soil	Trim
334	Obstruction	SW03845	S Highland AVE	Moderate	Grass / Soil	Trim
335	Protrusion	SW03846	S Highland AVE	Moderate	Grass / Soil	Trim
336	Protrusion	SW03849	S Highland AVE	Moderate	Grass / Soil	Trim
337	Protrusion	SW03849	S Highland AVE	Severe	Grass / Soil	Trim
338	Protrusion	SW03851	E Azalea LN	Severe	Grass / Soil	Trim
339	Protrusion	SW03866	E Azalea LN	Severe	Grass / Soil	Trim
340	Protrusion	SW03866	E Azalea LN	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
341	Obstruction	SW03876	E Short ST	Moderate	Grass / Soil	Trim
342	Obstruction	SW03911	W Cota DR	Moderate	Grass / Soil	Trim
343	Obstruction	SW03911	W Cota DR	Moderate	Grass / Soil	Trim
344	Obstruction	SW03911	W Cota DR	Moderate	Grass / Soil	Trim
345	Obstruction	SW03911	W Cota DR	Severe	Grass / Soil	Trim
346	Obstruction	SW03912	S Mcintire DR	Moderate	Grass / Soil	Trim
347	Obstruction	SW03912	S Mcintire DR	Severe	Tree / Plant	Trim
348	Protrusion	SW03916	W Tapp RD	Severe	Grass / Soil	Trim
349	Obstruction	SW03916	W Tapp RD	Severe	Grass / Soil	Trim
350	Obstruction	SW03918	W Tapp RD	Moderate	Grass / Soil	Trim
351	Obstruction	SW03920	W Cota DR	Severe	Grass / Soil	Trim
352	Obstruction	SW03924	S Kegg RD	Moderate	Grass / Soil	Trim
353	Obstruction	SW03936	W Tapp RD	Moderate	Grass / Soil	Trim
354	Obstruction	SW03936	W Tapp RD	Severe	Grass / Soil	Trim
355	Protrusion	SW03936	W Tapp RD	Moderate	Grass / Soil	Trim
356	Obstruction	SW03938	W Tapp RD	Moderate	Grass / Soil	Trim
357	Protrusion	SW04025	E Rock Creek DR	Severe	Grass / Soil	Trim
358	Protrusion	SW04036	S Renwick BLVD	Severe	Grass / Soil	Trim
359	Protrusion	SW04036	S Renwick BLVD	Severe	Grass / Soil	Trim
360	Obstruction	SW04038	S Ramsey DR	Severe	Grass / Soil	Trim
361	Obstruction	SW04052	S Fairmount CT	Severe	Grass / Soil	Trim
362	Protrusion	SW04053	S Fairmount CT	Severe	Grass / Soil	Trim
363	Obstruction	SW04053	S Fairmount CT	Severe	Mail box	Relocate
364	Protrusion	SW04053	S Fairmount CT	Severe	Grass / Soil	Trim
365	Protrusion	SW04053	S Fairmount CT	Severe	Grass / Soil	Trim
366	Protrusion	SW04055	S Belhaven CT	Moderate	Grass / Soil	Trim
367	Protrusion	SW04075	S Montclair AVE	Severe	Grass / Soil	Trim
368	Protrusion	SW04075	S Montclair AVE	Severe	Grass / Soil	Trim
369	Protrusion	SW04079	S Ramsey DR	Severe	Grass / Soil	Trim
370	Protrusion	SW04080	S Ramsey DR	Severe	Grass / Soil	Trim
371	Protrusion	SW04080	S Ramsey DR	Severe	Grass / Soil	Trim
372	Protrusion	SW04089	E Rock Creek DR	Severe	Grass / Soil	Trim
373	Protrusion	SW04089	E Rock Creek DR	Severe	Grass / Soil	Trim
374	Obstruction	SW04104	E Park LN	Severe	Grass / Soil	Trim
375	Obstruction	SW04104	E Park LN	Severe	Grass / Soil	Trim
376	Obstruction	SW04107	S Reisner RD	Moderate	Grass / Soil	Trim
377	Obstruction	SW04107	S Reisner RD	Moderate	Grass / Soil	Trim
378	Obstruction	SW04184	S Smith RD	Moderate	Grass / Soil	Trim
379	Protrusion	SW04221	E Roundhill LN	Severe	Grass / Soil	Trim
380	Protrusion	SW04222	E Roundhill LN	Moderate	Grass / Soil	Trim
381	Protrusion	SW04223	S Roundhill CT	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
382	Protrusion	SW04225	S Roundhill CT	Severe	Grass / Soil	Trim
383	Obstruction	SW04225	S Roundhill CT	Severe	Grass / Soil	Trim
384	Protrusion	SW04229	E Roundhill LN	Severe	Grass / Soil	Trim
385	Protrusion	SW04233	S Shadow Grove CT	Moderate	Grass / Soil	Trim
386	Obstruction	SW04235	E Spicewood LN	Severe	Grass / Soil	Trim
387	Protrusion	SW04237	E Hunters GLN	Severe	Grass / Soil	Trim
388	Protrusion	SW04240	E Spicewood LN	Severe	Grass / Soil	Trim
389	Protrusion	SW04240	E Spicewood LN	Severe	Grass / Soil	Trim
390	Protrusion	SW04240	E Spicewood LN	Severe	Grass / Soil	Trim
391	Obstruction	SW04253	E Winston ST	Severe	Grass / Soil	Trim
392	Protrusion	SW04253	E Winston ST	Severe	Grass / Soil	Trim
393	Protrusion	SW04253	E Winston ST	Severe	Grass / Soil	Trim
394	Protrusion	SW04264	E Winston ST	Moderate	Grass / Soil	Trim
395	Protrusion	SW04271	E Roundhill LN	Moderate	Grass / Soil	Trim
396	Protrusion	SW04271	E Roundhill LN	Moderate	Grass / Soil	Trim
397	Protrusion	SW04287	E Diana CT	Moderate	Grass / Soil	Trim
404	Obstruction	SW04352	S Boulder CT	Moderate	Grass / Soil	Trim
405	Obstruction	SW04352	S Boulder CT	Severe	Grass / Soil	Trim
406	Obstruction	SW04353	S Cutter CT	Severe	Grass / Soil	Trim
407	Protrusion	SW04353	S Cutter CT	Moderate	Grass / Soil	Trim
408	Obstruction	SW04355	W RCA Park DR	Severe	Grass / Soil	Trim
409	Obstruction	SW04355	W RCA Park DR	Severe	Grass / Soil	Trim
410	Obstruction	SW04356	W RCA Park DR	Severe	Grass / Soil	Trim
411	Obstruction	SW04360	W Cardinal CT	Moderate	Grass / Soil	Trim
412	Obstruction	SW04363	S Harmony PL	Severe	Grass / Soil	Trim
413	Obstruction	SW04364	W RCA Park DR	Severe	Grass / Soil	Trim
414	Obstruction	SW04365	S Harmony PL	Moderate	Grass / Soil	Trim
415	Obstruction	SW04379	W Countryside LN	Moderate	Grass / Soil	Trim
416	Obstruction	SW04380	W RCA Park DR	Severe	Grass / Soil	Trim
417	Protrusion	SW04389	W Driscoll DR	Moderate	Grass / Soil	Trim
418	Protrusion	SW04391	S Madison ST	Severe	Grass / Soil	Trim
419	Protrusion	SW04391	S Madison ST	Moderate	Grass / Soil	Trim
420	Protrusion	SW04391	S Madison ST	Severe	Grass / Soil	Trim
421	Obstruction	SW04406	W Cherokee DR	Moderate	Grass / Soil	Trim
423	Obstruction	SW04445	S Clarizz BLVD	Moderate	Traffic Signal	Filet
424	Obstruction	SW04500	S Auto Mall RD	Severe	Sign Post	Relocate
425	Obstruction	SW04501	S Auto Mall RD	Severe	Power Pole	Filet
426	Obstruction	SW04502	S Auto Mall RD	Severe	Sign Post	Relocate
427	Obstruction	SW04504	S Auto Mall RD	Severe	Light Standard	Filet
428	Obstruction	SW04507	S Auto Mall RD	Moderate	Grating	Raise/Lower
429	Obstruction	SW04511	S Auto Mall RD	Moderate	Grating	Raise/Lower

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
430	Obstruction	SW04513	S Auto Mall RD	Severe	Tree / Plant	Trim
437	Obstruction	SW04624	S Rogers ST	Severe	Grass / Soil	Trim
438	Obstruction	SW04624	S Rogers ST	Moderate	Grass / Soil	Trim
439	Protrusion	SW04632	W Coolidge DR	Moderate	Grass / Soil	Trim
440	Protrusion	SW04632	W Coolidge DR	Moderate	Grass / Soil	Trim
441	Obstruction	SW04651	S Bryan ST	Moderate	Grass / Soil	Trim
442	Obstruction	SW04651	S Bryan ST	Severe	Grass / Soil	Trim
452	Protrusion	SW04733	E Breckenmore DR	Severe	Grass / Soil	Trim
453	Protrusion	SW04735	E Moores PIKE	Severe	Grass / Soil	Trim
454	Protrusion	SW04759	S Smith RD	Severe	Grass / Soil	Trim
455	Protrusion	SW04765	E Bridgestone DR	Severe	Grass / Soil	Trim
456	Protrusion	SW04879	E Linden Hill DR	Severe	Grass / Soil	Trim
457	Protrusion	SW04879	E Linden Hill DR	Severe	Grass / Soil	Trim
458	Protrusion	SW04879	E Linden Hill DR	Severe	Grass / Soil	Trim
459	Protrusion	SW04883	E Linden Hill DR	Severe	Grass / Soil	Trim
460	Protrusion	SW04883	E Linden Hill DR	Severe	Grass / Soil	Trim
461	Obstruction	SW04886	S The Stands DR	Severe	Grass / Soil	Trim
462	Obstruction	SW04886	S The Stands DR	Severe	Grass / Soil	Trim
463	Protrusion	SW04888	E Oakmont DR	Moderate	Grass / Soil	Trim
464	Protrusion	SW04890	S The Stands DR	Moderate	Grass / Soil	Trim
465	Obstruction	SW04891	S Rolling Oak DR	Moderate	Grass / Soil	Trim
466	Protrusion	SW04901	E Rogers RD	Severe	Grass / Soil	Trim
467	Protrusion	SW04904	E Poplar DR	Severe	Grass / Soil	Trim
468	Obstruction	SW04907	S Spicewood LN	Moderate	Grass / Soil	Trim
469	Protrusion	SW04907	S Spicewood LN	Severe	Grass / Soil	Trim
470	Obstruction	SW04915	E Poplar DR	Moderate	Grass / Soil	Trim
471	Obstruction	SW04915	E Poplar DR	Moderate	Grass / Soil	Trim
472	Obstruction	SW04915	E Poplar DR	Moderate	Grass / Soil	Trim
473	Obstruction	SW04915	E Poplar DR	Moderate	Grass / Soil	Trim
474	Protrusion	SW04916	S Spicewood LN	Severe	Grass / Soil	Trim
475	Obstruction	SW04916	S Spicewood LN	Severe	Grass / Soil	Trim
476	Obstruction	SW04961	E Oakmont DR	Moderate	Grass / Soil	Trim
477	Obstruction	SW04966	E Canada DR	Severe	Grass / Soil	Trim
478	Protrusion	SW04969	E Ashwood CT	Moderate	Grass / Soil	Trim
479	Protrusion	SW04980	E Cedarwood CIR	Moderate	Grass / Soil	Trim
480	Protrusion	SW04981	E Oakmont DR	Moderate	Grass / Soil	Trim
481	Protrusion	SW04982	S Ashwood DR	Moderate	Grass / Soil	Trim
482	Protrusion	SW04982	S Ashwood DR	Severe	Grass / Soil	Trim
483	Obstruction	SW04984	S Ashwood DR	Moderate	Grass / Soil	Trim
484	Obstruction	SW05007	S Ashwood DR	Moderate	Grass / Soil	Trim
485	Protrusion	SW05009	S Ashwood DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
486	Protrusion	SW05013	S The Stands DR	Moderate	Grass / Soil	Trim
487	Obstruction	SW05024	S Cedarwood CIR	Moderate	Grass / Soil	Trim
488	Protrusion	SW05027	E Oakmont DR	Moderate	Grass / Soil	Trim
489	Protrusion	SW05031	S Southern Oaks DR	Moderate	Grass / Soil	Trim
490	Obstruction	SW05031	S Southern Oaks DR	Moderate	Manhole	Raise/Lower
491	Obstruction	SW05033	E Canada DR	Severe	Grass / Soil	Trim
494	Protrusion	SW05055	S Jalen CT	Severe	Grass / Soil	Trim
495	Protrusion	SW05145	S Maston CT	Moderate	Grass / Soil	Trim
496	Obstruction	SW05153	W Twin Oaks RDG	Moderate	Mail box	Relocate
497	Obstruction	SW05166	W Countryside LN	Moderate	Grass / Soil	Trim
498	Protrusion	SW05192	W Ezekiel DR	Moderate	Grass / Soil	Trim
499	Obstruction	SW05244	S Walnut ST	Moderate	Grass / Soil	Trim
500	Obstruction	SW05244	S Walnut ST	Moderate	Grass / Soil	Trim
501	Obstruction	SW05246	E Vermilya AVE	Moderate	Grass / Soil	Trim
502	Obstruction	SW05246	E Vermilya AVE	Moderate	Grass / Soil	Trim
503	Obstruction	SW05246	E Vermilya AVE	Moderate	Grass / Soil	Trim
504	Obstruction	SW05248	S Walnut ST	Moderate	Grass / Soil	Trim
505	Obstruction	SW05278	S Walnut ST	Severe	Grass / Soil	Trim
506	Protrusion	SW05282	E North DR	Moderate	Grass / Soil	Trim
507	Protrusion	SW05314	S Walnut ST	Moderate	Grass / Soil	Trim
508	Obstruction	SW05317	S Walnut Street PIKE	Moderate	Power Pole	Filet
509	Obstruction	SW05317	S Walnut Street PIKE	Severe	Power Pole	Filet
510	Protrusion	SW05324	S Walnut ST	Moderate	Grass / Soil	Trim
511	Obstruction	SW05326	S Walnut ST	Moderate	Grass / Soil	Trim
512	Obstruction	SW05326	S Walnut ST	Moderate	Grass / Soil	Trim
513	Protrusion	SW05331	S Walnut ST	Moderate	Grass / Soil	Trim
514	Obstruction	SW05338	S Walnut ST	Moderate	Grass / Soil	Trim
515	Protrusion	SW05338	S Walnut ST	Severe	Grass / Soil	Trim
516	Obstruction	SW05338	S Walnut ST	Severe	Grass / Soil	Trim
517	Protrusion	SW05353	S Walnut ST	Moderate	Grass / Soil	Trim
518	Obstruction	SW05381	S Walnut Street PIKE	Moderate	Grass / Soil	Trim
519	Protrusion	SW05443	S Walnut Street PIKE	Moderate	Grass / Soil	Trim
520	Protrusion	SW05456	E Winslow RD	Moderate	Grass / Soil	Trim
521	Protrusion	SW05474	S Walnut ST	Severe	Grass / Soil	Trim
522	Obstruction	SW05483	S Walnut Street PIKE	Severe	Grass / Soil	Trim
523	Protrusion	SW05484	E Burks DR	Moderate	Grass / Soil	Trim
524	Obstruction	SW05486	E Burks DR	Severe	Grass / Soil	Trim
525	Obstruction	SW05487	E Burks DR	Severe	Grass / Soil	Trim
526	Obstruction	SW05489	E Kennedy CT	Severe	Grass / Soil	Trim
527	Obstruction	SW05489	E Kennedy CT	Severe	Grass / Soil	Trim
528	Obstruction	SW05490	S Burks CT	Moderate	Mail box	Relocate

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
529	Obstruction	SW05492	S Kennedy DR	Moderate	Grass / Soil	Trim
530	Obstruction	SW05493	S Kennedy DR	Severe	Grass / Soil	Trim
531	Obstruction	SW05500	S Walnut Street PIKE	Severe	Grass / Soil	Trim
532	Obstruction	SW05500	S Walnut Street PIKE	Severe	Grass / Soil	Trim
533	Obstruction	SW05503	E Kennedy CT	Severe	Mail box	Relocate
534	Obstruction	SW05503	E Kennedy CT	Severe	Grass / Soil	Trim
536	Obstruction	SW05541	E Winslow RD	Moderate	Grass / Soil	Trim
537	Protrusion	SW05541	E Winslow RD	Severe	Grass / Soil	Trim
538	Protrusion	SW05541	E Winslow RD	Severe	Shopping cart	Relocate
539	Obstruction	SW05541	E Winslow RD	Severe	Grass / Soil	Trim
540	Obstruction	SW05541	E Winslow RD	Severe	Grass / Soil	Trim
541	Protrusion	SW05556	E Winslow RD	Moderate	Grass / Soil	Trim
542	Obstruction	SW05590	E Camby LN	Severe	Grass / Soil	Trim
543	Obstruction	SW05590	E Camby LN	Severe	Grass / Soil	Trim
544	Obstruction	SW05590	E Camby LN	Severe	Grass / Soil	Trim
545	Obstruction	SW05590	E Camby LN	Severe	Grass / Soil	Trim
546	Obstruction	SW05591	E Durham DR	Severe	Grass / Soil	Trim
547	Obstruction	SW05593	E Bradshire ST	Moderate	Grass / Soil	Trim
548	Obstruction	SW05593	E Bradshire ST	Moderate	Grass / Soil	Trim
549	Obstruction	SW05603	S Highland AVE	Severe	Grass / Soil	Trim
550	Obstruction	SW05608	E Winslow RD	Severe	Grass / Soil	Trim
551	Protrusion	SW05615	S Winslow Farm DR	Severe	Grass / Soil	Trim
552	Protrusion	SW05632	S Abby LN	Severe	Grass / Soil	Trim
553	Protrusion	SW05632	S Abby LN	Severe	Grass / Soil	Trim
554	Protrusion	SW05643	S Browning PL	Moderate	Grass / Soil	Trim
555	Protrusion	SW05643	S Browning PL	Moderate	Grass / Soil	Trim
556	Protrusion	SW05651	E Browning LN	Severe	Grass / Soil	Trim
557	Obstruction	SW05695	E Kensington Park DR	Moderate	Grass / Soil	Trim
558	Protrusion	SW05712	S Mulberry LN	Severe	Grass / Soil	Trim
559	Obstruction	SW05715	E Daniel ST	Moderate	Grass / Soil	Trim
560	Protrusion	SW05739	E Kristen CT	Severe	Grass / Soil	Trim
561	Obstruction	SW05743	S Forrester ST	Severe	Grass / Soil	Trim
562	Protrusion	SW05747	S Robins BOW	Severe	Grass / Soil	Trim
563	Protrusion	SW05747	S Robins BOW	Severe	Grass / Soil	Trim
564	Protrusion	SW05771	E Jordans WAY	Severe	Grass / Soil	Trim
565	Obstruction	SW05814	S Dunstan DR	Severe	Grass / Soil	Trim
566	Obstruction	SW05814	S Dunstan DR	Moderate	Mail box	Relocate
567	Obstruction	SW05814	S Dunstan DR	Moderate	Grass / Soil	Trim
568	Obstruction	SW05816	S Tremont WAY	Moderate	Grass / Soil	Trim
569	Obstruction	SW05818	S Allendale DR	Severe	Grass / Soil	Trim
570	Obstruction	SW05818	S Allendale DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
571	Obstruction	SW05819	S Dunstan DR	Moderate	Grass / Soil	Trim
572	Protrusion	SW05819	S Dunstan DR	Severe	Grass / Soil	Trim
573	Protrusion	SW05819	S Dunstan DR	Severe	Grass / Soil	Trim
574	Obstruction	SW05822	E Allendale DR	Moderate	Grass / Soil	Trim
575	Obstruction	SW05827	E Eddington CT	Severe	Grass / Soil	Trim
576	Obstruction	SW05827	E Eddington CT	Moderate	Grass / Soil	Trim
577	Obstruction	SW05827	E Eddington CT	Moderate	Grass / Soil	Trim
578	Obstruction	SW05827	E Eddington CT	Severe	Grass / Soil	Trim
579	Obstruction	SW05829	S Wellington DR	Severe	Grass / Soil	Trim
580	Protrusion	SW05830	E Allendale DR	Severe	Grass / Soil	Trim
581	Protrusion	SW05831	S Eddington DR	Severe	Grass / Soil	Trim
582	Protrusion	SW05831	S Eddington DR	Severe	Grass / Soil	Trim
583	Protrusion	SW05837	S Tudor LN	Moderate	Grass / Soil	Trim
584	Obstruction	SW05844	S Roxbury CIR	Moderate	Grass / Soil	Trim
585	Obstruction	SW05844	S Roxbury CIR	Moderate	Grass / Soil	Trim
586	Protrusion	SW05844	S Roxbury CIR	Moderate	Grass / Soil	Trim
587	Obstruction	SW05851	S Kingsbury AVE	Moderate	Mail box	Relocate
588	Obstruction	SW05851	S Kingsbury AVE	Moderate	Grass / Soil	Trim
589	Obstruction	SW05851	S Kingsbury AVE	Moderate	Mail box	Relocate
590	Obstruction	SW05851	S Kingsbury AVE	Moderate	Mail box	Relocate
591	Obstruction	SW05852	E Allendale DR	Moderate	Grass / Soil	Trim
592	Obstruction	SW05854	S Roxbury CIR	Moderate	Grass / Soil	Trim
593	Obstruction	SW05857	E Allendale DR	Moderate	Grass / Soil	Trim
594	Obstruction	SW05862	S Bainbridge DR	Severe	Mail box	Relocate
595	Obstruction	SW05867	S Bainbridge DR	Moderate	Grass / Soil	Trim
596	Obstruction	SW05868	S Sowder SQ	Severe	Mail box	Relocate
597	Obstruction	SW05868	S Sowder SQ	Moderate	Mail box	Relocate
598	Obstruction	SW05868	S Sowder SQ	Severe	Grass / Soil	Trim
599	Obstruction	SW05868	S Sowder SQ	Moderate	Grass / Soil	Trim
600	Obstruction	SW05868	S Sowder SQ	Severe	Grass / Soil	Trim
601	Obstruction	SW05869	S Sowder SQ	Severe	Mail box	Relocate
602	Obstruction	SW05870	S Kingsbury AVE	Moderate	Mail box	Relocate
603	Obstruction	SW05870	S Kingsbury AVE	Moderate	Mail box	Relocate
604	Obstruction	SW05870	S Kingsbury AVE	Moderate	Mail box	Relocate
605	Obstruction	SW05929	S Mill Stone CT	Moderate	Street Furniture	Relocate
606	Protrusion	SW05942	S Buttonwood LN	Severe	Grass / Soil	Trim
607	Protrusion	SW05942	S Buttonwood LN	Severe	Grass / Soil	Trim
608	Obstruction	SW05954	S Sare RD	Moderate	Grass / Soil	Trim
609	Obstruction	SW05958	S Sare RD	Moderate	Grass / Soil	Trim
610	Obstruction	SW05958	S Sare RD	Moderate	Grass / Soil	Trim
611	Protrusion	SW05958	S Sare RD	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
612	Protrusion	SW05958	S Sare RD	Severe	Grass / Soil	Trim
613	Protrusion	SW05958	S Sare RD	Severe	Grass / Soil	Trim
614	Protrusion	SW05958	S Sare RD	Severe	Grass / Soil	Trim
615	Protrusion	SW05958	S Sare RD	Severe	Grass / Soil	Trim
616	Protrusion	SW05958	S Sare RD	Moderate	Grass / Soil	Trim
617	Protrusion	SW05958	S Sare RD	Severe	Grass / Soil	Trim
618	Protrusion	SW05959	E Tapps TURN	Severe	Grass / Soil	Trim
619	Obstruction	SW06014	W Sudbury DR	Moderate	Grass / Soil	Trim
620	Obstruction	SW06014	W Sudbury DR	Moderate	Grass / Soil	Trim
621	Obstruction	SW06070	E 3rd ST	Severe	Grass / Soil	Trim
622	Obstruction	SW06070	E 3rd ST	Severe	Grass / Soil	Trim
623	Obstruction	SW06094	E 2nd ST	Severe	Grass / Soil	Trim
624	Obstruction	SW06103	E 2nd ST	Moderate	Grass / Soil	Trim
625	Protrusion	SW06110	E 2nd ST	Severe	Grass / Soil	Trim
626	Obstruction	SW06180	S Anthony CT	Severe	Grass / Soil	Trim
627	Obstruction	SW06181	E Bill Mallory BLVD	Severe	Grass / Soil	Trim
628	Protrusion	SW06183	E Bill Mallory BLVD	Severe	Grass / Soil	Trim
629	Protrusion	SW06192	E Bill Mallory BLVD	Severe	Grass / Soil	Trim
630	Obstruction	SW06196	E Bennington BLVD	Severe	Valve box	Raise/Lower
631	Protrusion	SW06201	S Coriander CT	Moderate	Tree / Plant	Trim
632	Obstruction	SW06202	E Bennington BLVD	Severe	Grass / Soil	Trim
633	Obstruction	SW06241	E Gentry BLVD	Moderate	Grass / Soil	Trim
634	Obstruction	SW06242	E Gentry BLVD	Severe	Grass / Soil	Trim
635	Obstruction	SW06242	E Gentry BLVD	Severe	Grass / Soil	Trim
636	Obstruction	SW06251	E Gentry BLVD	Moderate	Grass / Soil	Trim
637	Obstruction	SW06322	E Miller DR	Moderate	Power Pole	Filet
638	Obstruction	SW06322	E Miller DR	Moderate	Grass / Soil	Trim
639	Obstruction	SW06322	E Miller DR	Moderate	Grass / Soil	Trim
640	Obstruction	SW06322	E Miller DR	Severe	Grass / Soil	Trim
641	Obstruction	SW06334	S Henderson ST	Moderate	Grass / Soil	Trim
642	Obstruction	SW06336	S Henderson ST	Severe	Grass / Soil	Trim
643	Obstruction	SW06366	E Laurelwood DR	Severe	Grass / Soil	Trim
644	Obstruction	SW06371	S White Tail RUN	Moderate	Grass / Soil	Trim
645	Protrusion	SW06373	S Laurelwood DR	Severe	Grass / Soil	Trim
646	Obstruction	SW06389	S Azalea LN	Moderate	Sign Post	Relocate
647	Obstruction	SW06389	S Azalea LN	Moderate	Mail box	Relocate
648	Obstruction	SW06396	S Bent Tree DR	Moderate	Grass / Soil	Trim
649	Obstruction	SW06405	E Graham DR	Moderate	Grass / Soil	Trim
650	Protrusion	SW06467	E Moores PIKE	Severe	Grass / Soil	Trim
651	Protrusion	SW06467	E Moores PIKE	Severe	Grass / Soil	Trim
652	Protrusion	SW06467	E Moores PIKE	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
653	Protrusion	SW06467	E Moores PIKE	Severe	Grass / Soil	Trim
654	Protrusion	SW06467	E Moores PIKE	Severe	Grass / Soil	Trim
655	Protrusion	SW06467	E Moores PIKE	Moderate	Grass / Soil	Trim
656	Protrusion	SW06491	E Edward CT	Severe	Grass / Soil	Trim
657	Protrusion	SW06494	E Reed CT	Severe	Grass / Soil	Trim
658	Obstruction	SW06494	E Reed CT	Moderate	Grass / Soil	Trim
659	Protrusion	SW06498	E St Remy DR	Severe	Grass / Soil	Trim
660	Obstruction	SW06499	E St Remy DR	Severe	Grass / Soil	Trim
661	Protrusion	SW06500	E St Remy DR	Severe	Grass / Soil	Trim
662	Protrusion	SW06513	E Brigs BND	Severe	Grass / Soil	Trim
663	Protrusion	SW06513	E Brigs BND	Severe	Grass / Soil	Trim
664	Protrusion	SW06519	E Winston ST	Severe	Grass / Soil	Trim
665	Protrusion	SW06519	E Winston ST	Severe	Grass / Soil	Trim
666	Protrusion	SW06526	S Olcott BLVD	Moderate	Grass / Soil	Trim
667	Obstruction	SW06528	E Reed CT	Severe	Grass / Soil	Trim
668	Obstruction	SW06528	E Reed CT	Severe	Grass / Soil	Trim
669	Obstruction	SW06528	E Reed CT	Severe	Grass / Soil	Trim
670	Obstruction	SW06528	E Reed CT	Severe	Grass / Soil	Trim
671	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
672	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
673	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
674	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
675	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
676	Protrusion	SW06528	E Reed CT	Severe	Grass / Soil	Trim
677	Obstruction	SW06538	E Winston ST	Moderate	Manhole	Raise/Lower
678	Protrusion	SW06575	W Allen ST	Moderate	Grass / Soil	Trim
679	Protrusion	SW06575	W Allen ST	Moderate	Grass / Soil	Trim
680	Protrusion	SW06575	W Allen ST	Moderate	Grass / Soil	Trim
681	Protrusion	SW06583	S Adams ST	Moderate	Grass / Soil	Trim
682	Obstruction	SW06598	W Allen ST	Moderate	Grass / Soil	Trim
683	Obstruction	SW06600	W East Branch RD	Moderate	Grass / Soil	Trim
684	Obstruction	SW06612	S West Pointe CT	Moderate	Grass / Soil	Trim
685	Protrusion	SW06612	S West Pointe CT	Moderate	Grass / Soil	Trim
686	Obstruction	SW06614	W Woodhill DR	Moderate	Grass / Soil	Trim
687	Obstruction	SW06614	W Woodhill DR	Moderate	Grass / Soil	Trim
688	Obstruction	SW06614	W Woodhill DR	Moderate	Grass / Soil	Trim
689	Protrusion	SW06614	W Woodhill DR	Moderate	Grass / Soil	Trim
690	Protrusion	SW06634	S Fairview ST	Moderate	Grass / Soil	Trim
691	Obstruction	SW06656	W Allen ST	Moderate	Grass / Soil	Trim
693	Obstruction	SW06734	S Rockport RD	Moderate	Grass / Soil	Trim
694	Obstruction	SW06735	S Rockport RD	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
695	Obstruction	SW06740	S Rockport RD	Moderate	Grass / Soil	Trim
696	Obstruction	SW06742	W Coolidge DR	Severe	Grass / Soil	Trim
697	Obstruction	SW06742	W Coolidge DR	Severe	Grass / Soil	Trim
698	Protrusion	SW06744	W Pine Meadows DR	Severe	Grass / Soil	Trim
699	Protrusion	SW06747	W Pinehurst DR	Severe	Grass / Soil	Trim
700	Protrusion	SW06748	W Pinehurst DR	Severe	Grass / Soil	Trim
701	Obstruction	SW06750	W Ralston DR	Moderate	Grass / Soil	Trim
702	Protrusion	SW06756	W Ralston DR	Moderate	Grass / Soil	Trim
703	Protrusion	SW06756	W Ralston DR	Moderate	Grass / Soil	Trim
704	Protrusion	SW06756	W Ralston DR	Moderate	Grass / Soil	Trim
705	Obstruction	SW06770	S Rockport RD	Moderate	Grass / Soil	Trim
706	Obstruction	SW06832	N Sheffield DR	Moderate	Grass / Soil	Trim
707	Obstruction	SW06837	E Morningside DR	Moderate	Grass / Soil	Trim
708	Obstruction	SW06837	E Morningside DR	Severe	Grass / Soil	Trim
709	Obstruction	SW06839	E Morningside DR	Moderate	Grass / Soil	Trim
710	Obstruction	SW06841	N Park Ridge RD	Moderate	Grass / Soil	Trim
711	Protrusion	SW06844	E Morningside DR	Moderate	Tree / Plant	Trim
712	Obstruction	SW06883	W Coolidge DR	Moderate	Mail box	Relocate
713	Obstruction	SW06883	W Coolidge DR	Moderate	Mail box	Relocate
714	Obstruction	SW06883	W Coolidge DR	Severe	Mail box	Relocate
715	Obstruction	SW06887	S Walnut ST	Moderate	Sign Post	Relocate
716	Obstruction	SW06889	S Washington ST	Severe	Grass / Soil	Trim
717	Protrusion	SW06889	S Washington ST	Severe	Grass / Soil	Trim
718	Obstruction	SW06922	E 1st ST	Moderate	Grass / Soil	Trim
719	Protrusion	SW06945	W Wylie ST	Moderate	Grass / Soil	Trim
720	Protrusion	SW06950	W Dodds ST	Moderate	Grass / Soil	Trim
721	Obstruction	SW06977	E Hunter AVE	Moderate	Grass / Soil	Trim
722	Protrusion	SW06978	E Hunter AVE	Moderate	Grass / Soil	Trim
723	Obstruction	SW06990	E Atwater AVE	Moderate	Light Standard	Filet
724	Protrusion	SW07000	E Smith AVE	Moderate	Grass / Soil	Trim
725	Protrusion	SW07000	E Smith AVE	Severe	Grass / Soil	Trim
726	Protrusion	SW07001	E 2nd ST	Severe	Grass / Soil	Trim
727	Protrusion	SW07062	E 11th ST	Severe	Tree / Plant	Trim
728	Obstruction	SW07066	E 11th ST	Severe	Grating	Raise/Lower
729	Protrusion	SW07085	N Washington ST	Moderate	Grass / Soil	Trim
730	Obstruction	SW07097	E 10th ST	Severe	Grass / Soil	Trim
731	Protrusion	SW07104	E Cottage Grove AVE	Moderate	Grass / Soil	Trim
732	Protrusion	SW07143	E 11th ST	Moderate	Grass / Soil	Trim
733	Obstruction	SW07178	E 11th ST	Moderate	Grass / Soil	Trim
734	Protrusion	SW07188	N Indiana AVE	Moderate	Grass / Soil	Trim
735	Obstruction	SW07212	E 10th ST	Moderate	Manhole	Raise/Lower

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
736	Obstruction	SW07213	N Fess AVE	Moderate	Grass / Soil	Trim
737	Protrusion	SW07223	E 11th ST	Moderate	Grass / Soil	Trim
738	Obstruction	SW07241	N Walnut Grove AVE	Moderate	Manhole	Raise/Lower
739	Obstruction	SW07241	N Walnut Grove AVE	Moderate	Manhole	Raise/Lower
740	Obstruction	SW07266	N Morton ST	Moderate	Sign Post	Relocate
741	Obstruction	SW07276	N Walnut ST	Moderate	Manhole	Raise/Lower
742	Obstruction	SW07305	N College AVE	Moderate	Grass / Soil	Trim
743	Protrusion	SW07307	N Walnut ST	Moderate	Grass / Soil	Trim
744	Obstruction	SW07342	E 15th ST	Severe	Collapsed retaining wall	Relocate
745	Obstruction	SW07348	E 16th ST	Moderate		Trim
746	Obstruction	SW07348	E 16th ST	Severe	Grass / Soil	Trim
747	Obstruction	SW07348	E 16th ST	Moderate	Grass / Soil	Trim
748	Obstruction	SW07371	E Alice ST	Severe	Grass / Soil	Trim
749	Obstruction	SW07371	E Alice ST	Moderate	Grass / Soil	Trim
750	Obstruction	SW07378	N Park AVE	Moderate	Grass / Soil	Trim
751	Obstruction	SW07392	E 8th ST	Moderate	Grass / Soil	Trim
752	Obstruction	SW07508	N Indiana AVE	Moderate	Grass / Soil	Trim
753	Protrusion	SW07530	N Indiana AVE	Moderate	Grass / Soil	Trim
754	Obstruction	SW07532	E 14th ST	Moderate	Grass / Soil	Trim
755	Obstruction	SW07532	E 14th ST	Moderate	Grass / Soil	Trim
756	Obstruction	SW07533	E 14th ST	Severe	Grass / Soil	Trim
757	Obstruction	SW07533	E 14th ST	Severe	Grass / Soil	Trim
758	Obstruction	SW07533	E 14th ST	Severe	Grass / Soil	Trim
759	Obstruction	SW07533	E 14th ST	Moderate	Grass / Soil	Trim
760	Obstruction	SW07533	E 14th ST	Moderate	Grass / Soil	Trim
761	Obstruction	SW07533	E 14th ST	Severe	Manhole	Raise/Lower
762	Obstruction	SW07533	E 14th ST	Severe	Manhole	Raise/Lower
763	Obstruction	SW07533	E 14th ST	Moderate	Manhole	Raise/Lower
764	Obstruction	SW07533	E 14th ST	Moderate	Manhole	Raise/Lower
765	Obstruction	SW07533	E 14th ST	Severe	Grass / Soil	Trim
766	Obstruction	SW07533	E 14th ST	Severe	Grass / Soil	Trim
767	Obstruction	SW07540	E 13th ST	Severe	Grass / Soil	Trim
768	Obstruction	SW07557	N Woodlawn AVE	Moderate	Railroad crossing	Raise/Lower
769	Obstruction	SW07558	N Woodlawn AVE	Moderate	Railroad crossing	Raise/Lower
770	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
771	Obstruction	SW07561	E 14th ST	Severe	Grass / Soil	Trim
772	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
773	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
774	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
775	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
776	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
777	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
778	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
779	Obstruction	SW07561	E 14th ST	Moderate	Grass / Soil	Trim
780	Obstruction	SW07561	E 14th ST	Severe	Grass / Soil	Trim
781	Obstruction	SW07596	E 12th ST	Severe	Grass / Soil	Trim
782	Protrusion	SW07607	E Cottage Grove AVE	Moderate	Grass / Soil	Trim
785	Protrusion	SW07742	W 2nd ST	Moderate	Grass / Soil	Trim
786	Protrusion	SW07750	S College AVE	Moderate	Grass / Soil	Trim
787	Obstruction	SW07758	W 2nd ST	Moderate	Grass / Soil	Trim
788	Obstruction	SW07758	W 2nd ST	Severe	Grass / Soil	Trim
789	Obstruction	SW07759	W 2nd ST	Severe	Grass / Soil	Trim
790	Protrusion	SW07760	W 2nd ST	Moderate	Grass / Soil	Trim
791	Obstruction	SW07760	W 2nd ST	Moderate	Grass / Soil	Trim
792	Obstruction	SW07760	W 2nd ST	Moderate	Grass / Soil	Trim
793	Obstruction	SW07822	N Kinser PIKE	Moderate	Manhole	Raise/Lower
794	Obstruction	SW07823	N Kinser PIKE	Moderate	Grass / Soil	Trim
795	Protrusion	SW07824	N Kinser PIKE	Moderate	Grass / Soil	Trim
796	Obstruction	SW07824	N Kinser PIKE	Severe	Grass / Soil	Trim
797	Obstruction	SW07825	N Kinser PIKE	Moderate	Grass / Soil	Trim
798	Obstruction	SW07825	N Kinser PIKE	Severe	Grass / Soil	Trim
799	Obstruction	SW07825	N Kinser PIKE	Moderate	Grass / Soil	Trim
800	Protrusion	SW07873	W 6th ST	Moderate	Grass / Soil	Trim
801	Protrusion	SW07876	S Elm ST	Moderate	Grass / Soil	Trim
802	Protrusion	SW07876	S Elm ST	Moderate	Grass / Soil	Trim
803	Protrusion	SW07884	W 7th ST	Severe	Grass / Soil	Trim
804	Obstruction	SW07910	W Kirkwood AVE	Moderate	Grass / Soil	Trim
805	Protrusion	SW07912	W 4th ST	Moderate	Grass / Soil	Trim
806	Obstruction	SW07915	W Kirkwood AVE	Moderate	Grass / Soil	Trim
807	Obstruction	SW07919	W Kirkwood AVE	Moderate	Grass / Soil	Trim
808	Obstruction	SW07920	W Kirkwood AVE	Moderate	Grass / Soil	Trim
809	Obstruction	SW07921	W Kirkwood AVE	Moderate	Grass / Soil	Trim
810	Obstruction	SW07924	W 4th ST	Moderate	Grass / Soil	Trim
811	Obstruction	SW07927	W 4th ST	Moderate	Grass / Soil	Trim
812	Protrusion	SW07931	W 4th ST	Moderate	Grass / Soil	Trim
813	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
814	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
815	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
816	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
817	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
818	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim
819	Obstruction	SW07935	W 4th ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
820	Protrusion	SW07938	W 6th ST	Severe	Grass / Soil	Trim
821	Obstruction	SW07939	W 7th ST	Moderate	Grass / Soil	Trim
822	Protrusion	SW07943	W 7th ST	Severe	Grass / Soil	Trim
823	Protrusion	SW07946	N Fairview ST	Moderate	Grass / Soil	Trim
824	Protrusion	SW07946	N Fairview ST	Moderate	Grass / Soil	Trim
825	Protrusion	SW07946	N Fairview ST	Severe	Grass / Soil	Trim
826	Obstruction	SW07950	N Maple ST	Severe	Grass / Soil	Trim
827	Obstruction	SW07952	N Maple ST	Moderate	Grass / Soil	Trim
828	Obstruction	SW07952	N Maple ST	Moderate	Grass / Soil	Trim
829	Obstruction	SW07952	N Maple ST	Moderate	Grass / Soil	Trim
830	Obstruction	SW07956	N Maple ST	Moderate	Grass / Soil	Trim
831	Obstruction	SW07958	N Maple ST	Moderate	Grass / Soil	Trim
832	Obstruction	SW07958	N Maple ST	Moderate	Grass / Soil	Trim
833	Protrusion	SW07961	N Maple ST	Moderate	Grass / Soil	Trim
834	Protrusion	SW07972	W 4th ST	Moderate	Grass / Soil	Trim
835	Protrusion	SW07975	S Jackson ST	Moderate	Grass / Soil	Trim
836	Obstruction	SW07979	S Jackson ST	Moderate	Sign Post	Relocate
837	Protrusion	SW07979	S Jackson ST	Moderate	Grass / Soil	Trim
838	Protrusion	SW08039	W 10th ST	Moderate	Grass / Soil	Trim
839	Protrusion	SW08039	W 10th ST	Moderate	Grass / Soil	Trim
840	Protrusion	SW08039	W 10th ST	Moderate	Grass / Soil	Trim
841	Obstruction	SW08052	W 7th ST	Severe	Grass / Soil	Trim
842	Obstruction	SW08052	W 7th ST	Moderate	Grass / Soil	Trim
843	Obstruction	SW08058	W 11th ST	Moderate	Grass / Soil	Trim
844	Protrusion	SW08059	W 11th ST	Moderate	Grass / Soil	Trim
845	Obstruction	SW08065	N Monroe ST	Moderate	Grass / Soil	Trim
846	Protrusion	SW08073	W Cottage Grove AVE	Moderate	Grass / Soil	Trim
847	Protrusion	SW08076	N Summit ST	Moderate	Grass / Soil	Trim
848	Obstruction	SW08078	W 7th ST	Moderate	Grass / Soil	Trim
849	Obstruction	SW08078	W 7th ST	Moderate	Grass / Soil	Trim
850	Obstruction	SW08079	W 7th ST	Moderate	Grass / Soil	Trim
851	Obstruction	SW08079	W 7th ST	Moderate	Grass / Soil	Trim
852	Obstruction	SW08079	W 7th ST	Severe	Grass / Soil	Trim
853	Protrusion	SW08080	W 7th ST	Moderate	Grass / Soil	Trim
854	Protrusion	SW08081	W 7th ST	Moderate	Grass / Soil	Trim
855	Protrusion	SW08081	W 7th ST	Moderate	Grass / Soil	Trim
856	Obstruction	SW08082	W 7th ST	Severe	Grass / Soil	Trim
857	Obstruction	SW08083	W 7th ST	Moderate	Grass / Soil	Trim
858	Obstruction	SW08083	W 7th ST	Moderate	Grass / Soil	Trim
859	Obstruction	SW08088	W 6th ST	Moderate	Grass / Soil	Trim
860	Obstruction	SW08089	W 6th ST	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
861	Obstruction	SW08096	W Kirkwood AVE	Moderate	Grass / Soil	Trim
862	Protrusion	SW08098	W 6th ST	Moderate	Grass / Soil	Trim
863	Protrusion	SW08098	W 6th ST	Moderate	Tree / Plant	Trim
864	Obstruction	SW08099	W Kirkwood AVE	Moderate	Grass / Soil	Trim
865	Obstruction	SW08099	W Kirkwood AVE	Moderate	Grass / Soil	Trim
866	Obstruction	SW08099	W Kirkwood AVE	Moderate	Grass / Soil	Trim
867	Obstruction	SW08099	W Kirkwood AVE	Moderate	Grass / Soil	Trim
868	Obstruction	SW08099	W Kirkwood AVE	Moderate	Manhole	Raise/Lower
869	Protrusion	SW08100	W 6th ST	Moderate	Grass / Soil	Trim
870	Protrusion	SW08100	W 6th ST	Moderate	Grass / Soil	Trim
871	Obstruction	SW08101	W 6th ST	Moderate	Grass / Soil	Trim
872	Protrusion	SW08107	W 11th ST	Severe	Grass / Soil	Trim
873	Protrusion	SW08120	W Cottage Grove AVE	Moderate	Grass / Soil	Trim
874	Protrusion	SW08124	N Adams ST	Moderate	Grass / Soil	Trim
875	Obstruction	SW08125	N Adams ST	Moderate	Railroad crossing	Raise/Lower
876	Protrusion	SW08127	N Adams ST	Severe	Grass / Soil	Trim
877	Obstruction	SW08134	N Monroe ST	Moderate	Grass / Soil	Trim
878	Protrusion	SW08135	N Monroe ST	Moderate	Grass / Soil	Trim
879	Protrusion	SW08135	N Monroe ST	Moderate	Grass / Soil	Trim
880	Obstruction	SW08150	N Ashlynn Park DR	Moderate	Parking meter	Relocate
881	Protrusion	SW08228	W 8th ST	Moderate	Grass / Soil	Trim
882	Protrusion	SW08228	W 8th ST	Moderate	Grass / Soil	Trim
883	Protrusion	SW08229	W 8th ST	Moderate	Grass / Soil	Trim
884	Protrusion	SW08229	W 8th ST	Moderate	Grass / Soil	Trim
885	Protrusion	SW08229	W 8th ST	Moderate	Grass / Soil	Trim
886	Protrusion	SW08241	W 9th ST	Moderate	Grass / Soil	Trim
887	Protrusion	SW08241	W 9th ST	Moderate	Grass / Soil	Trim
888	Protrusion	SW08242	W 8th ST	Moderate	Grass / Soil	Trim
889	Protrusion	SW08243	W 8th ST	Moderate	Grass / Soil	Trim
890	Protrusion	SW08245	W 8th ST	Moderate	Grass / Soil	Trim
891	Obstruction	SW08247	W 9th ST	Severe	Grass / Soil	Trim
892	Obstruction	SW08248	W 9th ST	Severe	Grass / Soil	Trim
893	Obstruction	SW08263	W 8th ST	Severe	Grass / Soil	Trim
894	Obstruction	SW08273	W 9th ST	Severe	Grass / Soil	Trim
895	Obstruction	SW08280	W 9th ST	Moderate	Grass / Soil	Trim
896	Obstruction	SW08280	W 9th ST	Moderate	Grass / Soil	Trim
897	Obstruction	SW08284	N Fairview ST	Severe	Power Pole	Filet
898	Obstruction	SW08284	N Fairview ST	Moderate	Guy Wire / Support	Relocate
899	Obstruction	SW08285	W 8th ST	Moderate	Grass / Soil	Trim
900	Obstruction	SW08301	N Fairview ST	Moderate	Grass / Soil	Trim
901	Obstruction	SW08301	N Fairview ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
902	Obstruction	SW08301	N Fairview ST	Severe	Grass / Soil	Trim
903	Obstruction	SW08306	N Maple ST	Severe	Grass / Soil	Trim
904	Obstruction	SW08306	N Maple ST	Moderate	Grass / Soil	Trim
905	Obstruction	SW08306	N Maple ST	Moderate	Grass / Soil	Trim
906	Obstruction	SW08307	N Maple ST	Moderate	Grass / Soil	Trim
907	Obstruction	SW08310	N Maple ST	Moderate	Grass / Soil	Trim
908	Obstruction	SW08310	N Maple ST	Moderate	Grass / Soil	Trim
909	Obstruction	SW08311	N Maple ST	Moderate	Grass / Soil	Trim
910	Obstruction	SW08317	N Jackson ST	Moderate	Grass / Soil	Trim
911	Obstruction	SW08317	N Jackson ST	Moderate	Grass / Soil	Trim
912	Protrusion	SW08322	W 13th ST	Severe	Grass / Soil	Trim
913	Protrusion	SW08324	W 13th ST	Moderate	Grass / Soil	Trim
914	Obstruction	SW08328	N Jackson ST	Severe	Grass / Soil	Trim
915	Obstruction	SW08328	N Jackson ST	Severe	Grass / Soil	Trim
916	Protrusion	SW08342	W 9th ST	Moderate	Grass / Soil	Trim
917	Protrusion	SW08346	W 13th ST	Moderate	Grass / Soil	Trim
919	Protrusion	SW08401	W 17th ST	Moderate	Grass / Soil	Trim
920	Obstruction	SW08416	N Willis DR	Severe	Manhole	Raise/Lower
921	Protrusion	SW08423	N Woodburn AVE	Severe	Grass / Soil	Trim
922	Obstruction	SW08432	N Woodburn AVE	Moderate	Grass / Soil	Trim
923	Protrusion	SW08437	W 17th ST	Moderate	Grass / Soil	Trim
924	Obstruction	SW08445	N Jackson ST	Severe	Grass / Soil	Trim
925	Obstruction	SW08451	W 15th ST	Moderate	Grass / Soil	Trim
926	Protrusion	SW08451	W 15th ST	Moderate	Grass / Soil	Trim
927	Protrusion	SW08451	W 15th ST	Moderate	Grass / Soil	Trim
928	Protrusion	SW08451	W 15th ST	Moderate	Grass / Soil	Trim
929	Obstruction	SW08533	N Stonelake DR	Severe	Grass / Soil	Trim
930	Obstruction	SW08546	W Arlington RD	Moderate	Manhole	Raise/Lower
931	Protrusion	SW08630	E 18th ST	Moderate	Grass / Soil	Trim
932	Protrusion	SW08659	E Varsity LN	Severe	Grass / Soil	Trim
933	Obstruction	SW08662	E 20th ST	Moderate	Grass / Soil	Trim
934	Obstruction	SW08666	N Dunn ST	Moderate	Grass / Soil	Trim
935	Obstruction	SW08698	N Old State Road 37	Moderate	Grass / Soil	Trim
936	Obstruction	SW08698	N Old State Road 37	Moderate	Grass / Soil	Trim
937	Obstruction	SW08698	N Old State Road 37	Moderate	Grass / Soil	Trim
938	Obstruction	SW08753	E Lakewood DR	Severe	Grass / Soil	Trim
939	Obstruction	SW08753	E Lakewood DR	Severe	Grass / Soil	Trim
940	Obstruction	SW08753	E Lakewood DR	Severe	Grass / Soil	Trim
941	Protrusion	SW08753	E Lakewood DR	Severe	Grass / Soil	Trim
942	Obstruction	SW08753	E Lakewood DR	Severe	Grass / Soil	Trim
943	Protrusion	SW08754	E Lakewood DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
944	Protrusion	SW08755	N Ramble RD E	Severe	Grass / Soil	Trim
945	Protrusion	SW08757	N Ramble RD W	Severe	Grass / Soil	Trim
946	Protrusion	SW08757	N Ramble RD W	Moderate	Grass / Soil	Trim
947	Protrusion	SW08758	N Ramble RD W	Severe	Grass / Soil	Trim
948	Protrusion	SW08762	N Ramble RD W	Severe	Grass / Soil	Trim
949	Obstruction	SW08772	E Oliver DR	Severe	Grass / Soil	Trim
950	Obstruction	SW08775	E Rusgan DR	Severe	Grass / Soil	Trim
951	Obstruction	SW08776	N Ramble RD E	Severe	Grass / Soil	Trim
952	Obstruction	SW08778	E Oliver DR	Severe	Grass / Soil	Trim
953	Obstruction	SW08780	N Ramble RD W	Severe	Grass / Soil	Trim
954	Obstruction	SW08780	N Ramble RD W	Severe	Grass / Soil	Trim
955	Obstruction	SW08785	N Ramble RD W	Moderate	Grass / Soil	Trim
956	Obstruction	SW08786	N Blue Slopes DR	Moderate	Grass / Soil	Trim
957	Protrusion	SW08786	N Blue Slopes DR	Moderate	Grass / Soil	Trim
958	Protrusion	SW08786	N Blue Slopes DR	Moderate	Grass / Soil	Trim
959	Obstruction	SW08836	W 6th ST	Moderate	Grass / Soil	Trim
960	Obstruction	SW08873	S Madison ST	Moderate	Parking meter	Relocate
961	Obstruction	SW08873	S Madison ST	Moderate	Parking meter	Relocate
962	Obstruction	SW08885	S Rogers ST	Severe	Grass / Soil	Trim
963	Protrusion	SW08885	S Rogers ST	Moderate	Grass / Soil	Trim
964	Protrusion	SW08888	N Madison ST	Moderate	Grass / Soil	Trim
965	Protrusion	SW08888	N Madison ST	Moderate	Grass / Soil	Trim
966	Obstruction	SW08934	N Kinser PIKE	Moderate	Grass / Soil	Trim
967	Obstruction	SW08934	N Kinser PIKE	Moderate	Manhole	Raise/Lower
968	Obstruction	SW08946	W Acuff RD	Moderate	Grass / Soil	Trim
969	Obstruction	SW08947	W Rosewood DR	Moderate	Grass / Soil	Trim
970	Protrusion	SW08952	N Kinser PIKE	Severe	Grass / Soil	Trim
971	Protrusion	SW08952	N Kinser PIKE	Severe	Grass / Soil	Trim
972	Obstruction	SW08967	W Rosewood DR	Severe	Grass / Soil	Trim
973	Protrusion	SW08967	W Rosewood DR	Severe	Grass / Soil	Trim
974	Obstruction	SW08969	N Kinser PIKE	Moderate	Grass / Soil	Trim
975	Protrusion	SW08969	N Kinser PIKE	Severe	Grass / Soil	Trim
976	Protrusion	SW08969	N Kinser PIKE	Moderate	Grass / Soil	Trim
977	Protrusion	SW08976	W Sugarberry CT	Severe	Grass / Soil	Trim
978	Obstruction	SW08989	N Kinser PIKE	Moderate	Grass / Soil	Trim
979	Obstruction	SW08990	W Rosewood DR	Moderate	Grass / Soil	Trim
980	Obstruction	SW08990	W Rosewood DR	Severe	Grass / Soil	Trim
981	Protrusion	SW09057	W 12th ST	Moderate	Grass / Soil	Trim
982	Protrusion	SW09057	W 12th ST	Moderate	Grass / Soil	Trim
983	Obstruction	SW09069	W 12th ST	Moderate	Grass / Soil	Trim
984	Obstruction	SW09072	N Summit ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
985	Obstruction	SW09072	N Summit ST	Moderate	Grass / Soil	Trim
986	Obstruction	SW09072	N Summit ST	Moderate	Grass / Soil	Trim
987	Obstruction	SW09076	N Blair AVE	Moderate	Grass / Soil	Trim
988	Obstruction	SW09077	N Dyer DR	Moderate	Grass / Soil	Trim
989	Obstruction	SW09078	N Blair AVE	Moderate	Grass / Soil	Trim
990	Obstruction	SW09079	N Blair AVE	Moderate	Grass / Soil	Trim
991	Protrusion	SW09081	N Monroe ST	Moderate	Tree / Plant	Trim
992	Obstruction	SW09082	W 14th ST	Moderate	Grass / Soil	Trim
993	Obstruction	SW09084	W 11th ST	Severe	Grating	Raise/Lower
994	Protrusion	SW09087	N Blair AVE	Moderate	Grass / Soil	Trim
995	Obstruction	SW09089	N Blair AVE	Moderate	Grass / Soil	Trim
996	Protrusion	SW09090	N Dyer DR	Moderate	Grass / Soil	Trim
997	Obstruction	SW09092	N Blair AVE	Severe	Grating	Raise/Lower
998	Obstruction	SW09094	W 14th ST	Moderate	Grass / Soil	Trim
999	Obstruction	SW09097	N Monroe ST	Moderate	Grass / Soil	Trim
1000	Obstruction	SW09108	W 15th ST	Severe	Grass / Soil	Trim
1001	Protrusion	SW09108	W 15th ST	Moderate	Grass / Soil	Trim
1002	Obstruction	SW09115	N Summit ST	Moderate	Grass / Soil	Trim
1003	Obstruction	SW09115	N Summit ST	Moderate	Grass / Soil	Trim
1004	Obstruction	SW09115	N Summit ST	Moderate	Grass / Soil	Trim
1005	Obstruction	SW09117	N Summit ST	Moderate	Grass / Soil	Trim
1007	Obstruction	SW09154	E 17th ST	Moderate	Grass / Soil	Trim
1008	Obstruction	SW09154	E 17th ST	Moderate	Grass / Soil	Trim
1009	Obstruction	SW09174	W 15th ST	Moderate	Grass / Soil	Trim
1010	Protrusion	SW09180	E 16th ST	Severe	Grass / Soil	Trim
1011	Protrusion	SW09180	E 16th ST	Severe	Grass / Soil	Trim
1012	Protrusion	SW09180	E 16th ST	Severe	Grass / Soil	Trim
1013	Protrusion	SW09188	N Walnut ST	Moderate	Grass / Soil	Trim
1014	Protrusion	SW09203	E 15th ST	Severe	Grass / Soil	Trim
1015	Obstruction	SW09219	W 15th ST	Moderate	Sign Post	Relocate
1016	Protrusion	SW09331	W Parrish RD	Severe	Grass / Soil	Trim
1017	Protrusion	SW09331	W Parrish RD	Moderate	Grass / Soil	Trim
1018	Obstruction	SW09333	N Kinser PIKE	Moderate	Mail box	Relocate
1019	Obstruction	SW09334	N Kinser PIKE	Moderate	Grating	Raise/Lower
1020	Protrusion	SW09351	W Gourley PIKE	Severe	Grass / Soil	Trim
1021	Protrusion	SW09351	W Gourley PIKE	Severe	Grass / Soil	Trim
1022	Protrusion	SW09368	N Kinser PIKE	Moderate	Grass / Soil	Trim
1023	Protrusion	SW09377	W Parrish RD	Moderate	Grass / Soil	Trim
1024	Obstruction	SW09377	W Parrish RD	Severe	Tree / Plant	Trim
1025	Obstruction	SW09377	W Parrish RD	Moderate	Grass / Soil	Trim
1026	Protrusion	SW09380	N Kinser PIKE	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1027	Protrusion	SW09397	W 3rd ST	Moderate	Grass / Soil	Trim
1028	Obstruction	SW09409	S Rogers ST	Severe	Grass / Soil	Trim
1029	Protrusion	SW09415	S Madison ST	Moderate	Grass / Soil	Trim
1030	Protrusion	SW09421	S Rogers ST	Moderate	Grass / Soil	Trim
1031	Protrusion	SW09421	S Rogers ST	Moderate	Grass / Soil	Trim
1032	Obstruction	SW09439	S Jackson ST	Moderate	Grass / Soil	Trim
1033	Obstruction	SW09439	S Jackson ST	Severe	Grass / Soil	Trim
1034	Obstruction	SW09439	S Jackson ST	Moderate	Grass / Soil	Trim
1035	Obstruction	SW09447	W Howe ST	Moderate	Grass / Soil	Trim
1036	Obstruction	SW09447	W Howe ST	Severe	Grass / Soil	Trim
1037	Protrusion	SW09452	S Rogers ST	Severe	Grass / Soil	Trim
1038	Protrusion	SW09455	S Madison ST	Moderate	Grass / Soil	Trim
1039	Obstruction	SW09460	S Jackson ST	Moderate	Grass / Soil	Trim
1041	Obstruction	SW09541	S Fairview ST	Severe	Grass / Soil	Trim
1042	Obstruction	SW09543	S Fairview ST	Severe	Grass / Soil	Trim
1043	Obstruction	SW09543	S Fairview ST	Moderate	Grass / Soil	Trim
1044	Obstruction	SW09543	S Fairview ST	Severe	Grass / Soil	Trim
1045	Obstruction	SW09544	S Fairview ST	Moderate	Grass / Soil	Trim
1046	Obstruction	SW09544	S Fairview ST	Moderate	Grass / Soil	Trim
1047	Protrusion	SW09550	S Maple ST	Severe	Grass / Soil	Trim
1048	Protrusion	SW09552	S Maple ST	Moderate	Grass / Soil	Trim
1049	Obstruction	SW09572	S Fairview ST	Severe	Grass / Soil	Trim
1050	Obstruction	SW09572	S Fairview ST	Moderate	Grass / Soil	Trim
1051	Obstruction	SW09572	S Fairview ST	Moderate	Grass / Soil	Trim
1052	Obstruction	SW09589	S Euclid AVE	Moderate	Grass / Soil	Trim
1053	Protrusion	SW09590	S Euclid AVE	Moderate	Grass / Soil	Trim
1054	Obstruction	SW09603	W Howe ST	Moderate	Grass / Soil	Trim
1055	Protrusion	SW09611	W 2nd ST	Moderate	Grass / Soil	Trim
1056	Obstruction	SW09612	W 2nd ST	Severe	Grass / Soil	Trim
1057	Obstruction	SW09613	S Euclid AVE	Moderate	Grass / Soil	Trim
1058	Obstruction	SW09613	S Euclid AVE	Severe	Grass / Soil	Trim
1059	Protrusion	SW09621	W Howe ST	Severe	Grass / Soil	Trim
1060	Obstruction	SW09623	W Howe ST	Moderate	Grass / Soil	Trim
1061	Protrusion	SW09625	S Maple ST	Moderate	Grass / Soil	Trim
1062	Obstruction	SW09630	S Euclid AVE	Severe	Grass / Soil	Trim
1063	Obstruction	SW09631	W 2nd ST	Moderate	Grass / Soil	Trim
1064	Obstruction	SW09631	W 2nd ST	Moderate	Grass / Soil	Trim
1065	Obstruction	SW09631	W 2nd ST	Moderate	Grass / Soil	Trim
1066	Protrusion	SW09631	W 2nd ST	Severe	Grass / Soil	Trim
1067	Obstruction	SW09631	W 2nd ST	Moderate	Grass / Soil	Trim
1068	Protrusion	SW09641	W 2nd ST	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1069	Obstruction	SW09642	S Maple ST	Moderate	Grass / Soil	Trim
1070	Obstruction	SW09653	W 2nd ST	Severe	Grass / Soil	Trim
1071	Obstruction	SW09664	W 2nd ST	Moderate	Grass / Soil	Trim
1072	Obstruction	SW09668	S Euclid AVE	Moderate	Grass / Soil	Trim
1073	Obstruction	SW09668	S Euclid AVE	Severe	Grass / Soil	Trim
1074	Protrusion	SW09688	N Old State Road 37	Severe	Grass / Soil	Trim
1078	Obstruction	SW09813	W 7th ST	Moderate	Grass / Soil	Trim
1079	Obstruction	SW09814	W 8th ST	Moderate	Grass / Soil	Trim
1080	Obstruction	SW09819	W Fountain DR	Moderate	Grass / Soil	Trim
1081	Obstruction	SW09825	W Fountain DR	Moderate	Grass / Soil	Trim
1082	Obstruction	SW09826	W Fountain DR	Moderate	Grass / Soil	Trim
1083	Protrusion	SW09840	W 17th ST	Moderate	Grass / Soil	Trim
1086	Obstruction	SW09944	N Blue Ridge CT	Moderate	Grass / Soil	Trim
1087	Protrusion	SW09948	N Walnut ST	Moderate	Grass / Soil	Trim
1088	Obstruction	SW10028	S Leonard Springs RD	Severe	Grass / Soil	Trim
1089	Protrusion	SW10031	S Leonard Springs RD	Severe	Grass / Soil	Trim
1090	Protrusion	SW10031	S Leonard Springs RD	Severe	Grass / Soil	Trim
1091	Obstruction	SW10032	S Leonard Springs RD	Moderate	Grass / Soil	Trim
1092	Obstruction	SW10033	S Leonard Springs RD	Severe	Grass / Soil	Trim
1093	Obstruction	SW10033	S Leonard Springs RD	Severe	Grass / Soil	Trim
1094	Protrusion	SW10033	S Leonard Springs RD	Severe	Grass / Soil	Trim
1095	Obstruction	SW10043	S Leonard Springs RD	Moderate	Grass / Soil	Trim
1096	Protrusion	SW10048	S Leonard Springs RD	Severe	Grass / Soil	Trim
1097	Obstruction	SW10051	S Curry PIKE	Severe	Grass / Soil	Trim
1098	Protrusion	SW10053	S Curry PIKE	Severe	Grass / Soil	Trim
1099	Obstruction	SW10055	W Roll AVE	Severe	Grass / Soil	Trim
1100	Protrusion	SW10058	S Curry PIKE	Moderate	Grass / Soil	Trim
1101	Protrusion	SW10058	S Curry PIKE	Severe	Grass / Soil	Trim
1102	Protrusion	SW10058	S Curry PIKE	Severe	Grass / Soil	Trim
1103	Protrusion	SW10058	S Curry PIKE	Severe	Grass / Soil	Trim
1104	Protrusion	SW10083	S Curry PIKE	Moderate	Grass / Soil	Trim
1105	Obstruction	SW10166	S Basswood DR	Severe	Grass / Soil	Trim
1106	Obstruction	SW10166	S Basswood DR	Moderate	Grass / Soil	Trim
1107	Obstruction	SW10166	S Basswood DR	Moderate	Grass / Soil	Trim
1108	Obstruction	SW10166	S Basswood DR	Moderate	Grass / Soil	Trim
1109	Obstruction	SW10166	S Basswood DR	Severe	Grass / Soil	Trim
1110	Obstruction	SW10166	S Basswood DR	Severe	Grass / Soil	Trim
1111	Obstruction	SW10166	S Basswood DR	Moderate	Grass / Soil	Trim
1112	Obstruction	SW10171	S Kimble DR	Moderate	Grass / Soil	Trim
1113	Obstruction	SW10171	S Kimble DR	Moderate	Grass / Soil	Trim
1114	Obstruction	SW10178	S Basswood DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1115	Obstruction	SW10180	S Basswood DR	Moderate	Grass / Soil	Trim
1116	Obstruction	SW10181	S Basswood DR	Moderate	Grass / Soil	Trim
1117	Obstruction	SW10181	S Basswood DR	Severe	Grass / Soil	Trim
1118	Obstruction	SW10209	W 3rd ST	Moderate	Railroad crossing	Raise/Lower
1119	Protrusion	SW10217	S Franklin RD	Moderate	Grass / Soil	Trim
1121	Protrusion	SW10266	S Adams ST	Severe	Grass / Soil	Trim
1122	Obstruction	SW10266	S Adams ST	Severe	Grass / Soil	Trim
1123	Obstruction	SW10277	W 3rd ST	Moderate	Manhole	Raise/Lower
1124	Obstruction	SW10303	S Westplex AVE	Severe	Sign Post	Relocate
1125	Protrusion	SW10364	W Bloomfield RD	Moderate	Grass / Soil	Trim
1126	Obstruction	SW10366	W Bloomfield RD	Severe	Grass / Soil	Trim
1127	Obstruction	SW10366	W Bloomfield RD	Moderate	Grass / Soil	Trim
1128	Obstruction	SW10366	W Bloomfield RD	Moderate	Grass / Soil	Trim
1129	Obstruction	SW10366	W Bloomfield RD	Severe	Grass / Soil	Trim
1130	Obstruction	SW10366	W Bloomfield RD	Severe	Grass / Soil	Trim
1131	Obstruction	SW10370	S Landmark AVE	Moderate	Grass / Soil	Trim
1132	Obstruction	SW10484	W Allen ST	Severe	Grass / Soil	Trim
1133	Obstruction	SW10484	W Allen ST	Moderate	Grass / Soil	Trim
1134	Obstruction	SW10484	W Allen ST	Moderate	Grass / Soil	Trim
1135	Protrusion	SW10484	W Allen ST	Moderate	Grass / Soil	Trim
1136	Obstruction	SW10485	S Timothy CT	Moderate	Grass / Soil	Trim
1137	Obstruction	SW10485	S Timothy CT	Moderate	Grass / Soil	Trim
1138	Obstruction	SW10492	W Bloomfield RD	Severe	Grass / Soil	Trim
1139	Obstruction	SW10492	W Bloomfield RD	Moderate	Grass / Soil	Trim
1140	Obstruction	SW10492	W Bloomfield RD	Moderate	Grass / Soil	Trim
1141	Obstruction	SW10669	W Sunset AVE	Severe	Grass / Soil	Trim
1142	Obstruction	SW10669	W Sunset AVE	Severe	Grass / Soil	Trim
1143	Obstruction	SW10669	W Sunset AVE	Moderate	Grass / Soil	Trim
1144	Obstruction	SW10670	S Westwood DR	Severe	Grass / Soil	Trim
1145	Obstruction	SW10672	S Village CT	Severe	Manhole	Raise/Lower
1146	Obstruction	SW10672	S Village CT	Moderate	Grass / Soil	Trim
1147	Obstruction	SW10677	W Belle AVE	Moderate	Grass / Soil	Trim
1148	Obstruction	SW10678	S Parkway DR	Moderate	Grass / Soil	Trim
1149	Protrusion	SW10683	S Westwood DR	Severe	Grass / Soil	Trim
1150	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1151	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1152	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1153	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1154	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1155	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1156	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1157	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1158	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1159	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1160	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1161	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1162	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1163	Obstruction	SW10698	N Gates DR	Moderate	Grass / Soil	Trim
1164	Obstruction	SW10710	N Gates DR	Moderate	Grass / Soil	Trim
1165	Obstruction	SW10710	N Gates DR	Moderate	Grass / Soil	Trim
1166	Obstruction	SW10710	N Gates DR	Moderate	Grass / Soil	Trim
1167	Obstruction	SW10712	V Whitehall Crossing BLV	Moderate	Grass / Soil	Trim
1168	Obstruction	SW10712	V Whitehall Crossing BLV	Moderate	Grass / Soil	Trim
1169	Obstruction	SW10717	W Sunset AVE	Moderate	Grass / Soil	Trim
1170	Obstruction	SW10718	S Westwood DR	Moderate	Grass / Soil	Trim
1171	Obstruction	SW10718	S Westwood DR	Moderate	Grass / Soil	Trim
1172	Obstruction	SW10720	S Village CT	Severe	Grass / Soil	Trim
1173	Obstruction	SW10720	S Village CT	Moderate	Grass / Soil	Trim
1174	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1175	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1176	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1177	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1178	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1179	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1180	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1181	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1182	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1183	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1184	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1185	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1186	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1187	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1188	Obstruction	SW10724	N Gates DR	Moderate	Grass / Soil	Trim
1189	Obstruction	SW10758	W 2nd ST	Moderate	Grass / Soil	Trim
1190	Obstruction	SW10759	S Maple ST	Moderate	Grass / Soil	Trim
1191	Obstruction	SW10760	S Maple ST	Severe	Grass / Soil	Trim
1192	Obstruction	SW10760	S Maple ST	Severe	Grass / Soil	Trim
1193	Obstruction	SW10760	S Maple ST	Severe	Grass / Soil	Trim
1194	Obstruction	SW10760	S Maple ST	Moderate	Grass / Soil	Trim
1195	Protrusion	SW10774	W 7th ST	Severe	Grass / Soil	Trim
1196	Protrusion	SW10789	N Jackson ST	Moderate	Grass / Soil	Trim
1197	Obstruction	SW10803	N College AVE	Moderate	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
1198	Protrusion	SW10821	W 9th ST	Moderate	Grass / Soil	Trim
1199	Protrusion	SW10822	N Maple ST	Moderate	Grass / Soil	Trim
1200	Obstruction	SW10831	N Summit ST	Moderate	Grass / Soil	Trim
1201	Obstruction	SW10831	N Summit ST	Moderate	Grass / Soil	Trim
1202	Obstruction	SW10831	N Summit ST	Moderate	Grass / Soil	Trim
1203	Protrusion	SW10836	W Howe ST	Moderate	Grass / Soil	Trim
1204	Obstruction	SW10839	S Walker ST	Moderate	Grass / Soil	Trim
1205	Obstruction	SW10843	S Buckner ST	Severe	Grass / Soil	Trim
1206	Obstruction	SW10847	S Euclid AVE	Severe	Grass / Soil	Trim
1207	Obstruction	SW10847	S Euclid AVE	Moderate	Grass / Soil	Trim
1208	Obstruction	SW10847	S Euclid AVE	Severe	Grass / Soil	Trim
1209	Obstruction	SW10847	S Euclid AVE	Severe	Grass / Soil	Trim
1210	Obstruction	SW10868	W 3rd ST	Moderate	Traffic Signal	Filet
1211	Protrusion	SW10877	S Maple ST	Moderate	Grass / Soil	Trim
1212	Obstruction	SW10921	E Caradon HL	Moderate	Grass / Soil	Trim
1213	Protrusion	SW10921	E Caradon HL	Moderate	Grass / Soil	Trim
1214	Protrusion	SW10921	E Caradon HL	Severe	Grass / Soil	Trim

Hindrance ID	Hindrance Type	SW_ID	Street Name	Severity	Hindrance	Action
83	Obstruction	SW01151	E 10th ST	Moderate	Railroad crossing	Raise/Lower
84	Obstruction	SW01154	E 10th ST	Moderate	Railroad crossing	Raise/Lower
398	Obstruction	SW04300	W Countryside LN	Moderate	Grass / Soil	Trim
399	Obstruction	SW04300	W Countryside LN	Severe	Grass / Soil	Trim
400	Protrusion	SW04300	W Countryside LN	Moderate	Grass / Soil	Trim
401	Protrusion	SW04300	W Countryside LN	Moderate	Grass / Soil	Trim
402	Obstruction	SW04304	S Rogers ST	Moderate	Grass / Soil	Trim
403	Obstruction	SW04304	S Rogers ST	Moderate	Grass / Soil	Trim
422	Protrusion	SW04435	E Latimer RD	Severe	Grass / Soil	Trim
431	Obstruction	SW04539	S Rogers ST	Severe	Grass / Soil	Trim
432	Obstruction	SW04542	W Country Club DR	Moderate	Grass / Soil	Trim
433	Obstruction	SW04542	W Country Club DR	Moderate	Grass / Soil	Trim
434	Obstruction	SW04542	W Country Club DR	Moderate	Grass / Soil	Trim
435	Obstruction	SW04542	W Country Club DR	Moderate	Grass / Soil	Trim
436	Obstruction	SW04542	W Country Club DR	Moderate	Grass / Soil	Trim
443	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
444	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
445	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
446	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
447	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
448	Obstruction	SW04656	S Smith RD	Moderate	Grass / Soil	Trim
449	Obstruction	SW04659	S Smith RD	Moderate	Grass / Soil	Trim
450	Obstruction	SW04659	S Smith RD	Moderate	Grass / Soil	Trim
451	Obstruction	SW04659	S Smith RD	Moderate	Grass / Soil	Trim
492	Protrusion	SW05034	W Countryside LN	Moderate	Grass / Soil	Trim
493	Obstruction	SW05038	W Ezekiel DR	Moderate	Grass / Soil	Trim
535	Protrusion	SW05511	W Country Club DR	Moderate	Grass / Soil	Trim
692	Obstruction	SW06668	W Country Club DR	Moderate	Grass / Soil	Trim
783	Obstruction	SW07630	N Fee LN	Severe	Manhole	Raise/Lower
784	Obstruction	SW07632	E Matlock RD	Moderate	Manhole	Raise/Lower
918	Obstruction	SW08352	W 17th ST	Moderate	Manhole	Raise/Lower
1006	Obstruction	SW09131	N Monroe ST	Moderate	Grass / Soil	Trim
1040	Protrusion	SW09511	W 2nd ST	Moderate	Grass / Soil	Trim
1075	Protrusion	SW09709	W 17th ST	Severe	Grass / Soil	Trim
1076	Obstruction	SW09715	W 17th ST	Moderate	Grass / Soil	Trim
1077	Protrusion	SW09715	W 17th ST	Moderate	Grass / Soil	Trim
1084	Obstruction	SW09867	N Dunn ST	Moderate	Manhole	Raise/Lower
1085	Obstruction	SW09867	N Dunn ST	Moderate	Manhole	Raise/Lower
1120	Obstruction	SW10224	W Bloomfield RD	Severe	Grass / Soil	Trim

Analysis Parameters (AP) Worksheet for



Bloomington, IN

Project Number: 50833

Creation Date: 9/5/2025

Last Revision Date: 10/8/2025



This document will facilitate a thorough discussion of the parameters used for pavement analysis. If filled out accurately and completely, it will improve the value of the analysis and ease the implementation of our recommendations. ***So, please take the time to make sure that your answers are representative of your network and of what you wish to take away from the analysis.***

Contents

1.	Option A: Budget Focused Analysis.....	3
2.	Option B: Sidewalk / Curb Ramp Duration Focused Analysis	3
3.	Sidewalk Rehabilitation Strategies and Unit Rates	4
4.	Sidewalk Rehabilitation Strategies and Unit Rates	5
5.	Ramp Installation Unit Rates.....	8
6.	Sidewalk / Curb Ramp Location Priority	9
7.	Sidewalk / Curb Ramp Zones	9

If you have questions or concerns at any point during this process, feel free to reach out to the Project Manager and/or the Project Engineer.



Sidewalks/Curb Ramps

1. Option A: Budget Focused Analysis

The purpose of collecting pavement budget information is to identify all available funds for maintenance and rehabilitation. The goal is to consolidate these into a single average annual budget.

While budgets may vary each year, they must be represented as one total \$/YR amount.

The Easy Sidewalk Analysis will automatically calculate the total cost of correcting all deficiencies across your network. By providing your annual budget, the analysis will determine the **“Time to Eliminate Deficiencies”** in years.

ENTER RESPONSE HERE	
Total Budget (\$/fiscal year)	\$1,014,750
Budget Allocation to Sidewalks	40%
Budget Allocation to Ramps	60%

example: \$400,000/year

2. Option B: Sidewalk / Curb Ramp Duration Focused Analysis

If your budget for correcting sidewalk deficiencies is uncertain or undetermined, you may instead provide the number of years over which you'd like to eliminate all identified deficiencies.

Based on that target timeframe, the analysis will determine the average annual budget required to achieve full correction within the specified period.

If no preference is shared in regards to Option A or Option B, we will default to using a 20 Year Duration Focused Analysis.

ENTER RESPONSE HERE	
Time to Eliminate Deficiencies (Years) for Sidewalks	15-20 Years
Time to Eliminate Deficiencies (Years) for Curb Ramps	15-20 Years



3. Sidewalk Rehabilitation Distresses and Rehabilitation Strategies

City of Bloomington Sidewalk Rehabilitation and Distress Strategies listed below, highlighted. Also, please note that the Street Division does not perform AC taper.

Distress Type	Severity	Concrete	Asphalt	Pavers/Brick
Vertical Displacement	Moderate	Grind	Patching	Remove and Replace bricks
	Severe	Remove and Replace	Remove and Replace	Remove/Replace bricks and subgrade
Obstruction	Moderate	Remove Obstruction^	Remove Obstruction^	Remove Obstruction^
	Severe	Remove Obstruction^	Remove Obstruction^	Remove Obstruction^
Horizontal Separation	Moderate	Grind	Patching	Remove and Replace bricks
	Severe	Remove and Replace	Remove and Replace	Remove/Replace bricks and subgrade
Weed Intrusion	Moderate	Protrusion (Weed) Control	Protrusion (Weed) Control	Protrusion (Weed) Control
	Severe	Protrusion (Weed) Control	Protrusion (Weed) Control	Protrusion (Weed) Control
Cross-Slope	Moderate	Remove and Replace	Mill and Replace	Remove and Replace bricks
	Severe	Remove and Replace	Mill and Replace	Remove/Replace bricks and subgrade
Slope (Running)	Moderate	Grind (ramps only)	Mill and Replace	Remove/Replace bricks
	Severe	Remove and Replace	Mill and Replace	Remove/Replace bricks and subgrade



Reconstruction Limit (%)		50-100%	50-100%	50-100%
-----------------------------	--	---------	---------	---------

^ - Remove only (not Remove and Replace). An obstruction could be anything that is obstructing the sidewalk, from a pole to litter. The goal would be to remove the obstruction, no replacement would be necessary (we would not want to replace the obstructing object or feature with a new one). Therefore, that is why these items are listed as "Remove Obstruction".

4. Sidewalk Rehabilitation Strategies and Unit Rates

To ensure accurate analysis, we need detailed information about the maintenance and rehabilitation activities used by your agency. ESWA accepts unit rates in dollars per square foot.

City of Bloomington unique pricing highlighted below – also, please note that the Street Division does not perform AC taper.

Maintenance & Rehabilitation Activity	Unit Rate (\$/ft2)**		
	PCC	ACP	Paver/Brick
Remove & Replace (Sidewalk Concrete Repair on 1" or more)	\$15/square foot		
Grinding (Trip Hazard Repair on an 1" or less)	\$44.00/Inch Feet*		
Remove/Replace Bricks and Subgrade			\$40/Square foot
Remove and Replace Bricks			\$15/Square foot
Mill and Replace		\$20/Square foot	



Patching *(Hourly Rate Only)		\$120/hour	
Weed Control *(Hourly Rate Only)		\$35/Hour	
Remove Obstruction	\$65/hour	\$65/hour	\$65/hour

Costs include labor, equipment, materials, traffic control, and site prep.

*** Lineal feet assumes a 1 inch trip on both sides, but inch feet takes an average. So if your trip is only .5" high on both sides, your total inch feet is 1/2 times the length of the cut. A 1/2" trip on a 5 foot wide sidewalk would be 2.5 inch feet vs 5 lineal feet.**

**** For the Patching and Weed Control activities, an hourly rate is more appropriate, so these rates are listed in lieu of a square footage unit rate.**

Default Rehabs/Unit Rates Table

OK to use these rates, with the exception of the 2 City of Bloomington price notes in the table on previous page. City of Bloomington does not perform AC taper work.

Maintenance & Rehabilitation Activity	Unit Rate (\$/ft2)		
	PCC	ACP	Paver/Brick
Crack Fill / Joint Rehab	1	1	1
Local Rehab / AC Taper (REMOVE)	1.4	2	2
Remove & Replace	10	3	5
R&R with Base Rehab	12.5	5.5	6
Mud Jacking	0	0	0
Mud Jacking with Rehab	0	0	0
Relay Pavers with Base	0	0	3
Grind	5	0	0
Grind + AC Taper (REMOVE)	2.17	0	0
Protrusion (Weed) Control	0.5	0.5	0.5



Preventive Maintenance	0.25	0.25	0.25
------------------------	------	------	------



5. Ramp Installation Unit Rates

To ensure accurate analysis, we need detailed information about the ramp installation unit rates used by your agency. ESWA accepts unit rates in dollars per square foot. If you do not have current information as to your installation rates, we will proceed with our estimates.

These estimates are fine to use, with small edit to new ramp installation cost – we anticipate a 10% increase each year on these costs.

Ramp	Size (Square Feet)	Cost (\$)	Note
No Ramp	N/A	\$5,000	Base cost for a single remove and replace – includes 25% burden for overheads
Small	50	\$4,290	0 - 50 ft ²
Moderate	100	\$5,040	50 – 100 ft ²
Large	200	\$5,790	100 – 200 ft ²
Extra Large	500	\$6,540	Greater than 250 ft ²

Costs include labor, equipment, materials, traffic control, and site prep.



6. Sidewalk / Curb Ramp Location Priority

ESWA can prioritize based on Location and its proximity to Schools, Medical Facilities, Downtown areas, etc.

Sidewalk priority can be provided in the following formats and following labels:

Formats:

- A shapefile or geodatabase (preferred)
- A list of unique ID's (usually from the GIS)

Labels:

- Low
- Medium
- High
- Very High

- **Please use the locations and priority rating labels for these locations provided by the GIS shapefiles that have been sent to you separately. If you have any questions, please let us know.**

7. Sidewalk / Curb Ramp Zones

ESWA can summarize by sidewalk network zone and allows for custom zone prioritization.

- **Rogers (Grimes to Kirkwood) – INDOT Community Crossings Grant application project**
- **Patterson (Rogers to 3rd St.) – INDOT Community Crossings Grant application project**
- **Kirkwood (Rogers to Pine St.) – INDOT Community Crossings Grant application project**
- **Downtown sidewalks within the parking meter area**
- **The City's High Priority Pedestrian Network and areas of heavy Indiana University pedestrian traffic use**
- **Streets that contain high-usage bus stops (over 10K passenger boardings and alightings)**

Please note that the GIS Shapefiles for these areas will be sent to you separately. If you have any questions, please let us know.



Sidewalk zone and priority can be provided in the following formats:


- A shapefile or geodatabase (preferred)
- A list of unique ID's (usually from the GIS)





CITY OF BLOOMINGTON

Current Condition




Current Condition

- Very Poor
- Poor
- Fair
- Good



CITY OF BLOOMINGTON

Rehab Priority



Priority

No Priority

Very Low Priority

Low Priority

Deferrable Priority

Immediate Priority

